



2026 COLLECTION

# OUTDOOR KITCHENS

Cook. Gather. Entertain.

PRO / MAX / CUSTOM

KAISTEEL LIMITED

[kaisteelkitchen.com](https://kaisteelkitchen.com)



AI-generated concept visual. Final layout follows the approved specification.

# Ocean freight packing specifications

Assembled packing references for the illustrated configurations

| Model / configuration                | Packing method         | Volume m3 / unit | Gross kg / unit | 40HQ units / container |
|--------------------------------------|------------------------|------------------|-----------------|------------------------|
| PRO 2300 / manual roller shutter     | Carton + wooden pallet | 5.12             | 538             | 10                     |
| PRO 2300 / motorized lift-up         | Carton + wooden pallet | 5.12             | 633             | 10                     |
| MAX 2900 / 880 / motorized lift-up   | Carton + wooden pallet | 6.44             | 723             | 8                      |
| MAX 2900 / 960 / motorized lift-up   | Carton + wooden pallet | 7.10             | 747             | 8                      |
| CUSTOM Compact 2278 / manual lift-up | Wood-frame packing     | 3.00             | 415             | 20                     |
| CUSTOM Compact 2878 / manual lift-up | Wood-frame packing     | 3.67             | 425             | 16                     |

Packing volume and gross weight are per kitchen unit. Loading counts are configuration-specific planning references.

Final loading depends on the approved packing plan, selected equipment and delivery format. Modular packing requires a separate assessment.

Outer package length, width and height are confirmed in the final packing list. Product dimensions must not be used as crate dimensions.

# PRO

2300 mm. A compact full-height format.



## 2300 / manual roller shutter

2300 x 880 x 2400 mm

Full Package: 4-burner grill, Range hood.

Appliance-Ready: the same kitchen without the above appliances.

Packing reference: 538 kg gross | 5.12 m3 | 10 units / 40HQ.

Refrigerator shown is optional; it is not included in this quoted configuration.



## 2300 / motorized lift-up

2300 x 880 x 2400 mm

Full Package: 4-burner grill, Refrigerator, Range hood.

Appliance-Ready: the same kitchen without the above appliances.

Packing reference: 633 kg gross | 5.12 m3 | 10 units / 40HQ.

Quoted build: galvanized steel frame, aluminium cabinetry and exterior panels; 304 stainless-steel worktop and sink.

Reference visuals may show optional equipment or finishes. Exact appliance models, clearances and packing require approval.

# MAX

2900 mm. More room to cook and entertain.



## 2900 / 880 / motorized lift-up

2900 x 880 x 2400 mm

Full Package: 4-burner grill, Refrigerator, Range hood, Induction hob, 32-inch TV.

Appliance-Ready: the same kitchen without the above appliances.

Packing reference: 723 kg gross | 6.44 m<sup>3</sup> | 8 units / 40HQ.



## 2900 / 960 / motorized lift-up

2900 x 960 x 2400 mm

Full Package: 6-burner grill, Refrigerator, Range hood, Induction hob, 32-inch TV.

Appliance-Ready: the same kitchen without the above appliances.

Packing reference: 747 kg gross | 7.10 m<sup>3</sup> | 8 units / 40HQ.

Quoted build: galvanized steel frame, aluminium cabinetry and exterior panels; 304 stainless-steel worktop and sink.

Reference visuals may show optional equipment or finishes. Exact appliance models, clearances and packing require approval.

# CUSTOM

Compact formats. Project-specific possibilities.



## Compact 2278 / manual lift-up

2318 x 1087 x 2075 (open) mm

Full Package: 4-burner grill, Refrigerator.

Appliance-Ready: the same kitchen without the above appliances.

Packing reference: 415 kg gross | 3.00 m3 | 20 units / 40HQ.



## Compact 2878 / manual lift-up

2918 x 1087 x 2075 (open) mm

Full Package: 6-burner grill, Refrigerator, Induction hob.

Appliance-Ready: the same kitchen without the above appliances.


Packing reference: 425 kg gross | 3.67 m3 | 16 units / 40HQ.

Quoted build: aluminium frame and cabinetry; aluminium honeycomb panels; 304 stainless-steel worktop and sink.

Reference visuals. Exact appliance models, clearances and packing require approval. CUSTOM dimensions show the open envelope; closed height reference: 1200 mm.

## PRO 2300 / motorized lift-up


Overall reference: 2300 x 880 x 2400 mm | Canopy dimension shown: 2012 mm



2400 mm is the overall height; 2300 mm is the body-height reference. Internal and cabinet dimensions are separate measurements. Dimensions in mm. Larger overall references are used for planning; confirm the final installation envelope and appliance interfaces on approved drawings.

# MAX 2900 / 960 / motorized lift-up

Overall reference: 2900 x 960 x 2400 mm | Canopy dimension shown: 2012 mm




This drawing applies to the 960 mm-deep configuration. The MAX 880 version retains its quoted 880 mm body depth.

Dimensions in mm. Larger overall references are used for planning; confirm the final installation envelope and appliance interfaces on approved drawings.

# CUSTOM Compact 2278 / manual lift-up


Open overall envelope: 2318 x 1087 x 2075 mm | Closed height reference: 1200 mm



The configuration name is an identifier. Use the larger open dimensions for planning; 2005 mm and 870 mm refer to other drawing datums.  
Dimensions in mm. Larger overall references are used for planning; confirm the final installation envelope and appliance interfaces on approved drawings.

# CUSTOM Compact 2878 / manual lift-up

Open overall envelope: 2918 x 1087 x 2075 mm | Closed height reference: 1200 mm



The configuration name is an identifier. Use the larger open dimensions for planning; internal bay widths are not appliance cut-out approvals.  
Dimensions in mm. Larger overall references are used for planning; confirm the final installation envelope and appliance interfaces on approved drawings.

# CUSTOM / component guide

Compact 2878 Full Package illustrated | Manual lift-up configuration



Appliance-Ready excludes the listed appliances. The Compact 2278 Full Package has a 4-burner grill and refrigerator; no induction hob.

Dimensions in mm. Larger overall references are used for planning; confirm the final installation envelope and appliance interfaces on approved drawings.

# Choose the finish. Confirm the equipment.

PRO color examples shown below. Material and finish upgrades are separately specified.



## 316 stainless-steel worktop

Optional upgrade from the quoted 304 stainless-steel worktop.

## Sintered-stone exterior

Optional sintered-stone cladding for the exterior shell and panels.

## Natural-stone exterior

Optional stone / marble cladding for the exterior shell and panels.

Quoted base: aluminium cabinetry and a 304 stainless-steel worktop. Stainless-steel cabinet bodies, a 316 worktop and stone cladding are separately quoted upgrades.

Appliance-Ready: openings and connections are agreed against your selected appliance models. Full Package: equipment is confirmed for the destination, voltage and gas type.

Colors are illustrative. Final samples and drawings govern. Stone cladding is a finish option, not a change to the frame material.

# Appliance add-ons

Choose equipment for your preferred configuration. Appliance pricing is provided in your tailored quotation.



**4-burner grill**



**6-burner grill**



**Refrigerator**




**Range hood**



**Induction hob**



**32-inch TV**



**Manual lift basket**



**Wood-fired stove**

Cabinet changes extra



**Pizza oven**

Cabinet changes extra




**Teppanyaki griddle**



**Single-burner gas hob**

Exact burner model to confirm



**Double-burner gas hob**

Exact burner model to confirm

Reference images only. Final brands, models and compliance evidence require confirmation. Stove / pizza oven may require increased cabinet depth; engineering is quoted separately. Single-burner gas hob: AI-generated reference illustration. Confirm the exact model and dimensions before ordering.

# From selected model to approved order.

Confirm your preferred model, finish, worktop and appliances with your sales representative.

**01****SELECT**

Choose PRO, MAX or CUSTOM and the supply option.

**02****CONFIRM**

Approve drawings, materials, appliances, utilities and packing.

**03****PRODUCE**

Production follows approval and deposit; target timing is about 30 days.

**04****SHIP**

Complete the agreed checks, balance payment and shipment documents.

## ORDER & DELIVERY

Packing: see the ocean freight specifications on page 2.

Loading: final quantities follow the approved packing plan.

Delivery: confirm the destination, delivery format and site access with your sales representative.

## SPECIFICATION & SUPPORT

Material options and warranty scope follow the final specification. Appliance compliance documents must match the exact model and destination; whole-system certification is not assumed. Detailed drawings and applicable warranty terms are available on request.

Website PRO packing plans may use a different assembled / modular configuration. Use the packing references for the selected configuration. All utilities must be disconnected before moving a kitchen.

## DISCUSS YOUR PROJECT

Sales representative

Email

Phone / WhatsApp