TABLE NAME	TABLE DES # of Attrib	utes			
Customer Order_Staff Delivery_Person Order Order_Item Topping Pizza_Topping Pizza INSTRUCTOR TABLE	Holds Cust Holds Cour Holds Delix Holds The Holds the c Holds the I Holds the I Holds the I S S S S S S S S S S S S S S S S S S S				
Customer TABLE					
ATTRUBUTE NAME	ATTRIBUTE Data Type	Range	PK	FK	Null
name phone email address	Holds Cust Text Hold Custo Text Holds Cust Text Address of Text	50 Charact 10 Digits 50 Charact 50 Charact	No :Yes	No No No No	No Yes No Yes
Order_Staff TABLE					
ATTRIBUTE NAME	ATTRIBUTE Data Type	Range	PK	FK	Null
name empid	Name of StText Employee   Text	50 Characte		No No	No No
Delivery_Person TABLE					
ATTRIBUTE NAME	ATTRIBUTE Data Type	Range	PK	FK	Null
phone name model	phone nun Text Name of th Text Model of th Text	10 Charact 50 Charact 20 Charact	: No	No No No	No No No

## Order TABLE

ATTRIBUTE NAME	ATTRIBUTE Data Type	Range	PK	FK	Null
empid_FK email_FK odate order_num otype phone_FK	Primary Ke Text Primary Ke Text Date of the Date Receipt Nu Text Pickup or E Text Primary Ke Text	5 Characte 50 Characte Valid 5 Characte 3 Characte 10 Charact	No No Yes No	Yes Yes No No No Yes	No No No No No
Order_Item TABLE					
ATTRIBUTE NAME	ATTRIBUTE Data Type	Range	PK	FK	Null
order_num_FK item_num_FK auto_gen	Links an iteText Links an iteText auto generInteger	5 Characte 5 Characte 10 Digit Nu	No.	Yes Yes No	No No No
Pizza TABLE					
ATTRIBUTE NAME	ATTRIBUTE Data Type	Range	PK	FK	Null
item_num size price	Inventory !Text dimension: Character Selling Pric Float	5 Characte 2 > 5 and < 2	No	No No No	No No No
Topping TABLE					
ATTRIBUTE NAME	ATTRIBUTE Data Type	Range	PK	FK	Null
item_num_ name price	item numbtext Descriptive text Price for Acfloat	5 Characte 20 Charact <3 > 0		No No No	No No No

## Pizza Topping TABLE

ATTRIBUTE NAME	ATTRIBUTE Data Typ	e Range PK	FK	Null
autogen_FK	Links to a r Integer	10 digits Yes	Yes	Yes
item_num_FK	Links to a FText	5 Characte Yes	Yes	Yes