

JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY
GURAJADA VIZIANAGARAM

TECHNOLOGY FOR A BETTER TOMORROW

Learn
Innovate
Create
Lead



UNIT V · IOT APPLICATIONS

Topics 1 – 2

35 MIN TOTAL

Introduction & Smart Agriculture

The pipeline that runs through every domain, then its first real application

Topic 1 · Intro (10 min)

Topic 2 · Smart Agriculture (25 min)

Soil moisture | Irrigation | Crop & disease | Weather | Fertilizer

TOPIC 1 · INTRODUCTION · 10 MIN

~3 min

Unit V: One Pipeline, Many Domains

Units I to IV built one toolbox. Unit V spends 180 minutes using it on seven real problems.

In Simple Words

A soil sensor and a heart-rate monitor could not look more different. But strip away the domain and both follow the exact same journey: sense, send, store, decide, act.

Unit V is not new theory — it is that one pipeline, aimed at seven different real-world problems, one topic at a time.

This deck covers

Topic 1's universal pipeline, then Topic 2's first real domain: Smart Agriculture.

Why this matters now

Security still applies

Every device in every domain here still needs Unit IV's fundamentals to be trustworthy.

AI still does the deciding

Unit III's anomaly detection and prediction reappear in almost every application.

The hardware doesn't change


The same sensors, ESP32s and edge devices from Unit III power all seven domains.

Nothing here is a new tool — it is the same toolbox, applied on purpose.

1 The Universal IoT Pipeline

~4 min

One five-stage journey that every application in this unit reuses.



What actually changes between domains

The five stages never change. What changes is the sensor type, the AI model's question, and the actuator's action — a soil probe and an irrigation valve for farming, an ECG and an alert for healthcare, a traffic camera and a signal light for smart cities.

Recognizing this pattern is the whole point of Unit V — seven domains, one shape.

The Unit V roadmap

~2 min

8 topics, 180 minutes — this deck covers the first two.

1	2	3	4	5	6	7	8
Introduction	Smart Agriculture	Healthcare IoT	Industrial IoT	Smart City	Energy & Transport	Smart Home	Wrap-Up & Future
10 min	25 min	25 min	25 min	25 min	30 min	20 min	20 min
Here	Here						

This deck covers Topics 1 and 2 (35 minutes) — five more real-world domains follow after Smart Agriculture.

UNIT V · IOT APPLICATIONS | Topic 2 | 25 MIN

Smart Agriculture

Sensors → IoT Gateway → Cloud → AI → Irrigation

- Soil moisture
- Automatic irrigation
- Crop & disease detection
- Weather monitoring
- Smart fertilizer

Farming feeds the same pipeline from Topic 1 with a soil probe instead of a heart-rate monitor — the shape never changes.

TOPIC 2 · SMART AGRICULTURE · 25 MIN

~2 min

Farming Meets the Pipeline

Same five stages as Topic 1 — Sensors → Gateway → Cloud → AI → Irrigation.

In Simple Words

A farmer used to walk the field and guess. Smart agriculture replaces the guess with a sensor reading and lets AI decide what to do about it.

Five ideas make up this topic, and every one of them plugs into the exact same pipeline from the last slide.

Today, in 25 minutes

Five sensor-to-action loops, then one worked example end to end.

Why agriculture, first

The sensors are simple

Soil moisture and weather are easier starting points than an ECG or a traffic camera.

The stakes are real

Water scarcity and food security make this one of IoT's highest-impact domains.

The loop is complete

From sensing to a physical action (irrigation) in one clean, easy-to-follow example.

Watch for the pattern: every idea below is the same pipeline, just naming its own sensor and its own action.

1 Soil Moisture Monitoring

~4 min

The first sensor in the chain — and the one that starts every irrigation decision.

What it measures

A probe buried in the root zone reports how much water is actually available to the plant — not how much rain fell, but what the roots can reach.

Common sensor types

- Capacitive probes — durable, resist corrosion over years
- Resistive probes — cheaper, wear out faster
- Tensiometers — measure how hard roots must work for water

Why it starts the whole chain

This is the sensor stage of Topic 1's pipeline. Every downstream decision — whether to irrigate, how much fertilizer to apply, even flagging crop stress — starts from this one reading. Get soil moisture wrong, and every AI model built on top of it inherits that error.

Overwatering wastes water and can rot roots; underwatering stresses the crop — both show up first, right here.

2 Automatic Irrigation

~4 min

Closing the loop: a moisture reading turns a valve, with no person in between.

Sense

Soil moisture drops below the crop's threshold

→

Decide

AI checks the threshold against weather and crop stage

→

Actuate

A signal opens the valve or starts the drip line

→

Confirm

Moisture rises; the system closes the valve automatically

Drip irrigation makes this precise

Instead of flooding a whole field, drip lines deliver water right at each plant's roots, in small, controlled amounts. Paired with automatic control, a farm applies exactly as much water as the soil sensor says is needed — nothing wasted on rain that never fell or overwatering that never helps.

This is Topic 1's Action stage made physical — a decision that actually turns a valve.

3 Crop Monitoring & Disease Detection

~4 min

Cameras and drones spot stress and disease before it spreads.

Drone imagery

Regular flyovers capture the whole field, not just a few sample plants.

Computer vision

A model trained on healthy vs. diseased leaves flags problem areas automatically.

Early intervention

Catching a disease at one plant stops it before it reaches the whole field.

The same idea from Unit III

This is computer vision from Unit III, Topic 5, aimed at a leaf instead of a factory floor — classification and defect-spotting, just applied to a crop.

A field is too large to walk every row daily — this is what makes that unnecessary.

4 Weather Monitoring

~3 min

Local, real-time weather data sharpens every other decision in the field.

Rainfall

Skips a scheduled irrigation if enough rain already fell.

Temperature & humidity

Flags frost risk or conditions that favor fungal disease.

Wind speed

Times spraying so pesticide or fertilizer does not drift off-target.

Forecast feed

Feeds Unit III's predictive analytics to plan days ahead, not just react.

A local station is far more accurate for one field than a regional forecast covering a whole district.

5 Smart Fertilizer Management

~3 min

The right amount, in the right spot — not a uniform blanket over the whole field.

Precision over uniform application

Soil nutrient sensors reveal that different parts of the same field need different amounts of fertilizer. Variable-rate spreaders apply exactly that, zone by zone, instead of one blanket rate for the entire field.

What this saves

- Less fertilizer cost for the same or better yield
- Less nutrient runoff into nearby streams and groundwater
- Healthier soil over multiple growing seasons

All five ideas, one pipeline


Soil moisture	The starting sensor
Irrigation	The first closed loop
Crop & disease	Vision added to the sensor stage
Weather	Context for every decision
Fertilizer	Precision applied to a second input

The next slide walks all five through one worked example, end to end.

The Full Pipeline, Walked Through

~3 min

Sensors → Gateway → Cloud → AI → Irrigation, on a real field.



Reading it end to end

A capacitive probe in the north field reports moisture dropping below the threshold for this crop's growth stage. The gateway relays it to the cloud, which checks it against the weather feed — no rain expected for three days. The AI model decides to irrigate, but only the north field's valve opens, in a drip pattern, for exactly the amount the soil sensor says is needed.

By the end of these two topics

You will be able to:

Describe

The universal Sensors → Gateway → Cloud → AI → Action pipeline that runs through Unit V.

Explain

How soil moisture data drives an automatic irrigation decision, end to end.

Connect

Crop disease detection back to the computer vision techniques from Unit III.

Justify

Why weather data and precision fertilizer both improve on a one-size-fits-all approach.

Look at any IoT application and ask: what is its sensor, its AI question, and its action?

The big picture

~2 min

The pipeline (Topic 1)	Sensors → Gateway → Cloud → AI → Action — the shape every domain in Unit V reuses.
Soil moisture	The starting sensor for every irrigation and fertilizer decision that follows.
Automatic irrigation	The closed loop: sense, decide, actuate, confirm — no person in between.
Crop & disease detection	Computer vision from Unit III, aimed at a leaf instead of a factory floor.
Weather + fertilizer	Context for timing decisions, and precision instead of one blanket rate.
Up next	Topic 3: Healthcare IoT — the same pipeline, aimed at a patient instead of a plant.

One-line takeaway

> *“One pipeline, aimed at a field instead of a factory — the sensor changed, the shape never did.”*

Universal pipeline | Soil moisture | Irrigation | Crop & disease | Weather | Fertilizer

Up next: Topic 3 — Healthcare IoT: remote patient monitoring, ECG, SpO_2, smart medical devices and elderly-care systems.



UNIT V · IOT APPLICATIONS | Topic 3 | 25 MIN

Healthcare IoT

Sensors → Wearable Gateway → Cloud → AI → Clinical Alert

- Remote patient monitoring
- ECG & SpO_2
- Temperature & smart devices
- Elderly care & emergency alerts

The same five-stage pipeline from Topic 1, now with a wearable instead of a soil probe — and a nurse's alert instead of a valve.

TOPIC 3 · HEALTHCARE IOT · 25 MIN

~3 min

When the Sensor Is Worn, Not Planted

Same five stages as Topic 1 — a patient's vitals replace a field's soil moisture.

In Simple Words

A patient used to be checked once an hour by a nurse walking the ward. Healthcare IoT checks continuously, and only interrupts a person when something actually needs attention.

That shift — from periodic checks to continuous, AI-filtered monitoring — is the thread running through all four ideas today.

Today, in 25 minutes

Remote monitoring, three vital-sign sensors, and the emergency alerts they trigger.

Why this domain raises the stakes

Security is non-negotiable

Unit IV's fundamentals matter more here than anywhere else — this is health data.

Latency can be life-or-death

An emergency alert has to reach a caregiver in seconds, not after a cloud round trip.

False alarms have a real cost

Too many false positives and caregivers start to ignore the alerts that matter.

Every idea below has to balance being helpful against being alarming.

1 Remote Patient Monitoring

~4 min

Continuous vitals from home, instead of a snapshot from a clinic visit.

The core idea

Wearables and home sensors stream vitals continuously to a clinician's dashboard, so a chronic condition is tracked between visits, not just during them.

Who benefits most

- Chronic conditions — diabetes, heart disease, hypertension
- Post-surgery recovery, monitored without a hospital bed
- Rural patients, far from the nearest clinic

Mapped to Topic 1's pipeline

Sensor	A wearable patch or wristband
Gateway	The patient's phone relays the reading
Cloud + AI	Trends are tracked against the patient's baseline
Action	A clinician is notified, only if something changes

The next three ideas are the specific sensors that make remote monitoring work in practice.

2 ECG & SpO_2 Monitoring

~5 min

Two of the most common vital signs, tracked continuously and wirelessly.

ECG monitoring

What it tracks

The heart's electrical rhythm, beat by beat

The sensor

A chest patch or a smartwatch with electrodes

What AI looks for

Irregular rhythms — the anomaly-detection pattern from Unit III

SpO_2 monitoring

What it tracks

Blood oxygen saturation — how well the blood is carrying oxygen

The sensor

A pulse oximeter clipped on a finger or built into a wristband

Why it matters

A quiet early warning for respiratory conditions, before symptoms are obvious

Both are classic time-series data from Unit IV, Topic 4 — trend and seasonality matter as much as any single reading.

3 Temperature Monitoring & Smart Medical Devices

~4 min

A simple sensor, and the broader category of connected medical hardware.

Temperature monitoring

A wearable patch flags fever hours before it would otherwise be noticed — an early signal for infection.

Smart insulin pumps

Adjust dosing automatically based on a continuous glucose sensor's readings.

Smart inhalers

Track usage patterns and remind a patient before an asthma attack becomes severe.

Why Unit IV matters most here

A smart medical device that acts on its own — dosing insulin, for instance — needs every security fundamental from Unit IV. Spoofing a reading here does not just leak data; it could change a dose.

The gap between "monitors" and "acts" is exactly where security stops being optional.

4 Elderly-Care Systems & Emergency Alerts

~4 min

When the sensor's job is to notice what a person can't always report themselves.

What these systems watch for

Fall detection

A sudden, sharp motion pattern followed by no movement

Inactivity alerts

No movement detected for an unusually long stretch

Medication reminders

Confirms a dose was taken, not just scheduled

Why speed changes everything here

A fall detected by a wearable is exactly the kind of decision Unit III's Edge Computing topic described: too urgent to wait on a cloud round trip. The device itself decides to raise the alarm, and the cloud is only informed after the fact.


A caregiver, a family member, or emergency services is notified within seconds — not minutes.

This closes the loop that remote patient monitoring opened — from a quiet reading to an actual emergency response.

The Full Pipeline, Walked Through

~4 min

Sensor → Phone Gateway → Cloud → AI → Emergency Alert, on a real patient.



Reading it end to end

A patient's ECG patch detects an irregular rhythm and relays it, encrypted, through the phone's gateway app to the cloud. The cloud compares it against weeks of that patient's own baseline — not a generic threshold — and the AI confirms this genuinely looks abnormal, not just noisy. Within seconds, a clinician is paged with the reading and the patient's history attached, ready to decide.

UNIT V · IOT APPLICATIONS | Topic 4 | 25 MIN

Industrial IoT (IIoT)

Sensors → Plant Gateway → Cloud → AI → Factory Control

- Machine monitoring
- Predictive maintenance
- Asset tracking
- Industrial automation
- Digital twins
- Quality monitoring

Same pipeline again — a vibration sensor on a motor instead of a wearable on a wrist.

TOPIC 4 · INDUSTRIAL IOT · 25 MIN

~2 min

The Factory Floor Gets the Same Pipeline

Six ideas, and most of them are Units III and IV, renamed for a machine instead of a device.

In Simple Words

A factory used to run on scheduled maintenance and a supervisor's clipboard. IIoT replaces both with sensors on every machine and a live model of the whole plant.

Where healthcare aimed the pipeline at one patient, industrial IoT aims it at hundreds of machines at once.

Today, in 25 minutes

Six ideas, from watching a single machine to modeling the entire plant.

Six ideas, in order

1. Machine monitoring
2. Predictive maintenance
3. Asset tracking
4. Industrial automation
5. Digital twins
6. Quality monitoring

Notice #2 by name — it is the exact predictive maintenance idea from Unit III, Topic 5, applied here first.

1 Machine Monitoring

~3 min

Every motor, pump and conveyor reporting its own health, continuously.



Vibration

An early signal of bearing wear or misalignment, long before a fault is audible.



Temperature

Overheating often precedes a mechanical or electrical failure.



Current draw

An unusual power draw can signal a motor working harder than it should.



The foundation for everything else today

These three signals are the sensor stage of the pipeline for every idea that follows — predictive maintenance, automation and quality checks all start from the same raw readings.

This is Unit III's sensor stage, scaled from one device to an entire plant floor.

2 Predictive Maintenance

~3 min

The idea from Unit III, Topic 5 — industry is where it started.

The recap

Monitor → detect drift → predict a failure window → schedule the fix before it happens.

The industrial scale

Applied not to one motor but to every machine on the floor, ranked by urgency.

For the full workflow — reactive vs preventive vs predictive, the economics of catching it early — see Unit III, Topic 5.

This is the single most valuable idea in this deck — worth revisiting if it is not solid yet.

3 Asset Tracking

~3 min

Knowing where every tool, pallet and vehicle actually is, in real time.

How it works

RFID or BLE tags

Cheap, battery-light tags attached to equipment or inventory

Fixed readers

Positioned around the facility, picking up tags as they pass

A live location map

Updated automatically as tagged assets move through the plant

Why this pays for itself

- Time lost searching for misplaced tools or parts, eliminated
- Bottlenecks in material flow become visible, not guessed at
- Theft or loss is caught immediately, not at the next audit

This is RFID from Unit I, revisited — the technology never changed, only the scale of the deployment.

4 Industrial Automation

~3 min

The Action stage of the pipeline, running a physical process with no operator in the loop.

Sense

Sensors read position, pressure, temperature on the line

→

Decide

A controller checks readings against the process's rules

→

Actuate

Motors, valves and robotic arms adjust automatically

→

Verify

Sensors confirm the change had the intended effect

Why it needs Unit III's real-time processing

A robotic arm on a moving line cannot wait for a cloud round trip — it needs the millisecond, edge-level decisions covered in Unit III, Topic 4. The cloud still matters here, but for tuning the overall process over time, not for the instant the arm has to move.

This is edge computing's hard-real-time case, in its clearest industrial form.

5 Digital Twins

A live software model of a physical machine, updated by its own sensors.

~4 min

What makes it a "twin"

A digital twin is not a static 3D model — it is continuously fed live sensor data, so its virtual state tracks the real machine's condition in real time.

What it is used for

- Testing a change virtually, before touching the real machine
- Simulating "what if this part fails" scenarios safely
- Training staff on the twin, without risking real equipment

Where it draws from

Every sensor on the machine

The same vibration, temperature and current readings from earlier

Unit IV's analytics pipeline

Preprocessed, time-series data feeds the model that keeps the twin accurate

Unit III's AI

Predictive analytics runs on the twin to forecast the real machine's future

A digital twin is not a new technology — it is nearly every idea from this course, combined into one live model.

6 Quality Monitoring

~3 min

Catching a defective part on the line, before it ships.

Vision inspection

A camera checks every unit for cracks, misalignment or surface defects.

Dimensional sensors

Laser or ultrasonic sensors confirm a part is within tolerance.

ML classification

A model trained on past defects flags a new one it has never seen exactly before.

This is computer vision, one more time

Same as crop disease detection in Smart Agriculture — Unit III's computer vision, classifying defects on a production line instead of leaves in a field.

That is the pattern across all of Unit V: the same techniques, a new domain each time.

The Full Pipeline, Walked Through

~4 min

Sensor → Plant Gateway → Cloud → AI → Factory Control, on a real production line.

Motor sensor

Vibration starts drifting above normal

→

Plant gateway

Aggregates every machine on the floor

→

Cloud

Updates the machine's digital twin

→

AI

Predicts a bearing failure within two weeks

→

Factory control

Maintenance is scheduled before it breaks

Reading it end to end

A conveyor motor's vibration sensor reports a small but steady drift upward. The plant gateway forwards it alongside every other machine's readings to the cloud, which updates that motor's digital twin. The AI model, trained on years of failure data, predicts a bearing failure within roughly two weeks — so instead of an emergency shutdown, maintenance schedules the fix for the next planned downtime window.

By the end of these two topics

You will be able to:

Trace

A vital sign from a wearable sensor to a clinician's emergency alert.

Explain

Why security and latency matter more in healthcare IoT than in most other domains.

Apply

Predictive maintenance and digital twins to a real machine on a factory floor.

Recognize

That every idea in both topics reuses techniques already covered in Units III and IV.

For each domain, ask: what is its sensor, its AI question, and its action?

The big picture

~2 min

Remote patient monitoring	Continuous vitals instead of periodic checks, with AI filtering what actually needs attention.
ECG, SpO_2 & temperature	Core vital signs as time-series data, watched for the anomalies Unit III taught.
Elderly care & alerts	Edge-level decisions for falls and emergencies — too urgent for a cloud round trip.
Machine monitoring & PdM	Vibration, temperature and current feed the predictive maintenance loop from Unit III.
Asset tracking & automation	Real-time location, and closed-loop control running the physical process itself.
Digital twins & quality	A live model of a whole machine, and computer vision catching defects on the line.

One-line takeaway

> *“A wrist and a motor could not be more different — and yet the same five stages carried both from a reading to a decision.”*

Remote monitoring | ECG & SpO_2 | Elderly care | Machine monitoring | Digital twins | Quality control

Up next: Topic 5 — Smart City: traffic management, smart parking, streetlights, waste management, air quality and water management.



A City Is Just Millions of Sensors, at Scale

~2 min

Six services, one shared pipeline, spread across an entire city instead of one building.

In Simple Words

Traffic lights, streetlights, bins and water pipes have run on fixed schedules for decades. A smart city gives each one a sensor and lets real conditions, not a timer, decide.

Every idea below follows the exact same shape as every other topic in this unit — only now the "device" might be a whole intersection.

Today, in 25 minutes

Six civic services, then one worked example tying them together.

Six services, in order

1. Traffic management
2. Smart parking
3. Smart streetlights
4. Waste management
5. Air-quality monitoring
6. Water management

Notice the shared thread: almost every service here is really about not wasting something — time, energy, or water.

1 Smart Traffic Management

Signals that respond to actual traffic, not a fixed timer.

~4 min

How it works

- Cameras and inductive sensors count vehicles at each approach
- AI predicts congestion minutes before it actually forms
- Signal timing adjusts live, favoring the busier direction

This is predictive analytics from Unit IV, aimed at a road instead of a machine.

Why it matters

Fixed-timer signals waste time at empty intersections and back up traffic at busy ones, at the exact same rate every single day. A responsive system spends green time where the cars actually are — cutting commute times without adding a single new lane.

This same idea reappears later today, in Topic 6's intelligent traffic systems for connected vehicles.

2 Smart Parking

~3 min

Guiding a driver straight to an open spot, instead of a slow circle around the block.

Ground sensors

A magnetic sensor under each space reports occupied or free, instantly.

A live map

A driver's app shows open spots nearby, updated in real time.

Dynamic pricing

Some cities raise the price for the busiest spots to spread demand out.

A surprisingly large win

A large share of city-center traffic is drivers circling for parking. Removing that search removes real congestion, without touching a single traffic light.

The simplest sensor in this topic — occupied or not — turns out to solve one of the biggest problems.

3 Smart Streetlights

~3 min

Lighting that responds to whether anyone is actually there.

Motion & ambient light sensors

Dim when a street is empty, brighten automatically as someone approaches.

Remote fault detection

A failed bulb reports itself, instead of waiting for a resident to call it in.

Centralized scheduling

Whole districts adjust brightness together for events, weather, or season.

The energy case

Streetlighting is one of the largest single electricity costs a city carries. Dimming empty streets and catching failures early cuts both energy bills and maintenance callouts.

This is Smart Home's smart lighting idea, scaled from one house to an entire district.

4 Smart Waste Management

~3 min

Collecting bins because they are full, not because a truck was scheduled.

How it works

- An ultrasonic fill-level sensor sits inside each bin
- Readings feed a route-planning model in the cloud
- Trucks are routed only to bins that are actually near full

Why this saves real money

A fixed weekly route visits every bin regardless of how full it is — wasting fuel on nearly-empty bins while others overflow between pickups. Demand-based routing means fewer trucks, fewer miles, and bins that rarely overflow.

A single ultrasonic sensor, and the same "sense before you schedule" idea from Smart Agriculture's irrigation.

5 Air-Quality Monitoring

~3 min

A city-wide network reporting pollution block by block, not one distant station.

Distributed sensors

Low-cost particulate and gas sensors on lamp posts across many neighborhoods.

Hyperlocal readings

Pollution can differ block to block — one central station misses that entirely.

Public alerts

Residents and schools get warned before air quality crosses a health threshold.

The trade-off worth knowing

Low-cost sensors drift and need frequent calibration — the classic preprocessing challenge from Unit IV, Topic 4, at city scale, with thousands of devices instead of one.

More sensors mean better coverage — and a much bigger preprocessing job to keep them trustworthy.

6 Water Management

~3 min

Finding a leak in a pipe underground, long before it becomes a sinkhole.

How it works

- Flow and pressure sensors are placed along the pipe network
- A sudden pressure drop signals a leak’s rough location
- Smart meters at homes catch unusual consumption spikes too

The same anomaly-detection idea

A pipe network’s pressure pattern is learned as "normal," exactly like Unit III’s anomaly detection — a sudden drop is the same kind of signal as a factory motor’s vibration spike, just applied underground.

Water lost to undetected leaks is one of the largest hidden costs any city carries.

The Full Pipeline, Walked Through

~3 min

Sensor → City Gateway → Cloud → AI → Civic Action, on a real street.

Bin sensor

Fill level crosses 80% on Elm Street

→

City gateway

Aggregates readings from every bin, light and sensor

→

Cloud

Combines it with today's traffic and route data

→

AI

Adds this bin to today's optimal collection route

→

Civic action

The truck's route updates automatically

Reading it end to end

A bin on Elm Street crosses 80% full. The city gateway relays it alongside thousands of other readings — traffic counts, light levels, air quality — to the cloud. The AI model adds this bin to today's collection route, sequenced against real traffic conditions, and the driver's app updates automatically — no dispatcher, no fixed schedule, no wasted trip.

The Unit V roadmap

~1 min

8 topics, 180 minutes.

1	2	3	4	5	6	7	8
Introduction	Smart Agriculture	Healthcare IoT	Industrial IoT	Smart City	Energy & Transport	Smart Home	Wrap-Up & Future
10 min	25 min	25 min	25 min	25 min	30 min	20 min	20 min
				Here			

You are here: Topic 5. Next up: Smart Energy & Smart Transportation, the longest topic in Unit V.

The big picture

~2 min

Traffic management	Signals respond live to actual congestion — predictive analytics aimed at a road.
Smart parking	A ground sensor and a live map remove one of a city's biggest congestion sources.
Streetlights	Dim when empty, brighten when needed, and self-report faults — energy and upkeep both drop.
Waste management	Trucks are routed by actual fill level, not a fixed weekly schedule.
Air quality & water	A dense sensor network catches pollution and leaks a single station or a manual check would miss.
Up next	Topic 6: Smart Energy & Smart Transportation — the same civic-scale pipeline, on the grid and the road.

One-line takeaway

> *“A smart city is not one big system — it is the same small pipeline, repeated on every street, bin and pipe.”*

Traffic | Parking | Streetlights | Waste | Air quality | Water

Up next: Topic 6 — Smart Energy & Smart Transportation: smart grids, renewable monitoring, fleet tracking and connected vehicles.



Two Grids, One Pipeline

~2 min

The power grid and the road network look nothing alike — until you notice both are just a network waiting on the same sensor-to-decision pipeline.

In Simple Words

A power grid built for one-way flow from a few big plants struggles once millions of homes add solar panels and electric cars. A road system timed for the 1990s struggles with today's traffic.

Both problems get solved the same way: sense what is actually happening, and let AI decide in real time instead of guessing in advance.

Today, in 30 minutes

Three energy ideas, then three transportation ideas, one shared pipeline.

Six ideas, two halves

1. Smart meters & grid
2. Demand prediction
3. Renewables & buildings
4. Vehicle & fleet tracking
5. Intelligent traffic & connected cars
6. Accident detection

Ideas 1–3 are the grid; ideas 4–6 are the road — the halfway point marks the switch.

1 Smart Meters & Smart Grid

~5 min

Two-way communication turns a one-way power grid into a responsive network.

Smart meters

Reads continuously

Not once a month by a person walking the street

Reports both ways

Usage flows to the utility; pricing signals flow back

Detects outages instantly

The utility knows a home lost power before anyone calls

The smart grid

Self-healing

Automatically reroutes power around a fault, isolating it fast

Two-way power flow

Handles solar panels pushing power back onto the grid

Millions of endpoints

Every meter is now a sensor the grid can learn from

This is the same "millions of endpoints" scale problem from Unit IV's data analytics, now applied to electricity.

2 Demand Prediction

~4 min

Forecasting how much power a grid will need, hours before it needs it.

Collect

Historical usage from millions of smart meters

Add context

Weather forecast, day of week, local events

Forecast

A model predicts tomorrow's hourly demand curve

Balance supply

Plants and storage ramp up or down to match

This is predictive analytics, exactly

Demand prediction is Unit IV's predictive analytics, applied to the grid instead of a single machine's vibration. The time-series patterns are the same: daily seasonality (morning and evening peaks), weekly seasonality (weekdays vs weekends), and trend (a hot summer raising the baseline).

Getting this forecast wrong means blackouts on one side, or wasted generation on the other.

3 Renewables & Building Energy Management

~4 min

Watching the sun and wind, and using their power as efficiently as possible.

Renewable-energy monitoring

- Panel and turbine sensors track output in real time
- A sudden dip flags a fault or a soiled panel needing cleaning
- Output feeds straight into demand prediction's supply side

Building energy management

- HVAC and lighting adjust automatically to occupancy
- A building's own usage pattern becomes its baseline
- Anomaly detection flags equipment wasting power unnoticed

A building is really just a small, self-contained smart grid — the same three ideas, at a single-building scale.

4 Vehicle Tracking & Fleet Management

~4 min

The road half begins here — knowing where every vehicle is, and how well it is running.

GPS tracking

Live location for every vehicle in a fleet, visible on one dashboard.

Driver behavior

Harsh braking or speeding is logged for coaching and safety scoring.

Fleet maintenance

Engine sensors feed the same predictive maintenance loop from Unit III.

Why this pays off at scale

A single delivery van rerouted around traffic saves a few minutes. A fleet of a thousand doing that every day, plus maintenance scheduled before a breakdown, adds up to real fuel and downtime savings.

This is asset tracking from Industrial IoT, applied to vehicles instead of tools on a factory floor.

5 Intelligent Traffic Systems & Connected Vehicles

~4 min

Vehicles that talk to the road, and to each other.

Vehicle-to-everything (V2X)

- V2I — a car talks to the traffic signal ahead
- V2V — cars warn each other of sudden braking
- V2N — the whole system shares data with the cloud

Why this needs the edge

A warning that a car ahead just braked hard is only useful if it arrives in milliseconds. This is Unit III's hard real-time case again — the decision to alert a driver cannot wait on a cloud round trip, so it happens at the edge, in the vehicle itself.

Smart Traffic Management from Topic 5 was the city's side of this; this is the vehicle's side of the same conversation.

6 Accident Detection

~3 min

Recognizing a crash has happened, and calling for help before anyone dials a phone.

Sudden impact signature

An accelerometer detects the sharp deceleration pattern unique to a collision.

Automatic emergency call

The vehicle itself contacts emergency services, with no driver input needed.

Location shared instantly

GPS coordinates reach responders in the same message as the alert.

The same idea as elderly-care alerts

An unusual pattern detected instantly, with no one having to notice or report it — the same logic as a fall detector from Healthcare IoT, just tuned for a collision instead of a fall.

The minutes saved by an automatic call, instead of waiting for a bystander, can be the most important minutes of all.

The Full Pipeline, Walked Through

~4 min

Sensor → Grid/Vehicle Gateway → Cloud → AI → Action, on both halves of today's topic.

ENERGY

Smart meters

Report demand spiking on a hot afternoon

→

Cloud + AI

Forecast confirms peak demand in 2 hours

→

Grid action

Storage and renewables ramp up to match

TRANSPORTATION

Vehicle sensor

Detects a sudden hard-braking event ahead

→

V2V + edge AI

Warning reaches nearby cars in milliseconds

→

Driver alert

Following drivers brake early, safely

Two domains, the same rhythm

The grid's loop runs on a horizon of hours — sense, forecast, balance supply, all with time to plan. The road's loop runs on a horizon of milliseconds — sense, warn, react, with no time to spare. Same five stages, wildly different clocks, because the cost of being late is completely different in each domain.

The Unit V roadmap

~1 min

8 topics, 180 minutes.

1	2	3	4	5	6	7	8
Introduction	Smart Agriculture	Healthcare IoT	Industrial IoT	Smart City	Energy & Transport	Smart Home	Wrap-Up & Future
10 min	25 min	25 min	25 min	25 min	30 min	20 min	20 min
					Here		

You are here: Topic 6, the longest single topic in Unit V. Smart Home is next, and much shorter.

The big picture

~2 min

Smart meters & grid	Two-way, self-healing power delivery instead of one-way, fixed distribution.
Demand prediction	Unit IV's predictive analytics, forecasting the grid's hourly demand curve.
Renewables & buildings	Real-time output monitoring, and a building managing itself like a tiny grid.
Fleet tracking	Live location, driver behavior and predictive maintenance for entire fleets.
Connected vehicles	V2X communication and edge AI for warnings that must arrive in milliseconds.
Up next	Topic 7: Smart Home — the same pipeline, shrunk down to a single house.

One-line takeaway

> *“The grid predicts hours ahead; the road reacts in milliseconds — same pipeline, tuned to how much time each problem can afford.”*

Smart grid | Demand prediction | Renewables | Fleet tracking | Connected vehicles | Accident detection

Up next: Topic 7 — Smart Home: smart lighting, security, appliances, energy management, voice control and intrusion detection.



The Smallest, Most Familiar Domain

~2 min

After a city, a grid and a factory, this is the pipeline at its smallest, most personal scale.

In Simple Words

A smart home is a smart city with one resident. The same sensors, the same cloud, the same AI — just aimed at one household instead of a district.

It is also the one domain almost everyone already owns a piece of — a voice speaker, a smart bulb, a doorbell camera.

Today, in 20 minutes

Four themes covering all six ideas from the syllabus, then one worked example.

Four themes, six ideas

1. **Smart lighting**
2. **Security & intrusion detection**
3. **Appliances & energy management**
4. **Voice-controlled devices**

Security folds in intrusion detection; energy folds in smart appliances — six syllabus ideas, four themes.

1 Smart Lighting

~2.5 min

The simplest smart-home device, and the easiest way to see the pipeline in miniature.

Motion & light sensors

A room brightens when someone enters, and dims when it is empty or already bright enough.

Scenes & schedules

One tap dims every light for a movie, or fades them on at sunset automatically.

Energy savings

Lights that are never left on in an empty room, without anyone having to remember to switch them off.

The exact same idea as Smart City's streetlights, at a scale of one room instead of one district.

2 Smart Security & Intrusion Detection

~3.5 min

From a door sensor to an automatic alert, with no monthly monitoring fee required.

The sensors involved

Door & window contacts

Open/closed magnetic switches report instantly

Motion sensors

Detect movement in a room while no one should be home

Doorbell & indoor cameras

Computer vision distinguishes a person from a passing cat

When intrusion detection fires

A door opening while the system is "away" is exactly the anomaly-detection pattern from Unit III — a reading outside the expected state. The homeowner's phone is alerted, with a photo attached, within seconds.

This is the same "learn normal, flag the rest" idea, applied to a household instead of a machine.

Every one of these sensors also needs Unit IV's authentication — a spoofed door sensor defeats the whole system.

3 Smart Appliances & Energy Management

~3.5 min

A house that manages its own power use, the way a building did in Topic 6.

Smart thermostats

Learn a household's routine and adjust heating or cooling before anyone asks.

Smart plugs & appliances

Report and schedule individual devices — a washer that runs when power is cheapest.

Whole-home dashboards

One view of every room's energy use, with anomalies flagged automatically.

The same idea, one more time

Building energy management from Topic 6, shrunk to one house — the same occupancy-aware automation and anomaly-flagged usage, just at the smallest scale in this unit.

Four domains so far have used this exact pattern — a building, a factory, a grid, now a home.

4 Voice-Controlled Devices

~2.5 min

Turning a spoken command into an action across the entire smart home.

Listen

A wake word activates the device locally, on the edge

→

Understand

Cloud AI interprets the full request from the audio

→

Route

The command is sent to the right device — lights, lock, thermostat

→

Confirm

A spoken or visual response confirms the action happened

Why "listen" happens at the edge


Streaming every sound in a home to the cloud would be a privacy nightmare and a bandwidth waste. This is Unit III's Edge AI exactly: a small model listens locally for just the wake word, and only sends audio to the cloud after it hears one.

The one device most people already own turns out to be a live demo of edge AI running in their kitchen.

The Full Pipeline, Walked Through

~3 min

Sensor → Home Hub → Cloud → AI → Household Action, on a real evening.



Reading it end to end

The front door opens while the home is set to "away." The hub relays the door event and a snapshot from the indoor camera to the cloud, where a vision model confirms this is a person, not the family cat or a delivery left at the step. Within seconds the owner’s phone shows a photo and an alert — the same sense-decide-act loop as every other domain today, running in a hallway instead of a factory.

The Unit V roadmap

~1 min

8 topics, 180 minutes.

1	2	3	4	5	6	7	8
Introduction	Smart Agriculture	Healthcare IoT	Industrial IoT	Smart City	Energy & Transport	Smart Home	Wrap-Up & Future
10 min	25 min	25 min	25 min	25 min	30 min	20 min	20 min
						Here	

You are here: Topic 7. One topic left — the wrap-up and a look at where IoT goes next.

The big picture

~2 min

Smart lighting	Motion and light sensors automate a room — Smart City's streetlights, in miniature.
Security & intrusion detection	Door, motion and camera sensors flag the unusual — Unit III's anomaly detection at home.
Appliances & energy management	Occupancy-aware automation and usage dashboards, echoing Topic 6's building energy management.
Voice-controlled devices	Edge AI listens locally for a wake word before the cloud ever hears a request.
Up next	Topic 8: Wrap-Up — the future of IoT, and a final recap of all five units.

One-line takeaway

> *“The smart home is the whole course you just learned, running quietly in the room around you.”*

Smart lighting | Security | Appliances & energy | Voice control

Up next: Topic 8 — Wrap-Up: the future of IoT, mini-project ideas, and a final recap of the whole course.



Where We've Been, Where It's Going

~2 min

180 minutes of applications, on top of 540 minutes of foundations — this closes all five units.

In Simple Words

You started this course with a single sensor and ended it watching that same sensor reappear in a field, a hospital, a factory, a city, a car and a living room.

This closing topic looks forward — where the field is heading next — and back, tying all five units into one picture.

Today, in 20 minutes

Where IoT is headed, project ideas to try it yourself, and a five-unit recap.

Four ideas, in order

1. **The evolution of IoT (1.0 → 4.0)**
2. **Mini-project ideas to try next**
3. **Final recap: all 5 units at a glance**
4. **Closing remarks & the lab series**

No new fundamentals here — just perspective on everything already covered.

1 The Evolution of IoT

~5 min

From simple tags to live digital replicas of the physical world.

1

IoT 1.0

Connected Things

RFID tags and basic sensors — devices that could be identified and read

→

2

IoT 2.0

Cloud-Connected

Devices stream data to the cloud for storage, dashboards and remote access

→

3

IoT 3.0

AI-Enabled

Machine learning turns that stored data into predictions and automated decisions

→

4

IoT 4.0

Edge AI + 5G + Twins

Real-time intelligence on the device itself, ultra-fast networks, live digital replicas

This is a map of the whole course

Units I and II lived in 1.0 and 2.0. Units III and V's AI sections are 3.0. Edge computing, security's real-time demands, and digital twins from Industrial IoT are all 4.0 — you have already been learning the next generation.

IoT does not move in one leap — each generation adds a capability on top of the last, without replacing it.

2 Mini-Project Ideas

~4 min

Five ways to build something small with everything covered this semester.

Smart Campus

Occupancy sensors and smart lighting for one building, block, or classroom.

Agriculture

A soil moisture sensor and an automated watering system for a small garden plot.

Healthcare

A wearable heart-rate monitor with a simple anomaly alert on a phone app.

Energy

A smart plug that logs usage and flags an appliance left running unnecessarily.

Predictive Maintenance

A vibration sensor on a small motor, trained to flag drift before failure.

Every one of these fits the same pipeline from Unit V, Topic 1 — pick a sensor and a question, and start there.

Final recap: all 5 units at a glance

~5 min

Unit I	Introduction to IoT	What IoT is, its building blocks, architecture layers and the devices that make it up.
Unit II	Communication & Networking	Short- and long-range technologies, protocols like MQTT and CoAP, and networking concepts.
Unit III	Platforms, Edge & Cloud	Hardware platforms, cloud computing, edge computing, and AI for anomaly detection and prediction.
Unit IV	Security & Data Analytics	Security fundamentals, real threats, the data analytics pipeline, and blockchain for IoT.
Unit V	IoT Applications	That same pipeline, applied to agriculture, healthcare, industry, cities, energy, transport and home.

3 Closing Remarks

~2 min

Reading and watching build understanding — building things builds skill.

What you now have

- A five-layer mental model for any IoT system
- The vocabulary to compare protocols, platforms and threats
- A pipeline you have now seen applied seven different ways

Where hands-on practice continues

This lecture series has a companion lab series, built to put every idea here into your own hands — wiring a sensor, writing the code, and watching your own pipeline run end to end.


Thank you for the last 15 hours — go build something.

The mini-project ideas from two slides ago are a good place to start the lab series.

The course, complete

~1 min

5 units, 15 hours, one pipeline learned seven different ways.



Every checkmark represents 180 minutes now behind you — well done.

The last one-line takeaway

“IoT was never about the sensor — it was always about turning a reading into a decision. You now know how to do that, in almost any domain you choose.”

Thank you for completing IoT with Applications.

Dr. G Jaya Suma · JNTU GV Vizianagaram

