


CLI

Cursor CLI

Cursor CLI lets you interact with AI agents directly from your terminal to write, review, and modify code. Whether you prefer an interactive terminal interface or print automation for scripts and CI pipelines, the CLI provides powerful coding assistance right where you work.

Getting started

```
1 # Install (macOS, Linux, WSL)
2 curl https://cursor.com/install -fsS | bash
3
4 # Install (Windows PowerShell)
5 irm 'https://cursor.com/install?win32=true' | iex
6
7 # Run interactive session
8 agent
```



```
> agent

Cursor Agent
~/dev/site · main

→ Plan, search, build anything

Composer 1
/ commands · @ files · ! shell
```

Interactive mode

Start a conversational session with the agent to describe your goals, review proposed changes, and approve commands:

```
1 # Start interactive session
2 agent
3
4 # Start with initial prompt
5 agent "refactor the auth module to use JWT tokens"
```

Modes

The CLI supports the same modes as the editor. Switch between modes using slash commands, keyboard shortcuts, or the `--mode` flag.

Mode	Description	Shortcut
Agent	Full access to all tools for complex coding tasks	Default (no <code>--mode</code> value needed)
Plan	Design your approach before coding with clarifying questions	Shift+Tab, <code>/plan</code> , <code>--plan</code> , <code>--mode=plan</code>
Ask	Read-only exploration without making changes	<code>/ask</code> , <code>--mode=ask</code>

Non-interactive mode

Use print mode for non-interactive scenarios like scripts, CI pipelines, or automation:

```
1 # Run with specific prompt and model
2 agent -p "find and fix performance issues" --model "gpt-5.2"
3
4 # Use with git changes included for review
5 agent -p "review these changes for security issues" --output-format text
```

Cloud Agent handoff

Push your conversation to a Cloud Agent to continue running while you're away. Prepend `&` to any message:

```
1 # Send a task to Cloud Agent mid-conversation
2 & refactor the auth module and add comprehensive tests
```

Pick up your Cloud Agent tasks on web or mobile at cursor.com/agents.

Sessions

Resume previous conversations to maintain context across multiple interactions:

```
1 # List all previous chats
2 agent ls
3
4 # Resume latest conversation
5 agent resume
6
7 # Continue the previous session
8 agent --continue
9
10 # Resume specific conversation
11 agent --resume="chat-id-here"
```

Sandbox controls

Configure command execution settings with `/sandbox` or the `--sandbox <mode>` flag (`enabled` or `disabled`). Toggle sandbox mode on or off and control network access through an interactive menu. Settings persist across sessions.

Cursor Agent v2026.01.28-ca4ccba
~/dev · main

→ /sand

→ /sandbox	✓ Sandbox disabled
/clear	Start a new chat session
/rule	Manage Cursor rules
/say-watermelon	Say Watermelon (user)
/command	Manage custom commands
/about	Show CLI version, system, and account info (copies)
/copy-conversation-id	Copy current conversation ID
/plan [prompt]	Toggle plan mode or submit a prompt in plan mode
/create-subagent	Create custom subagents for specialized AI tasks.
↓ more below	

Max Mode

Toggle **Max Mode** on models that support it using `/max-mode [on|off]`.

Cursor Agent v2026.01.28-ca4ccba
~/dev · main

→ Plan, search, build anything

```
~/ /du6-Fuñ [státé] · ibggliè kun everything mode or set [on|off|status]
/plan [prompt] Toggle plan mode or submit a prompt in plan mode
/ask Toggle ask mode (Q&A, read-only; no edits or command execution)
/max-mode [state] Toggle max mode for higher-capacity model variants
/clear Start a new chat session
/compress Summarize the conversation to reduce context
/vim Toggle Vim keys
/line-numbers Toggle line numbers in code blocks
↓ more below
```

Sudo password prompting

Run commands requiring elevated privileges without leaving the CLI. When a command needs `sudo`, Cursor displays a secure, masked password prompt. Your password flows directly to `sudo` via a secure IPC channel; the AI model never sees it.



English ▾