


Integrations

Linear

Use Cloud Agents directly from Linear by delegating issues to Cursor or mentioning `@Cursor` in comments.



Get started

Installation



You must be a Cursor admin to connect the Linear integration. Other team settings are available to non-admin members.

1. Go to [Cursor integrations](#)
2. Click *Connect* next to Linear
3. Connect your Linear workspace and select team
4. Click *Authorize*
5. Complete any remaining Cloud Agent setup in Cursor:
 - Connect GitHub and select default repository
 - Enable usage-based pricing
 - Confirm privacy settings

Account linking


First use prompts account linking between Cursor and Linear. GitHub connection required for PR creation.

How to use

Delegate issues to Cursor or mention `@Cursor` in comments. Cursor analyzes issues and filters out non-development work automatically.

Delegating issues

1. Open Linear issue
2. Click assignee field
3. Select "Cursor"




Mentioning Cursor

Mention `@Cursor` in a comment to assign a new agent or provide additional instructions, for example: `@Cursor fix the authentication bug described above`.

Workflow

Cloud Agents show real-time status in Linear and create PRs automatically when complete. Track progress in [Cursor dashboard](#).



Follow-up instructions

You can respond in the agent session and it'll get sent as a follow-up to the agent. Simply mention `@Cursor` in a Linear comment to provide additional guidance to a running Cloud Agent.

Configuration

Configure Cloud Agent settings from [Dashboard](#) → [Cloud Agents](#).

Setting	Location	Description
Default Repository	Cursor Dashboard	Primary repository when no project repository configured
Default Model	Cursor Dashboard	AI model for Cloud Agents
Base Branch	Cursor Dashboard	Branch to create PRs from (typically <code>main</code> or <code>develop</code>)

Configuration options

You can configure Cloud Agent behavior using several methods:

Issue description or comments: Use `[key=value]` syntax, for example:

- `@cursor please fix [repo=anysphere/eversphere]`
- `@cursor implement feature [model=claude-3.5-sonnet] [branch=feature-branch]`

Issue labels: Use parent-child label structure where the parent label is the configuration key and the child label is the value.

Project labels: Same parent-child structure as issue labels, applied at the project level.

Supported configuration keys:

- `repo` : Specify target repository (e.g., `owner/repository`)
- `branch` : Specify base branch for PR creation
- `model` : Specify AI model to use

Repository selection

Cursor determines which repository to work on using this priority order:


- Issue description/comments:** `[repo=owner/repository]` syntax in issue text or comments
- Issue labels:** Repository labels attached to the specific Linear issue
- Project labels:** Repository labels attached to the Linear project
- Default repository:** Repository specified in Cursor dashboard settings

Setting up repository labels

To create repository labels in Linear:

- Go to **Settings** in your Linear workspace
- Click **Labels**
- Click **New group**
- Name the group "repo" (case insensitive - must be exactly "repo", not "Repository" or other variations)
- Within that group, create labels for each repository using the format `owner / repo`

These labels can then be assigned to issues or projects to specify which repository the Cloud Agent should work on.





Advanced features

Triage rules (Advanced)

Set up automation rules in Linear to automatically delegate issues to Cursor:

1. Go to Linear project settings
2. Navigate to triage rules
3. Create rules that automatically:
 - Add specific labels
 - Assign issues to Cursor
 - Trigger Cloud Agents based on conditions

 Triage rules are an advanced feature with some current limitations. Linear requires a human assignee for rules to fire, though this requirement may be removed in future updates.

Getting help

Check [agent activity](#) and include request IDs when contacting support.

Feedback

Share feedback through Linear comments or your Cursor dashboard support channels.