

Integrations

Deeplinks

Deeplinks allow you to share prompts, commands, and rules with others, enabling collaboration and knowledge sharing across teams and communities.

Links can also be opened via cursor.com. Append the path and url params to the end of the url, for example:
cursor.com/link/prompt?text=...



Always review your prompts and commands before sharing to ensure they don't contain sensitive information like API keys, passwords, or proprietary code.

Prompts

Share prompts that others can use to get started quickly with specific tasks or workflows. When someone clicks a prompt deeplink, it opens Cursor with the prompt pre-filled in the chat. The user must review and confirm the prompt before it gets executed. Deeplinks never trigger automatic execution.

Research and find one bug in this codebase



Try in Cursor

Playground

TypeScript

Python

Text

Enter the prompt text that will be prefilled in the Agent input...



Copy link



Commands

Share commands that others can execute directly in their Cursor environment. Command deeplinks allow you to share custom commands defined in your `.cursor/commands` directory. When someone clicks a command deeplink, it opens Cursor and creates a new command with the specified name and content. The user must review and confirm the command before it gets executed.

debug-api: Add console.log statements to debug API responses



Add to Cursor

Playground

TypeScript

Python

Name

debug-api, format-code, test-runner

① Use letters, numbers, dots, hyphens, and underscores only

Content

Enter the command content that will be executed when the command is run...

① This will be saved as a command in `.cursor/commands/`

 Copy link



Rules

Share rules that others can add to their Cursor environment. Rule deeplinks allow you to share custom rules defined in your `.cursor/rules` directory. When someone clicks a rule deeplink, it opens Cursor and creates a new rule with the specified name and content. The user must review and confirm the rule before it gets added.

typescript-strict: Always use strict TypeScript types and avoid 'any'

 Add to Cursor

Playground

TypeScript

Python

Name

typescript-strict, react-best-practices, code-quality

① Use letters, numbers, dots, hyphens, and underscores only

Content

Enter the rule content that will guide AI behavior in this environment...

① This will be saved as a rule in `.cursor/rules/`

 Copy link



FAQ

What is the maximum length for deeplink URLs?



How do I use deeplinks on the web instead of in the Cursor app?



English

