McGann

Jack Dumanski

```
-- Attaching core tidyverse packages ------------------------ tidyverse 2.0.0 --
v dplyr     1.2.1     v readr     2.1.6
v forcats   1.0.1     v stringr   1.6.0
v ggplot2   4.0.1     v tibble    3.3.0
v lubridate 1.9.4     v tidyr     1.3.1
v purrr     1.2.0
-- Conflicts ------------------------------------------ tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
x dplyr::lag()    masks stats::lag()
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to becom

Attaching package: 'zoo'


The following objects are masked from 'package:base':

    as.Date, as.Date.numeric
```

Analysis

Below are several tables outlining each of the categories of analysis requested.

Resident/Dentist Comfort & Clinical Practice Analysis

Below is a table comparing residents and dentists comfort levels and clinical practices.

Resident/Dentist Knowledge Analysis

Below is a table comparing residents and dentist questions on knowledge.

Question1	Question2	P_value	Significant	Test	Adj_P	Sig_Adj
Q8h	role	5e-04	TRUE	fisher	0.0040	TRUE
Q9	role	5e-04	TRUE	fisher	0.0040	TRUE
Q8a	role	0.003	TRUE	fisher	0.0160	TRUE
Q8k	role	0.005	TRUE	fisher	0.0200	TRUE
Q8g	role	0.0265	TRUE	fisher	0.0707	FALSE
Q11a	role	0.023	TRUE	fisher	0.0707	FALSE
Q8e	role	0.033	TRUE	fisher	0.0754	FALSE
Q8d	role	0.039	TRUE	fisher	0.0780	FALSE
Q8c	role	0.0545	FALSE	fisher	0.0968	FALSE
Q8j	role	0.0605	FALSE	fisher	0.0968	FALSE
Q8b	role	0.1084	FALSE	fisher	0.1577	FALSE
Q8f	role	0.1609	FALSE	fisher	0.1839	FALSE
Q10a	role	0.1564	FALSE	fisher	0.1839	FALSE
Q11b	role	0.1419	FALSE	fisher	0.1839	FALSE
Q10b	role	0.1889	FALSE	fisher	0.2015	FALSE
Q8i	role	0.3888	FALSE	fisher	0.3888	FALSE

Question1	Question2	P_value	Significant	Test	Adj_P	Sig_Adj
Q14	role	0.0525	FALSE	fisher	0.1575	FALSE
Q13	role	0.1814	FALSE	fisher	0.2721	FALSE
Q12	role	0.3313	FALSE	fisher	0.3313	FALSE

Question1	Question2	P_value	Significant	Test	Adj_P	Sig_Adj
Q15	role	0.8771	FALSE	fisher	0.8771	FALSE
Q16	role	0.8071	FALSE	fisher	0.8771	FALSE
Q17	role	0.8231	FALSE	fisher	0.8771	FALSE
Q18	role	0.5632	FALSE	fisher	0.8771	FALSE
Q19	role	0.6122	FALSE	fisher	0.8771	FALSE
Q20	role	0.2259	FALSE	fisher	0.8771	FALSE
score	role	0.4708	FALSE	fisher	0.8771	FALSE

Question1	Question2	P_value	Significant	Test	Adj_P	Sig_Adj
Q8a	Q5	0.024	TRUE	fisher	0.1071	FALSE
Q8g	Q5	0.014	TRUE	fisher	0.1071	FALSE
Q8h	Q5	0.0255	TRUE	fisher	0.1071	FALSE
Q8k	Q5	0.0315	TRUE	fisher	0.1071	FALSE
Q13	Q5	0.0285	TRUE	fisher	0.1071	FALSE
Q8c	Q5	0.041	TRUE	fisher	0.1162	FALSE
Q9	Q5	0.1874	FALSE	fisher	0.4551	FALSE
Q8b	Q5	0.2514	FALSE	fisher	0.4801	FALSE
Q8f	Q5	0.2719	FALSE	fisher	0.4801	FALSE
Q10a	Q5	0.2824	FALSE	fisher	0.4801	FALSE
Q8d	Q5	0.5492	FALSE	fisher	0.7780	FALSE
Q8e	Q5	0.5377	FALSE	fisher	0.7780	FALSE
Q8i	Q5	0.7211	FALSE	fisher	0.8172	FALSE
Q8j	Q5	0.7176	FALSE	fisher	0.8172	FALSE
Q10b	Q5	0.6642	FALSE	fisher	0.8172	FALSE
Q12	Q5	0.9855	FALSE	fisher	0.9895	FALSE
score	Q5	0.9895	FALSE	fisher	0.9895	FALSE

Residents/Dentists Quiz Analysis

Below is a table comparing residents and dentist quiz results.

Environment Analysis

Below is a table comparing environmental questions.

Question1	Question2	P_value	Significant	Test	Adj_P	Sig_Adj
Q9	Q3	0.003	TRUE	fisher	0.0495	TRUE
score	Q3	0.0055	TRUE	fisher	0.0495	TRUE
Q8d	Q3	0.0275	TRUE	fisher	0.1238	FALSE
Q10b	Q3	0.024	TRUE	fisher	0.1238	FALSE
Q8a	Q3	0.047	TRUE	fisher	0.1410	FALSE
Q8b	Q3	0.047	TRUE	fisher	0.1410	FALSE
Q8f	Q3	0.0815	FALSE	fisher	0.2096	FALSE
Q8i	Q3	0.1049	FALSE	fisher	0.2098	FALSE
Q12	Q3	0.094	FALSE	fisher	0.2098	FALSE
Q10a	Q3	0.2689	FALSE	fisher	0.4840	FALSE
Q8j	Q3	0.3188	FALSE	fisher	0.5217	FALSE
Q8c	Q3	0.4588	FALSE	fisher	0.5506	FALSE
Q8e	Q3	0.4258	FALSE	fisher	0.5506	FALSE
Q8h	Q3	0.4443	FALSE	fisher	0.5506	FALSE
Q11a	Q3	0.4358	FALSE	fisher	0.5506	FALSE
Q8g	Q3	0.5807	FALSE	fisher	0.6217	FALSE
Q11b	Q3	0.5872	FALSE	fisher	0.6217	FALSE
Q8k	Q3	0.9	FALSE	fisher	0.9000	FALSE

Dentist/Practice Analysis

Below is a table comparing dentists and their practices.

Additional Analysis


Below is a table comparing additional analysis questions.


Visualization


Comfort & Clinical Practice Plots


Below are plots comparing the comfort and clinical practices between residents and dentists.


Question1	Question2	P_value	Significant	Test	Adj_P	Sig_Adj
Q8a	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q8b	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q8d	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q8e	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q8f	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q8g	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q8h	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q8i	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q8j	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q8k	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q9	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q10a	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q10b	Q12	5e-04	TRUE	fisher	0.0005	TRUE
Q11a	Q9	5e-04	TRUE	fisher	0.0005	TRUE
Q11b	Q9	5e-04	TRUE	fisher	0.0005	TRUE
Q10a	Q13	5e-04	TRUE	fisher	0.0005	TRUE
Q10b	Q13	5e-04	TRUE	fisher	0.0005	TRUE
Q8c	Q12	0.0025	TRUE	fisher	0.0025	TRUE






Q8b vs role
Dentist
Resident
Percent of responses
30
20
10
0
Q8b
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8c vs role
Dentist
Resident
Percent of responses
30
20
10
0
Q8c
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8d vs role
Dentist
Resident
Percent of responses
0
10
20
30
40
Q8d
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8e vs role
Dentist
Resident
Percent of responses
0
10
20
30
Q8e
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8f vs role
Dentist
Resident
Percent of responses
40
30
20
10
0
Q8f
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8g vs role
Dentist
Resident
Percent of responses
40
20
0
Q8g
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable


Q8h vs role
Dentist
Resident
Percent of responses
60
40
20
0
Q8h
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8i vs role
Dentist
Resident
Percent of responses
30
20
10
0
Q8i
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable


Q8j vs role
Dentist
Resident
Percent of responses
30
20
10
0
Q8j
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8k vs role
Dentist
Resident
Percent of responses
60
40
20
0
Q8k
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q9 vs role
Dentist
Resident
Percent of responses
50
40
30
20
10
0
Q9
Always
Never
Often
Rarely
Sometimes
Q10a vs role
Dentist
Resident
Percent of responses
60
40
20
0
Q10a
13−17 years
18+ years
6−12 years
Less than 6 years
Never



Q10b vs role
Dentist
Resident
Percent of responses
60
40
20
0
Q10b
13−17 years
18+ years
6−12 years
Less than 6 years
Never
es / vaping (ENDS)
es / vaping (ENDS); Alcohol
es / vaping (ENDS); Alcohol; Nicotine pouches
es / vaping (ENDS); Marijuana
es / vaping (ENDS); Marijuana; Alcohol
es / vaping (ENDS); Marijuana; Alcohol; Nicotine pouches
es / vaping (ENDS); Marijuana; Alcohol; Nicotine pouches; None
es / vaping (ENDS); Marijuana; Nicotine pouches
es / vaping (ENDS); Nicotine pouches
Cigarettes; Marijuana; Alcoh
Cigarettes; Nicotine pouches
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
Marijuana
Marijuana; Alcohol
Nicotine pouches



Knowledge Plots


Below are plots comparing the knowledge of residents versus dentists.








Quiz Plots

Below are plots comparing the quiz results between residents and dentists.


Q15 vs role
Dentist
Resident
Percent of responses
75
50
25
0
Q15
Ask about tobacco or vaping use and provide counseling
Continue to monitor at future visits
Recommend a non−alcohol−based mouth rinse
Q16 vs role
Dentist
Resident
Percent of responses
80
60
40
20
0
Q16
Biopsy the lesion immediately
Counsel on tobacco use, and re−evaluate in 2 weeks
Diagnose as benign frictional keratosis and discharge
Prescribe antifungal and reassess in 2 weeks



Q17 vs role
Dentist
Resident
Percent of responses
75
50
25
0
Q17
Brown pigmented macules on the palate
Deep ulcerations
Erythema, mucosal irritation, and xerostomia
Non−healing white patch with irregular borders
Q18 vs role
Dentist
Resident
100
75
50
25
0
Percent of responses
Q18
Advise chlorhexidine rinse and re−evaluate in 4 weeks
Perform biopsy or refer for specialist evaluation
Prescribe topical corticosteroid
Suggest rotating pouch placement



Q19 vs role
Dentist
Residen
Percent of responses
60
40
20
0
Q19
Advise cessation of substance use and re−evaluate in 2 weeks
Perform biopsy or refer to specialist
Prescribe topical corticosteroid and re−evaluate in 2 weeks
Recommend non−alcoholic rinse and follow−up in 4 weeks
Q20 vs role
Percent of responses
75
50
25
0
Q20
Avoid irritants, consider topical corticosteroids, re−evaluate in 1−2 weeks
Counsel on tobacco and vaping risks and re−evaluate in 4 weeks
Immediately perform biopsy
Refer to oral pathologist if not healed in 7 days





Environmental Analysis Plots


Below are plots for the environmental analysis.






Q8b vs Q5
Combination
lospital base
niversity base
Percent of responses
0
10
20
30
Q8b
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8c vs Q5
Combination
lospital base
niversity base
Percent of responses
0
10
20
30
40
Q8c
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8d vs Q5
Combination
lospital base
niversity base
Percent of responses
40
30
20
10
0
Q8d
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8e vs Q5
Combination
lospital base
niversity base
Percent of responses
40
20
0
Q8e
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8f vs Q5
Combination
lospital base
niversity base
Percent of responses
0
10
20
30
40
Q8f
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8g vs Q5
Combination
lospital base
niversity base
Percent of responses
0
20
40
60
Q8g
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8h vs Q5
Combination
lospital base
niversity base
60
40
20
0
Percent of responses
Q8h
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable


Q8i vs Q5
Combination
lospital base
niversity base
30
20
10
0
Percent of responses
Q8i
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable


Q8j vs Q5
Combination
lospital base
niversity base
Percent of responses
0
10
20
30
Q8j
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8k vs Q5
Combination
lospital base
niversity base
Percent of responses
0
10
20
30
40
Q8k
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q9 vs Q5
Combination
Hospital based
University based
Percent of responses
40
30
20
10
0
Q9
Always
Never
Often
Rarely
Sometimes
Q10a vs Q5
Combination
Hospital based
University based
Percent of responses
60
40
20
0
Q10a
13−17 years
18+ years
6−12 years
Less than 6 years
Never



Q10b vs Q5
Combination
Hospital based
University based
Percent of responses
40
20
0
Q10b
13−17 years
18+ years
6−12 years
Less than 6 years
Never
Q12 vs Q5
Combination
Hospital based
University based
Percent of responses
40
30
20
10
0
Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar





Dentist Analysis Plots


Below are plots for the dentist analysis.



Q8a vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
20
40
Q8a
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8b vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
10
20
30
Q8b
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8c vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
10
20
30
40
Q8c
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8d vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
20
40
60
Q8d
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable


Q8e vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
20
40
Q8e
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8f vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
10
20
30
40
50
Q8f
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8g vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
20
40
60
Q8g
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8h vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
20
40
60
Q8h
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable


Q8i vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
10
20
30
40
Q8i
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8j vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
10
20
30
Q8j
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable


Q8k vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
ss than 5 yea
Percent of responses
0
10
20
30
40
Q8k
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q9 vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
Less than 5 years
Percent of responses
0
10
20
30
40
Q9
Always
Never
Often
Rarely
Sometimes



Q10a vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
Less than 5 years
Percent of responses
0
20
40
60
Q10a
13−17 years
18+ years
6−12 years
Less than 6 years
Never
Q10b vs Q3
11−15 years
16−20 years
21−25 years
26+ years
5−10 years
Less than 5 years
Percent of responses
0
20
40
60
Q10b
13−17 years
18+ years
6−12 years
Less than 6 years
Never



es / vaping (ENDS)
es / vaping (ENDS); Alcohol
es / vaping (ENDS); Alcohol; Nicotine pouches
es / vaping (ENDS); Marijuana
es / vaping (ENDS); Marijuana; Alcohol
es / vaping (ENDS); Marijuana; Alcohol; Nicotine pouches
es / vaping (ENDS); Marijuana; Alcohol; Nicotine pouches; None
es / vaping (ENDS); Marijuana; Nicotine pouches
es / vaping (ENDS); Nicotine pouches
Cigarettes; Marijuana; Alcoh
Cigarettes; Nicotine pouches
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
Marijuana
Marijuana; Alcohol
Nicotine pouches
cohol
cigarettes / vaping (ENDS)
cigarettes / vaping (ENDS); Alcohol; Nicotine pouches
cigarettes / vaping (ENDS); Marijuana
cigarettes / vaping (ENDS); Marijuana; Alcohol
cigarettes / vaping (ENDS); Marijuana; Alcohol; Nicotine pouches
cigarettes / vaping (ENDS); Marijuana; Nicotine pouches
cigarettes / vaping (ENDS); Nicotine pouches
arijuana
arijuana; Alcohol
Cigarettes; Marijuana; Nicc
Cigarettes; Nicotine pouche
E−cigarettes / vaping (END
E−cigarettes / vaping (END
E−cigarettes / vaping (END
E−cigarettes / vaping (END
E−cigarettes / vaping (END
Marijuana
Marijuana; Nicotine pouche
Marijuana; None
Nicotine pouches
None





Additional Analysis Plots


Below are plots comparing each additional analysis question.


Q8a vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
20
40
60
Q8a
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8b vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
10
20
30
40
Q8b
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8c vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
10
20
30
40
Q8c
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8d vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
10
20
30
40
Q8d
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8e vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
20
40
60
Q8e
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8f vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
20
40
60
Q8f
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable



Q8g vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
20
40
60
Q8g
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8h vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
20
40
60
80
Q8h
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable


Q8i vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
20
40
Q8i
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q8j vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
20
40
60
Q8j
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable


Q8k vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
25
50
75
Q8k
Comfortable
Neither comfortable nor uncomfortable
Somewhat comfortable
Somewhat uncomfortable
Uncomfortable
Q9 vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
10
20
30
40
50
Q9
Always
Never
Often
Rarely
Sometimes


Q10a vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
20
40
60
Q10a
13−17 years
18+ years
6−12 years
Less than 6 years
Never
Q10b vs Q12
Moderately familiar
Not familiar
Slightly familiar
Very familiar
Percent of responses
0
20
40
60
Q10b
13−17 years
18+ years
6−12 years
Less than 6 years
Never


es / vaping (ENDS)
es / vaping (ENDS); Alcohol
es / vaping (ENDS); Alcohol; Nicotine pouches
es / vaping (ENDS); Marijuana
es / vaping (ENDS); Marijuana; Alcohol
es / vaping (ENDS); Marijuana; Alcohol; Nicotine pouches
es / vaping (ENDS); Marijuana; Alcohol; Nicotine pouches; None
es / vaping (ENDS); Marijuana; Nicotine pouches
es / vaping (ENDS); Nicotine pouches
Cigarettes; Marijuana; Alcoh
Cigarettes; Nicotine pouches
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
E−cigarettes / vaping (ENDS
Marijuana
Marijuana; Alcohol
Nicotine pouches
l
rettes / vaping (ENDS)
rettes / vaping (ENDS); Alcohol; Nicotine pouches
rettes / vaping (ENDS); Marijuana
rettes / vaping (ENDS); Marijuana; Alcohol
rettes / vaping (ENDS); Marijuana; Alcohol; Nicotine pouches
rettes / vaping (ENDS); Marijuana; Nicotine pouches
rettes / vaping (ENDS); Nicotine pouches
ana
ana; Alcohol
ana; Alcohol; Nicotine pouches
Cigarettes; Nicotine pouches
E−cigarettes / vaping (ENDS)
E−cigarettes / vaping (ENDS); N
E−cigarettes / vaping (ENDS); N
E−cigarettes / vaping (ENDS); N
E−cigarettes / vaping (ENDS); N
E−cigarettes / vaping (ENDS); N
Marijuana
Marijuana; Nicotine pouches
Marijuana; None
Nicotine pouches
None


Q10a vs Q13
13−17 years
6−12 years
Less than 6 years
Unsure
Percent of responses
0
20
40
60
Q10a
13−17 years
18+ years
6−12 years
Less than 6 years
Never
Q10b vs Q13
13−17 years
6−12 years
Less than 6 years
Unsure
Percent of responses
0
20
40
60
Q10b
13−17 years
18+ years
6−12 years
Less than 6 years
Never