Cucumber Report

| Start : Dec 18, 11:39:34.798 am	End : Dec 18, 11:52:27.597 am	Duration : 12 m 52.799 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 6 SKIPPED - 0	PASSED - 9 FAILED - 18 SKIPPED - 0	PASSED - 59 FAILED - 18 SKIPPED - 135

Features: 7

Scenarios: 27

Steps: 212

Pass %: 14 %

Pass %: 33 %

Pass %: 27 %

| Feature | | Scenario | | | | Step | | | |
Name	Duration	T	P	F	S	T	P	F	S
Verify the Account Module in the Application	1 m 55.088 s	5	4	1	0	38	14	1	23
Verify the Cart Page Functionality	2 m 59.618 s	5	5	0	0	28	28	0	0
Checkout Process and Order Placement	32.729 s	2	0	2	0	24	5	2	17
Verify the Discover Modules in the Mobile Application	1 m 20.763 s	2	0	2	0	18	2	2	14
Verify the Header Functionality	1 m 0.766 s	2	0	2	0	21	1	2	18
Home Page Functionality	3 m 22.325 s	7	0	7	0	53	4	7	42
User Login Functionality with Valid and Invalid Data	1 m 41.461 s	4	0	4	0	30	5	4	21

#	Feature Name	Scenario Name
1	*Verify the Account Module in the Application*	*Verify CRUD on the Address page*
2	*Checkout Process and Order Placement*	*Verify a successful payment*
3		*Failed Order Placement*
4	*Verify the Discover Modules in the Mobile Application*	*Verify the Categories Functionality*
5		*Verify the Brands Functionality*
6	*Verify the Header Functionality*	*Verify the Wishlist Functionality*
7		*Verify the Search Functionality*
8	*Home Page Functionality*	*Verify the Home Page Functionality*
9		*Verify the Product Listing Page Functionality*
10		*Verify the Sort Functionality*
11		*Verify the Filter Functionality*
12		*Verify functionality of invalid postal code check on the PDP*
13		*Verify functionality of valid postal code check on the PDP*

| #	Feature Name	Scenario Name
14	*Home Page Functionality*	*Verify the logout functionality*
15	*User Login Functionality with Valid and Invalid Data*	*Verify the sign-in functionality via phone number for an existing user*
16		*Verify the logout functionality*
17		*Verify the OTP functionality with an invalid OTP and resend functionality*
18		*Verify the sign-in functionality via phone number with an invalid number*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@account	5	4	1	0	1	0	1	0
@smoke	17	9	8	0	5	1	4	0
@sanity	23	9	14	0	5	1	4	0
@cart	5	5	0	0	1	1	0	0
@checkout	2	0	2	0	1	0	1	0
@discover	2	0	2	0	1	0	1	0
@header	2	0	2	0	1	0	1	0
@home	7	0	7	0	1	0	1	0
@login	4	0	4	0	1	0	1	0
@TC002	1	0	1	0	1	0	1	0
@TC055	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Verify the Account Module in the Application	5	4	1	0	1 m 55.088 s
2	Verify the Cart Page Functionality	5	5	0	0	2 m 59.618 s
3	Checkout Process and Order Placement	2	0	2	0	32.729 s
4	Verify the Discover Modules in the Mobile Application	2	0	2	0	1 m 20.763 s
5	Verify the Header Functionality	2	0	2	0	1 m 0.766 s
6	Home Page Functionality	7	0	7	0	3 m 22.325 s
7	User Login Functionality with Valid and Invalid Data	4	0	4	0	1 m 41.461 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify the Account Module in the Application	Verify the Login Functionality for existing number	8	8	0	0	1 m 26.776 s
2		Verify components of Account	1	1	0	0	0.514 s
3		Verify the Access Quick Actions	1	1	0	0	0.260 s
4		Verify components of FCC page	1	1	0	0	0.288 s
5		Verify CRUD on the Address page	27	3	1	23	27.198 s
6	Verify the Cart Page Functionality	Adding the Product to cart	7	7	0	0	32.150 s
7		Adding the Product to my bag	6	6	0	0	30.290 s
8		Verify the components of the Bag	4	4	0	0	43.091 s
9		Verify increase and decrease of product quantity	3	3	0	0	30.579 s
10		Verify adding/removing product to bag from PDP and move to Wishlist	8	8	0	0	43.484 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Checkout Process and Order Placement	Verify a successful payment	12	5	1	6	30.104 s
12		Failed Order Placement	12	0	1	11	2.613 s
13	Verify the Discover Modules in the Mobile Application	Verify the Categories Functionality	10	1	1	8	40.390 s
14		Verify the Brands Functionality	8	1	1	6	40.366 s
15	Verify the Header Functionality	Verify the Wishlist Functionality	11	0	1	10	20.386 s
16		Verify the Search Functionality	10	1	1	8	40.374 s
17	Home Page Functionality	Verify the Home Page Functionality	5	0	1	4	20.382 s
18		Verify the Product Listing Page Functionality	11	1	1	9	40.389 s
19		Verify the Sort Functionality	8	0	1	7	20.358 s
20		Verify the Filter Functionality	14	1	1	12	40.398 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Home Page Functionality	Verify functionality of invalid postal code check on the PDP	9	1	1	7	40.375 s
22		Verify functionality of valid postal code check on the PDP	2	0	1	1	0.026 s
23		Verify the logout functionality	4	1	1	2	40.365 s
24	User Login Functionality with Valid and Invalid Data	Verify the sign-in functionality via phone number for an existing user	9	2	1	6	40.353 s
25		Verify the logout functionality	4	1	1	2	20.380 s
26		Verify the OTP functionality with an invalid OTP and resend functionality	11	1	1	9	20.373 s
27		Verify the sign-in functionality via phone number with an invalid number	6	1	1	4	20.341 s

Verify the Account Module in the Application

|			
FAILED	*DURATION - 1 m 55.088 s*	Scenarios Total - 5 Pass - 4 Fail - 1 Skip - 0	Steps Total - 38 Pass - 14 Fail - 1 Skip - 23
/ 11:39:34.798 am // 11:41:29.886 am /			

Verify the Login Functionality for existing number

PASSED	*DURATION - 1 m 26.776 s*		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0
/ 11:39:34.801 am // 11:41:01.577 am /			
Verify the Account Module in the Application			
@account @smoke @sanity			

#	Step / Hook Details	Status	Duration
1	Given user launches the application	PASSED	0.018 s
	***** Mobile Application lunched Successfully *****		
2	And user clicks on the Account in the footer	PASSED	2.044 s
3	When user clicks the Login button	PASSED	0.658 s
4	And user enters the valid mobile number	PASSED	0.923 s
	user Entered Mobile Number: 7977177524		
5	And user clicks the Continue button	PASSED	1 m 0.891 s
6	Then user enters the OTP	PASSED	1.297 s
	user Entered the OTP: 123456		
7	And user validates otp result	PASSED	20.925 s
	OTP validated successfully. Proceeding...		
8	Then system should display the appropriate login status	PASSED	0.001 s
	***** Successfully logged in *****		

Verify components of Account

PASSED	DURATION - 0.514 s
/ 11:41:01.598 am // 11:41:02.112 am /	
Verify the Account Module in the Application	
@account @smoke @sanity	

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Then system should display the following components in the Account section	PASSED	0.511 s
	Profile		
	Manage Addresses		
	Saved Payments		
	Help & Support		
	About Us		
	Terms Of Use		
	Privacy Policy		

Verify the Access Quick Actions

PASSED	DURATION - 0.260 s
/ 11:41:02.121 am // 11:41:02.381 am /	
Verify the Account Module in the Application	
@account @smoke @sanity	

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given system should display the quick actions options in the account section	PASSED	0.257 s
	Wishlist		
	My Orders		
	Wallet		

Verify components of FCC page

PASSED	DURATION - 0.288 s

/ 11:41:02.390 am // 11:41:02.678 am /

Verify the Account Module in the Application

@account @smoke @sanity

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When system should display the following components in the FCC section	PASSED	0.286 s
	First Connect		
	Silver Edge		
	Golden Glow		
	Platinum Aura		
	Black Card		

Verify CRUD on the Address page

FAILED	DURATION - 27.198 s

/ 11:41:02.688 am // 11:41:29.886 am /

Verify the Account Module in the Application

@account @sanity

Steps
Total - 27
Pass - 3
Fail - 1
Skip - 23

#	Step / Hook Details	Status	Duration
1	And user clicks on the my Profile option	PASSED	2.717 s
2	And user update their first name	PASSED	1.832 s
	Entered First Name: MahindraSingh		
3	And user update their last name	PASSED	1.509 s
	Entered Last Name: Palanisamy		
4	And user update their gender details	FAILED	20.481 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //input[@type='radio'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.		

#	Step / Hook Details	Status	Duration

	arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com. goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	    at pages.BasePage.waitForVisibility(BasePage.java:39)
	    at pages.BasePage.click(BasePage.java:95)
	    at pages.AccountPage.clickOnGender(AccountPage.java:161)
	    at scenarios.stepDefinitions.AccountStep.user_update_their_gender_details(AccountStep.java:119)
	    at ?.user update their gender details(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/account.feature:47)
	* Not displayable characters are replaced by '?'.		

5	And user clicks on the update changes	SKIPPED	0.000 s
6	And user validate that personal details successfully updated	SKIPPED	0.000 s
7	And user clicks on the manage addresses	SKIPPED	0.000 s
8	And user is able to add a new address	SKIPPED	0.000 s
9	And user enters the new first name	SKIPPED	0.000 s
10	And user enters the new last name	SKIPPED	0.000 s
11	And user enters the new number	SKIPPED	0.001 s
12	And user enters the new pin code	SKIPPED	0.000 s
13	And user enters the new address	SKIPPED	0.001 s
14	And user selects a address type as work	SKIPPED	0.000 s
15	And user clicks on the add address	SKIPPED	0.000 s
16	And user validate that new address added successfully	SKIPPED	0.000 s
17	And user updates an existing address	SKIPPED	0.000 s
18	And user updates their first name	SKIPPED	0.000 s
19	And user updates their last name	SKIPPED	0.000 s
20	And user updates their number	SKIPPED	0.001 s
21	And user updates their postal code	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	And user updates their address	SKIPPED	0.000 s
23	And user clicks on the save changes	SKIPPED	0.001 s
24	And Validate that existing address has updated	SKIPPED	0.000 s
25	And user is able to delete exiting address	SKIPPED	0.000 s
26	And user clicks on the confirm remove button for delete address	SKIPPED	0.001 s
27	And user validate that delete address message is displayed	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.647 s
	image		

Verify the Cart Page Functionality

PASSED	DURATION - 2 m 59.618 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Steps Total - 28 Pass - 28 Fail - 0 Skip - 0	28
/ 11:41:29.899 am // 11:44:29.517 am /					

Adding the Product to cart

PASSED	DURATION - 32.150 s

/ 11:41:29.899 am // 11:42:02.049 am /

Verify the Cart Page Functionality

@smoke @cart @sanity

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given user back to home page	PASSED	20.006 s
2	Given user is on the homepage	PASSED	3.441 s
3	When user selects a makeup category from home page	PASSED	0.453 s
4	And user clicks the sub category from makeup page	PASSED	1.483 s
5	And user selects a product from makeup plp	PASSED	2.464 s
6	And User clicks on the add to bag	PASSED	3.876 s
7	And user back to parent window	PASSED	0.423 s

Adding the Product to my bag

PASSED	DURATION - 30.290 s

/ 11:42:02.055 am // 11:42:32.345 am /

Verify the Cart Page Functionality

@smoke @cart @sanity

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	When user back to home page	PASSED	20.001 s
2	And user clicks the sub category lips from makeup page	PASSED	0.662 s
3	And user selects a product from lips plp	PASSED	2.698 s
4	And user selects a product from makeup plp	PASSED	1.572 s
5	And User clicks on the add to bag	PASSED	4.959 s
6	And user back to parent window	PASSED	0.393 s

Verify the components of the Bag

PASSED	DURATION - 43.091 s
/ 11:42:32.350 am // 11:43:15.441 am /	
Verify the Cart Page Functionality	
@smoke @cart @sanity	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When user back to home page	PASSED	20.002 s
2	When user clicks on the cart icon in the header	PASSED	2.405 s
3	And user validate that cart is not empty	PASSED	20.269 s
	Cart has items, continuing...		
4	Then system should display the following components on the cart page	PASSED	0.412 s
	Bag		
	Address		
	Payment		
	Best coupons for you		

Verify increase and decrease of product quantity

PASSED	DURATION - 30.579 s
/ 11:43:15.448 am // 11:43:46.027 am /	
Verify the Cart Page Functionality	
@smoke @cart @sanity	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	And user validate that cart is not empty	PASSED	20.102 s
	Cart has items, continuing...		
2	And user increase the product quantity in the cart	PASSED	6.884 s

#	Step / Hook Details	Status	Duration
3	And user decrease the product quantity in the cart	PASSED	3.587 s

Verify adding/removing product to bag from PDP and move to Wishlist

PASSED	DURATION - 43.484 s			Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
/ 11:43:46.033 am // 11:44:29.517 am /					
Verify the Cart Page Functionality					
@smoke @cart @sanity					

#	Step / Hook Details	Status	Duration
1	And user validate that cart is not empty	PASSED	20.083 s
	Cart has items, continuing...		
2	And user clicks on the product x mark	PASSED	0.880 s
3	And user moves a product to the wishlist from the cart	PASSED	0.726 s
4	And user validate that product moved to wishlist	PASSED	0.000 s
	Product moved to your wishlist from Cart/My bag		
5	And user validate that cart is not empty	PASSED	20.371 s
	Cart has items, continuing...		
6	Then user clicks on the product x mark	PASSED	0.638 s
7	And user removes a product to the wishlist from the cart	PASSED	0.781 s
8	And user validate that product removed from cart	PASSED	0.001 s
	Product has been Removed		

Checkout Process and Order Placement

FAILED	DURATION - 32.729 s		Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 24 Pass - 5 Fail - 2 Skip - 17	24
/ 11:44:29.523 am // 11:45:02.252 am /						

Verify a successful payment

FAILED	DURATION - 30.104 s
/ 11:44:29.523 am // 11:44:59.627 am /	
Checkout Process and Order Placement	
@checkout	

Steps
Total - 12
Pass - 5
Fail - 1
Skip - 6

12

#	Step / Hook Details	Status	Duration
1	Given user back to home page	PASSED	20.004 s
2	When user selects a makeup category from home page	PASSED	0.680 s
3	And user clicks the sub category from makeup page	PASSED	1.438 s
4	And user selects a product from makeup plp	PASSED	2.222 s
5	And User clicks on the add to bag	PASSED	3.699 s
6	And user clicks on the cart icon in the header	FAILED	1.766 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (364, 28). Other element would receive the click: <div aria-hidden="true" class="MuiBackdrop-root css-5wkaci" style="opacity: 1; transition: opacity 225ms cubic-bezier(0.4, 0, 0.2, 1);">...</div>   (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, clickElement {id=f. B6662030AEB857456888C3A6C09972D3.d.A47ECD4D1C56C7B69D7ACB8EA453B7D3.e.351}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com. goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Element: [[AppiumDriver: Chrome on ANDROID (4b151676-59cf-48fb-9cf8-3d6bafff8521)] -> xpath: //span[@class='MuiBadge-root css-1g48zis']] Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at pages.BasePage.click(BasePage.java:96) at pages.CartPage.clickOnCartIcon(CartPage.java:52) at scenarios.stepDefinitions.CartPageStep.user_clicks_on_the_cart_icon_in_the_header(CartPageStep.java:62) at ?.user clicks on the cart icon in the header(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/checkout.feature:21) * Not displayable characters are replaced by '?'.		
7	And User clicks on the proceed to pay	SKIPPED	0.001 s
8	Then User clicks on the continue to payment	SKIPPED	0.000 s
9	And user selecting cod option	SKIPPED	0.000 s
10	And User clicks on the place order button	SKIPPED	0.000 s
11	And User validate that the order is placed successfully	SKIPPED	0.001 s
12	And User clicks on the continue shopping button	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) image 	PASSED	0.289 s

Failed Order Placement

FAILED	DURATION - 2.613 s
/ 11:44:59.639 am // 11:45:02.252 am /	
Checkout Process and Order Placement	
@checkout	

Steps
Total - 12
Pass - 0
Fail - 1
Skip - 11

#	Step / Hook Details	Status	Duration
1	Given user is on the homepage	FAILED	2.163 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <p class="MuiTypography-root MuiTypography-body1 css-1xkalhi">...</p> is not clickable at point (96, 710). Other element would receive the click: <div class="MuiStack-root css-1a5tci4">...</div> (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, clickElement {id=f.B6662030AEB857456888C3A6C09972D3.d.A47ECD4D1C56C7B69D7ACB8EA453B7D3.e.354}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Element: [[AppiumDriver: Chrome on ANDROID (4b151676-59cf-48fb-9cf8-3d6bafff8521)] -> xpath: //p[contains(text(),'Home')]] Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)
	    at pages.BasePage.click(BasePage.java:96)
	    at pages.HomePage.clickOnHomeButton(HomePage.java:60)
	    at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)		

#	Step / Hook Details	Status	Duration
	at ?.user is on the homepage(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/checkout.feature:30) * Not displayable characters are replaced by '?'.		
2	When user selects a fragrance category from home page	SKIPPED	0.001 s
3	And user clicks the sub category from fragrance page	SKIPPED	0.000 s
4	And user selects a product from fragrance plp	SKIPPED	0.000 s
5	And User clicks on the add to bag	SKIPPED	0.001 s
6	And user clicks on the cart icon in the header	SKIPPED	0.000 s
7	And User clicks on the proceed to pay	SKIPPED	0.000 s
8	And User clicks on the continue to payment	SKIPPED	0.000 s
9	And user selecting UPI option	SKIPPED	0.001 s
10	And user enters the UPI id	SKIPPED	0.000 s
11	And user validates that UPI id	SKIPPED	0.000 s
12	And User validate that an error message indicating payment failure	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) image	PASSED	0.445 s

Verify the Discover Modules in the Mobile Application

FAILED	DURATION - 1 m 20.763 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 18 Pass - 2 Fail - 2 Skip - 14	18
/ 11:45:02.259 am // 11:46:23.022 am /					

Verify the Categories Functionality

FAILED	DURATION - 40.390 s
/ 11:45:02.259 am // 11:45:42.649 am /	
Verify the Discover Modules in the Mobile Application	
@discover	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

10

#	Step / Hook Details	Status	Duration
1	Given user back to home page	PASSED	20.001 s
2	Given user is on the homepage	FAILED	20.379 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(),'Home')] (tried for 20 second(s) with 500 milliseconds interval)
   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
   at pages.BasePage.waitForVisibility(BasePage.java:39)
   at pages.HomePage.clickOnHomeButton(HomePage.java:59)
   at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)
   at ?.user is on the homepage(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/discover.feature:16)

Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found   (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(),'Home')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.HomePage.clickOnHomeButton(HomePage.java:59)		
	at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
3	Given User clicks on Discover in the footer	SKIPPED	0.000 s
4	When user selects a skin type	SKIPPED	0.000 s
5	And user selects a cleansers	SKIPPED	0.000 s
6	And user validates that selected category page navigation	SKIPPED	0.000 s
7	And user back to home page	SKIPPED	0.000 s
8	Then user selects a personal care	SKIPPED	0.000 s
9	And user selects a hands and feet	SKIPPED	0.000 s
10	And user validates that selected category page navigation	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036,		

#	Step / Hook Details	Status	Duration

	appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	    at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	    at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319)
	    at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the Brands Functionality

FAILED	DURATION - 40.366 s
/ 11:45:42.656 am // 11:46:23.022 am /	
Verify the Discover Modules in the Mobile Application	
@discover	

Steps
Total - 8
Pass - 1
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given user back to home page	PASSED	20.006 s
2	When user clicks on the brands	FAILED	20.348 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //button[contains(text(),'Brands')] (tried for 20 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	    at pages.BasePage.waitForVisibility(BasePage.java:39)
	    at pages.DiscoverPage.clickOnBrands(DiscoverPage.java:56)		

#	Step / Hook Details	Status	Duration
	at scenarios.stepDefinitions.DiscoverStep.user_clicks_on_the_brands(DiscoverStep.java:76)		
	at ?.user clicks on the brands(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/discover.feature:29)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//button[contains(text(),'Brands')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.DiscoverPage.clickOnBrands(DiscoverPage.java:56)		
	at scenarios.stepDefinitions.DiscoverStep.user_clicks_on_the_brands(DiscoverStep.java:76)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
* Not displayable characters are replaced by '?'.			

#	Step / Hook Details	Status	Duration
3	And user selects a brand from customer favorites	SKIPPED	0.001 s
4	And user validates that selected brands navigation	SKIPPED	0.000 s
5	And user back to home page	SKIPPED	0.000 s
6	And user clicks on the brands	SKIPPED	0.000 s
7	Then user selects a brands from the trending	SKIPPED	0.001 s
8	And user validates that selected brands navigation	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	   at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	   at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319)
	   at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the Header Functionality

FAILED	DURATION - 1 m 0.766 s	Scenarios		Steps	
		Total - 2		Total - 21	
/ 11:46:23.031 am // 11:47:23.797 am /		Pass - 0	2	Pass - 1	21
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 18	

Verify the Wishlist Functionality

FAILED	DURATION - 20.386 s		Steps	
			Total - 11	
/ 11:46:23.031 am // 11:46:43.417 am /			Pass - 0	11
Verify the Header Functionality			Fail - 1	
@smoke @header @sanity			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given user is on the homepage	FAILED	20.376 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(),'Home')] (tried for 20 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.HomePage.clickOnHomeButton(HomePage.java:59)		
	at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)		
	at ?.user is on the homepage(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/header.feature:15)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(),'Home')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true,		

#	Step / Hook Details	Status	Duration

	appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	    at pages.BasePage.waitForVisibility(BasePage.java:39)
	    at pages.HomePage.clickOnHomeButton(HomePage.java:59)
	    at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:53)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)
	    at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		

#	Step / Hook Details	Status	Duration
	at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
2	When User clicks on the wishlist icon in the header	SKIPPED	0.000 s
3	And User validate that wishlist icon navigate to the wishlist page	SKIPPED	0.000 s
4	And User select a product from wishlist page	SKIPPED	0.000 s
5	And User validate that it navigates to the PDP	SKIPPED	0.000 s
6	And User return to the wishlist page	SKIPPED	0.000 s
7	And User adds a product to the cart from the wishlist page	SKIPPED	0.000 s
8	And User validate that product add to wishlist successfully	SKIPPED	0.000 s
9	Then User removes a product from the wishlist page	SKIPPED	0.000 s
10	And User clicks on the remove item for removing product from wishlist	SKIPPED	0.000 s
11	And User validate that product removed from wishlist	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	    at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	    at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319)
	    at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the Search Functionality

FAILED	DURATION - 40.374 s
/ 11:46:43.423 am // 11:47:23.797 am /	
Verify the Header Functionality	
@smoke @header @sanity	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

10

#	Step / Hook Details	Status	Duration
1	Given user back to home page	PASSED	20.000 s
2	When User clicks on the search bar	FAILED	20.362 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@placeholder='Search'] (tried for 20 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at pages.HeaderPage.clicksOnTheSearEditBox(HeaderPage.java:33)		
	at scenarios.stepDefinitions.HeaderStep.user_clicks_on_the_search_bar(HeaderStep.java:96)		
	at ?.User clicks on the search bar(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/header.feature:31)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//input[@placeholder='Search']}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:627)		
	at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:624)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.HeaderPage.clicksOnTheSearEditBox(HeaderPage.java:33)		
	at scenarios.stepDefinitions.HeaderStep.user_clicks_on_the_search_bar(HeaderStep.java:96)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
3	And User search with keywords	SKIPPED	0.000 s
4	And user clicks enter	SKIPPED	0.000 s
5	And User validate that search option navigation to the relevant products	SKIPPED	0.000 s
6	And user back to home page	SKIPPED	0.000 s
7	And User clicks on the search bar	SKIPPED	0.000 s
8	And User clicks on trending products	SKIPPED	0.000 s
9	And User validate that search option navigation to the relevant products	SKIPPED	0.000 s
10	And user back to home page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319) at hooks.Hooks.tearDown(Hooks.java:49)		

Home Page Functionality

FAILED	DURATION - 3 m 22.325 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0	7	Steps Total - 53 Pass - 4 Fail - 7 Skip - 42	53
/ 11:47:23.804 am // 11:50:46.129 am /					

Verify the Home Page Functionality

FAILED	DURATION - 20.382 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	5
/ 11:47:23.804 am // 11:47:44.186 am /				
Home Page Functionality				
@home @sanity				

#	Step / Hook Details	Status	Duration
1	Given user is on the homepage	FAILED	20.374 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(),'Home')] (tried for 20 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	    at pages.BasePage.waitForVisibility(BasePage.java:39)
	    at pages.HomePage.clickOnHomeButton(HomePage.java:59)
	    at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)
	    at ?.user is on the homepage(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/ features/homepage.feature:15)		

#	Step / Hook Details	Status	Duration

	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(),'Home')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	    at pages.BasePage.waitForVisibility(BasePage.java:39)
	    at pages.HomePage.clickOnHomeButton(HomePage.java:59)
	    at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
2	When user selects a makeup category from home page	SKIPPED	0.000 s
3	And user clicks the sub category eyes from makeup page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And user selects a product from eyes makeup plp	SKIPPED	0.000 s
5	And User validate that it navigates to the PDP	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319) at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the Product Listing Page Functionality

FAILED	DURATION - 40.389 s
/ 11:47:44.192 am // 11:48:24.581 am /	
Home Page Functionality	
@home @sanity	

Steps
Total - 11
Pass - 1
Fail - 1
Skip - 9

11

#	Step / Hook Details	Status	Duration
1	Given user back to home page	PASSED	20.002 s
2	When user selects a makeup category from home page	FAILED	20.376 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: (//p[contains(text(),'Makeup')])[1] (tried for 20 second(s) with 500 milliseconds interval)
   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
   at pages.BasePage.waitForVisibility(BasePage.java:39)
   at pages.HomePage.clickOnMakeUp(HomePage.java:64)
   at scenarios.stepDefinitions.CheckoutStep.user_selects_a_makeup_category_from_home_page(CheckoutStep.java:60)
   at ?.user selects a makeup category from home page(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/homepage.feature:25)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found   (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=(//p[contains(text(),'Makeup')])[1]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.HomePage.clickOnMakeUp(HomePage.java:64)		
	at scenarios.stepDefinitions.CheckoutStep.user_selects_a_makeup_category_from_home_page(CheckoutStep.java:60)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
3	And user clicks the sub category eyes from makeup page	SKIPPED	0.000 s
4	And User adds a product to the wishlist from PLP	SKIPPED	0.000 s
5	And User validate that product added to wishlist	SKIPPED	0.000 s
6	And User remove a product to the wishlist from PLP	SKIPPED	0.000 s
7	And user removes a product to the wishlist	SKIPPED	0.000 s
8	And User validate that product removed from wishlist	SKIPPED	0.001 s
9	And user selects a product from eyes makeup plp	SKIPPED	0.000 s
10	And User validate that it navigates to the PDP	SKIPPED	0.000 s
11	And user back to home page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036,		

#	Step / Hook Details	Status	Duration

	appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	   at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	   at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319)
	   at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the Sort Functionality

FAILED	DURATION - 20.358 s
/ 11:48:24.587 am // 11:48:44.945 am /	
Home Page Functionality	
@home @sanity	

Steps
Total - 8
Pass - 0
Fail - 1
Skip - 7

#	Step / Hook Details	Status	Duration
1	When user selects a makeup category from home page	FAILED	20.347 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: (//p[contains(text(),'Makeup')])[1] (tried for 20 second(s) with 500 milliseconds interval)
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	   at pages.BasePage.waitForVisibility(BasePage.java:39)
	   at pages.HomePage.clickOnMakeUp(HomePage.java:64)
	   at scenarios.stepDefinitions.CheckoutStep.user_selects_a_makeup_category_from_home_page(CheckoutStep.java:60)		

#	Step / Hook Details	Status	Duration

	at ?.user selects a makeup category from home page(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/homepage.feature:39)
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=(//p[contains(text(),'Makeup')])[1]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	    at pages.BasePage.waitForVisibility(BasePage.java:39)
	    at pages.HomePage.clickOnMakeUp(HomePage.java:64)
	    at scenarios.stepDefinitions.CheckoutStep.user_selects_a_makeup_category_from_home_page(CheckoutStep.java:60)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
2	And user clicks the sub category eyes from makeup page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User clicks on the sort option	SKIPPED	0.000 s
4	And User selects a sort option as price low to high	SKIPPED	0.000 s
5	And User validate that product sorted product is displayed	SKIPPED	0.000 s
6	Then User clicks on the sort option	SKIPPED	0.000 s
7	And User selects a sort option as price high to low	SKIPPED	0.000 s
8	And User validate that product sorted product is displayed	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319) at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the Filter Functionality

FAILED	DURATION - 40.398 s	
/ 11:48:44.950 am // 11:49:25.348 am /		
Home Page Functionality		
@home @sanity		

Steps
Total - 14
Pass - 1
Fail - 1
Skip - 12

14

#	Step / Hook Details	Status	Duration
1	Given user back to home page	PASSED	20.013 s
2	Given user is on the homepage	FAILED	20.372 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(),'Home')] (tried for 20 second(s) with 500 milliseconds interval)

   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
   at pages.BasePage.waitForVisibility(BasePage.java:39)
   at pages.HomePage.clickOnHomeButton(HomePage.java:59)
   at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)
   at ?.user is on the homepage(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/homepage.feature:51)

Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found   (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(),'Home')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521

   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.HomePage.clickOnHomeButton(HomePage.java:59)		
	at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
3	When user selects a makeup category from home page	SKIPPED	0.001 s
4	And user clicks the sub category eyes from makeup page	SKIPPED	0.000 s
5	And User clicks on the filter option	SKIPPED	0.000 s
6	And User select the category as makeup	SKIPPED	0.000 s
7	And User selects the brands as bobbi	SKIPPED	0.000 s
8	And User clicks on the apply filter	SKIPPED	0.000 s
9	And User validate that products are displayed as per filter	SKIPPED	0.000 s
10	Then User clicks on the filter option	SKIPPED	0.000 s
11	And User select the category as makeup	SKIPPED	0.000 s
12	And User selects the brands as bobbi	SKIPPED	0.000 s
13	And User clicks on the apply filter	SKIPPED	0.000 s
14	And user validates that filter has removed	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome,		

#	Step / Hook Details	Status	Duration
	automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319) at hooks.Hooks.tearDown(Hooks.java:49)		

Verify functionality of invalid postal code check on the PDP

FAILED	DURATION - 40.375 s
/ 11:49:25.353 am // 11:50:05.728 am /	
Home Page Functionality	
@smoke @home @sanity	

Steps
Total - 9
Pass - 1
Fail - 1
Skip - 7

9

#	Step / Hook Details	Status	Duration
1	Given user back to home page	PASSED	20.003 s
2	Given user is on the homepage	FAILED	20.362 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(),'Home')] (tried for 20 second(s) with 500 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.HomePage.clickOnHomeButton(HomePage.java:59)		
	at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)		
	at ?.user is on the homepage(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/homepage.feature:68)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(),'Home')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.HomePage.clickOnHomeButton(HomePage.java:59)		
	at scenarios.stepDefinitions.CheckoutStep.user_is_on_the_homepage(CheckoutStep.java:49)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		

| #	Step / Hook Details	Status	Duration
	at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
3	When user selects a makeup category from home page	SKIPPED	0.001 s
4	And user clicks the sub category from makeup page	SKIPPED	0.000 s
5	And user selects a product from makeup plp	SKIPPED	0.000 s
6	And user clicks on the change option	SKIPPED	0.000 s
7	When user enters an invalid postal code for delivery	SKIPPED	0.000 s
8	And user clicks on the check option	SKIPPED	0.000 s
9	And user sees a message indicating to enter a valid postal code	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319) at hooks.Hooks.tearDown(Hooks.java:49)		

Verify functionality of valid postal code check on the PDP

FAILED	DURATION - 0.026 s
/ 11:50:05.733 am // 11:50:05.759 am /	
Home Page Functionality	
@smoke @home @sanity	

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	When user enters an valid postal code for delivery	FAILED	0.019 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, getCurrentWindowSize {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	   at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310)
	   at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:1027)
	   at pages.BasePage.scroll(BasePage.java:254)
	   at pages.HomePage.enterPostalCode(HomePage.java:166)
	   at scenarios.stepDefinitions.HomeStep.user_enters_an_valid_postal_code_for_delivery(HomeStep.java:166)		

#	Step / Hook Details	Status	Duration
	at ?.user enters an valid postal code for delivery(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/homepage.feature:84) * Not displayable characters are replaced by '?'.		
2	And user clicks on the check option	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	    at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	    at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319)
	    at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the logout functionality

FAILED	DURATION - 40.365 s
/ 11:50:05.764 am // 11:50:46.129 am /	
Home Page Functionality	
@smoke @home @sanity	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	Given user back to home page	PASSED	20.001 s
2	When user clicks on the Account in the footer	FAILED	20.356 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(), 'Account')] (tried for 20 second(s) with 500 milliseconds interval)
  at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
  at pages.BasePage.waitForVisibility(BasePage.java:39)
  at pages.AccountPage.clickOnAccountOption(AccountPage.java:60)
  at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49)
  at ?.user clicks on the Account in the footer(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/homepage.feature:91)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found   (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(), 'Account')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.AccountPage.clickOnAccountOption(AccountPage.java:60)		
	at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
3	And user clicks on the Logout button	SKIPPED	0.000 s
4	Then validate that the user is logged out	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319) at hooks.Hooks.tearDown(Hooks.java:49)		

User Login Functionality with Valid and Invalid Data

FAILED	DURATION - 1 m 41.461 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 30 Pass - 5 Fail - 4 Skip - 21	30
/ 11:50:46.136 am // 11:52:27.597 am /					

Verify the sign-in functionality via phone number for an existing user

FAILED	DURATION - 40.353 s		Steps Total - 9 Pass - 2 Fail - 1 Skip - 6	9
/ 11:50:46.136 am // 11:51:26.489 am /				
User Login Functionality with Valid and Invalid Data				
@smoke @login @TC002 @sanity				

#	Step / Hook Details	Status	Duration
1	Given user launches the application	PASSED	0.001 s
	***** Mobile Application lunched Successfully *****		
2	And user back to home page	PASSED	20.000 s
3	And user clicks on the Account in the footer	FAILED	20.343 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(), 'Account')] (tried for 20 second(s) with 500 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.AccountPage.clickOnAccountOption(AccountPage.java:60)		
	at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49)		
	at ?.user clicks on the Account in the footer(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/login.feature:8)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(), 'Account')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.AccountPage.clickOnAccountOption(AccountPage.java:60)		
	at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
4	When user clicks the Login button	SKIPPED	0.000 s
5	And user enters the valid mobile number	SKIPPED	0.000 s
6	And user clicks the Continue button	SKIPPED	0.000 s
7	Then user enters the OTP	SKIPPED	0.000 s
8	And user validates otp result	SKIPPED	0.000 s
9	And system should display the appropriate login status	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319) at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the logout functionality

| FAILED	DURATION - 20.380 s
/ 11:51:26.494 am // 11:51:46.874 am /	
User Login Functionality with Valid and Invalid Data	
@smoke @login @TC055 @sanity	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given user launches the application	PASSED	0.000 s
	***** Mobile Application lunched Successfully *****		
2	And user clicks on the Account in the footer	FAILED	20.372 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(), 'Account')] (tried for 20 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.AccountPage.clickOnAccountOption(AccountPage.java:60)		
	at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49)		
	at ?.user clicks on the Account in the footer(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/login.feature:19)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(), 'Account')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.AccountPage.clickOnAccountOption(AccountPage.java:60)		
	at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
3	And user clicks on the Logout button	SKIPPED	0.000 s
4	Then validate that the user is logged out	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319) at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the OTP functionality with an invalid OTP and resend functionality

FAILED	DURATION - 20.373 s
/ 11:51:46.879 am // 11:52:07.252 am /	
User Login Functionality with Valid and Invalid Data	
@smoke @login @sanity	

Steps
Total - 11
Pass - 1
Fail - 1
Skip - 9

#	Step / Hook Details	Status	Duration
1	Given user launches the application	PASSED	0.000 s
	***** Mobile Application lunched Successfully *****		
2	And user clicks on the Account in the footer	FAILED	20.363 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(), 'Account')] (tried for 20 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	    at pages.BasePage.waitForVisibility(BasePage.java:39)
	    at pages.AccountPage.clickOnAccountOption(AccountPage.java:60)
	    at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49)
	    at ?.user clicks on the Account in the footer(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/login.feature:32)
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-		

#	Step / Hook Details	Status	Duration
	9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(), 'Account')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com. goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194) at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at pages.BasePage.waitForVisibility(BasePage.java:39) at pages.AccountPage.clickOnAccountOption(AccountPage.java:60) at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
3	When user clicks the Login button	SKIPPED	0.001 s
4	And user enters the mobile number	SKIPPED	0.000 s
5	And user clicks the Continue button	SKIPPED	0.000 s
6	Then user enters the OTP	SKIPPED	0.000 s
7	And user validates otp result for invalid otp	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	And user clicks on the Resend SMS option	SKIPPED	0.000 s
9	And user successfully resends the OTP	SKIPPED	0.000 s
10	Then user enters the invalid OTP	SKIPPED	0.000 s
11	And user validates otp result for invalid otp	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	   at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	   at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319)
	   at hooks.Hooks.tearDown(Hooks.java:49)		

Verify the sign-in functionality via phone number with an invalid number

FAILED	DURATION - 20.341 s
/ 11:52:07.256 am // 11:52:27.597 am /	
User Login Functionality with Valid and Invalid Data	
@login @sanity	

Steps
Total - 6
Pass - 1
Fail - 1
Skip - 4

6

#	Step / Hook Details	Status	Duration
1	Given user launches the application	PASSED	0.001 s
	***** Mobile Application lunched Successfully *****		
2	And user clicks on the Account in the footer	FAILED	20.332 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //p[contains(text(), 'Account')] (tried for 20 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.AccountPage.clickOnAccountOption(AccountPage.java:60)		
	at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49)		
	at ?.user clicks on the Account in the footer(file:///Volumes/Macintosh%20HD%20-%20Data/Code/SSB_Automation_Msite_Sanity/src/test/java/scenarios/features/login.feature:46)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, findElement {using=xpath, value=//p[contains(text(), 'Account')]}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.BasePage.waitForVisibility(BasePage.java:39)		
	at pages.AccountPage.clickOnAccountOption(AccountPage.java:60)		
	at scenarios.stepDefinitions.AccountStep.user_clicks_on_the_account_in_the_footer(AccountStep.java:49)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
3	When user clicks the Login button	SKIPPED	0.000 s
4	And user enters the invalid mobile number	SKIPPED	0.000 s
5	And user clicks the Continue button	SKIPPED	0.000 s
6	Then validate that the appropriate error message is displayed	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=143.0.7499.110) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '26.1', java.version: '21.0.8' Driver info: io.appium.java_client.AppiumDriver Command: [4b151676-59cf-48fb-9cf8-3d6bafff8521, screenshot {}] Capabilities {appium:automationName: UiAutomator2, appium:chromedriverAutodownload: true, appium:chromedriverExecutable: /Users/apple/Downloads/chro..., appium:chromedriverUseSystemExecutable: false, appium:databaseEnabled: false, appium:desired: {appActivity: com.android.chrome/com.goog..., appPackage: com.android.chrome, automationName: UiAutomator2, browserName: Chrome, chromedriverAutodownload: true, chromedriverExecutable: /Users/apple/Downloads/chro..., chromedriverUseSystemExecutable: false, ensureWebviewsHavePages: true, forceAppLaunch: true, noReset: true, platformName: ANDROID}, appium:deviceApiLevel: 33, appium:deviceManufacturer: Google, appium:deviceModel: Pixel 4a, appium:deviceName: 14081JEC202036, appium:deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2340, appium:deviceUDID: 14081JEC202036, appium:ensureWebviewsHavePages: true, appium:forceAppLaunch: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:noReset: true, appium:pixelRatio: 2.75, appium:platformVersion: 13, appium:statBarHeight: 136, appium:takesScreenshot: true, appium:viewportRect: {height: 2204, left: 0, top: 136, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, browserName: Chrome, platformName: ANDROID} Session ID: 4b151676-59cf-48fb-9cf8-3d6bafff8521 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)		
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)		
	at io.appium.java_client.AppiumDriver.getScreenshotAs(AppiumDriver.java:319)		
	at hooks.Hooks.tearDown(Hooks.java:49)		