



USER INTERFACE DESIGN

23CSE113

LAB MANUAL


SUBMITTED BY	
NAME	K.GAYATHRI
ROLL NO	AV.SC.U4CSE25120
YEAR/SEM/SECTION	1 ST YEAR/SEM-2/CSE-B
CREDITS	03

SUBMITTED TO	DR. RAJ KUMAR BATCHU
DESIGNATION	ASST.PROFFESSOR(SL Grade)
DEPARTMENT	SCHOOL OF COMPUTING

INDEX

S.NO	TITLE	PAGE NO	REMARKS
1.	WEEK 1 : 1. Installation of VS CODE tool 2. Understanding basic of html structure 3. Understanding basic html tags	3-10	
2.	WEEK 2 : 1. Designing a Web Page Using HTML Tags		
3.	WEEK 3 : 1. Construction of Class Timetable using html Elements 2 . Construction of web page Displaying Each Syllabus of each Subject Displaying as Image Format and also isplaying the Corresponding time table of current semester		
4.	Week 4: 1 . a college wants to collect student details through an online admission form design a registration form using only html tags(no css) with proper labels table alignment,background color and borders 2 . A Company wants to design a webpage that display two different forms side by side using iframes in which one should display a		


	login form and other should display register form		
--	--	--	--




LAB -1

step – 1


1. VS CODE INSTALLER




step – 2




step -3




step – 4




step – 5



STEP-6



STEP 7:



2.Understanding the structure of HTML

a. Aim : To learn the basics of html(basics.html) Program:

```
<!DOCTYPE html>

<html>

<head>

  <title>first web page</title>

</head>

<body>


  <h1>happy to learn HTML</h1>

  <p>this is my first sample code</p>

</body>

</html>
```


OUTPUT:



happy to learn HTML


this is my first sample code

b. Aim: To learn headings in html(headings.html) Program:



```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>second web page</title>
5   </head>
6
7   <body>
8     <h1>happy to learn html</h1>
9     <h2>happy to learn html</h2>
10    <h3>happy to learn html</h3>
11    <h4>happy to learn html</h4>
```

OUTPUT:



This is heading 1

This is heading 4

This is heading 5

c. Aim: To learn writing a paragraph (paragraph.html)

Program:

```
<!DOCTYPE html>

<html>

  <body>

    <p>the given below details are my personals</p>

    <p> i am gayathri studying my btech (25120)</p>

  </body>

</html>
```

```
<!DOCTYPE html>

<html>

  <body>


    <p>the given below details are my personals</p>

    <p>i am gayathri <br> studying my btech</p>

  </body>

</html>
```

Output:




d. Aim: To learn opening links(links.html)

Program:

```
<!DOCTYPE html>
<html>
  <head>
    <title>links</title>
  </head>
  <body>
    <p> gayathri (25120)</p>
    <p>this is the link to open w3schools</p>
    <a href="https://www.W3schools.com">this is a link</a>
  </p>
  </body>
</html>
```


Output:



gayathri (25120)

this is the link to open w3schools

[this is a link](#)



e. Aim: To learn to show images on web page (image.html)

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>MS DHONI</title>
```

```
</head>
```

```
<body>
```


```
  <h1> thala for a reason</h1>
```

```
  <img src=https://media.gettyimages.com/id/1494318222/photo/final-chennai-super-kings-v-gujarat-  
titans.jpg?s=612x612&w=gi&k=20&c=yuUFkCBW8-NJQv4bFmt9nl_0lh05vvXHYkC27DGjDfc=>
```

```
</body>
```

```
</html>
```

Output:



Explanation of the tags:

HTML stands for Hyper Text Markup Language.

HTML is used to create and structure web pages.

It tells the web browser what to display and how to display it.

`<DOCTYPE HTML>` : The element tells the browser , this is an HTML5 document

`<html>` : The element is the root element of an HTML page.

`<head>` : The element contains meta information about the HTML page.

`<p>`:the `<p>` element defines a paragraph.

Week-2

1. **Aim :** To create a static webpage using HTML that displays basic information about Amrita Vishwa Vidyapeetham , including a heading,descriptive text , background styling through HTML attributes and a table showing the list of campusesin different states


Procedure:

```
2. <!DOCTYPE html>
3. <html>
4. <head>
5. <title>Amrita vishwa vidhyapeetam</title>
6. </head>
7. <body style="background-color:rgb(255, 244, 230);
8. background-image:url(https://webfiles.amrita.edu/2022/03/nbElb5oz-amrita-amaravati-campus-
9. banner-2022.jpg);
10. background-size: cover ; background-repeat: no repeat;">
11. <h1 style="text-align:center; color:rgb(0, 0, 0);border: 3px solid black;
12. font-family: 'Times New Roman', Times, serif;"> Amrita vishwa vidhyapeetam</h1>
13. <h2 style="text-align: center; color: black;font-family: 'Times New Roman', Times, serif;">
14. Amaravathi Campus </h2><pre style="text-align: center;font-family: 'Times New Roman', Times,
15. serif;color:rgb(226, 239, 237);
16. font-size: large;">
17. The Amrita Amaravati campus is a 200-acre, research-driven institution in Andhra Pradesh's
18. greenfield capital.
19. Accredited with a NAAC 'A++' grade and ranked among India's top 10 universities by NIRF 2025,
20. it offers industry-aligned programs in Engineering, Management, and Sciences.
21. Known for its "Education for Life" philosophy, the campus blends
22. high-tech infrastructure with ethical values
23. </pre>
24. <table border="2"; align="center"; cellpadding="5";cellspacing="10"; width="60%";
25. style="background-color:floralwhite;">
26. <tr>
27. <th>s.no</th>
28. <th>campus</th>
29. <th>location</th>
30. <th>number</th>
31. <th>Link</th>
```

```
26. <th>number</th>
27. <th>Link</th>
28. </tr>
29. <tr>
30. <td>1.</td>
31. <td>Amaravathi</td>
```

```
32. <td>kuragallu</td>
33. <td>+91-8645277800</td>
34. <td>https://www.amrita.edu/campus/amaravati/</td>
35. </tr>
36. <tr>
37. <td>2.</td>
38. <td>coiambatore</td>
39. <td>ettimadai</td>
40. <td>+91-8645271800</td>
41. <td>https://www.amrita.edu/campus/coiambatore/</td>
42. </tr>
43. <tr>
44. <td>3.</td>
45. <td>banglore</td>
46. <td>junnasandra</td>
47. <td>+91-8645272800</td>
48. <td>https://www.amrita.edu/campus/banglore/</td>
49. </tr>
50. <tr>
51. <td>4.</td>
52. <td>amritapuri</td>
53. <td>vallikavu</td>
54. <td>+91-8645273800</td>
55. <td>https://www.amrita.edu/campus//</td>
56. </tr>
57. </table>
58. </body>
59. </html>
```

OUTPUT:



Explanation of the tags:

<h1>,<h2>– Heading tags for main title and subtitle.

<pre> – Displays text in preformatted style, preserving space and line breaks.

<table>– Createtable to arrange data in rows and columns.

Attributes: border, align, cellpadding, cellspacing, width.

<tr>– Defines a table row.

<th>– Table heading cell (bold and centered).

<td>– Table data cell for normal content.

Inline CSS (style attribute) – Used to set background color, image, font, alignment, and borders.

2.Aim : To design a webpage using HTML that demonstrated the use of background colour background image,heading styling and performatted text.

Procedure:

```
<!DOCTYPE html>
<html>
<head>
<title>Simple Web Page Demo</title>
<style>
/* Background color and image */
body {
background-color: antiquewhite; /* Background color */
background-image: url("https://wallpapers.com/images/hd/aesthetic-computer-pictures-
yd6kon54y013rjzh.jpg");
background-repeat: no-repeat;
background-size: cover;
background-attachment: fixed;
font-family: Arial, sans-serif }
/* Heading styling */
h1 {
color: blueviolet;
text-align: center;
text-decoration: underline;
font-size: 40px; }
h2 { color: darkred;
margin-left: 20px;}
/* Paragraph styling */
p { font-size: 18px;
margin-left: 20px; }
/* Preformatted text styling */
pre {
background-color: white;
padding: 15px;
border: 2px solid black;
width: fit-content;
margin-left: 20px;}
</style>
</head>
<body>
<h1>Welcome to My Web Page</h1>
<h2>About This Page</h2>
```

<p>This page demonstrates background color, background image, heading styling, and preformatted text in HTML.</p>

<h2>Sample Preformatted Text</h2>

<pre>


Name : gayathri

Course : user interface design

College : Amrita University

</pre></body></html>

Output :



Explanation of the tags: h1> ,

→ **Headings**

→ **Paragraph**

→ **Preformatted text**

2cAim: To design a restaurants menu webpage using HTML and displaying menu items in a table format with proper layout and visual styling.

Procedure :

```
<!DOCTYPE html>

<html>

<head>

  <title>paradise restaurant - Luxury Edition</title>

  <link href="https://fonts.googleapis.com/css2?family=Playfair+Display:ital@1&display=swap"
rel="stylesheet">

  <style>

    body { margin: 0;

      font-family: 'Playfair Display', serif;

      background:
url(https://imgmediagumlet.lbb.in/media/2025/03/67c59f4d2226626b47ecaf25_1741004621323.jpg)
no-repeat center center fixed;

      background-size: cover;

      color: rgb(0, 255, 30);}

    .header { background: rgba(0, 0, 0, 0.85);

      text-align: center;

      padding: 35px;

      font-size: 40px;

      letter-spacing: 3px;

      font-style: italic;

      color: rgb(21, 0, 255);

      border-bottom: 3px solid;  }

    .menu-section { width: 85%;

      margin: 40px auto;

      padding: 25px;

      border-radius: 15px;

      background: rgba(0, 0, 0, 0.75);

      box-shadow: 0 8px 25px rgba(0,0,0,0.8);

      h2 { text-align: center;
```

```

        font-style: italic;
        font-size: 28px;
        color: rgb(255, 0, 230);
        border-bottom: 2px solid rgb(0, 0, 255);
        padding-bottom: 10px;    }
table {width: 100%;
        border-collapse: collapse;
        margin-top: 20px;
        font-style: italic;}
th, td { padding: 14px;
        text-align: center;    }
th {   color: rgb(255, 0, 221);
        font-size: 20px;
        border-bottom: 2px solid rgb(255, 140, 0); }
tr {background: transparent; }
tr:hover { background: rgba(0, 179, 255, 0.15);
        transition: 0.3s;    }
.price { color: #ff0000;
        font-weight: bold; }
.footer { text-align: center;
        padding: 20px;
        background: rgba(0, 0, 0, 0.9);
        color: rgb(0, 255, 149);
        font-style: italic;
        border-top: 2px solid rgb(255, 0, 30); }
</style>
</head>
<body>

```

```
<div class="header">
```

AHAARUCHI



```
</div><div class="menu-section">
```

<h2>Signature Starters</h2>

```
    <table>
```

```
        <tr>
```

```
            <th>Item</th>
```

```
            <th>Description</th>
```

```
            <th>Price</th>
```

```
        </tr>
```

```
    <tr>
```

```
        <td>Truffle Paneer Bites</td>
```

```
        <td>Luxury grilled paneer infused with truffle essence</td>
```

```
        <td class="price">₹320</td>
```

```
    </tr> <tr>
```

```
        <td>Royal Chicken Platter</td>
```

```
        <td>Premium spiced chicken with exotic herbs</td>
```

```
        <td class="price">₹450</td>
```

```
    </tr> <tr>
```

```
        <td>Golden Prawn Tempura</td>
```

```
        <td>Crispy fried prawns served with signature sauce</td>
```

```
        <td class="price">₹520</td>
```

```
    </tr><tr>
```

```
        <td>Herb Stuffed Mushrooms</td>
```

```
        <td>Baked mushrooms filled with creamy herbs</td>
```

```
        <td class="price">₹300</td>
```

```
    </tr> <tr>
```

```
<td>Cheese Stuffed Jalapeños</td>

<td>Spicy jalapeños filled with rich cheese</td>

<td class="price">₹280</td>

</tr>

</table>

</div>

<div class="menu-section">

  <h2>Chef's Special Entrées</h2>

  <table> <tr>

    <th>Item</th>

    <th>Description</th>

    <th>Price</th> </tr>

    <tr> <td>Imperial Mutton Biryani</td>

      <td>Slow-cooked aromatic rice with premium mutton</td>

      <td class="price">₹550</td> </tr>

    <tr>   <td>Golden Cream Pasta</td>

      <td>Rich Alfredo sauce with fine herbs</td>

      <td class="price">₹380</td> </tr>

    <tr>   <td>Grilled Salmon Steak</td>

      <td>Fresh salmon grilled to perfection</td>

      <td class="price">₹650</td> </tr>

    <tr> <td>Royal Butter Chicken</td>

      <td>Creamy tomato gravy with tender chicken</td>

      <td class="price">₹480</td> </tr>

    <tr>   <td>Luxury Veg Lasagna</td>

      <td>Layered pasta with cheese and vegetables</td>

      <td class="price">₹420</td> </tr>

  </table></div>
```

div class="menu-section">

<h2>Luxury Desserts</h2>

<table>

<tr> <th>Item</th>

<th>Description</th>

<th>Price</th>

</tr><tr>

<td>Belgian Chocolate Delight</td>

<td>Premium dark chocolate layered dessert</td>

<td class="price">₹290</td>

</tr> <tr>

<td>Royal Saffron Kulfi</td>

<td>Traditional saffron-infused frozen dessert</td>

<td class="price">₹220</td>

</tr> <tr>

<td>Strawberry Cheesecake</td>

<td>Creamy cheesecake topped with strawberries</td>

<td class="price">₹310</td>

</tr> <tr>

<td>Tiramisu Classic</td>

<td>Italian layered coffee-flavored dessert</td>

<td class="price">₹350</td>

</tr></table>

</div>

div class="menu-section">

<h2>Premium Beverages</h2>

<table> <tr> <th>Item</th>

<th>Description</th>

```
<th>Price</th></tr>
<tr>  <td>Fresh Fruit Mocktail</td>
      <td>Blend of seasonal fruits with sparkling soda</td>
      <td class="price">₹190</td> </tr>
<tr>  <td>Classic Cappuccino</td>
      <td>Rich espresso topped with frothy milk</td>
      <td class="price">₹160</td>
</tr>  <tr>
      <td>Blue Lagoon</td>
      <td>Refreshing citrus drink with blue curacao flavor</td>
      <td class="price">₹210</td>
</tr>  <tr><td>Mint Mojito</td>
      <td>Fresh mint with lime and soda</td>
      <td class="price">₹170</td></tr>
</table>
</div><div class="footer">
  Experience Luxury Dining | Contact: 9727727180
</div>
</body>
</html>
```

Output:

FileC:\UIDLAB_AVSCU4CSE25120\INTERNALSTYLE.HTML

Signature Starters		
Item	Description	Price
Truffle Paneer Bites	Luxury grilled paneer infused with truffle essence	₹120
Royal Chicken Platter	Premium spiced chicken with exotic herbs	₹150
Golden Prawn Tempura	Crispy fried prawns served with signature sauce	₹120
Herb Stuffed Mushrooms	Baked mushrooms filled with creamy herbs	₹100
Cheese Stuffed Jalapeños	Spicy jalapeños filled with rich cheese	₹80

Chef's Special Entrées		
Item	Description	Price
Imperial Mutton Biryani	Slow-cooked aromatic rice with premium mutton	₹180
Golden Cream Pasta	Rich Alfredo sauce with fine herbs	₹140
Grilled Salmon Steak	Fresh salmon grilled to perfection	₹160
Royal Butter Chicken	Creamy tomato gravy with tender chicken	₹130
Luxury Veg Lasagna	Layered pasta with cheese and vegetables	₹110

id="menu-section" class="menu-section">

Luxury Desserts

Week-3

1. Aim: Construction of Class Timetable using html Elements

Program:

```
<!DOCTYPE html>
<html>
<head>

    <title>CSE-B Semester II Timetable</title>
    <style>
        table { width: 100%; border-collapse: collapse; font-family: Arial, sans-serif; }
        th, td { border: 1px solid #444; padding: 8px; text-align: center; font-size: 12px; }
        th { background-color: #f2f2f2; }
        .break { background-color: #e8e8e8; font-style: italic; }
        .header-info { margin-bottom: 20px; }
    </style>
</head>
<body>

<div class="header-info">
    <h2>Dept. CSE - Class: B. Tech. CSE-B (Sem-II)</h2>
    <p><strong>Venue:</strong> Room 511</p>
    <p><strong>Class Advisors:</strong> Dr. K.G.R. Narayan & Dr. Ankit Sachan</p>
</div>

<table>
    <thead>
        <tr>
            <th>Time / Day</th>
            <th>08.55-10.35 (Slot 1 & 2)</th>
            <th>10.35-10.45</th>
            <th>10.45-11.35 (Slot 3)</th>
            <th>11.35-12.25 (Slot 4)</th>
            <th>12.25-01.15 (Slot 5)</th>
            <th>01.15-02.05</th>
            <th>02.10-03.00 (Slot 6)</th>
            <th>03.10-04.50 (Slot 7 & 8)</th>
        </tr>
    </thead>
    <tbody>
        <tr>
            <td><strong>Monday</strong></td>
```

<td>23MAT117 Linear Algebra LAB</td>	
<td class="break">Short Break</td>	
<td>LIBRARY</td>	
<td>23PHY115 Modern Physics</td>	
<td>LIBRARY</td>	
<td class="break">Lunch</td>	
<td colspan="2">23MEE115 Manufacturing Practice LAB</td>	

</tr>
<tr>
<td>Tuesday</td>
<td>23MAT116 Discrete Math / 23MAT117 Linear Algebra</td>
<td class="break">Short Break</td>
<td>23PHY115 Modern Physics</td>
<td>23CSE111 Object Oriented Programming</td>
<td>23CSE113 User Interface Design</td>
<td class="break">Lunch</td>
<td>Library/Sports</td>
<td>22ADM111 Glimpses of Glorious India</td>

</tr>
<tr>
<td>Wednesday</td>
<td>Prog Lab 2 / 23CSE111 Object Oriented</td>
<td class="break">Short Break</td>
<td>23MAT116 Discrete Mathematics</td>
<td>23CSE113 User Interface Design</td>
<td>22ADM111 Glimpses of Glorious India</td>
<td class="break">Lunch</td>
<td>COUNSELLING</td>
<td>Library/Sports</td>

</tr>
<tr>
<td>Thursday</td>
<td>23CSE111 OOP / 23MAT117 Linear Algebra</td>
<td class="break">Short Break</td>
<td>23MAT116 Discrete Mathematics</td>
<td>COUNSELLING</td>
<td>LIBRARY</td>
<td class="break">Lunch</td>
<td>23PHY115 Modern Physics (T)</td>
<td>Library/Sports</td>

</tr>
<tr>
<td>Friday</td>

```
<td>23CSE113 UI Design Lab (BYOD)</td>
<td class="break">Short Break</td>
<td>23MAT117 Linear Algebra</td>
<td>23CSE111 Object Oriented Programming</td>
<td>Library/Sports</td>
<td class="break">Lunch</td>
<td>22ADM111 Glimpses of India (P)</td>
<td>23MAT116 Discrete Math Lab</td>
</tr>
</tbody>
</table>

</body>
</html>
```

Output:



Dept. CSE - Class: B. Tech. CSE-B (Sem-II)

Venue: Room 511

Class Advisors: Dr. K.G.R. Narayan & Dr. Ankit Sachan

Time / Day	08.55-10.35 (Slot 1 & 2)	10.35-10.45	10.45-11.35 (Slot 3)	11.35-12.25 (Slot 4)	12.25-01.15 (Slot 5)	01.15-02.05	02.10-03.00 (Slot 6)	03.10-04.50 (Slot 7 & 8)
Monday	23MAT117 Linear Algebra LAB	Short Break	LIBRARY	23PHY115 Modern Physics	LIBRARY	Lunch	23MEE115 Manufacturing Practice LAB	
Tuesday	23MAT116 Discrete Math / 23MAT117 Linear Algebra	Short Break	23PHY115 Modern Physics	23CSE111 Object Oriented Programming	23CSE113 User Interface Design	Lunch	Library/Sports	22ADM111 Glimpses of Glorious India
Wednesday	Prog Lab 2 / 23CSE111 Object Oriented	Short Break	23MAT116 Discrete Mathematics	23CSE113 User Interface Design	22ADM111 Glimpses of Glorious India	Lunch	COUNSELLING	Library/Sports
Thursday	23CSE111 OOP / 23MAT117 Linear Algebra	Short Break	23MAT116 Discrete Mathematics	COUNSELLING	LIBRARY	Lunch	23PHY115 Modern Physics (T)	Library/Sports
Friday	23CSE113 UI Design Lab (BYOD)	Short Break	23MAT117 Linear Algebra	23CSE111 Object Oriented Programming	Library/Sports	Lunch	22ADM111 Glimpses of India (P)	23MAT116 Discrete Math Lab

Explanation of the tags

`<table>`: is used to create the timetable structure with borders and spacing.

`<tr>`: defines table rows for each day.

`<th>`: is used for headings like time slots and days.

`<td>`: is used for headings like time slots and days. `:` is used to enter subjects and activities.

`colspan` : merges columns for lab hours.

`rowspan` : merges rows for short break and lunch break.

`bgcolor` : gives background color to break cells. `class="vertical"` : applies vertical text style.

`style` attribute changes text color for specific cells.

2 . Aim: Construction of web page Displaying Each Syllabus of each Subject Displaying as Image Format and also displaying the Corresponding time table of current semester

Program:

UIDLAB-CSE25120

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Syllabus, Faculty & Master Time Table</title>
```

```
<style>
```

```
body{
```

```
font-family: Arial;
```

```
background-color: #f2f6ff;
```

```
text-align: center;
```

```
}
```

```
h2{
```

```
margin: 25px 0 15px 0;
```

```
}
```

```
/* Gallery */
```

```
.gallery{
```

```
display: grid;
```

```
grid-template-columns: 1fr 1fr ;
```

```
gap: 25px;
width: 90%;
margin: auto;
}

.card{
background-color: white;
padding: 10px;
border-radius: 10px;
border: 2px solid black;
}

.card img{
width: 100%;
border-radius: 8px;
}

.title{
font-weight: bold;
font-size: 18px;
margin: 8px 0;
}

.faculty{
color: #333;
margin-bottom: 8px;
}

/* Tables */

table{
border-collapse: collapse;
margin: 30px auto;
background-color: white;
width: 95%;
```

```
}
th{
background-color: #dbe4f2;
}
td, th{
border: 1px solid black;
padding: 8px;
text-align: center;
}
.break{
background-color: yellow;
font-weight: bold;
}
.vertical {
writing-mode: vertical-rl;
transform: rotate(180deg);
text-align: center;
font-weight: bold;
letter-spacing: 2px;
}
</style>
</head>
<body>
<h2>SUBJECT SYLLABUS & FACULTY</h2>
<div class="gallery">
<div class="card">
<div class="title">23MAT116 – Discrete Mathematics</div>
<div class="faculty">Faculty: Dr. Srivasa Rao Thota</div>

```


</div>

<div class="card">

<div class="title">23MAT117 – Linear Algebra</div>

<div class="faculty">Faculty: Mr. Sapavat Bixapathi</div>

</div>

<div class="card">

<div class="title">23CSE111 – Object Oriented Programming</div>

<div class="faculty">Faculty: Dr. Balaji TK</div>

</div>

<div class="card">

<div class="title">23PHY115 – Modern Physics</div>

<div class="faculty">Faculty: Dr. C R Kesavalu</div>

</div>

<div class="card">

<div class="title">23CSE113 – User Interface Design</div>

<div class="faculty">Faculty: Dr. Rajkumar Batchu
Assisting: Mr. Barge Bharadwaj</div>

</div>

<div class="card">

<div class="title">23MEE115 – Manufacturing Practice Lab</div>

<div class="faculty">Faculty: Dr. Sathies S.</div>

</div>

</div>

<h2 align="center">Master Time Table CSE II Semester B Section</h2>

<table border="1" cellpadding="8" cellspacing="0" align="center">

Time / Day	
Slot 1 08:55–09:45	
Slot 2 09:45–10:35	
Slot 3 10:35–10:45	
Slot 4 10:45–11:35	
Slot 5 11:35–12:25	
Slot 6 12:25–01:15	
Slot 7 01:15–02:05	
Slot 8 02:10–03:00	
Slot 9 03:00–03:10	
Slot 10 03:10–04:00	
Slot 11 04:00–04:50	

Monday		
23MAT117 Linear Algebra LAB (BYOD)		
SHORT BREAK		
	LIBRARY	
	23PHY115 Modern Physics	
	LIBRARY	
	LUNCH BREAK	
23MEE115 Manufacturing Practice LAB		
SHORT BREAK		
		23MAT116 Discrete Mathematics
		23MEE115 Manufacturing Practice LAB
	23PHY115 Modern Physics	
	23MAT117 Linear Algebra LAB (BYOD)	

Tuesday	
23MAT116 Discrete Mathematics	

<td>23MAT117 Linear Algebra</td>	
<td>23PHY115 Modern Physics</td>	
<td>23CSE111 Object Oriented Programming</td>	
<td>23CSE113 User Interface Design</td>	
<td>Library/Sports</td>	
<td colspan="2">22ADM111 Glimpses of Glorious India</td>	
</tr>	
<tr>	
<th>Wednesday</th>	
<td colspan="2">23CSE111 OOPS Lab</td>	
<td>23MAT116 Discrete Mathematics</td>	
<td>23CSE113 User Interface Design</td>	
<td>22ADM111 Glimpses of Glorious India</td>	
<td style="color:sandybrown;">COUNSELLING</td>	
<td colspan="2">Library/Sports</td>	
</tr>	
<tr>	
<th>Thursday</th>	
<td>23MAT117 Linear Algebra</td>	
<td>23CSE111 Object Oriented Programming</td>	
<td>23MAT116 Discrete Mathematics</td>	
<td style="color:sandybrown;">COUNSELLING</td>	
<td>LIBRARY</td>	
<td>23PHY115 Modern Physics (T)</td>	
<td colspan="2">Library/Sports</td>	
</tr>	
<tr>	
<th>Friday</th>	
<td colspan="2">23CSE113 User Interface Design Lab BYOD</td>	

<td>23MAT117 Linear Algebra</td>			
<td>23CSE111 Object Oriented Programming</td>			
<td>Library/Sports</td>			
<td>22ADM111 Glimpses of Glorious India (P)</td>			
<td colspan="2">23MAT116 Discrete Mathematics Lab</td>			
<tr>			
<th colspan="1">Course Code</th>			
<th colspan="3">Course Name</th>			
<th>L-T-P</th>			
<th>Credits</th>			
<th colspan="3">Faculty Name</th>			
<th colspan="3">Assisting Faculty</th>			
</tr>			
<tr>			
<td colspan="1">23MAT116</td>			
<td colspan="3">Discrete Mathematics</td>			
<td>3-0-2</td>			
<td>4</td>			
<td colspan="3">Dr. Srivasa Rao Thota</td>			
<td colspan="3"></td>			
</tr>			
<tr>			
<td colspan="1">23MAT117</td>			
<td colspan="3">Linear Algebra</td>			
<td>3-0-2</td>			
<td>4</td>			
<td colspan="3">Mr. Sapavat Bixapathi</td>			
<td colspan="3"></td>			
</tr>			

23CSE111	Object Oriented Programming		
3-0-2			
4			
Dr. Balaji TK			

<tr>		
<td colspan="1">23PHY115</td>		
<td colspan="3">Modern Physics</td>		
<td>2-1-0</td>		
<td>3</td>		
<td colspan="3">Dr. C R Kesavalu</td>		
<td colspan="3"></td>		

```
<tr>
<td colspan="1">23CSE113</td>
<td colspan="3">User Interface Design</td>
<td>2-0-2</td>
<td>3</td>
<td colspan="3">Dr. Rajkumar Batchu</td>
<td colspan="3">Mr. Barge Bharadwaj</td>
```

```
<tr>
<td colspan="1">23MEE115</td>
<td colspan="3">Manufacturing Practice</td>
<td>0-0-3</td>
<td>1</td>
```

```

<td colspan="3">Dr. Sathies S.</td>
<td colspan="3"></td>
</tr>
<tr>
<td colspan="1">22ADM111</td>
<td colspan="3">Glimpses of Glorious India</td>
<td>2-0-1</td>
<td>2</td>
<td colspan="3">Dr. Siva Panuganti</td>
<td colspan="3"></td>
</tr>
</table>
</body>
</html>

```

OUTPUT:

SUBJECT SYLLABUS & FACULTY	
23MAT116 – Discrete Mathematics Faculty: Dr. Srivasa Rao Thota 	23MAT117 – Linear Algebra Faculty: Mr. Sapavat Bixapathi 
23CSE111 – Object Oriented Programming Faculty: Dr. Balaji TK 	23PHY115 – Modern Physics Faculty: Dr. C R Kesavalu 
23CSE113 – User Interface Design Faculty: Dr. Rajkumar Batchu Assisting: Mr. Barge Bharadwaj 	23MEE115 – Manufacturing Practice Lab Faculty: Dr. Sathies S. 

Master Time Table CSE II Semester B Section

Explanation of the tags:

`<div>`: is used as a container to group content like gallery and cards.

`<img>`: tag is used to display syllabus images using the `src` attribute.

CSS classes like `.gallery`, `.card`, `.title`, `.faculty`, and `.break` are introduced for styling.

`display : grid` is used to create a two-column gallery layout.

`margin : auto` centers the content on the page. `border-radius` is used to give rounded corners to cards and images. `border-collapse : collapse` makes the table borders neat.

`font-family` changes the text style of the whole page.

Combined selector `td, th` applies common styles. HTML comments `<!-- -->` are used to organize the code into sections.

Week-4

1 . Aim : A college wants to collect student details through an online admission form design a registration form using only html tags(no css) with proper labels table alignment,background color and borders Procedure :

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>College Online Admission Form</title>
```

```
<style>
```

```
/* Styles for the pop-up (Modal) */
```

```
#successModal {
```

```
display: none; /* Hidden by default */
```

```
position: fixed;
```

```
z-index: 1;
```

```
left: 0;
```

```
top: 0;
```

```
width: 100%;
```

```
height: 100%;
```

```
background-color: rgba(0,0,0,0.5); /* Black background with opacity */
```

```
}
```

```
.modal-content {
```

```
background-color: #ffffff;
```

```
margin: 15% auto;
```

```
padding: 20px;
```

```
border: 1px solid #888;

width: 30%;

text-align: center;

border-radius: 10px;

box-shadow: 0 4px 8px rgba(0,0,0,0.2);
}

.close-btn {

background-color: #4CAF50;

color: white;

padding: 10px 20px;

border: none;

border-radius: 5px;

cursor: pointer;

margin-top: 15px;

}

</style>

<script>

function showPopup(event) {

    // Stop the page from refreshing

    event.preventDefault();

    // Show the hidden modal div

    document.getElementById("successModal").style.display = "block";

    return false;

}

function closePopup() {
```

```
// Hide the modal and reset the form

document.getElementById("successModal").style.display = "none";

document.getElementById("admissionForm").reset();

}

</script>
</head>

<body bgcolor="#e6f2ff">

<h2 align="center">COLLEGE ONLINE ADMISSION FORM</h2>

<form id="admissionForm" onsubmit="return showPopup(event)">
  <table border="2" align="center" cellpadding="8" cellspacing="0" width="70%" bgcolor="#ffffff">

    <tr>
      <td colspan="2" align="center" bgcolor="#d1e0f0"><b>Student Personal Details</b></td>
    </tr>

    <tr>
      <td><label for="fname">First Name:</label></td>
      <td><input type="text" id="fname" name="fname" required></td>
    </tr>

    <tr>
      <td><label for="lname">Last Name:</label></td>
      <td><input type="text" id="lname" name="lname" required></td>
    </tr>

    <tr>
```

```

        <td><label for="dob">Date of Birth:</label></td>

        <td><input type="date" id="dob" name="dob" required></td>
    </tr>

    <tr>

        <td><label>Gender:</label></td>

        <td>

            <input type="radio" name="gender" value="male"> Male

            <input type="radio" name="gender" value="female"> Female

            <input type="radio" name="gender" value="other"> Other

        </td>
    </tr>

    <tr>

        <td><label for="email">Email ID:</label></td>

        <td><input type="email" id="email" name="email" required></td>
    </tr>

    <tr>

        <td><label for="phone">Mobile Number:</label></td>

        <td><input type="tel" id="phone" name="phone" required></td>
    </tr>

    <tr>

        <td><label for="address">Address:</label></td>

        <td><textarea id="address" name="address" rows="4" cols="30"></textarea></td>
    </tr>

    <tr>

```

```

<td><label for="course">Course Applying For:</label></td>

<td>

  <select id="course" name="course">

    <option>B.Tech</option>

    <option>B.Sc</option>

    <option>B.Com</option>

    <option>BCA</option>

    <option>MCA</option>

  </select>

</td>

</tr>

<tr>

  <td><label for="marks">12th Marks (%):</label></td>

  <td><input type="number" id="marks" name="marks"></td>

</tr>

<tr>

  <td><label>Hobbies:</label></td>

  <td>

    <input type="checkbox" name="hobby"> Reading

    <input type="checkbox" name="hobby"> Sports

    <input type="checkbox" name="hobby"> Music

  </td>

</tr>

<tr>

  <td><label for="photo">Upload Photo:</label></td>

  <td><input type="file" id="photo" name="photo"></td>

```

```
</tr>
```

```
<tr>
```

```
  <td colspan="2" align="center">
```

```
    <input type="submit" value="Submit" style="cursor:pointer">
```

```
    <input type="reset" value="Reset" style="cursor:pointer">
```

```
  </td>
```

```
</tr>
```

```
</table>
```

```
</form>
```

```
<div id="successModal">
```

```
  <div class="modal-content">
```

```
    <h2 style="color: #4CAF50;">Success!</h2>
```

```
    <p>Your admission form has been submitted successfully.</p>
```

```
    <button class="close-btn" onclick="closePopup()">OK</button>
```

```
  </div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:

College Online Admission Form

C:/UIDLAB_AVSCU4CSE25120/REGISTRATION.HTML

COLLEGE ONLINE ADMISSION FORM

Student Personal Details	
First Name:	
Last Name:	
Date of Birth:	mm/dd/yyyy
Gender:	☐ Male ☐ Female ☐ Other
Email ID:	
Mobile Number:	
Address:	
Course Applying For:	B.Tech
12th Marks (%):	
Hobbies:	☐ Reading ☐ Sports ☐ Music
Upload Photo:	Choose File No file chosen

Explanation of the tags:

<form>– Collects user input

colspan – Merges two columns into one

<label for>. – Labels input fields. – Takes user input (text, date, radio, email, tel, number, file, reset).

<textarea>– Multi-line text input. & –

<select>&<option> Dropdown list. checkbox – Multiple selections. – Shows alert message. Attributes: id, name, align, bgcolor, rows, cols, border, width – control layout and identification.

2 . AIM: A Company wants to design a webpage that display two different forms side by side using iframes in which one should display a login form and other should display register form

Program :

```
<!DOCTYPE html>

<html>

<head>

<title>Login Form</title>

</head>

<body bgcolor="#e6f2ff">

<h2 align="center">Login Form</h2>

<form align="center">

<table border="1" cellpadding="8" align="center">

<tr>

<td>Username:</td>

<td><input type="text" name="uname"></td>

</tr>

<tr>

<td>Password:</td>

<td><input type="password" name="pass"></td>

</tr>

<tr>
```



```

        <td colspan="2" align="center">
<input type="submit" value="Login">
</td>
</tr>
</table>
</form>
</body>
</html>
<_____ Register form _____>
<!DOCTYPE html>
<html>
<head>
<title>Register Form</title>
</head>
<body bgcolor="#fff0e6">
<h2 align="center">Register Form</h2>
<form align="center">
<table border="1" cellpadding="8" align="center">
<tr>
<td>Full Name:</td>
<td><input type="text" name="fname"></td>
</tr>
<tr>
<td>Email:</td>
<td><input type="email" name="email"></td>
</tr>
</table>

```

```

<td>Password:</td>
<td><input type="password" name="pass"></td>
</tr>
<tr>
<td>Confirm Password:</td>
<td><input type="password" name="cpass"></td>
</tr>
<tr>
<td>Confirm Password:</td>
<td><input type="password" name="cpass"></td>
</tr>
<tr>
<td colspan="2" align="center">
<input type="submit" value="Register">
</td>
</tr>
</table>
</form>
</body>
</html>
<_____Main page_____>
<!DOCTYPE html>
<html>
<head>
<title>Login and Register</title>
<h1 align="center">User Authentication Page</h1>
<table width="100%">
<tr>
<td width="50%" align="center">

```

```

<iframe src="login.html" width="90%" height="400"></iframe>

</td>

<td width="50%" align="center">

<iframe src="register.html" width="90%" height="400"></iframe>

</td>

</tr>

</table>

</body>

</html>

```

Top of Form

OUTPUT:

The screenshot shows a web browser window with the title "User Authentication Page". The browser's address bar displays the file path "C:/UIDLAB_AVSCU4CSE25120/WEEK4.HTML". The page has a light blue background and contains two main forms:

Login Form

Username:

Password:

[< Register form >](#)

Register Form

Full Name:

Email:

Password:

Confirm Password:

Confirm Password:

[< Main page >](#)

User Authentication Page

Explanation of the tags: (Inline Frame): Displays another HTML page inside the current page. Two separate pages are created: Login Form and Register Form. A main page uses two iframes to show both forms side by side. src attribute: Specifies which page to load inside the iframe. width & height: Set the iframe size. A table with two columns is used to align the iframes in one row. Each iframe loads a different form page (login / register).

Week-5

1 . Aim : To create a responsive card layout using HTML and CSS with three cards, each containing an image, title, and button.

Procedure:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Card Layout with Images</title>
```

```
<style>
```

```
body{  
    font-family: Arial, sans-serif;  
    background-color: #f2f2f2;  
}
```

```
.container{  
    display: flex;  
    justify-content: center;  
    gap: 20px;  
    margin-top: 50px;  
}
```

```
.card{  
    background-color: white;  
    width: 260px;  
    border-radius: 10px;  
    box-shadow: 0 4px 8px rgba(0,0,0,0.2);
```

```
    overflow: hidden;

    text-align: center;
}
```

```
.card img{
    width: 100%;
    height: 180px;
    object-fit: cover;
}
```

```
.card h3{
    margin: 15px 0 10px 0;
}
```

```
.card p{
    font-size: 14px;
    padding: 0 15px;
    color: gray;
}
```

```
.card button{
    margin: 15px 0 20px 0;
    padding: 8px 15px;
    border: none;
    background-color: #007bff;
    color: white;
    border-radius: 5px;
    cursor: pointer;
}
```

```
.card button:hover{
    background-color: #0056b3;
}
</style>
</head>

<body>

<div class="container">

    <div class="card">
        
        <h3>Card 1</h3>
        <p>This is the first card description.</p>
        <button>Read More</button>
    </div>

    <div class="card">
        
        <h3>Card 2</h3>
        <p>This is the second card description.</p>
        <button>Read More</button>
    </div>

    <div class="card">
        
        <h3>Card 3</h3>
        <p>This is the third card description.</p>
```

```
<button>Read More</button>


</div>

</div>

</body>

</html>
```

OUTPUT:



Explanation of the tags:

- flex → Align items in row
- box-shadow → Adds shadow
- border-radius → Rounded corners
- object-fit: cover → Adjust image without distortion
- :hover → Changes style when mouse is over element
- overflow: hidden → Hides extra content outside border

2.Aim: To design a mini website using iframe navigation links (Home, About, Contact), where clicking on each link displays the respective content within the same page using internal or external CSS.

Procedure:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
    <h2>This page contains information about the page.</h2>
```

```
</body>
```

```
</html>
```

about.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
    <h2>if having any issues regarding this</h2>
```

```
    <p>gayathri@2008gmail.com</p>
```

```
    <p>phone:1234567890</p>
```

```
</body>
```

```
</html>
```

contact.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
    <h2>This is my Website.Here is the content of this page.</h2>
```

```
</body>
```

```
</html>
```

home.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>

  <title> Website with iFrame</title>

  <link rel="stylesheet" href="style.css">
</head>

<body>


  <header>

    <h1>My Mini Website</h1>
  </header>


  <nav>

    <a href="home.html" target="contentFrame">Home</a>

    <a href="about.html" target="contentFrame">About</a>

    <a href="contact.html" target="contentFrame">Contact</a>
  </nav>


  <section>

    <iframe name="contentFrame" src="home.html"></iframe>
  </section>


</body>
</html>
```

Output:



if having any issues regarding this

gayathri@2008gmail.com

phone:1234567890

Explanation of tags :

`<header>`

Used for top section of webpage.

`<nav>`

Used for navigation links.

`<section>`

Used to divide content into sections.

`<a>`

Anchor tag.

Used to create hyperlinks.

Important attributes:

href → Link address

target → Where to open the link

`<iframe>`

Used to display another webpage inside current webpage.

Important attributes:

src → Page to display

name → Used with target

EXPLANATION OF THE TAGS :

<header>

- Used for top section of webpage.

<nav>

- Used for navigation links.

<section>

- Used to divide content into sections.

<a>

- Anchor tag.

- Used to create hyperlinks.

- Important attributes: href → Link address target → Where to open the link

<iframe>

- Used to display another webpage inside current webpage.

- Important attributes: src → Page to display name → Used with target

3.Aim: To design an Amrita login page using HTML and CSS that displays different campuses, where clicking each campus shows its details on the same page

Procedure:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Amrita Login Page</title>
```

```
<style>
```

```
body {
```

```
margin: 0;
```

```
font-family: Arial, sans-serif;
```

```
background: linear-gradient(to right, light orange, pale pink);
```

```
background: url(https://wallpapers.com/images/hd/cool-light-blue-l6csxyf32ij7t1or.jpg) no-repeat center center/cover

}

/* Header */

.header {

background-color:lightcoral;

color: white;

text-align: center;

padding: 15px;

font-size: 28px;

font-weight: bold; }

/* Navigation */

.nav {

background-color:darkcyan;

text-align: center;

padding: 10px; }

.nav button {

background: transparent;

border: none;

color:lightgoldenrodyellow;

font-size: 16px;

margin: 0 15px;

cursor: pointer; }

.nav button:hover {

text-decoration: underline; }

/* Main Layout */

.container {

display: flex;

justify-content: center;
```

```
align-items: flex-start;
margin: 40px;
gap: 40px; }
/* Login Box */
.login-box {
background: linear-gradient(to bottom, darkviolet, lightcoral);
padding: 25px;
width: 300px;
border-radius: 10px;
color: darkcyan; }
.login-box h2 {
text-align: center; }
.login-box input {
width: 100%;
padding: 8px;
margin: 10px 0;
border: none;
border-radius: 4px; }
.login-box button {
width: 100%;
padding: 8px;
background-color: darkseagreen;
color: light turquoise;
border: none;
border-radius: 4px;
cursor: pointer; }
/* Campus Details */
.campus-details {
background: palegoldenrod;
```

```
width: 500px;
padding: 20px;
border-radius: 10px; }
.campus-details img {
width: 100%;
height: 200px;
object-fit: cover;
margin-top: 10px; }
</style>
</head>
<body>
<div class="header">
AMRITA VISHWA VIDHYAPEETAM
</div>
<div class="nav">
<button onclick="showCampus('coimbatore')">Coimbatore</button>
<button onclick="showCampus('amritapuri')">Amritapuri</button>
<button onclick="showCampus('bangalore')">Bangalore</button>
<button onclick="showCampus('chennai')">Chennai</button>
<button onclick="showCampus('Amaravathi')">Amaravathi</button>
</div>
<div class="container">
<!-- Login Section -->
<div class="login-box">
<h2>Login</h2>
<input type="text" placeholder="Email">
<input type="password" placeholder="Password">
<button>Login</button>
</div>
```

```
<!-- Campus Info Section -->

<div class="campus-details" id="campusInfo">

<h2>About the Campus</h2>

<p>Select a campus from above to view details.</p>

</div>

<script>

function showCampus(campus) {

let info = document.getElementById("campusInfo");

if (campus === "coimbatore") {

info.innerHTML = `

<h2>Coimbatore Campus</h2>

<p>Located in Tamil Nadu. Known for Engineering and Technology programs with modern
infrastructure.</p>

 `; }

else if (campus === "amritapuri") {

info.innerHTML = `

<h2>Amritapuri Campus</h2>

<p>Located in Kerala. Famous for Arts, Science and research activities in a peaceful environment.</p>

 `; }

else if (campus === "bangalore") {

info.innerHTML = `

<h2>Bangalore Campus</h2>

<p>Located in Karnataka. Offers Engineering and Management programs with industry exposure.</p>



 `; }
```



```
else if (campus === "chennai") {
info.innerHTML = `
<h2>Chennai Campus</h2>
<p>Located in Tamil Nadu. Special focus on engineering disciplines and innovation.</p>

`;
}
else if (campus === "Amaravathi") {
info.innerHTML = `
<h2>Amaravathi Campus</h2>
<p>Located in Mangalagiri. Famous for Arts, Science and research activities in a peaceful
environment.</p>
;}}
</script>
</body>
</html>
```

Output:



Explanation of the tags:

CSS Styling

◆ body Sets background image.

Removes margin.

Applies font style.

◆ .header

Top banner.

Background color: lightcoral.

Center aligned white text.

◆ .nav

Navigation bar.

Contains buttons for campuses.

◆ .container

Uses display: flex;

Aligns login box and campus details side by side.

◆ .login-box

Styled login form.

Gradient background.

Rounded corners.

◆ .campus-details

Displays campus information.

Contains heading, paragraph and image.

Navigation Buttons

Coimbatore

onclick calls JavaScript function.

Sends campus name as parameter.

Week 6

1. <!DOCTYPE html>

```
<html>
```

```
<head>
```

```
<title>gayathri Shopping</title>
```

```
<style>
```

```
body{
```

```
margin:0;
```

```
font-family:Arial, Helvetica, sans-serif;
```

```
background:lightyellow;
```

```
}
```

```
.header{
```

```
background:lightcoral;
```

```
color:white;
```

```
text-align:center;
```

```
padding:15px;
```

```
font-size:22px;
```

```
}
```

```
.sale{
```

```
background:lemonchiffon;
```

```
text-align:center;
```

```
padding:10px;
```

```
font-weight:bold;
```

```
}
```

```
.container{  
display:flex;  
padding:8px;  
}
```

```
.sidebar{  
width:200px;  
background:mistyrose;  
padding:10px;  
border-radius:8px;  
}
```

```
.sidebar button{  
width:100%;  
padding:8px;  
margin:4px 0;  
border:none;  
background:lightpink;  
cursor:pointer;  
}
```

```
.products{  
flex:1;  
display:grid;  
grid-template-columns:repeat(3,1fr); /* 3 items per row */
```

```
gap:10px; /* reduced gap */
```

```
padding:5px;
```

```
}
```

```
.card{
```

```
background:lightgoldenrodyellow;
```

```
padding:10px;
```

```
text-align:center;
```

```
border-radius:6px;
```

```
}
```

```
.card img{
```

```
width:100%;
```

```
height:120px; /* smaller height */
```

```
object-fit:cover;
```

```
}
```

```
.price{
```

```
color:indianred;
```

```
font-weight:bold;
```

```
}
```

```
.card button{
```

```
background:salmon;
```

```
color:white;
```

```
border:none;
```

```
padding:6px 12px;
```

```
margin-top:6px;  
cursor:pointer;  
}
```

```
.footer{  
background:salmon;  
color:white;  
text-align:center;  
padding:10px;  
margin-top:8px;  
}  
</style>
```

```
<script>  
function showCategory(category){  
let products=document.querySelectorAll(".card");  
products.forEach(function(product){  
if(category=="all"){  
product.style.display="block";  
}  
else if(product.classList.contains(category)){  
product.style.display="block";  
}  
else{  
product.style.display="none";  
}  
});  
});
```

```
}
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<div class="header">
```

Hasinishekhar SPA Shopping

```
</div>
```

```
<div class="sale">
```

Ugadi Special Sale – Up to 70% Off

```
</div>
```

```
<div class="container">
```

```
<div class="sidebar">
```

```
<h3>Categories</h3>
```

```
<button onclick="showCategory('viewitems')">View Items</button>
```

```
<button onclick="showCategory('furniture')">Furniture</button>
```

```
<button onclick="showCategory('clothing')">Clothing</button>
```

```
<button onclick="showCategory('appliances')">Home Appliances</button>
```

```
<button onclick="showCategory('stationary')">Stationary</button>
```

```
<button onclick="showCategory('groceries')">Groceries</button>
```

```
<button onclick="showCategory('beauty')">Beauty Products</button>
```

```
<button onclick="showCategory('all')">Show All</button>
```

```
</div>
```



```
<div class="products">
```

```
<!-- View Items (first category, highlights) -->
```

```
<div class="card viewitems">
```

```

```

```
<h3>Furniture</h3>
```

```
<p class="price">55000/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card viewitems">
```

```

```

```
<h3>Clothing</h3>
```

```
<p class="price">700/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card viewitems">
```

```

```

```
<h3>Appliances</h3>
```

```
<p class="price">12000/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card viewitems">
```

```

```

```
<h3>Stationary</h3>
<p class="price">120/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card viewitems">

<h3>Groceries</h3>
<p class="price">180/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card viewitems">

<h3>Beauty</h3>
<p class="price">800/-</p>
<button>Add to Cart</button>
</div>
```

```
<!-- Furniture -->
<div class="card furniture">

<h3>Sofa Set</h3>
<p class="price">55000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card furniture">

<h3>Wooden Bed</h3>
<p class="price">30000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card furniture">

<h3>Dining Table</h3>
<p class="price">15000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card furniture">

<h3>Wooden Chair</h3>
<p class="price">5000/-</p>
<button>Add to Cart</button>
</div>
```

```
<!-- Clothing -->
<div class="card clothing">

<h3>T-Shirt</h3>
<p class="price">700/-</p>
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card clothing">  
  
<h3>Jacket</h3>  
<p class="price">1200/-</p>  
<button>Add to Cart</button>  
</div>
```

```
<div class="card clothing">  
  
<h3>Jeans</h3>  
<p class="price">1500/-</p>  
<button>Add to Cart</button>  
</div>
```

```
<div class="card clothing">  
  
<h3>Dress</h3>  
<p class="price">2000/-</p>  
<button>Add to Cart</button>  
</div>
```

```
<!-- Appliances -->  
<div class="card appliances">  
  
<h3>Washing Machine</h3>
```

```
<p class="price">12000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card appliances">

<h3>Refrigerator</h3>
<p class="price">15000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card appliances">

<h3>Microwave</h3>
<p class="price">8000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card appliances">

<h3>Air Conditioner</h3>
<p class="price">35000/-</p>
<button>Add to Cart</button>
</div>
```

```
<!-- Stationary -->
<div class="card stationary">
```

```

<h3>Notebook</h3>
<p class="price">120/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card stationary">

<h3>Pens</h3>
<p class="price">80/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card stationary">

<h3>School Kit</h3>
<p class="price">250/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card stationary">

<h3>Office Supplies</h3>
<p class="price">300/-</p>
<button>Add to Cart</button>
</div>
```

```
<!-- Groceries -->
<div class="card groceries">

<h3>Vegetables</h3>
<p class="price">200/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card groceries">

<h3>Fruits</h3>
<p class="price">180/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card groceries">

<h3>Food Pack</h3>
<p class="price">350/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card groceries">

<h3>Organic Groceries</h3>
<p class="price">400/-</p>
<button>Add to Cart</button>
```

```
</div>
```

```
<!-- Beauty -->
```

```
<div class="card beauty">
```

```

```

```
<h3>Makeup Kit</h3>
```

```
<p class="price">1600/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card beauty">
```

```

```

```
<h3>Lipsticks</h3>
```

```
<p class="price">800/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

Output :

Categories

- View Items
- Furniture
- Clothing
- Home Appliances
- Stationary
- Groceries
- Beauty Products
- Show All



Furniture

55000/-

Add to Cart



Clothing

700/-

Add to Cart



Appliances

12000/-

Add to Cart



Stationary

120/-

Add to Cart



Groceries

180/-

Add to Cart



Beauty

800/-

Add to Cart

Categories

- View Items
- Furniture
- Clothing
- Home Appliances
- Stationary
- Groceries
- Beauty Products
- Show All



Sofa Set

55000/-

Add to Cart



Wooden Bed

30000/-

Add to Cart



Dining Table

15000/-

Add to Cart



Wooden Chair

5000/-

Add to Cart

Explanation of the Tags:

<div>

- A division/container tag.
- Used to group elements together.
- Helps in layout design using CSS.

- Stands for Unordered List.
- Used to create a bullet list.

- Stands for List Item.
- Used inside or .

- Used to display images on the webpage.

Attributes used:

- src → image source (URL)

<button>

- Creates a clickable button.

