



LAB -1

step – 1


1. VS CODE INSTALLER




step – 2




step -3




step – 4




step – 5



STEP-6



STEP 7:



2.Understanding the structure of HTML

a. Aim : To learn the basics of html(basics.html) Program:

```
<!DOCTYPE html>

<html>

<head>

    <title>first web page</title>

</head>

<body>


    <h1>happy to learn HTML</h1>

    <p>this is my first sample code</p>

</body>

</html>
```


OUTPUT:



happy to learn HTML


this is my first sample code

b. Aim: To learn headings in html(headings.html) Program:



```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>second web page</title>
5   </head>
6
7   <body>
8     <h1>happy to learn html</h1>
9     <h2>happy to learn html</h2>
10    <h3>happy to learn html</h3>
11    <h4>happy to learn html</h4>
```

OUTPUT:



This is heading 1

This is heading 4

This is heading 5

c. Aim: To learn writing a paragraph (paragraph.html)

Program:

```
<!DOCTYPE html>

<html>

  <body>

    <p>the given below details are my personals</p>

    <p> i am gayathri studying my btech (25120)</p>

  </body>

</html>
```

```
<!DOCTYPE html>

<html>

  <body>


    <p>the given below details are my personals</p>

    <p>i am gayathri <br> studying my btech</p>

  </body>

</html>
```

Output:



the given below details are my personals

i am gayathri studying my btech (25120)

the given below details are my personals


i am gayathri
studying my btech

d. Aim: To learn opening links(links.html)

Program:

```
<!DOCTYPE html>
<html>
  <head>
    <title>links</title>
  </head>
  <body>
    <p> gayathri (25120)</p>
    <p>this is the link to open w3schools</p>
    <a href="https://www.W3schools.com">this is a link</a>
  </p>
</body>
</html>
```


Output:



gayathri (25120)

this is the link to open w3schools

[this is a link](#)



e. Aim: To learn to show images on web page (image.html)

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>MS DHONI</title>
```

```
</head>
```

```
<body>
```


```
  <h1> thala for a reason</h1>
```

```
  <img src=https://media.gettyimages.com/id/1494318222/photo/final-chennai-super-kings-v-gujarat-  
titans.jpg?s=612x612&w=gi&k=20&c=yuUFkCBW8-NJQv4bFmt9nl_0lh05vvXHYkC27DGjDfc=>
```

```
</body>
```

```
</html>
```

Output:



Explanation of the tags:

HTML stands for Hyper Text Markup Language.

HTML is used to create and structure web pages.

It tells the web browser what to display and how to display it.

`<DOCTYPE HTML>` : The element tells the browser , this is an HTML5 document

`<html>` : The element is the root element of an HTML page.

`<head>` : The element contains meta information about the HTML page.

`<p>`:the `<p>` element defines a paragraph.

Week-2


1. **Aim** : To create a static webpage using HTML that displays basic information about Amrita Vishwa Vidyapeetham , including a heading,descriptive text , background styling through HTML attributes and a table showing the list of campusesin different states

Procedure:

```
2. <!DOCTYPE html>
3. <html>
4. <head>
5. <title>Amrita vishwa vidhyapeetam</title>
6. </head>
7. <body style="background-color:rgb(255, 244, 230);
8. background-image:url(https://webfiles.amrita.edu/2022/03/nbElb5oz-amrita-amaravati-campus-
9. banner-2022.jpg);
10. background-size: cover ; background-repeat: no repeat;">
11. <h1 style="text-align:center; color:rgb(0, 0, 0);border: 3px solid black;
12. font-family: 'Times New Roman', Times, serif;"> Amrita vishwa vidhyapeetam</h1>
13. <h2 style="text-align: center; color: black;font-family: 'Times New Roman', Times, serif;">
14. Amaravathi Campus </h2><pre style="text-align: center;font-family: 'Times New Roman', Times,
15. serif;color:rgb(226, 239, 237);
16. font-size: large;">
17. The Amrita Amaravati campus is a 200-acre, research-driven institution in Andhra Pradesh's
18. greenfield capital.
19. Accredited with a NAAC 'A++' grade and ranked among India's top 10 universities by NIRF 2025,
20. it offers industry-aligned programs in Engineering, Management, and Sciences.
21. Known for its "Education for Life" philosophy, the campus blends
22. high-tech infrastructure with ethical values
23. </pre>
24. <table border="2"; align="center"; cellpadding="5";cellspacing="10"; width="60%";
25. style="background-color:floralwhite;">
26. <tr>
27. <th>s.no</th>
28. <th>campus</th>
29. <th>location</th>
30. <th>number</th>
31. <th>Link</th>
```

```
32. <td>kuragallu</td>
33. <td>+91-8645277800</td>
34. <td>https://www.amrita.edu/campus/amaravati/</td>
35. </tr>
36. <tr>
37. <td>2.</td>
38. <td>coiambatore</td>
39. <td>ettimadai</td>
40. <td>+91-8645271800</td>
41. <td>https://www.amrita.edu/campus/coiambatore/</td>
42. </tr>
43. <tr>
44. <td>3.</td>
45. <td>banglore</td>
46. <td>junnasandra</td>
47. <td>+91-8645272800</td>
48. <td>https://www.amrita.edu/campus/banglore/</td>
49. </tr>
50. <tr>
51. <td>4.</td>
52. <td>amritapuri</td>
53. <td>vallikavu</td>
54. <td>+91-8645273800</td>
55. <td>https://www.amrita.edu/campus//</td>
56. </tr>
57. </table>
58. </body>
59. </html>
```

OUTPUT:



Explanation of the tags:

<h1>,<h2>– Heading tags for main title and subtitle.

<pre> – Displays text in preformatted style, preserving space and line breaks.

<table>– Createtable to arrange data in rows and columns.

Attributes: border, align, cellpadding, cellspacing, width.

<tr>– Defines a table row.

<th>– Table heading cell (bold and centered).

<td>– Table data cell for normal content.

Inline CSS (style attribute) – Used to set background color, image, font, alignment, and borders.

2.Aim : To design a webpage using HTML that demonstrated the use of background colour background image,heading styling and performatted text.

Procedure:

```
<!DOCTYPE html>
<html>
<head>
<title>Simple Web Page Demo</title>
<style>
/* Background color and image */
body {
background-color: antiquewhite; /* Background color */
background-image: url("https://wallpapers.com/images/hd/aesthetic-computer-pictures-
yd6kon54y013rjzh.jpg");
background-repeat: no-repeat;
background-size: cover;
background-attachment: fixed;
font-family: Arial, sans-serif }
/* Heading styling */
h1 {
color: blueviolet;
text-align: center;
text-decoration: underline;
font-size: 40px; }
h2 { color: darkred;
margin-left: 20px;}
/* Paragraph styling */
p { font-size: 18px;
margin-left: 20px; }
/* Preformatted text styling */
pre {
background-color: white;
padding: 15px;
border: 2px solid black;
width: fit-content;
margin-left: 20px;}
</style>
</head>
<body>
<h1>Welcome to My Web Page</h1>
<h2>About This Page</h2>
```

<p>This page demonstrates background color, background image, heading styling, and preformatted text in HTML.</p>

<h2>Sample Preformatted Text</h2>

<pre>


Name : gayathri

Course : user interface design

College : Amrita University

</pre></body></html>

Output :



Explanation of the tags: h1> ,

→ **Headings**

→ **Paragraph**

→ **Preformatted text**

2cAim: To design a restaurants menu webpage using HTML and displaying menu items in a table format with proper layout and visual styling.

Procedure :

```
<!DOCTYPE html>

<html>

<head>

  <title>paradise restaurant - Luxury Edition</title>

  <link href="https://fonts.googleapis.com/css2?family=Playfair+Display:ital@1&display=swap"
rel="stylesheet">

  <style>

    body { margin: 0;

      font-family: 'Playfair Display', serif;

      background:
url(https://imgmediagumlet.lbb.in/media/2025/03/67c59f4d2226626b47ecaf25_1741004621323.jpg)
no-repeat center center fixed;

      background-size: cover;

      color: rgb(0, 255, 30);}

    .header { background: rgba(0, 0, 0, 0.85);

      text-align: center;

      padding: 35px;

      font-size: 40px;

      letter-spacing: 3px;

      font-style: italic;

      color: rgb(21, 0, 255);

      border-bottom: 3px solid;  }

    .menu-section { width: 85%;

      margin: 40px auto;

      padding: 25px;

      border-radius: 15px;

      background: rgba(0, 0, 0, 0.75);

      box-shadow: 0 8px 25px rgba(0,0,0,0.8);

      h2 { text-align: center;
```

```

        font-style: italic;
        font-size: 28px;
        color: rgb(255, 0, 230);
        border-bottom: 2px solid rgb(0, 0, 255);
        padding-bottom: 10px;    }
table {width: 100%;
        border-collapse: collapse;
        margin-top: 20px;
        font-style: italic;}
th, td { padding: 14px;
        text-align: center;    }
th {   color: rgb(255, 0, 221);
        font-size: 20px;
        border-bottom: 2px solid rgb(255, 140, 0); }
tr {background: transparent; }
tr:hover { background: rgba(0, 179, 255, 0.15);
        transition: 0.3s;    }
.price { color: #ff0000;
        font-weight: bold; }
.footer { text-align: center;
        padding: 20px;
        background: rgba(0, 0, 0, 0.9);
        color: rgb(0, 255, 149);
        font-style: italic;
        border-top: 2px solid rgb(255, 0, 30); }
</style>
</head>
<body>

```

```
<div class="header">
```

AHAARUCHI



```
</div><div class="menu-section">
```

```
  <h2>Signature Starters</h2>
```

```
  <table>
```

```
    <tr>
```

```
      <th>Item</th>
```

```
      <th>Description</th>
```

```
      <th>Price</th>
```

```
    </tr>
```

```
  <tr>
```

```
    <td>Truffle Paneer Bites</td>
```

```
    <td>Luxury grilled paneer infused with truffle essence</td>
```

```
    <td class="price">₹320</td>
```

```
  </tr> <tr>
```

```
    <td>Royal Chicken Platter</td>
```

```
    <td>Premium spiced chicken with exotic herbs</td>
```

```
    <td class="price">₹450</td>
```

```
  </tr> <tr>
```

```
    <td>Golden Prawn Tempura</td>
```

```
    <td>Crispy fried prawns served with signature sauce</td>
```

```
    <td class="price">₹520</td>
```

```
  </tr><tr>
```

```
    <td>Herb Stuffed Mushrooms</td>
```

```
    <td>Baked mushrooms filled with creamy herbs</td>
```

```
    <td class="price">₹300</td>
```

```
  </tr> <tr>
```

```
<td>Cheese Stuffed Jalapeños</td>

<td>Spicy jalapeños filled with rich cheese</td>

<td class="price">₹280</td>

</tr>

</table>

</div>

<div class="menu-section">

  <h2>Chef's Special Entrées</h2>

  <table> <tr>

    <th>Item</th>

    <th>Description</th>

    <th>Price</th> </tr>

    <tr> <td>Imperial Mutton Biryani</td>

      <td>Slow-cooked aromatic rice with premium mutton</td>

      <td class="price">₹550</td> </tr>

    <tr> <td>Golden Cream Pasta</td>

      <td>Rich Alfredo sauce with fine herbs</td>

      <td class="price">₹380</td> </tr>

    <tr> <td>Grilled Salmon Steak</td>

      <td>Fresh salmon grilled to perfection</td>

      <td class="price">₹650</td> </tr>

    <tr> <td>Royal Butter Chicken</td>

      <td>Creamy tomato gravy with tender chicken</td>

      <td class="price">₹480</td> </tr>

    <tr> <td>Luxury Veg Lasagna</td>

      <td>Layered pasta with cheese and vegetables</td>

      <td class="price">₹420</td> </tr>

  </table></div>
```

div class="menu-section">

<h2>Luxury Desserts</h2>

<table>

<tr> <th>Item</th>

<th>Description</th>

<th>Price</th>

</tr><tr>

<td>Belgian Chocolate Delight</td>

<td>Premium dark chocolate layered dessert</td>

<td class="price">₹290</td>

</tr> <tr>

<td>Royal Saffron Kulfi</td>

<td>Traditional saffron-infused frozen dessert</td>

<td class="price">₹220</td>

</tr> <tr>

<td>Strawberry Cheesecake</td>

<td>Creamy cheesecake topped with strawberries</td>

<td class="price">₹310</td>

</tr> <tr>

<td>Tiramisu Classic</td>

<td>Italian layered coffee-flavored dessert</td>

<td class="price">₹350</td>

</tr></table>

</div>

div class="menu-section">


<h2>Premium Beverages</h2>

<table> <tr> <th>Item</th>

<th>Description</th>

```
<th>Price</th></tr>
<tr> <td>Fresh Fruit Mocktail</td>
    <td>Blend of seasonal fruits with sparkling soda</td>
    <td class="price">₹190</td> </tr>
<tr> <td>Classic Cappuccino</td>
    <td>Rich espresso topped with frothy milk</td>
    <td class="price">₹160</td>
</tr> <tr>
    <td>Blue Lagoon</td>
    <td>Refreshing citrus drink with blue curacao flavor</td>
    <td class="price">₹210</td>
</tr> <tr><td>Mint Mojito</td>
    <td>Fresh mint with lime and soda</td>
    <td class="price">₹170</td></tr>
</table>
</div><div class="footer">
    Experience Luxury Dining | Contact: 9727727180
</div>
</body>
</html>
```

Output:



Week-3

1. Aim: Construction of Class Timetable using html Elements

Program:

```
<!DOCTYPE html>
<html>
<head>

    <title>CSE-B Semester II Timetable</title>
    <style>
        table { width: 100%; border-collapse: collapse; font-family: Arial, sans-serif; }
        th, td { border: 1px solid #444; padding: 8px; text-align: center; font-size: 12px; }
        th { background-color: #f2f2f2; }
        .break { background-color: #e8e8e8; font-style: italic; }
        .header-info { margin-bottom: 20px; }
    </style>
</head>
<body>

<div class="header-info">
    <h2>Dept. CSE - Class: B. Tech. CSE-B (Sem-II)</h2>
    <p><strong>Venue:</strong> Room 511</p>
    <p><strong>Class Advisors:</strong> Dr. K.G.R. Narayan & Dr. Ankit Sachan</p>
</div>

<table>
    <thead>
        <tr>
            <th>Time / Day</th>
            <th>08.55-10.35 (Slot 1 & 2)</th>
            <th>10.35-10.45</th>
            <th>10.45-11.35 (Slot 3)</th>
            <th>11.35-12.25 (Slot 4)</th>
            <th>12.25-01.15 (Slot 5)</th>
            <th>01.15-02.05</th>
            <th>02.10-03.00 (Slot 6)</th>
            <th>03.10-04.50 (Slot 7 & 8)</th>
        </tr>
    </thead>
    <tbody>
        <tr>
            <td><strong>Monday</strong></td>
```

<td>23MAT117 Linear Algebra LAB</td>	
<td class="break">Short Break</td>	
<td>LIBRARY</td>	
<td>23PHY115 Modern Physics</td>	
<td>LIBRARY</td>	
<td class="break">Lunch</td>	
<td colspan="2">23MEE115 Manufacturing Practice LAB</td>	

</tr>
<tr>
<td>Tuesday</td>
<td>23MAT116 Discrete Math / 23MAT117 Linear Algebra</td>
<td class="break">Short Break</td>
<td>23PHY115 Modern Physics</td>
<td>23CSE111 Object Oriented Programming</td>
<td>23CSE113 User Interface Design</td>
<td class="break">Lunch</td>
<td>Library/Sports</td>
<td>22ADM111 Glimpses of Glorious India</td>

</tr>
<tr>
<td>Wednesday</td>
<td>Prog Lab 2 / 23CSE111 Object Oriented</td>
<td class="break">Short Break</td>
<td>23MAT116 Discrete Mathematics</td>
<td>23CSE113 User Interface Design</td>
<td>22ADM111 Glimpses of Glorious India</td>
<td class="break">Lunch</td>
<td>COUNSELLING</td>
<td>Library/Sports</td>

</tr>
<tr>
<td>Thursday</td>
<td>23CSE111 OOP / 23MAT117 Linear Algebra</td>
<td class="break">Short Break</td>
<td>23MAT116 Discrete Mathematics</td>
<td>COUNSELLING</td>
<td>LIBRARY</td>
<td class="break">Lunch</td>
<td>23PHY115 Modern Physics (T)</td>
<td>Library/Sports</td>

</tr>
<tr>
<td>Friday</td>

```
<td>23CSE113 UI Design Lab (BYOD)</td>
<td class="break">Short Break</td>
<td>23MAT117 Linear Algebra</td>
<td>23CSE111 Object Oriented Programming</td>
<td>Library/Sports</td>
<td class="break">Lunch</td>
<td>22ADM111 Glimpses of India (P)</td>
<td>23MAT116 Discrete Math Lab</td>
</tr>
</tbody>
</table>

</body>
</html>
```

Output:



Dept. CSE - Class: B. Tech. CSE-B (Sem-II)

Venue: Room 511

Class Advisors: Dr. K.G.R. Narayan & Dr. Ankit Sachan

Time / Day	08.55-10.35 (Slot 1 & 2)	10.35-10.45	10.45-11.35 (Slot 3)	11.35-12.25 (Slot 4)	12.25-01.15 (Slot 5)	01.15-02.05	02.10-03.00 (Slot 6)	03.10-04.50 (Slot 7 & 8)
Monday	23MAT117 Linear Algebra LAB	Short Break	LIBRARY	23PHY115 Modern Physics	LIBRARY	Lunch	23MEE115 Manufacturing Practice LAB	
Tuesday	23MAT116 Discrete Math / 23MAT117 Linear Algebra	Short Break	23PHY115 Modern Physics	23CSE111 Object Oriented Programming	23CSE113 User Interface Design	Lunch	Library/Sports	22ADM111 Glimpses of Glorious India
Wednesday	Prog Lab 2 / 23CSE111 Object Oriented	Short Break	23MAT116 Discrete Mathematics	23CSE113 User Interface Design	22ADM111 Glimpses of Glorious India	Lunch	COUNSELLING	Library/Sports
Thursday	23CSE111 OOP / 23MAT117 Linear Algebra	Short Break	23MAT116 Discrete Mathematics	COUNSELLING	LIBRARY	Lunch	23PHY115 Modern Physics (T)	Library/Sports
Friday	23CSE113 UI Design Lab (BYOD)	Short Break	23MAT117 Linear Algebra	23CSE111 Object Oriented Programming	Library/Sports	Lunch	22ADM111 Glimpses of India (P)	23MAT116 Discrete Math Lab

Explanation of the tags

<table>: is used to create the timetable structure with borders and spacing.

<tr>: defines table rows for each day.

<th>: is used for headings like time slots and days.

<td>: is used for headings like time slots and days. : is used to enter subjects and activities.

colspan : merges columns for lab hours.

rowspan : merges rows for short break and lunch break.

bgcolor : gives background color to break cells. class="vertical" : applies vertical text style.

style attribute changes text color for specific cells.

2 . Aim: Construction of web page Displaying Each Syllabus of each Subject Displaying as Image Format and also displaying the Corresponding time table of current semester

Program:

UIDLAB-CSE25120

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Syllabus, Faculty & Master Time Table</title>
```

```
<style>
```

```
body{
```

```
font-family: Arial;
```

```
background-color: #f2f6ff;
```

```
text-align: center;
```

```
}
```

```
h2{
```

```
margin: 25px 0 15px 0;
```

```
}
```

```
/* Gallery */
```

```
.gallery{
```

```
display: grid;
```

```
grid-template-columns: 1fr 1fr ;
```

```
gap: 25px;
width: 90%;
margin: auto;
}

.card{
background-color: white;
padding: 10px;
border-radius: 10px;
border: 2px solid black;
}

.card img{
width: 100%;
border-radius: 8px;
}

.title{
font-weight: bold;
font-size: 18px;
margin: 8px 0;
}

.faculty{
color: #333;
margin-bottom: 8px;
}

/* Tables */

table{
border-collapse: collapse;
margin: 30px auto;
background-color: white;
width: 95%;
```

```

}
th{
background-color: #dbe4f2;
}
td, th{
border: 1px solid black;
padding: 8px;
text-align: center;
}
.break{
background-color: yellow;
font-weight: bold;
}
.vertical {
writing-mode: vertical-rl;
transform: rotate(180deg);
text-align: center;
font-weight: bold;
letter-spacing: 2px;
}
</style>
</head>
<body>
<h2>SUBJECT SYLLABUS & FACULTY</h2>
<div class="gallery">
<div class="card">
<div class="title">23MAT116 – Discrete Mathematics</div>
<div class="faculty">Faculty: Dr. Srivasa Rao Thota</div>


```

</div>

<div class="card">

<div class="title">23MAT117 – Linear Algebra</div>

<div class="faculty">Faculty: Mr. Sapavat Bixapathi</div>

</div>

<div class="card">

<div class="title">23CSE111 – Object Oriented Programming</div>

<div class="faculty">Faculty: Dr. Balaji TK</div>

</div>

<div class="card">

<div class="title">23PHY115 – Modern Physics</div>

<div class="faculty">Faculty: Dr. C R Kesavalu</div>

</div>

<div class="card">

<div class="title">23CSE113 – User Interface Design</div>

<div class="faculty">Faculty: Dr. Rajkumar Batchu
Assisting: Mr. Barge Bharadwaj</div>

</div>

<div class="card">

<div class="title">23MEE115 – Manufacturing Practice Lab</div>

<div class="faculty">Faculty: Dr. Sathies S.</div>

</div>

</div>

<h2 align="center">Master Time Table CSE II Semester B Section</h2>

<table border="1" cellpadding="8" cellspacing="0" align="center">

Time / Day	
Slot 1 08:55–09:45	
Slot 2 09:45–10:35	
10:35–10:45	
Slot 3 10:45–11:35	
Slot 4 11:35–12:25	
Slot 5 12:25–01:15	
01:15–02:05	
Slot 6 02:10–03:00	
03:00–03:10	
Slot 7 03:10–04:00	
Slot 8 04:00–04:50	

Monday	
23MAT117 Linear Algebra LAB (BYOD)	
SHORT BREAK	
	LIBRARY
	23PHY115 Modern Physics
	LIBRARY
	LUNCH BREAK
23MEE115 Manufacturing Practice LAB	
SHORT BREAK	
	23MEE115 Manufacturing Practice LAB

Tuesday	
23MAT116 Discrete Mathematics	

<td>23MAT117 Linear Algebra</td>	
<td>23PHY115 Modern Physics</td>	
<td>23CSE111 Object Oriented Programming</td>	
<td>23CSE113 User Interface Design</td>	
<td>Library/Sports</td>	
<td colspan="2">22ADM111 Glimpses of Glorious India</td>	
</tr>	
<tr>	
<th>Wednesday</th>	
<td colspan="2">23CSE111 OOPS Lab</td>	
<td>23MAT116 Discrete Mathematics</td>	
<td>23CSE113 User Interface Design</td>	
<td>22ADM111 Glimpses of Glorious India</td>	
<td style="color:sandybrown;">COUNSELLING</td>	
<td colspan="2">Library/Sports</td>	
</tr>	
<tr>	
<th>Thursday</th>	
<td>23MAT117 Linear Algebra</td>	
<td>23CSE111 Object Oriented Programming</td>	
<td>23MAT116 Discrete Mathematics</td>	
<td style="color:sandybrown;">COUNSELLING</td>	
<td>LIBRARY</td>	
<td>23PHY115 Modern Physics (T)</td>	
<td colspan="2">Library/Sports</td>	
</tr>	
<tr>	
<th>Friday</th>	
<td colspan="2">23CSE113 User Interface Design Lab BYOD</td>	

<td>23MAT117 Linear Algebra</td>
<td>23CSE111 Object Oriented Programming</td>
<td>Library/Sports</td>
<td>22ADM111 Glimpses of Glorious India (P)</td>
<td colspan="2">23MAT116 Discrete Mathematics Lab</td>
<tr>
<th colspan="1">Course Code</th>
<th colspan="3">Course Name</th>
<th>L-T-P</th>
<th>Credits</th>
<th colspan="3">Faculty Name</th>
<th colspan="3">Assisting Faculty</th>
</tr>
<tr>
<td colspan="1">23MAT116</td>
<td colspan="3">Discrete Mathematics</td>
<td>3-0-2</td>
<td>4</td>
<td colspan="3">Dr. Srivasa Rao Thota</td>
<td colspan="3"></td>
</tr>
<tr>
<td colspan="1">23MAT117</td>
<td colspan="3">Linear Algebra</td>
<td>3-0-2</td>
<td>4</td>
<td colspan="3">Mr. Sapavat Bixapathi</td>
<td colspan="3"></td>
</tr>

```
<td colspan="1">23CSE111</td>
<td colspan="3">Object Oriented Programming</td>
<td>3-0-2</td>
<td>4</td>
<td colspan="3">Dr. Balaji TK</td>
<td colspan="3"></td>
</tr>
```

23PHY115	Modern Physics	2-1-0	3	Dr. C R Kesavalu	
----------	----------------	-------	---	------------------	--

```
<td colspan="1">23CSE113</td>
<td colspan="3">User Interface Design</td>
<td>2-0-2</td>
<td>3</td>
<td colspan="3">Dr. Rajkumar Batchu</td>
<td colspan="3">Mr. Barge Bharadwaj</td>
</tr>
```

23MEE115	Manufacturing Practice		
0-0-3			
1			

```

<td colspan="3">Dr. Sathies S.</td>
<td colspan="3"></td>
</tr>
<tr>
<td colspan="1">22ADM111</td>
<td colspan="3">Glimpses of Glorious India</td>
<td>2-0-1</td>
<td>2</td>
<td colspan="3">Dr. Siva Panuganti</td>
<td colspan="3"></td>
</tr>
</table>
</body>
</html>

```

OUTPUT:

SUBJECT SYLLABUS & FACULTY	
23MAT116 – Discrete Mathematics Faculty: Dr. Srivasa Rao Thota 	23MAT117 – Linear Algebra Faculty: Mr. Sapavat Bixapathi 
23CSE111 – Object Oriented Programming Faculty: Dr. Balaji TK 	23PHY115 – Modern Physics Faculty: Dr. C R Kesavalu 
23CSE113 – User Interface Design Faculty: Dr. Rajkumar Batchu Assisting: Mr. Barge Bharadwaj 	23MEE115 – Manufacturing Practice Lab Faculty: Dr. Sathies S. 
Master Time Table CSE II Semester B Section	

Explanation of the tags:

`<div>`: is used as a container to group content like gallery and cards.

`<img>`: tag is used to display syllabus images using the `src` attribute.

CSS classes like `.gallery`, `.card`, `.title`, `.faculty`, and `.break` are introduced for styling.

`display : grid` is used to create a two-column gallery layout.

`margin : auto` centers the content on the page. `border-radius` is used to give rounded corners to cards and images. `border-collapse : collapse` makes the table borders neat.

`font-family` changes the text style of the whole page.

Combined selector `td, th` applies common styles. HTML comments `<!-- -->` are used to organize the code into sections.

Week-4

1 . Aim : A college wants to collect student details through an online admission form design a registration form using only html tags(no css) with proper labels table alignment,background color and borders Procedure :

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>College Online Admission Form</title>
```

```
<style>
```

```
/* Styles for the pop-up (Modal) */
```

```
#successModal {
```

```
display: none; /* Hidden by default */
```

```
position: fixed;
```

```
z-index: 1;
```

```
left: 0;
```

```
top: 0;
```

```
width: 100%;
```

```
height: 100%;
```

```
background-color: rgba(0,0,0,0.5); /* Black background with opacity */
```

```
}
```

```
.modal-content {
```

```
background-color: #ffffff;
```

```
margin: 15% auto;
```

```
padding: 20px;
```

```
border: 1px solid #888;

width: 30%;

text-align: center;

border-radius: 10px;

box-shadow: 0 4px 8px rgba(0,0,0,0.2);
}

.close-btn {
    background-color: #4CAF50;
    color: white;
    padding: 10px 20px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
    margin-top: 15px;
}
</style>

<script>

function showPopup(event) {
    // Stop the page from refreshing
    event.preventDefault();

    // Show the hidden modal div
    document.getElementById("successModal").style.display = "block";
    return false;
}

function closePopup() {
```

```

        // Hide the modal and reset the form

        document.getElementById("successModal").style.display = "none";

        document.getElementById("admissionForm").reset();

    }
</script>
</head>

<body bgcolor="#e6f2ff">

    <h2 align="center">COLLEGE ONLINE ADMISSION FORM</h2>

    <form id="admissionForm" onsubmit="return showPopup(event)">
        <table border="2" align="center" cellpadding="8" cellspacing="0" width="70%" bgcolor="#ffffff">

            <tr>

                <td colspan="2" align="center" bgcolor="#d1e0f0"><b>Student Personal Details</b></td>
            </tr>

            <tr>

                <td><label for="fname">First Name:</label></td>

                <td><input type="text" id="fname" name="fname" required></td>
            </tr>

            <tr>

                <td><label for="lname">Last Name:</label></td>

                <td><input type="text" id="lname" name="lname" required></td>
            </tr>

            <tr>

```

```
<td><label for="dob">Date of Birth:</label></td>

<td><input type="date" id="dob" name="dob" required></td>

</tr>

<tr>

<td><label>Gender:</label></td>

<td>

<input type="radio" name="gender" value="male"> Male

<input type="radio" name="gender" value="female"> Female

<input type="radio" name="gender" value="other"> Other

</td>

</tr>

<tr>

<td><label for="email">Email ID:</label></td>

<td><input type="email" id="email" name="email" required></td>

</tr>

<tr>

<td><label for="phone">Mobile Number:</label></td>

<td><input type="tel" id="phone" name="phone" required></td>

</tr>

<tr>

<td><label for="address">Address:</label></td>

<td><textarea id="address" name="address" rows="4" cols="30"></textarea></td>

</tr>

<tr>
```

```
<td><label for="course">Course Applying For:</label></td>

<td>

  <select id="course" name="course">

    <option>B.Tech</option>

    <option>B.Sc</option>

    <option>B.Com</option>

    <option>BCA</option>

    <option>MCA</option>

  </select>

</td>

</tr>

<tr>

  <td><label for="marks">12th Marks (%):</label></td>

  <td><input type="number" id="marks" name="marks"></td>

</tr>

<tr>

  <td><label>Hobbies:</label></td>

  <td>

    <input type="checkbox" name="hobby"> Reading

    <input type="checkbox" name="hobby"> Sports

    <input type="checkbox" name="hobby"> Music

  </td>

</tr>

<tr>

  <td><label for="photo">Upload Photo:</label></td>

  <td><input type="file" id="photo" name="photo"></td>

</tr>
```

```
</tr>
```

```
<tr>
```

```
  <td colspan="2" align="center">
```

```
    <input type="submit" value="Submit" style="cursor:pointer">
```

```
    <input type="reset" value="Reset" style="cursor:pointer">
```

```
  </td>
```

```
</tr>
```

```
</table>
```

```
</form>
```

```
<div id="successModal">
```

```
  <div class="modal-content">
```

```
    <h2 style="color: #4CAF50;">Success!</h2>
```

```
    <p>Your admission form has been submitted successfully.</p>
```

```
    <button class="close-btn" onclick="closePopup()">OK</button>
```

```
  </div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:

College Online Admission Form

C:/UIDLAB_AVSCU4CSE25120/REGISTRATION.HTML

COLLEGE ONLINE ADMISSION FORM

Student Personal Details	
First Name:	
Last Name:	
Date of Birth:	mm/dd/yyyy
Gender:	☐ Male ☐ Female ☐ Other
Email ID:	
Mobile Number:	
Address:	
Course Applying For:	B.Tech
12th Marks (%):	
Hobbies:	☐ Reading ☐ Sports ☐ Music
Upload Photo:	Choose File No file chosen

Explanation of the tags:

`<form>`– Collects user input

`colspan` – Merges two columns into one

`<label for>`. – Labels input fields. – Takes user input (text, date, radio, email, tel, number, file, reset).

`<textarea>`– Multi-line text input. & –

`<select>&<option>` Dropdown list. checkbox – Multiple selections. – Shows alert message. Attributes: id, name, align, bgcolor, rows, cols, border, width – control layout and identification.

2 . AIM: A Company wants to design a webpage that display two different forms side by side using iframes in which one should display a login form and other should display register form

Program :

```
<!DOCTYPE html>

<html>

<head>

<title>Login Form</title>

</head>

<body bgcolor="#e6f2ff">

<h2 align="center">Login Form</h2>

<form align="center">

<table border="1" cellpadding="8" align="center">

<tr>

<td>Username:</td>

<td><input type="text" name="uname"></td>

</tr>

<tr>

<td>Password:</td>

<td><input type="password" name="pass"></td>

</tr>
```

```

<tr>

    <td colspan="2" align="center">
<input type="submit" value="Login">
</td>
</tr>
</table>
</form>
</body>
</html>

<_____ Register form _____>
<!DOCTYPE html>
<html>
<head>
<title>Register Form</title>
</head>
<body bgcolor="#fff0e6">
<h2 align="center">Register Form</h2>
<form align="center">
<table border="1" cellpadding="8" align="center">

<tr>

<td>Full Name:</td>
<td><input type="text" name="fname"></td>
</tr>

<tr>

<td>Email:</td>
<td><input type="email" name="email"></td>
</tr>

```

```

<tr>
<td>Password:</td>
<td><input type="password" name="pass"></td>
</tr>
<tr>
<td>Confirm Password:</td>
<td><input type="password" name="cpass"></td>
</tr>
<tr>
<td>Confirm Password:</td>
<td><input type="password" name="cpass"></td>
</tr>
<tr>
<td colspan="2" align="center">
<input type="submit" value="Register">
</td>
</tr>
</table>
</form>
</body>
</html>
<_____Main page_____>
<!DOCTYPE html>
<html>
<head>
<title>Login and Register</title>
<h1 align="center">User Authentication Page</h1>
<table width="100%">
<tr>

```

```

<td width="50%" align="center">

<iframe src="login.html" width="90%" height="400"></iframe>

</td>

<td width="50%" align="center">

<iframe src="register.html" width="90%" height="400"></iframe>

</td>

</tr>

</table>

</body>

</html>

```

Top of Form

OUTPUT:

The screenshot shows a web browser window with the title "Login Form". The address bar displays the file path "C:/UIDLAB_AVSCU4CSE25120/WEEK4.HTML". The page content is as follows:

Login Form

Username:	
Password:	
Login	

< _____ Register form _____ >

Register Form

Full Name:	
Email:	
Password:	
Confirm Password:	
Confirm Password:	
Register	

< _____ Main page _____ >

User Authentication Page

Explanation of the tags: (Inline Frame): Displays another HTML page inside the current page. Two separate pages are created: Login Form and Register Form. A main page uses two iframes to show both forms side by side. src attribute: Specifies which page to load inside the iframe. width & height: Set the iframe size. A table with two columns is used to align the iframes in one row. Each iframe loads a different form page (login / register).

Week-5

1 . Aim : To create a responsive card layout using HTML and CSS with three cards, each containing an image, title, and button.

Procedure:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Card Layout with Images</title>
```

```
<style>
```

```
body{  
    font-family: Arial, sans-serif;  
    background-color: #f2f2f2;  
}
```

```
.container{  
    display: flex;  
    justify-content: center;  
    gap: 20px;  
    margin-top: 50px;  
}
```

```
.card{  
    background-color: white;  
    width: 260px;  
    border-radius: 10px;  
    box-shadow: 0 4px 8px rgba(0,0,0,0.2);
```

```
    overflow: hidden;
    text-align: center;
}
```

```
.card img{
    width: 100%;
    height: 180px;
    object-fit: cover;
}
```

```
.card h3{
    margin: 15px 0 10px 0;
}
```

```
.card p{
    font-size: 14px;
    padding: 0 15px;
    color: gray;
}
```

```
.card button{
    margin: 15px 0 20px 0;
    padding: 8px 15px;
    border: none;
    background-color: #007bff;
    color: white;
    border-radius: 5px;
    cursor: pointer;
}
```

```
.card button:hover{
    background-color: #0056b3;
}
</style>
</head>

<body>

<div class="container">

    <div class="card">
        
        <h3>Card 1</h3>
        <p>This is the first card description.</p>
        <button>Read More</button>
    </div>

    <div class="card">
        
        <h3>Card 2</h3>
        <p>This is the second card description.</p>
        <button>Read More</button>
    </div>

    <div class="card">
        
        <h3>Card 3</h3>
        <p>This is the third card description.</p>
```

```
<button>Read More</button>


</div>

</div>

</body>

</html>
```

OUTPUT:



Explanation of the tags:

- flex → Align items in row
- box-shadow → Adds shadow
- border-radius → Rounded corners
- object-fit: cover → Adjust image without distortion
- :hover → Changes style when mouse is over element
- overflow: hidden → Hides extra content outside border

2.Aim: To design a mini website using iframe navigation links (Home, About, Contact), where clicking on each link displays the respective content within the same page using internal or external CSS.

Procedure:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
    <h2>This page contains information about the page.</h2>
```

```
</body>
```

```
</html>
```

about.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
    <h2>if having any issues regarding this</h2>
```

```
    <p>gayathri@2008gmail.com</p>
```

```
    <p>phone:1234567890</p>
```

```
</body>
```

```
</html>
```

contact.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
    <h2>This is my Website.Here is the content of this page.</h2>
```

```
</body>
```

```
</html>
```

home.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>

  <title> Website with iFrame</title>

  <link rel="stylesheet" href="style.css">

</head>

<body>


  <header>

    <h1>My Mini Website</h1>

  </header>


  <nav>

    <a href="home.html" target="contentFrame">Home</a>

    <a href="about.html" target="contentFrame">About</a>

    <a href="contact.html" target="contentFrame">Contact</a>

  </nav>


  <section>

    <iframe name="contentFrame" src="home.html"></iframe>

  </section>


</body>

</html>
```

Output:



if having any issues regarding this

gayathri@2008gmail.com

phone:1234567890

Explanation of tags :

`<header>`

Used for top section of webpage.

`<nav>`

Used for navigation links.

`<section>`

Used to divide content into sections.

`<a>`

Anchor tag.

Used to create hyperlinks.

Important attributes:

href → Link address

target → Where to open the link

`<iframe>`

Used to display another webpage inside current webpage.

Important attributes:

src → Page to display

name → Used with target

EXPLANATION OF THE TAGS :

<header>

- Used for top section of webpage.

<nav>

- Used for navigation links.

<section>

- Used to divide content into sections.

<a>

- Anchor tag.

- Used to create hyperlinks.

- Important attributes: href → Link address target → Where to open the link

<iframe>

- Used to display another webpage inside current webpage.

- Important attributes: src → Page to display name → Used with target

3.Aim: To design an Amrita login page using HTML and CSS that displays different campuses, where clicking each campus shows its details on the same page

Procedure:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Amrita Login Page</title>
```

```
<style>
```

```
body {
```

```
margin: 0;
```

```
font-family: Arial, sans-serif;
```

```
background: linear-gradient(to right, light orange, pale pink);
```

```
background: url(https://wallpapers.com/images/hd/cool-light-blue-l6csxyf32ij7t1or.jpg) no-repeat center center/cover
```

```
}
```

```
/* Header */
```

```
.header {
```

```
background-color:lightcoral;
```

```
color: white;
```

```
text-align: center;
```

```
padding: 15px;
```

```
font-size: 28px;
```

```
font-weight: bold; }
```

```
/* Navigation */
```

```
.nav {
```

```
background-color:darkcyan;
```

```
text-align: center;
```

```
padding: 10px; }
```

```
.nav button {
```

```
background: transparent;
```

```
border: none;
```

```
color:lightgoldenrodyellow;
```

```
font-size: 16px;
```

```
margin: 0 15px;
```

```
cursor: pointer; }
```

```
.nav button:hover {
```

```
text-decoration: underline; }
```

```
/* Main Layout */
```

```
.container {
```

```
display: flex;
```

```
justify-content: center;
```

```
align-items: flex-start;
margin: 40px;
gap: 40px; }
/* Login Box */
.login-box {
background: linear-gradient(to bottom,darkviolet,lightcoral);
padding: 25px;
width: 300px;
border-radius: 10px;
color:darkcyan; }
.login-box h2 {
text-align: center; }
.login-box input {
width: 100%;
padding: 8px;
margin: 10px 0;
border: none;
border-radius: 4px;}
.login-box button {
width: 100%;
padding: 8px;
background-color:darkseagreen;
color:light turquoise;
border: none;
border-radius: 4px;
cursor: pointer;}
/* Campus Details */
.campus-details {
background:palegoldenrod;
```

```
width: 500px;
padding: 20px;
border-radius: 10px; }
.campus-details img {
width: 100%;
height: 200px;
object-fit: cover;
margin-top: 10px; }
</style>
</head>
<body>
<div class="header">
AMRITA VISHWA VIDHYAPEETAM
</div>
<div class="nav">
<button onclick="showCampus('coimbatore')">Coimbatore</button>
<button onclick="showCampus('amritapuri')">Amritapuri</button>
<button onclick="showCampus('bangalore')">Bangalore</button>
<button onclick="showCampus('chennai')">Chennai</button>
<button onclick="showCampus('Amaravathi')">Amaravathi</button>
</div>
<div class="container">
<!-- Login Section -->
<div class="login-box">
<h2>Login</h2>
<input type="text" placeholder="Email">
<input type="password" placeholder="Password">
<button>Login</button>
</div>
```

```
<!-- Campus Info Section -->

<div class="campus-details" id="campusInfo">

<h2>About the Campus</h2>

<p>Select a campus from above to view details.</p>

</div>

<script>

function showCampus(campus) {

let info = document.getElementById("campusInfo");

if (campus === "coimbatore") {

info.innerHTML = `

<h2>Coimbatore Campus</h2>

<p>Located in Tamil Nadu. Known for Engineering and Technology programs with modern
infrastructure.</p>

 `; }

else if (campus === "amritapuri") {

info.innerHTML = `

<h2>Amritapuri Campus</h2>

<p>Located in Kerala. Famous for Arts, Science and research activities in a peaceful environment.</p>

 `; }

else if (campus === "bangalore") {

info.innerHTML = `

<h2>Bangalore Campus</h2>

<p>Located in Karnataka. Offers Engineering and Management programs with industry exposure.</p>

 `; }

}
```

```
else if (campus === "chennai") {
info.innerHTML = `
<h2>Chennai Campus</h2>

<p>Located in Tamil Nadu. Special focus on engineering disciplines and innovation.</p>



`;
}

else if (campus === "Amaravathi") {
info.innerHTML = `
<h2>Amaravathi Campus</h2>

<p>Located in Mangalagiri. Famous for Arts, Science and research activities in a peaceful
environment.</p>



;}}

</script>

</body>

</html>
```

Output:



Explanation of the tags:

CSS Styling

◆ body Sets background image.

Removes margin.

Applies font style.

◆ .header

Top banner.

Background color: lightcoral.

Center aligned white text.

◆ .nav

Navigation bar.

Contains buttons for campuses.

◆ .container

Uses display: flex;

Aligns login box and campus details side by side.

◆ .login-box

Styled login form.

Gradient background.

Rounded corners.

◆ .campus-details

Displays campus information.

Contains heading, paragraph and image.

Navigation Buttons

Coimbatore

onclick calls JavaScript function.

Sends campus name as parameter.

Week 6

1. <!DOCTYPE html>

```
<html>
```

```
<head>
```

```
<title>gayathri Shopping</title>
```

```
<style>
```

```
body{
```

```
margin:0;
```

```
font-family:Arial, Helvetica, sans-serif;
```

```
background:lightyellow;
```

```
}
```

```
.header{
```

```
background:lightcoral;
```

```
color:white;
```

```
text-align:center;
```

```
padding:15px;
```

```
font-size:22px;
```

```
}
```

```
.sale{
```

```
background:lemonchiffon;
```

```
text-align:center;
```

```
padding:10px;
```

```
font-weight:bold;
```

```
}
```

```
.container{  
display:flex;  
padding:8px;  
}
```

```
.sidebar{  
width:200px;  
background:mistyrose;  
padding:10px;  
border-radius:8px;  
}
```

```
.sidebar button{  
width:100%;  
padding:8px;  
margin:4px 0;  
border:none;  
background:lightpink;  
cursor:pointer;  
}
```

```
.products{  
flex:1;  
display:grid;  
grid-template-columns:repeat(3,1fr); /* 3 items per row */
```

```
gap:10px; /* reduced gap */
```

```
padding:5px;
```

```
}
```

```
.card{
```

```
background:lightgoldenrodyellow;
```

```
padding:10px;
```

```
text-align:center;
```

```
border-radius:6px;
```

```
}
```

```
.card img{
```

```
width:100%;
```

```
height:120px; /* smaller height */
```

```
object-fit:cover;
```

```
}
```

```
.price{
```

```
color:indianred;
```

```
font-weight:bold;
```

```
}
```

```
.card button{
```

```
background:salmon;
```

```
color:white;
```

```
border:none;
```

```
padding:6px 12px;
```

```
margin-top:6px;  
cursor:pointer;  
}
```

```
.footer{  
background:salmon;  
color:white;  
text-align:center;  
padding:10px;  
margin-top:8px;  
}  
</style>
```

```
<script>  
function showCategory(category){  
let products=document.querySelectorAll(".card");  
products.forEach(function(product){  
if(category=="all"){  
product.style.display="block";  
}  
else if(product.classList.contains(category)){  
product.style.display="block";  
}  
else{  
product.style.display="none";  
}  
});
```

```
}
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<div class="header">
```

Hasinishekhhar SPA Shopping

```
</div>
```

```
<div class="sale">
```

Ugadi Special Sale – Up to 70% Off

```
</div>
```

```
<div class="container">
```

```
<div class="sidebar">
```

```
<h3>Categories</h3>
```

```
<button onclick="showCategory('viewitems')">View Items</button>
```

```
<button onclick="showCategory('furniture')">Furniture</button>
```

```
<button onclick="showCategory('clothing')">Clothing</button>
```

```
<button onclick="showCategory('appliances')">Home Appliances</button>
```

```
<button onclick="showCategory('stationary')">Stationary</button>
```

```
<button onclick="showCategory('groceries')">Groceries</button>
```

```
<button onclick="showCategory('beauty')">Beauty Products</button>
```

```
<button onclick="showCategory('all')">Show All</button>
```

```
</div>
```

```
<div class="products">
```

```
<!-- View Items (first category, highlights) -->
```

```
<div class="card viewitems">
```

```

```

```
<h3>Furniture</h3>
```

```
<p class="price">55000/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card viewitems">
```

```

```

```
<h3>Clothing</h3>
```

```
<p class="price">700/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card viewitems">
```

```

```

```
<h3>Appliances</h3>
```

```
<p class="price">12000/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card viewitems">
```

```

```

```
<h3>Stationary</h3>
<p class="price">120/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card viewitems">

<h3>Groceries</h3>
<p class="price">180/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card viewitems">

<h3>Beauty</h3>
<p class="price">800/-</p>
<button>Add to Cart</button>
</div>
```

```
<!-- Furniture -->
<div class="card furniture">

<h3>Sofa Set</h3>
<p class="price">55000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card furniture">

<h3>Wooden Bed</h3>
<p class="price">30000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card furniture">

<h3>Dining Table</h3>
<p class="price">15000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card furniture">

<h3>Wooden Chair</h3>
<p class="price">5000/-</p>
<button>Add to Cart</button>
</div>
```

```
<!-- Clothing -->
<div class="card clothing">

<h3>T-Shirt</h3>
<p class="price">700/-</p>
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card clothing">  
  
<h3>Jacket</h3>  
<p class="price">1200/-</p>  
<button>Add to Cart</button>  
</div>
```

```
<div class="card clothing">  
  
<h3>Jeans</h3>  
<p class="price">1500/-</p>  
<button>Add to Cart</button>  
</div>
```

```
<div class="card clothing">  
  
<h3>Dress</h3>  
<p class="price">2000/-</p>  
<button>Add to Cart</button>  
</div>
```

```
<!-- Appliances -->  
<div class="card appliances">  
  
<h3>Washing Machine</h3>
```

```
<p class="price">12000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card appliances">

<h3>Refrigerator</h3>
<p class="price">15000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card appliances">

<h3>Microwave</h3>
<p class="price">8000/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card appliances">

<h3>Air Conditioner</h3>
<p class="price">35000/-</p>
<button>Add to Cart</button>
</div>
```

```
<!-- Stationary -->
<div class="card stationary">
```

```

<h3>Notebook</h3>
<p class="price">120/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card stationary">

<h3>Pens</h3>
<p class="price">80/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card stationary">

<h3>School Kit</h3>
<p class="price">250/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card stationary">

<h3>Office Supplies</h3>
<p class="price">300/-</p>
<button>Add to Cart</button>
</div>
```

```
<!-- Groceries -->
<div class="card groceries">

<h3>Vegetables</h3>
<p class="price">200/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card groceries">

<h3>Fruits</h3>
<p class="price">180/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card groceries">

<h3>Food Pack</h3>
<p class="price">350/-</p>
<button>Add to Cart</button>
</div>
```

```
<div class="card groceries">

<h3>Organic Groceries</h3>
<p class="price">400/-</p>
<button>Add to Cart</button>
```

```
</div>
```

```
<!-- Beauty -->
```

```
<div class="card beauty">
```

```

```

```
<h3>Makeup Kit</h3>
```

```
<p class="price">1600/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

```
<div class="card beauty">
```

```

```

```
<h3>Lipsticks</h3>
```

```
<p class="price">800/-</p>
```

```
<button>Add to Cart</button>
```

```
</div>
```

Output :

Categories

View Items

Furniture

Clothing

Home Appliances

Stationary

Groceries

Beauty Products

Show All



Furniture
55000/-
[Add to Cart](#)



Clothing
700/-
[Add to Cart](#)



Appliances
12000/-
[Add to Cart](#)



Stationary
120/-
[Add to Cart](#)



Groceries
180/-
[Add to Cart](#)



Beauty
800/-
[Add to Cart](#)

Categories

View Items

Furniture

Clothing

Home Appliances

Stationary

Groceries

Beauty Products

Show All



Sofa Set
55000/-
[Add to Cart](#)



Wooden Bed
30000/-
[Add to Cart](#)



Dining Table
15000/-
[Add to Cart](#)



Wooden Chair
5000/-
[Add to Cart](#)

Explanation of the Tags:

<div>

- A division/container tag.
- Used to group elements together.
- Helps in layout design using CSS.

- Stands for Unordered List.
- Used to create a bullet list.

- Stands for List Item.
- Used inside or .

- Used to display images on the webpage.

Attributes used:

- src → image source (URL)

<button>

- Creates a clickable button.

