

- Acpi
- Boot
- Cpu
- Devices
- Disable Drivers
- Gui
- Graphics
- Kernel and Kext Patches
- Rt Variables
- SMBIOS
- System Parameters

## TOOLS

- Mount EFI
- Boot.log
- Generate Config
- Themes
- Install/Update Clover
- Install Drivers

Custom UUID

Backlight Level

Detect

Inject Kexts

☐ No Caches☒ Inject System ID

5BCD4E7A4B0D5BCC73434EA22B7C53BE.jpg

搜索

Model: iMac14,3

Board-id: Mac-77EB7D7DAF985301

SerialNumber: C02ML14JF8J3

Hardware UUID: BF3867A2-990B-5846-9E25-F8AB512EDA92

System-ID: 41C2BC9E-EEBB-F85C-A3CC-6EC21C405C63

ROM: Uc4de974191e

BoardSerialNumber: C024126002HF9T5A6

Gq3489ugfi: 4fa0de2cd0aca718ae5e4bb46e1b148f8f

Fyp98tpgj: c025799ea5244d17d98af6f2aedf7ce6d2

kbjfrfpoJU: 2f5987924d0f43688061088a1b9c19d34a

oycqAZloTNDm: 727db32a2f1fe4d89d5425d98690982fe5

abKPlD1EcMni: 87f019fc8039e1c906cb6c13f560e1fb72

The screenshot displays the iMac firmware configuration utility and a file browser window showing the extracted firmware data.

**Firmware Configuration Utility:**

- Product Name:** iMac8,1
- Family:** iMac
- Manufacturer:** Apple Inc.
- Bios Version:** IM81.88Z.00C1.B00.0802091538
- Bios Release Date:** 02/09/08
- Bios Vendor:** Apple Inc.
- Firmware Features:** 1.0
- Chassis Manufacturer:** Apple Inc.
- Location In Chassis:** iMac-Aluminum
- Chassis Asset Tag:** 13
- Chassis Type:** 10
- Board Type:** Mac-F227BEC8
- Board-ID:** Apple Inc.
- Board Manufacturer:** Apple Inc.
- Board Version:** (Empty)
- Board Serial Number:** (Empty)
- Serial Number:** CY819G1CZE3
- SmUUID:** (Empty)
- Mobile:** (Empty)
- Trust:** (Empty)

**Memory:**

Slot*	Size* (MB)	Frequency* (M...	Vendor*	Part	Serial	Type*

**File Browser:**

5BCD4E7A4B0D5BCC73434EA22B7C53BE.jpg

Model: iMac14,3  
 Board ID: Mac-775B7D7DAF085301  
 Serial Number: C02ML14JF8J3  
 Hardware UUID: BF3867A2-990B-5846-9E25-F8AB512EDA92  
 System-ID: 41C2BC9E-EEBB-F85C-A3CC-6EC21C405C63  
 BoardSerialNumber: C024126002HF9T5A6  
 Gq3489ugfi: 4fa0de2cd0aca718ae5e4bb46e1b148f8f  
 Fyp98tpgj: c025799ea5244d17d98af6f2aedf7ce6d2  
 kbjfrfpjU: 2f5987924d0f43688061088a1b9c19d34a  
 oycqAZloTNDm: 727db32a2f1fe4d89d5425d98690982fe5  
 abKPlD1EcMni: 87f019fc8039e1c906cb6c13f560e1fb72

- Acpi
- Boot
- Cpu
- Devices
- Disable Drivers
- Gui
- Graphics
- Kernel and Kext Patches
- Rt Variables
- SMBIOS
- System Parameters

## TOOLS

- Mount EFI
- Boot.log
- Generate Config
- Themes
- Install/Update Clover
- Install Drivers

UseMacAddr0 ROM	C02032109R5DC771H MLB	0x28 BooterConfig	0x67 CsrActiveConfig
--------------------	--------------------------	----------------------	-------------------------

## Variables

Model:	
Board-id:	
SerialNumber:	
Hardware UUID:	
System ID:	
ROM:	
MLB:	

5BCD4E7A4B0D5BCC73434EA22B7C53BE.jpg

Model: iMac14,3  
Board-id: Mac-77EB7D7DAF985301  
SerialNumber: C02ML14JF8J3  
Hardware UUID: BF3867A2-990B-5846-9E25-F8AB512EDA92  
System ID: 41C2BC0F-5F8B-F85C-A3CC-6EC21C405C63  
ROM: 0e4de074101e  
BoardSerialNumber: C024126002HF9T5A6  
Gq3489ugfi: 4fa0de2cd0aca718ae5e4bb46e1b148f8f  
Fyp98tpgj: c025799ea5244d17d98af6f2aedef7ce6d2  
kbjfrfp0JU: 2f5987924d0f43688061088a1b9c19d34a  
oycqAZloTNDm: 727db32a2f1fe4d89d5425d98690982fe5  
abKPld1EcMni: 87f019fc8039e1c906cb6c13f560e1fb72