




Orange EV HUSK-e® Yard Truck
Class 8 Truck Fully Electric
2024-Present



Electric
Propulsion



High Voltage
Li-Ion Battery




High Voltage
Component



High Voltage
Power Cable



Disconnect High
Voltage



Low Voltage
Battery



Emergency Exit



Break to Obtain
Access



Air Conditioning
Component




Lifting Point



Seat Adjustment
Height



Seat Adjustment
Longitudinal



Charge Port



Use Thermal
Camera



Compressed Air
Tanks

ID No.

2025-ERS-H01

Version No.

01

Page No.

1

0. Rescue Sheet

1. Identification / Recognition



Electric Class 8 Truck

Voltage Class B

LiFePO4

Battery locations: below cab, in front of the rear wheels

2. Immobilization / stabilization / lifting



Lifting point below axles only



Seat Height Adjustment in Driver Cabin



Seat Adjustment Longitudinal in Driver Cabin

3. Disable Direct Hazards / Safety Regulations



Shutdown High Voltage possible at one place

4. Access to Occupants




Two Door Exits - Driver's Side and Rear



Break These Windows to Obtain Access

5. Stored energy / liquids / gases / solids



6. In Case of Fire



7. In case of submersion



Follow Heading 3. Disable Direct Hazards / Safety Regulations Once Out of the Water.

8. Towing / transportation / storage



Check Battery Temperature