


## EWR D&I ANNOTATION



FAN-000001L092001DP90-1043

**Artemis # :** 000001L092001DP90**Record Created Date :** 06/14/2010**Printed Date :** 06/15/2010**Description :**

DI09-096. SEQ ID 90. 2009 Q2. POLICE REPORT STATES DRIVER OF A 2006 CHEVY COBALT WAS TRAVELING THROUGH AN INTERSECTION ON A OHIO ROAD. ANOTHER VEHICLE FAILED TO YIELD RIGHT AWAY AND THE COBALT HAD TO TURN AWAY TO AVOID IMPACT. COBALT THEN HIT GUARDRAIL. VEHICLE WAS DRIVING AROUND 53 MPH BEFORE ACCIDENT. FRONT END WAS SMASHED IN. DRIVER ALLEGES AIR BAGS DIDN'T DEPLOY AND SHOULD HAVE. DRIVER WAS INJURED. VOQ-27. PURSUIT-1. TSB-0. RECALLS-0. \*RM



U.S. Department  
of Transportation  
**National Highway  
Traffic Safety  
Administration**

1200 New Jersey Avenue SE.  
Washington, DC 20590

**CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

December 16, 2009

Ms. Gay P. Kent  
General Motors Corp.  
Mail Code 480-210-G11  
30001 Van Dyke  
Warren, MI 48090

NVS-217kb  
DI09-096

Dear Ms. Kent:

The Office of Defects Investigation (ODI) of the National Highway Traffic Safety Administration (NHTSA) has received information about certain death and injury incidents reported by General Motors Corp. (GM) in its light early warning report from 2<sup>nd</sup> quarter of 2009. We are writing to request additional information about the following incidents:

| Selected Death and Injury Incidents                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| For Reporting Category: L                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| For the following Sequence IDs: 3, 7, 15, 39, 63, 78, 81, 82, 85, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 98, 100, 101, 103, 105, 106, 107, 108, 109, 110, 131, 137, 145, 146, 148, 149, 158, 167, 168, 178, 209, 216, 219, 231, 243, 253, 254, 255, 256, 257, 258, 259, 261, 263, 264, 266, 270, 271, 276, 281, 282, 288, 289, 290, 291, 292, 293, 297, 299, 300, 311, 312, 327, 338, 339, 341, 343, 344, 345, 346, 348, 349, 351, 352, 354, 370, 382, 390, 391 |  |

Unless otherwise stated in the text, the following definitions apply to these information requests:

**Incident:** each incident identified in the above table.

**Claim and Notice:** shall have the meanings stated in 49 CFR §579.4(c). Claim and notice also specifically refer to the claim(s) and notice(s) that are the predicate for the early warning report on the incident.

**Manufacturer:** refers to GM.

**Vehicle:** the vehicle produced by GM that is identified in the claim or notice.

**Tire:** the tire produced by GM that is identified in the claim or notice.



**Equipment:** the item of motor vehicle equipment produced by GM that is identified in the claim or notice.

**Defect:** means any failure, malfunction, lack of durability, or other problem in performance, construction, a component, or material of a motor vehicle or piece of motor vehicle equipment.

**Document:** "Document(s)" is used in the broadest sense of the word and shall mean all written, typed, graphic and photographic matter whatsoever (except autopsy photographs), be it in original, copy or electronic form. Any photograph originally produced in color must be provided in color and in electronic form, if possible. Furnish all documents whether verified by GM or not. If a document is not in the English language, provide both the original document and an English translation of the document. Document(s) includes all documents in GM's custody and/or control.

Please provide numbered responses to the following inquiries, repeating the applicable request verbatim before each response. After GM's response to each request, identify the source of the information and indicate the last date the information was gathered. When documents are produced, the documents shall be produced in an identified, organized manner that corresponds to each pertinent information request. A separate response must be provided for each incident. Each response, document or attachment must be clearly identified with the incident Sequence ID (SeqID) number.

1. Provide a complete copy of the initial claim or notice document(s) that notified GM of the incident, excluding: (a) medical documents and bills, except those showing the cause of death or injury; (b) property damage invoices or estimates; and (c) documents related to damages.
2. Provide a copy of the Police Accident Report.
3. At your option, provide GM's assessment of the circumstances that led to the incident including GM's analysis of the claim and/or notice regarding allegations of a defect.

If GM claims that any of the information or documents provided in response to this information request constitute confidential commercial material within the meaning of 5 U.S.C. § 552(b) (4), or are protected from disclosure pursuant to 18 U.S.C. § 1905, GM must submit supporting information together with the materials that are the subject of the confidentiality request, in accordance with 49 CFR Part 512, as amended (69 Fed. Reg. 21409 et seq; April 21, 2004), to the Office of Chief Counsel (NCC-110), National Highway Traffic Safety Administration, 1200 New Jersey Avenue, S.E., Washington, D.C. 20590. GM is required to submit two copies of the documents containing allegedly confidential information (except only one copy of blueprints) and one copy of the documents from which information claimed to be confidential has been deleted. Please remember that the words "CONFIDENTIAL BUSINESS INFORMATION" must appear at the top of each page containing information claimed to be confidential, and the information must be clearly identified in accordance with 5 U.S.C. § 512.6. If you submit a request for confidentiality for all or part of your response to this letter, that is in an electronic format (e.g., CD-ROM), your request and associated submission must conform to the new

requirements in NHTSA's Confidential Business Information Rule regarding submissions in electronic formats (49CFR 512.(c)). See Federal Register, volume 72, page 59434 (October 19, 2007).

12660

Your response to this letter, together with a copy of any confidentiality request, must be submitted to this office by **January 22, 2010**. Please include in your response the identification codes referenced on page one of this letter. If you are unable to provide all of the information requested within the time allotted, you must request an extension from me at (202) 366-4238, no later than five business days before the response due date. If all of the information requested by the original deadline is unavailable, you must submit a partial response by the original deadline with whatever information then is available, even if an extension is granted.

If you have any technical questions concerning this matter, please contact Mr. Leo Yon at (202) 366-7028 or by fax at (202) 366-7882.

Sincerely,



Christina Morgan, Chief  
Early Warning Division  
Office of Defects Investigation  
Enforcement



11 February 2010

Ms. Christina Morgan, Chief  
Early Warning Division, NVS-217  
Office of Defects Investigation  
National Highway Traffic Safety Administration  
1200 New Jersey Ave., S.E.  
Washington, DC 20590

NVS-217kb  
DI09-096

Dear Ms. Morgan:

This is General Motors' (GM) response to your inquiry dated December 16th, 2009 regarding certain death and injury incidents reported by GM in its light vehicle early warning report from the 2nd quarter of 2009.

GM's response is comprised of 88 disks for the incidents that are the subject of DI09-096.

Attachment "A" includes instructions for navigating the disk. Each disk, on its face, is identified by the NHTSA Sequence ID number, the Manufacturer's Unique ID number and the year, make and model of the vehicle involved in the incident, e.g., 3 18605620-675350 and 2009 BUICK ENCLAVE. When the disk is launched, this identification number appears again along with all of the documents on the disk (including photographs and videos, if applicable) listed under "Filename." The first document listed under Filename is an index with the Request and Responses, e.g., identified as 3 18605620-675350\_00\_Request and Responses. The index is numbered 1 through 3 to correspond to Inquiries 1 through 3, which are repeated verbatim below. The index also details whether any documents responsive to each inquiry were located.

For example, the Inquiry and Response in the index  
for the disk are as follows:

DI09-096  
3 18605620-675350  
2009 BUICK ENCLAVE

Request for Information:

1. **Provide a complete copy of the initial claim or notice document(s) that notified GM of the incident, excluding: (a) medical documents and bills, except those showing the cause of death or injury; (b) property damage invoices or estimates; and (c) documents related to damages.**



Response: See attached document.

2. **Provide a copy of the Police Accident Report.**

Response: See attached documents and photographs.

The remaining document listed under Filename, reference the Manufacturer's Unique ID number along with the responsive Inquiry number. For example:

- 3 18605620-675350 **\_01\_001** - is the first document responsive to Inquiry no. 1.
- 3 18605620-675350 **\_02\_001** - is the first document responsive to Inquiry no. 2.

Your inquiries and our corresponding replies are as follows:

1. **Provide a complete copy of the initial claim or notice document(s) that notified GM of the incident, excluding: (a) medical documents and bills, except those showing the cause of death or injury; (b) property damage invoices or estimates; and (c) documents related to damages.**

Response: See attached document.

The table below lists the incident that is the subject of DI09-066, by Reporting Category, Sequence ID, VIN and type of notice received by GM (as "notice" is commonly used, not as it is defined by 49 C.F.R. §579.4(c)). Incidents reported on GM's Early Warning Report Death and Injury worksheet fall into four categories: Lawsuit (LIT), NISM (Not In Suit Matters), Product Allegation Resolution (PAR) or Rumor (RMR). Lawsuit and NISM case types generally meet the §579.4(c) definition of "claim." PAR cases, in this context, refer to customer contacts in which an injury or fatality is alleged to have occurred as a result of a product defect, and are accompanied by a writing that may or may not meet the §579.4(c) definition of "claim" or "notice." Rumor incidents do *not* involve a written or verbal, implied or express allegation of a defect by a customer. Rather, rumor cases generally refer to incidents that GM learned of through the media, which were subsequently investigated further.

| <i>(88 Vehicles from the Light Vehicle Template)</i> |                                     |      |
|------------------------------------------------------|-------------------------------------|------|
| SEQUENCE ID                                          | VEHICLE IDENTIFICATION NUMBER (VIN) | TYPE |
| 3                                                    | 5GAER23D69J [REDACTED]              | NISM |
| 7                                                    | UNKNOWN                             | NISM |
| 15                                                   | 5GADS13S142 [REDACTED]              | NISM |
| 39                                                   | 1G6DU57V090 [REDACTED]              | LIT  |
| 63                                                   | UNKNOWN                             | NISM |
| 78                                                   | 1G1AL52F957 [REDACTED]              | NISM |
| 81                                                   | 1G1AK52F257 [REDACTED]              | NISM |
| 82                                                   | 1G1AK55F167 [REDACTED]              | NISM |
| 85                                                   | 1G1AK15F467 [REDACTED]              | NISM |
| 87                                                   | 1G1AK55F267 [REDACTED]              | NISM |

| SEQUENCE<br>ID | VEHICLE IDENTIFICATION NUMBER<br>(VIN) | TYPE |
|----------------|----------------------------------------|------|
| 88             | 1G1AM15B367                            | NISM |
| 89             | 1G1AL15FX67                            | NISM |
| 90             | 1G1AK15F367                            | NISM |
| 91             | 1G1AL58F977                            | NISM |
| 92             | 1G1AK15F077                            | NISM |
| 93             | 1G1AK55F577                            | NISM |
| 94             | 1G1AK15F477                            | NISM |
| 95             | 1G1AK55F577                            | LIT  |
| 96             | 1G1AK15F077                            | NISM |
| 98             | 1G1AK58FX77                            | NISM |
| 100            | 1G1AK55FX77                            | NISM |
| 101            | 1G1AK15F477                            | NISM |
| 103            | 1G1AK18F887                            | NISM |
| 105            | 1G1AL58F287                            | NISM |
| 106            | 1G1AK18F187                            | NISM |
| 107            | 1G1AL58F987                            | NISM |
| 108            | 1G1AK58F987                            | NISM |
| 109            | 1G1AL58F987                            | NISM |
| 110            | 1G1AT58H097                            | NISM |
| 131            | 3GNDA23P76S                            | NISM |
| 137            | 3GNDA13D48S                            | NISM |
| 145            | 2G1WF52E049                            | NISM |
| 146            | 2G1WF52E249                            | NISM |
| 148            | 2G1WH52K049                            | NISM |
| 149            | 2G1WH52K049                            | NISM |
| 158            | 2G1WT58N279                            | NISM |
| 167            | 2G1WT57K791                            | NISM |
| 168            | 2G1WC57M591                            | NISM |
| 178            | 1G1ZG57B39F                            | NISM |
| 209            | 1GCEK24009Z                            | NISM |
| 216            | 1GCHK29K57E                            | NISM |
| 219            | 1GBJC34K78E                            | NISM |
| 231            | 1GNFC16047J                            | NISM |
| 243            | 1GNFK33059R                            | NISM |
| 253            | 1GNDS13S642                            | NISM |
| 254            | 1GNDT13S052                            | NISM |
| 255            | 1GNDT13S052                            | NISM |
| 256            | 1GNDS13SX52                            | NISM |
| 257            | 1GNDT13S852                            | NISM |
| 258            | 1GNDT13S052                            | NISM |
| 259            | 1GNDT13S352                            | NISM |
| 251            | 1GNDT13S662                            | NISM |
| 263            | 1GNDT13S682                            | NISM |
| 264            | 1GNDT13S882                            | NISM |
| 266            | 1GNDS33S892                            | NISM |
| 270            | 1GNES16S866                            | NISM |
| 271            | 1GNEV23D29S                            | NISM |



| SEQUENCE<br>ID | VEHICLE IDENTIFICATION NUMBER<br>(VIN) | TYPE |
|----------------|----------------------------------------|------|
| 276            | 1GNDU03E64D [REDACTED]                 | NISM |
| 281            | 1GKEV23D59J [REDACTED]                 | NISM |
| 282            | 1GKEV23D99J [REDACTED]                 | NISM |
| 288            | UNKNOWN                                | NISM |
| 289            | 1GKDS13S442 [REDACTED]                 | NISM |
| 290            | 1GKDT13S442 [REDACTED]                 | NISM |
| 291            | 1GKDT13S552 [REDACTED]                 | NISM |
| 292            | 1GKDS13S962 [REDACTED]                 | NISM |
| 293            | 1GKDS13S462 [REDACTED]                 | NISM |
| 297            | 1GKET16S956 [REDACTED]                 | NISM |
| 299            | 1GKES12S046 [REDACTED]                 | NISM |
| 300            | 1GKES12S956 [REDACTED]                 | NISM |
| 311            | 3GTEC13C48G [REDACTED]                 | NISM |
| 312            | 3GTEK13378G [REDACTED]                 | NISM |
| 327            | 5GTDN136568 [REDACTED]                 | NISM |
| 338            | 1G2ZF55B264 [REDACTED]                 | NISM |
| 339            | 1G2ZF55B064 [REDACTED]                 | NISM |
| 341            | 1G2ZG558364 [REDACTED]                 | NISM |
| 343            | 1G2ZH18N374 [REDACTED]                 | NISM |
| 344            | 1G2ZG58B574 [REDACTED]                 | NISM |
| 345            | 1G2ZH57N584 [REDACTED]                 | NISM |
| 346            | 1G2ZG57B384 [REDACTED]                 | NISM |
| 348            | 1G2ZH57N684 [REDACTED]                 | NISM |
| 349            | 1G2ZF57B584 [REDACTED]                 | NISM |
| 351            | 1G2ZJ57B494 [REDACTED]                 | NISM |
| 352            | 1G2ZH36N994 [REDACTED]                 | NISM |
| 354            | 6G2EC57Y19L [REDACTED]                 | NISM |
| 370            | 2G2WP552881 [REDACTED]                 | NISM |
| 382            | 5S3ET13S662 [REDACTED]                 | NISM |
| 390            | 5GZER13737J [REDACTED]                 | NISM |
| 391            | 5GZEV23748J [REDACTED]                 | NISM |

2. **Provide a copy of the Police Accident Report.**

Response: If available, see attached document(s) and photograph(s) on the enclosed disk(s).

3. **At your option, provide GM's assessment of the circumstances that led to the incident including GM's analysis of the claim and/or notice regarding allegations of a defect.**

Response: GM opts not to respond.

GM claims that certain information, in documents that are part of rumor, claim and lawsuit files maintained by the GM Legal Staff and its outside counsel, is attorney work product and/or privileged. That information includes notes, memos, reports, photographs, and evaluations by attorneys (and by consultants, claims analysts, investigators and engineers working at the request of attorneys). GM is producing



responsive documents from its rumor, claim and lawsuit files that are neither attorney work product nor privileged and withholding those that are attorney work product and/or privileged.

This response was compiled and prepared by this office upon review of documents retrieved by GM and does not include documents generated or received subsequent to the searches.

Please contact me at if you require further information.

Sincerely,

A handwritten signature in black ink, appearing to read 'Gay P. Kent', written in a cursive style.


Gay P. Kent,  
Director, Product Investigations  
and Safety Regulations

Enclosures: 88 Disks  
Attachment A


## Attachment A

### *Instructions for using Disk Viewer*

1. Insert the disk into the disk ROM drive; the disk will open automatically.
2. Click the "Run JPegger" button on the pop up window.



3. The program will launch in the browsing mode, which is shown in the image below.
4. You can use the down arrow key on your keyboard to browse through the images.



5. Each image file may contain multiple pages. In the browsing mode use **Next Page Icon (Ctrl + PgDn)**, **Select Page Icon** or **Previous Page Icon (Ctrl + PgUp)** to browse through all of the pages within an image file. (Note: Some image files may contain up to 80 pages)
6. By double-clicking on an image from the file list, a slide show will initiate, however, it will not automatically advance through the pages. Use **Ctrl + PgDn** or **Ctrl + PgUp** to browse through all of the pages within an image file. Left-clicking on an image, while in the slide show mode, will advance to the first page of the next image file.
7. Right click on the image to see the image properties, as shown below. Image properties can also be used to view each page within the documents (Next page), or to view the next document within the file list (Next Image).
8. If the image is difficult to view, the scale may be changed. Use **F5**, **F6**, **F7**, and **F8** to alternate between scales that fit the screen, or are 50%, 100%, and 200% of the image's original size.

The screenshot shows a legal case cover sheet for "CARDONA V. CHEVROLET" in the Superior Court for the State of California, Indio County. The sheet includes fields for attorney information, case name, and various checkboxes for case type and complexity. On the right side, there is a vertical toolbar with icons and labels for navigation and viewing options.

**Annotations:**

- Step 7: Next File (Image)**: Points to the "Next Image" button in the toolbar.
- Step 7: Next page**: Points to the "Next page" button in the toolbar.
- Step 8: Scale Image**: Points to the "Scale" dropdown menu in the toolbar, which shows options like "Fit", "Scale to fit", "Scale 50%", "Scale 100%", and "Scale 200%".
- Step 7: Image Properties**: Points to the "Image Properties" button at the bottom of the toolbar.

**Toolbar Labels:**

- Next Image
- Previous Image
- Next page (Ctrl+PgDn)
- Previous page (Ctrl+PgUp)
- Full screen image (Ctrl+F11)
- Slide show (F10)
- Fit (F5)
- Scale to fit (F6)
- Scale 50% (F7)
- Scale 100% (F8)
- Scale 200%
- Rotate left (Ctrl+Alt+L)
- Rotate right (Ctrl+Alt+R)
- Rotate by 180°
- Copy to clipboard
- Copy file to... (Ctrl+C)
- Move file to... (Ctrl+X)
- Rename file... (F2)
- Delete file... (Del)
- Self Image into notebook
- Preferences... (Ctrl+H)



**DI09-096**  
**90 278516542 – 669903**  
**2006 CHEVROLET COBALT**

**Request for Information:**

1. Provide a complete copy of the initial claim or notice document(s) that notified GM of the incident, excluding: (a) medical documents and bills, except those showing the cause of death or injury; (b) property damage invoices or estimates; and (c) documents related to damages.

Response: See Attached Document.

2. Provide a copy of the Police Accident Report.

Response: See Attached Document.

3. At your option, provide GM's assessment of the circumstances that led to the incident including GM's analysis of the claim and/or notice regarding allegations of a defect.

Response: See Attached Documents. Assessments of claims may be attorney work product and/or privileged. Therefore, information and documents provided in this response, if any, consist only of non-attorney work product and/or non-privileged material for incidents that have been investigated and assessed.

## Service Request Detail

|                          |                                                                                                        |              |                                   |           |                         |
|--------------------------|--------------------------------------------------------------------------------------------------------|--------------|-----------------------------------|-----------|-------------------------|
| SR No. (b) (6)           | Ref No.                                                                                                | Goodwill     | No Goodwill Offered               | BRC Type  | PAR                     |
| Account                  | Site                                                                                                   | GW SubType   |                                   | Bus. Unit | BRC                     |
| Last Name                | First Name                                                                                             | Approval     | Not Initiated                     | Area      | PAR                     |
| Daytime #                | Evening #                                                                                              | UCC          | Restraints - (SIR) - Driver Front | Sub-Area  | Initiate PAR- Collision |
| Address                  | City Rome                                                                                              | Involved Dir | Terry Harmon Motors, Inc.         | Safety    | Yes                     |
| State OH ZipCd           | Con Acct                                                                                               | Source       | Phone                             | Updated   | 4/17/2009 12:59:20 PM   |
| Serial #/VIN 1G1AK15F367 | Model Year 2006                                                                                        | Priority     | Medium License # CHEVROL          | Owner     | NOVAKKE                 |
| Make Chevrolet           | Warr. Start 05/17/2006                                                                                 | Status       | Open                              | Opened    | 4/14/2009 10:05:41 AM   |
| Model Cobalt             | Mileage 40000                                                                                          | Sub-Status   |                                   | Closed    |                         |
| Abstract                 | 06 Chev Cobalt - airbag non deployment                                                                 |              |                                   |           |                         |
| Customer Description     | This is a BRC PAR Case. Do not assume. Forward any inquiries to Kelley Novak at 1-866-790-5700 x41344. |              |                                   |           |                         |

## Pre-PAR

|                           |                                                                                              |                |                                  |                                                                                                                                                                                                                                                                                            |              |           |             |               |
|---------------------------|----------------------------------------------------------------------------------------------|----------------|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------|-------------|---------------|
| PAR Notifier              | Incident Date/Time                                                                           | Injuries       | # Other Veh                      | # People in Veh                                                                                                                                                                                                                                                                            | Road Surface | Road Cond | Fire Report | Police Report |
| Owner                     | 4/13/2009 01:30:00 PM                                                                        | Y              | 1                                | 1                                                                                                                                                                                                                                                                                          | Asphalt      | Dry       | NA          | 0y-0361-04    |
| Driver Last Name          | Driver First Name                                                                            | DOB            | Disabilities                     |                                                                                                                                                                                                                                                                                            |              |           |             |               |
|                           |                                                                                              | 57             | NA                               |                                                                                                                                                                                                                                                                                            |              |           |             |               |
| Insurance Agent Last Name | Insurance Agent First Name                                                                   | Phone #        | Insurance Agency                 |                                                                                                                                                                                                                                                                                            |              |           |             |               |
| Caswell                   | Angela                                                                                       | (440) 255-8400 | America Family Insurance of Ohio |                                                                                                                                                                                                                                                                                            |              |           |             |               |
| Incident Loc              | was on route 46(northbound) in Newtyme township, at intersection of route 46 Dodgeville road |                | Incident Desc                    | was traveling north on route 45, saw a veh on dodgeville intersection approaching from the east, he stopped. I had the right of way, they pulled out in front of me and I swerved to avoid crashing/hitting them, and I mashed into the guard rail on the west side of the road and my car |              |           |             |               |
| Component                 | SIR/airbags                                                                                  |                | Damage Desc                      | front end is mashed in, the engine was in my lap(not literally), passenger side window is broken from my head hitting it.                                                                                                                                                                  |              |           |             |               |
| Vehicle Loc               | harts towing service, 440.437.8697                                                           |                | Add'l Info                       |                                                                                                                                                                                                                                                                                            |              |           |             |               |
| Emergency Svc Names       | Rome Ambulance, OH                                                                           |                | Maint Loc                        | TERRY HARMON MOTORS or NASSIEF CHEVROLET                                                                                                                                                                                                                                                   |              |           |             |               |

## PAR Detail

|                        |                                                      |                      |                                |                         |                          |                      |         |            |    |
|------------------------|------------------------------------------------------|----------------------|--------------------------------|-------------------------|--------------------------|----------------------|---------|------------|----|
| Collision              | Y                                                    | Non Collision        | Y                              | Property Damage         | Y                        | Thermal Evt          | N       | Spec Equip | No |
| Vehicle Speed          | 50                                                   | Weather Condition    | clear                          | Prop Owner              | unknown                  | Property Type        | unknown |            |    |
| Last Service Date      | 8/13/2008                                            | Loc Last Service     | Terry Harmon Motors, Inc.      | Property Location       | unknown                  | Prop Est Repair Cost | \$0.00  |            |    |
| Veh Est Repair Cost    | \$0.00                                               | Spec Equip Installer | NA                             | Prop Damage Description | unknown                  |                      |         |            |    |
| Primary Veh Use        | Personal                                             | Inspection Type      | Restraint System SIR/Seat Belt | Inspected By            | Inspection Not Performed | Inspection Date/Time |         |            |    |
| Veh Damage Description | front end damage to bumper and hood possibly totaled |                      |                                | Explain Other           | airbags                  |                      |         |            |    |

## Service Request Detail

### PAR Injuries

Last Name: [REDACTED] First Name: [REDACTED] DOB: [REDACTED] Location: [REDACTED] Phone #: [REDACTED] Seating Post: [REDACTED] Restraint Type: [REDACTED]  
Occupant of Owner's Vehicle Driver no seat belt  
Injury Description: [REDACTED] Medical Rpt#: [REDACTED] Treatment Location: [REDACTED] Treated By: [REDACTED]  
broken nose, deep cut on nose, hit head on windshield, has unknown st Josephs medical center in Andover, OH Shannon Swanson, MD  
cuts and bruises, and back is hurt.  
Street Address: [REDACTED] City: [REDACTED] State: [REDACTED] Zip Code: [REDACTED]  
Rome OH

### Activities

| Created               | Created By | Assigned To | Activity Type     | Activity Sub-Type          | Status | Completed             | Description                |
|-----------------------|------------|-------------|-------------------|----------------------------|--------|-----------------------|----------------------------|
| 4/17/2009 12:59:20 PM | RODRIJOS   | RODRIJOS    | Ownership Changed | Ownership Escalated to BRC | Done   | 4/17/2009 12:59:20 PM | Ownership Escalated to BRC |

Contact Last Name: [REDACTED] Contact First Name: [REDACTED] Account: [REDACTED] BAC Code: [REDACTED]

Comments: [REDACTED]

Confidential Comments: [REDACTED]

| Created               | Created By | Assigned To | Activity Type | Activity Sub-Type | Status      | Completed | Description      |
|-----------------------|------------|-------------|---------------|-------------------|-------------|-----------|------------------|
| 4/17/2009 12:58:38 PM | RODRIJOS   | ESISBIQU    | Escalation    | ESIS - Injuries   | In Progress |           | Assigned to ESIS |

Contact Last Name: [REDACTED] Contact First Name: [REDACTED] Account: [REDACTED] BAC Code: [REDACTED]

Comments: [REDACTED]

Injuries

Confidential Comments: [REDACTED]

| Created               | Created By | Assigned To | Activity Type | Activity Sub-Type | Status | Completed             | Description     |
|-----------------------|------------|-------------|---------------|-------------------|--------|-----------------------|-----------------|
| 4/16/2009 08:35:36 PM | GARCIAJR   | RODRIJOS    | Notify CRM    |                   | Done   | 4/17/2009 12:58:37 PM | ESIS - Injuries |

Contact Last Name: [REDACTED] Contact First Name: [REDACTED] Account: [REDACTED] BAC Code: [REDACTED]

Comments: [REDACTED]

Received And Assigned to ESIS

Jose Rodriguez ATX PAR

Confidential Comments: [REDACTED]



## Service Request Detail

### Activities

| Created               | Created By | Assigned To | Activity Type | Activity Sub-Type | Status | Completed             | Description      |
|-----------------------|------------|-------------|---------------|-------------------|--------|-----------------------|------------------|
| 4/16/2009 06:21:37 PM | NOVAKKE    | GARCIAJR    | BRC PAR       | ESIS- Injuries    | Done   | 4/16/2009 06:35:34 PM | ESCALATE TO ESIS |

| Contact Last Name | Contact First Name | Account | BAC Code |
|-------------------|--------------------|---------|----------|
|                   |                    |         |          |

Comments: CRS to escalate to ESIS due to broken nose

Kelley Novak/ATX/PAR

Received and assigned for ESIS escalation.  
Joe G/ATX/Workflow Par

Confidential Comments:

| Created               | Created By | Assigned To | Activity Type         | Activity Sub-Type | Status | Completed             | Description |
|-----------------------|------------|-------------|-----------------------|-------------------|--------|-----------------------|-------------|
| 4/16/2009 06:18:51 PM | NOVAKKE    | NOVAKKE     | Inbound Call Customer | Complex Request   | Done   | 4/16/2009 06:21:36 PM |             |

| Contact Last Name | Contact First Name | Account | BAC Code |
|-------------------|--------------------|---------|----------|
|                   |                    |         |          |

Comments: CRS adv: Thank you for returning my call, I have received your file concerning your 06 Chev Cobalt, we do require some further information regarding your veh and the incident. Would you have a moment to speak with me?

Cust sis: Yes. My husband hit a guardrail head on because he swerved to avoid hitting another veh. My husband broke the tip of his nose, has back problems, headaches & just hurts from the accident. I feel that the airbags should have deployed.

CRS adv: Given the seriousness of the injuries I will be escalating your file to ESIS for further assistance. They will be in contact with you in the next 7-10 business days but you have my # so dont hesitate to give me a call if you have any questions.

Kelley Novak/ATX/PAR

Confidential Comments:

| Created               | Created By | Assigned To | Activity Type       | Activity Sub-Type | Status | Completed             | Description     |
|-----------------------|------------|-------------|---------------------|-------------------|--------|-----------------------|-----------------|
| 4/16/2009 06:10:15 PM | NOVAKKE    | NOVAKKE     | Scheduled Follow-up | Other             | Done   | 4/16/2009 06:12:34 PM | Initial contact |

| Contact Last Name | Contact First Name | Account | BAC Code |
|-------------------|--------------------|---------|----------|
|                   |                    |         |          |

Comments:

Confidential Comments:

## Service Request Detail

### Activities

| Created                                                                                               | Created By | Assigned To | Activity Type     | Activity Sub-Type | Status | Completed             | Description                                                      |
|-------------------------------------------------------------------------------------------------------|------------|-------------|-------------------|-------------------|--------|-----------------------|------------------------------------------------------------------|
| 4/14/2009 01:09:08 PM                                                                                 | KINZERTH   | NOVAKKE     | Ownership Changed |                   | Done   | 4/14/2009 01:09:08 PM | Service Request Ownership has changed FROM: BRUSHEAM TO: NOVAKKE |
| Contact Last Name: [REDACTED] Contact First Name: [REDACTED] Account: [REDACTED] BAC Code: [REDACTED] |            |             |                   |                   |        |                       |                                                                  |
| Comments: [REDACTED]                                                                                  |            |             |                   |                   |        |                       |                                                                  |
| Confidential Comments: [REDACTED]                                                                     |            |             |                   |                   |        |                       |                                                                  |

| Created                                                                                                                                                                                                 | Created By | Assigned To | Activity Type | Activity Sub-Type    | Status | Completed             | Description                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------|---------------|----------------------|--------|-----------------------|----------------------------------------|
| 4/14/2009 01:08:47 PM                                                                                                                                                                                   | KINZERTH   | NOVAKKE     | BRC PAR       | Initial Contact- AVM | Done   | 4/16/2009 06:07:34 PM | Called Gary Ross @ node 630092 MB 8537 |
| Contact Last Name: [REDACTED] Contact First Name: [REDACTED] Account: [REDACTED] BAC Code: [REDACTED]                                                                                                   |            |             |               |                      |        |                       |                                        |
| Comments: [REDACTED]                                                                                                                                                                                    |            |             |               |                      |        |                       |                                        |
| This is Kelley Novak calling from GM PAR dept.                                                                                                                                                          |            |             |               |                      |        |                       |                                        |
| Customer: [REDACTED]                                                                                                                                                                                    |            |             |               |                      |        |                       |                                        |
| Service Request: 71-716635468                                                                                                                                                                           |            |             |               |                      |        |                       |                                        |
| Vehicle Information: 06 Chevy Cobalt                                                                                                                                                                    |            |             |               |                      |        |                       |                                        |
| Last 8 of the VIN: 64 [REDACTED]                                                                                                                                                                        |            |             |               |                      |        |                       |                                        |
| Involved Dealership: Terry Harmon Motors                                                                                                                                                                |            |             |               |                      |        |                       |                                        |
| Nature of allegation: airbag non deployment                                                                                                                                                             |            |             |               |                      |        |                       |                                        |
| CRS adv: you are not required to respond to this msg, however if you do have any questions or concerns regarding this file or veh, pls feel free to give me a call at 1-866-790-5700 x41344. Thank you. |            |             |               |                      |        |                       |                                        |
| Kelley Novak/ATX/PAR                                                                                                                                                                                    |            |             |               |                      |        |                       |                                        |
| Confidential Comments: [REDACTED]                                                                                                                                                                       |            |             |               |                      |        |                       |                                        |

## Service Request Detail

### Activities

| Created               | Created By | Assigned To | Activity Type | Activity Sub-Type       | Status | Completed             | Description                                  |
|-----------------------|------------|-------------|---------------|-------------------------|--------|-----------------------|----------------------------------------------|
| 4/14/2009 01:08:38 PM | KINZERTH   | NOVAKKE     | BRC PAR       | Initial Contact- Dealer | Done   | 4/16/2009 06:10:47 PM | Called Terry Harmon Motors @ #(330) 876-4055 |

| Contact Last Name | Contact First Name | Account | BAC Code |
|-------------------|--------------------|---------|----------|
|                   |                    |         |          |

Comments: CRS adv: Calling to inform you that cust alleges. Would you have a moment to speak with me regarding this veh?

Dir sts: Sure

CRS adv: Any previous related repairs regarding this concern?

Dir sts: No

CRS adv: Would it be alright if the cust brings in the veh so GM can perform an inspection?

Dir sts: Sure

Kelley Novak/ATX/PAR

Confidential Comments

| Created               | Created By | Assigned To | Activity Type | Activity Sub-Type      | Status | Completed             | Description |
|-----------------------|------------|-------------|---------------|------------------------|--------|-----------------------|-------------|
| 4/14/2009 01:08:29 PM | KINZERTH   | NOVAKKE     | BRC PAR       | Initial Contact- Phone | Done   | 4/16/2009 06:09:23 PM | Called      |

| Contact Last Name | Contact First Name | Account | BAC Code |
|-------------------|--------------------|---------|----------|
|                   |                    |         |          |

Comments: CRS adv: Calling to inform cust that we have received your file concerning your 08 Chev Cobalt, we do require some further information regarding your veh and the incident. You can contact me at 1-866-790-5700 x41344 Mon-Fri between 8 AM-4:30 PM est, SR# 71-716635468. Thank you.

Kelley Novak/ATX/PAR

Confidential Comments

| Created               | Created By | Assigned To | Activity Type | Activity Sub-Type | Status | Completed             | Description |
|-----------------------|------------|-------------|---------------|-------------------|--------|-----------------------|-------------|
| 4/14/2009 01:08:21 PM | KINZERTH   | NOVAKKE     | BRC PAR       | Acknowledgement   | Done   | 4/16/2009 06:04:22 PM | Called      |

| Contact Last Name | Contact First Name | Account | BAC Code |
|-------------------|--------------------|---------|----------|
|                   |                    |         |          |

Comments: CRS adv: Calling to inform cust that we have received your file concerning your 08 Chev Cobalt, we do require some further information regarding your veh and the incident. You can contact me at 1-866-790-5700 x41344 Mon-Fri between 8 AM-4:30 PM est, SR# 71-716635468. Thank you.

Kelley Novak/ATX/PAR

Confidential Comments

## Service Request Detail

### Activities

| Created               | Created By | Assigned To        | Activity Type | Activity Sub-Type | Status | Completed             | Description   |
|-----------------------|------------|--------------------|---------------|-------------------|--------|-----------------------|---------------|
| 4/14/2009 01:08:12 PM | KINZERTH   | NOVAKKE            | Notify CRM    |                   | Done   | 4/16/2009 05:58:28 PM | File Assigned |
| Contact Last Name     |            | Contact First Name |               | Account           |        | BAC Code              |               |
| Comments              |            |                    |               |                   |        |                       |               |

Confidential Comments

| Created               | Created By | Assigned To        | Activity Type | Activity Sub-Type   | Status | Completed             | Description              |
|-----------------------|------------|--------------------|---------------|---------------------|--------|-----------------------|--------------------------|
| 4/14/2009 01:08:05 PM | KINZERTH   | NOVAKKE            | Research      | DBC Case Assessment | Done   | 4/16/2009 05:58:24 PM | Research VIN 1G1AK15F367 |
| Contact Last Name     |            | Contact First Name |               | Account             |        | BAC Code              |                          |
| Comments              |            |                    |               |                     |        |                       |                          |

Research

Recalls: No open recalls

Related repairs: No related repairs

Previous SRs: No previous SRs

Kelley Novak/PAR/ATX

Confidential Comments

| Created               | Created By | Assigned To        | Activity Type | Activity Sub-Type | Status | Completed             | Description                     |
|-----------------------|------------|--------------------|---------------|-------------------|--------|-----------------------|---------------------------------|
| 4/14/2009 01:07:48 PM | KINZERTH   | NOVAKKE            | BRC PAR       | Case Assigned     | Done   | 4/16/2009 05:57:32 PM | Assigned to Kelley Novak x41344 |
| Contact Last Name     |            | Contact First Name |               | Account           |        | BAC Code              |                                 |
| Comments              |            |                    |               |                   |        |                       |                                 |

Confidential Comments

| Created               | Created By | Assigned To        | Activity Type | Activity Sub-Type | Status | Completed             | Description                                           |
|-----------------------|------------|--------------------|---------------|-------------------|--------|-----------------------|-------------------------------------------------------|
| 4/14/2009 01:07:41 PM | KINZERTH   | BRUSHEAM           | SR Opened     |                   | Done   | 4/14/2009 01:07:41 PM | SR in Status of Closed has been Re-Opened by KINZERTH |
| Contact Last Name     |            | Contact First Name |               | Account           |        | BAC Code              |                                                       |
| Comments              |            |                    |               |                   |        |                       |                                                       |

Confidential Comments



## Service Request Detail

### Activities

| Created               | Created By | Assigned To | Activity Type         | Activity Sub-Type | Status | Completed             | Description                                |
|-----------------------|------------|-------------|-----------------------|-------------------|--------|-----------------------|--------------------------------------------|
| 4/14/2009 01:07:40 PM | KINZERTH   | BRUSHEAM    | SR Closed - Satisfied |                   | Done   | 4/14/2009 01:07:40 PM | Service Request has been Closed Satisfied. |

| Contact Last Name | Contact First Name | Account | BAC Code |
|-------------------|--------------------|---------|----------|
|                   |                    |         |          |

Comments

Confidential Comments

| Created               | Created By | Assigned To | Activity Type | Activity Sub-Type | Status | Completed             | Description                     |
|-----------------------|------------|-------------|---------------|-------------------|--------|-----------------------|---------------------------------|
| 4/14/2009 10:33:48 AM | BRUSHEAM   | KINZERTH    | Escalation    | Initiate PAR      | Done   | 4/14/2009 01:07:36 PM | Assigning activity to PAR QUEUE |

| Contact Last Name | Contact First Name | Account | BAC Code |
|-------------------|--------------------|---------|----------|
|                   |                    |         |          |

Comments

\*CRS advised that a person from the PAR Department will contact the customer within 2 business days.\*

Received and assigned in PAR  
Thaddeus Kinzer/PAR Workflow/ATX

Confidential Comments

## Service Request Detail

### Activities

Created By: BRUSHEAM Assigned To: BRUSHEAM Activity Type: Inbound Call Customer Activity Sub-Type: Complex Request Status: Done Completed: 4/14/2009 10:31:32 AM Description: air bags did not deploy

Contact Last Name: Contact First Name: Account: BAC Code:

Comments: Cst sis: was in accident and air bags did not deploy. broke nose and head went through window. was not wearing seatbelt. hit guard rail to avoid other car that did not yield when backing up. the car is totaled.

Description: was traveling north on route 45. saw a veh on dodgeville intersection approaching from the east. he stopped. I had the right of way. they pulled out in front of me and I swerved to avoid crashing/hitting them. and I mashed into the guard rail on the west side of the road and my car bounced and spun off rail. the back end of car hit the other guard rail on the east side of the road.

Damage Description: front end is mashed in, the engine was in my lap(not literally), passenger side window is broken from my head hitting it.

Injury Description: front end is mashed in, the engine was in my lap(not literally), passenger side window is broken from my head hitting it. broken nose, deep cut on nose, hit head and cut on the head from the glass(small cuts), and back is hurting pretty bad.

Cst sks: PAR case

Orig owner? y, leased

Primary driver? y

Personal/Blizz use? personal

Veh purchased? TERRY HARMON MOTORS

New at purchase

Mileage: 40,000 (approx)

Where is veh located now? harts towing service, 4404378697

Maintenance location: TERRY HARMON MOTORS or MASSIEF CHEVROLET

Cst adv: will ESC to PAR, will contact you in 48 hours

Amanda E Brushett/STJ/T/L1

Confidential Comments:

### UCC Information

| UCC Code | Symptoms             | Description                       |
|----------|----------------------|-----------------------------------|
| C46      | SIR - Did Not Deploy | Restraints - (SIR) - Driver Front |

## GM Vehicle Inquiry System Summary

Home - Summary - Claim History - Vehicle Build - Vehicle Component - Delivery Information - Dealer Information -  
Service Contract - Warranty Block - Branded Title

[Help](#)

|       |             |
|-------|-------------|
| VIN : | 1G1AK15F367 |
|-------|-------------|

### VEHICLE INFORMATION

|                       |                                                                                          |                 |                           |                  |    |              |      |
|-----------------------|------------------------------------------------------------------------------------------|-----------------|---------------------------|------------------|----|--------------|------|
| Merchandising Model : | IAK37 -2006 COBALT 2-DOOR LS COUPE                                                       |                 | Warranty Start Date :     | 05/17/2006       |    |              |      |
| BARS Order Type :     | 60 - RETAIL - SOLD                                                                       |                 |                           |                  |    |              |      |
| Delivering Dealer :   | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN , OH 44428-0316<br>(330) 876-4055 |                 | Selling Source :          | 13 - CHEVROLET   |    |              |      |
|                       |                                                                                          |                 | Site Code :               | 28238            |    |              |      |
|                       |                                                                                          |                 | Business Associate Code : | 113590           |    |              |      |
| Service Contract :    | No                                                                                       | Branded Title : | No                        | Warranty Block : | No | PDI Status : | Paid |

### REQUIRED FIELD ACTIONS

|                                                        |
|--------------------------------------------------------|
| Vehicle Has No Current Record Of Outstanding Campaigns |
|--------------------------------------------------------|

### SERVICE INFORMATIONAL ITEMS

|                                                                  |
|------------------------------------------------------------------|
| Vehicle Has No Current Record Of Outstanding Service Information |
|------------------------------------------------------------------|

### ON STAR AND XM SATELLITE RADIO INFORMATION

|                                                            |
|------------------------------------------------------------|
| Vehicle Has No Associated On Star or XM Radio Information. |
|------------------------------------------------------------|

### APPLICABLE WARRANTIES

| Description                                                  | Effective Date | Effective Odometer | End Date   | End Odometer |
|--------------------------------------------------------------|----------------|--------------------|------------|--------------|
| 36/36000 BUMPER TO BUMPER LIMITED WARRANTY                   | 05/17/2006     | 485 miles          | 05/17/2009 | 36485 miles  |
| 72/100000 SHEET METAL COVERAGE RUST THROUGH LIMITED WARRANTY | 05/17/2006     | 485 miles          | 05/17/2012 | 100485 miles |
| 96/80000 FEDERAL EMISSION CATALYTIC CONV. AND PCM            | 05/17/2006     | 485 miles          | 05/17/2014 | 80485 miles  |
| 36/36000 FEDERAL EMISSION                                    | 05/17/2006     | 485 miles          | 05/17/2009 | 36485 miles  |
| 60/60000 POWERTRAIN - U.S. LIMITED WARRANTY                  | 05/17/2006     | 485 miles          | 05/17/2011 | 60485 miles  |

### CLAIM HISTORY

| R.O Date | R.O Number | Type | Labor Operation | Odometer Reading |
|----------|------------|------|-----------------|------------------|
|          |            |      |                 |                  |

<http://198.208.187.167/gmvis/main/Summary?languageSelected=EN&VIN=1G1AK15F36...> 4/17/2009

|            |        |   |                                                                    |             |
|------------|--------|---|--------------------------------------------------------------------|-------------|
| 08/13/2008 | 057579 | # | E9740 - STEERING GEAR REPLACEMENT                                  | 38786 miles |
| 08/13/2008 | 057579 | # | Z7903 - 3-DAY COURTESY TRANSPORTATION                              | 38786 miles |
| 08/13/2008 | 057579 | # | E7700 - SHAFT, STEERING INTERMEDIATE - REPLACE                     | 38786 miles |
| 08/13/2008 | 057579 | # | C2327 - PLATE, INSTRUMENT PANEL TRIM - STEERING COLUMN LOWER - R&R | 38786 miles |
| 08/13/2008 | 057579 | # | C0181 - REGULATOR, FRONT DOOR WINDOW - LEFT MANUAL - R&R OR REPLAC | 38786 miles |
| 08/13/2008 | 057579 | # | E0474 - STUD, WHEEL MOUNTING - RIGHT FRONT - REPLACE               | 38786 miles |
| 06/17/2008 | 056977 | # | L1020 - FUEL TANK FILLER CAP REPLACEMENT                           | 35793 miles |
| 06/05/2008 | 056870 | # | H0257 - REAR BRAKE SHOE REPLACEMENT - BOTH SIDES                   | 35792 miles |
| 06/05/2008 | 056870 | # | E7680 - STEERING COLUMN REPLACEMENT                                | 35792 miles |
| 04/16/2008 | 056411 | # | E3550 - BUSHINGS AND/OR SHAFT, FRONT CONTROL ARM - LOWER - RIGHT - | 33199 miles |
| 04/16/2008 | 056411 | # | E3551 - BUSHINGS AND/OR SHAFT, FRONT CONTROL ARM - LOWER - LEFT -  | 33199 miles |
| 04/16/2008 | 056411 | # | C0141 - CHANNEL AND/OR RETAINER, FRONT DOOR WINDOW RUN (FRONT) - L | 33199 miles |
| 03/21/2008 | 013256 | # | E3920 - MOUNT ASSEMBLY, FRONT STRUT BEARING - RIGHT - REPLACE      | 32119 miles |
| 02/21/2008 | 012837 | # | B4261 - FRONT SIDE DOOR LOCK REPLACEMENT - LEFT SIDE               | 30368 miles |
| 10/26/2007 | 054738 | # | H0207 - REAR BRAKE DRUM REPLACEMENT - BOTH SIDES                   | 24768 miles |
| 09/06/2007 | 054218 | # | H0122 - FRONT BRAKE ROTOR REFINISHING                              | 22156 miles |
| 09/06/2007 | 054218 | # | Z7911 - 2-WAY SHUTTLE COURTESY TRANSPORTATION                      | 22156 miles |
| 04/19/2007 | 052724 | # | C2466 - RETAINER/PANEL, INSTRUMENT - REPLACE                       | 16342 miles |
| 04/19/2007 | 052724 | # | Z7911 - 2-WAY SHUTTLE COURTESY TRANSPORTATION                      | 16342 miles |
| 10/13/2006 | 050621 | # | L1020 - FUEL TANK FILLER CAP REPLACEMENT                           | 7621 miles  |
| 05/11/2006 | 048806 | I | Z6999 - PDI RELATED FLUID ADDS                                     | 2 miles     |
| 05/09/2006 | A59531 | I | Z7000 - PRE-DELIVERY INSPECTION - BASE TIME                        | 0 miles     |

## CHECK HISTORY INFORMATION

|                                                      |
|------------------------------------------------------|
| Vehicle Has No Associated Check History Information. |
|------------------------------------------------------|

© 1998-2005 General Motors Corporation. All Rights Reserved.

## GM Vehicle Inquiry System

### Claim History

Home - Summary - Claim History - Vehicle Build - Vehicle Component - Delivery Information - Dealer Information -  
Service Contract - Warranty Block - Branded Title

[Help](#)

|       |             |
|-------|-------------|
| VIN : | 1G1AK15F367 |
|-------|-------------|

#### CLAIM HISTORY

| Repair Order Date : |                                                                                         | 08/13/2008 |      | Repair Order Number :                                              |                      | 057579                    |             | Odometer Reading : |          | 38786 miles |  |
|---------------------|-----------------------------------------------------------------------------------------|------------|------|--------------------------------------------------------------------|----------------------|---------------------------|-------------|--------------------|----------|-------------|--|
| Serviced By :       | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316<br>(330) 876-4055 |            |      |                                                                    |                      | Selling Source :          |             | 13 - CHEVROLET     |          |             |  |
|                     |                                                                                         |            |      |                                                                    |                      | Site Code :               |             | 28238              |          |             |  |
|                     |                                                                                         |            |      |                                                                    |                      | Business Associate Code : |             | 113590             |          |             |  |
| Cycle Date          | Cycle Nbr                                                                               | Case       | Type | Labor Operation                                                    | Part                 | Auth Code                 | Person Code | Line Total         | Comments |             |  |
| 08/26/2008          | 929                                                                                     | 01         | #    | Z7903 - 3-DAY COURTESY TRANSPORTATION                              | N/A                  | AG                        | N/A         | \$ 111.00          | Y        |             |  |
| 08/22/2008          | 928                                                                                     | 01         | #    | E9740 - STEERING GEAR REPLACEMENT                                  | 25956924 - GEAR KIT  | A                         | N/A         | \$ 386.38          | N        |             |  |
| 08/22/2008          | 928                                                                                     | 03         | #    | E7700 - SHAFT, STEERING INTERMEDIATE - REPLACE                     | 15800140 - SHAFT KIT | A                         | N/A         | \$ 151.18          | N        |             |  |
| 08/22/2008          | 928                                                                                     | 04         | #    | C2327 - PLATE, INSTRUMENT PANEL TRIM - STEERING COLUMN LOWER - R&R | N/A                  | A                         | N/A         | \$ 12.67           | N        |             |  |
| 08/22/2008          | 928                                                                                     | 05         | #    | C0181 - REGULATOR, FRONT DOOR WINDOW - LEFT MANUAL - R&R OR REPLAC | N/A                  | A                         | N/A         | \$ 38.00           | N        |             |  |
| 08/22/2008          | 928                                                                                     | 06         | #    | E0474 - STUD, WHEEL MOUNTING - RIGHT FRONT - REPLACE               | 09595178 - BOLT      | A                         | N/A         | \$ 53.63           | N        |             |  |

|                     |                                                                       |            |  |                       |  |                  |  |                    |  |             |  |
|---------------------|-----------------------------------------------------------------------|------------|--|-----------------------|--|------------------|--|--------------------|--|-------------|--|
| Repair Order Date : |                                                                       | 06/17/2008 |  | Repair Order Number : |  | 056977           |  | Odometer Reading : |  | 35793 miles |  |
| Serviced By :       | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316 |            |  |                       |  | Selling Source : |  | 13 - CHEVROLET     |  |             |  |
|                     |                                                                       |            |  |                       |  | Site Code :      |  | 28238              |  |             |  |
|                     |                                                                       |            |  |                       |  |                  |  |                    |  |             |  |

<http://198.208.187.167/gmvis/main/ClaimHistory?languageSelected=EN&VIN=1G1AK15...> 4/17/2009



| (330) 876-4055 |           |      |      | Business Associate Code : 113590         |                |           |             |            |          |
|----------------|-----------|------|------|------------------------------------------|----------------|-----------|-------------|------------|----------|
| Cycle Date     | Cycle Nbr | Case | Type | Labor Operation                          | Part           | Auth Code | Person Code | Line Total | Comments |
| 06/20/2008     | 910       | 01   | #    | L1020 - FUEL TANK FILLER CAP REPLACEMENT | 15258231 - CAP | B         | N/A         | \$ 25.96   | N        |

|                     |           |                                                                                         |      |                                                  |  |                           |           |                    |            |             |  |
|---------------------|-----------|-----------------------------------------------------------------------------------------|------|--------------------------------------------------|--|---------------------------|-----------|--------------------|------------|-------------|--|
| Repair Order Date : |           | 06/05/2008                                                                              |      | Repair Order Number :                            |  | 056870                    |           | Odometer Reading : |            | 35792 miles |  |
| Serviced By :       |           | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316<br>(330) 876-4055 |      |                                                  |  | Selling Source :          |           | 13 - CHEVROLET     |            |             |  |
|                     |           |                                                                                         |      |                                                  |  | Site Code :               |           | 28238              |            |             |  |
|                     |           |                                                                                         |      |                                                  |  | Business Associate Code : |           | 113590             |            |             |  |
| Cycle Date          | Cycle Nbr | Case                                                                                    | Type | Labor Operation                                  |  | Part                      | Auth Code | Person Code        | Line Total | Comments    |  |
| 06/20/2008          | 910       | 01                                                                                      | #    | H0257 - REAR BRAKE SHOE REPLACEMENT - BOTH SIDES |  | N/A                       | N/A       | N/A                | \$ 50.67   | N           |  |
| 06/20/2008          | 910       | 02                                                                                      | #    | E7680 - STEERING COLUMN REPLACEMENT              |  | 19200751 - COLUMN KI      | E         | N/A                | \$ 634.45  | Y           |  |

|                     |           |                                                                                         |      |                                                                    |  |                           |  |                    |             |             |          |
|---------------------|-----------|-----------------------------------------------------------------------------------------|------|--------------------------------------------------------------------|--|---------------------------|--|--------------------|-------------|-------------|----------|
| Repair Order Date : |           | 04/16/2008                                                                              |      | Repair Order Number :                                              |  | 056411                    |  | Odometer Reading : |             | 33199 miles |          |
| Serviced By :       |           | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316<br>(330) 876-4055 |      |                                                                    |  | Selling Source :          |  | 13 - CHEVROLET     |             |             |          |
|                     |           |                                                                                         |      |                                                                    |  | Site Code :               |  | 28238              |             |             |          |
|                     |           |                                                                                         |      |                                                                    |  | Business Associate Code : |  | 113590             |             |             |          |
| Cycle Date          | Cycle Nbr | Case                                                                                    | Type | Labor Operation                                                    |  | Part                      |  | Auth Code          | Person Code | Line Total  | Comments |
| 04/25/2008          | 894       | 01                                                                                      | #    | E3550 - BUSHINGS AND/OR SHAFT, FRONT CONTROL ARM - LOWER - RIGHT - |  | 15240087 - BUSHING        |  | N/A                | N/A         | \$ 84.34    | N        |
| 04/25/2008          | 894       | 02                                                                                      | #    | E3551 - BUSHINGS AND/OR SHAFT, FRONT CONTROL ARM - LOWER - LEFT -  |  | 15240087 - BUSHING        |  | B                  | N/A         | \$ 84.34    | N        |
| 04/25/2008          | 894       | 03                                                                                      | #    | C0141 - CHANNEL AND/OR RETAINER, FRONT DOOR WINDOW RUN (FRONT) - L |  | N/A                       |  | N/A                | N/A         | \$ 25.34    | N        |

|                     |  |            |  |              |  |        |  |                    |  |             |  |
|---------------------|--|------------|--|--------------|--|--------|--|--------------------|--|-------------|--|
| Repair Order Date : |  | 03/21/2008 |  | Repair Order |  | 013256 |  | Odometer Reading : |  | 32119 miles |  |
|---------------------|--|------------|--|--------------|--|--------|--|--------------------|--|-------------|--|

<http://198.208.187.167/gmvis/main/ClaimHistory?languageSelected=EN&VIN=1G1AK15...> 4/17/2009

|               |                                                                                                   |      |      |                                                               |                           |           |                |            |          |
|---------------|---------------------------------------------------------------------------------------------------|------|------|---------------------------------------------------------------|---------------------------|-----------|----------------|------------|----------|
| Number :      |                                                                                                   |      |      |                                                               |                           |           |                |            |          |
| Serviced By : | NASSIEF CHEVROLET-PONTIAC-CADILLAC<br>5456 MAIN AVE<br>ASHTABULA, OH 44004-7058<br>(440) 997-5151 |      |      |                                                               | Selling Source :          |           | 13 - CHEVROLET |            |          |
|               |                                                                                                   |      |      |                                                               | Site Code :               |           | 28308          |            |          |
|               |                                                                                                   |      |      |                                                               | Business Associate Code : |           | 113561         |            |          |
| Cycle Date    | Cycle Nbr                                                                                         | Case | Type | Labor Operation                                               | Part                      | Auth Code | Person Code    | Line Total | Comments |
| 03/28/2008    | 886                                                                                               | 01   | #    | E3920 - MOUNT ASSEMBLY, FRONT STRUT BEARING - RIGHT - REPLACE | 22712116 - BEARING        | N/A       | N/A            | \$ 104.84  | N        |

|                     |                                                                                                   |            |      |                                                      |                           |           |                |                    |          |             |  |
|---------------------|---------------------------------------------------------------------------------------------------|------------|------|------------------------------------------------------|---------------------------|-----------|----------------|--------------------|----------|-------------|--|
| Repair Order Date : |                                                                                                   | 02/21/2008 |      | Repair Order Number :                                |                           | 012837    |                | Odometer Reading : |          | 30368 miles |  |
| Serviced By :       | NASSIEF CHEVROLET-PONTIAC-CADILLAC<br>5456 MAIN AVE<br>ASHTABULA, OH 44004-7058<br>(440) 997-5151 |            |      |                                                      | Selling Source :          |           | 13 - CHEVROLET |                    |          |             |  |
|                     |                                                                                                   |            |      |                                                      | Site Code :               |           | 28308          |                    |          |             |  |
|                     |                                                                                                   |            |      |                                                      | Business Associate Code : |           | 113561         |                    |          |             |  |
| Cycle Date          | Cycle Nbr                                                                                         | Case       | Type | Labor Operation                                      | Part                      | Auth Code | Person Code    | Line Total         | Comments |             |  |
| 02/26/2008          | 877                                                                                               | 01         | #    | B4261 - FRONT SIDE DOOR LOCK REPLACEMENT - LEFT SIDE | 15892687 - LOCK           | N/A       | N/A            | \$ 126.51          | N        |             |  |

|                     |                                                                                         |            |      |                                                  |                           |           |                |                    |          |             |  |
|---------------------|-----------------------------------------------------------------------------------------|------------|------|--------------------------------------------------|---------------------------|-----------|----------------|--------------------|----------|-------------|--|
| Repair Order Date : |                                                                                         | 10/26/2007 |      | Repair Order Number :                            |                           | 054738    |                | Odometer Reading : |          | 24768 miles |  |
| Serviced By :       | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316<br>(330) 876-4055 |            |      |                                                  | Selling Source :          |           | 13 - CHEVROLET |                    |          |             |  |
|                     |                                                                                         |            |      |                                                  | Site Code :               |           | 28238          |                    |          |             |  |
|                     |                                                                                         |            |      |                                                  | Business Associate Code : |           | 113590         |                    |          |             |  |
| Cycle Date          | Cycle Nbr                                                                               | Case       | Type | Labor Operation                                  | Part                      | Auth Code | Person Code    | Line Total         | Comments |             |  |
| 11/06/2007          | 845                                                                                     | 01         | #    | H0207 - REAR BRAKE DRUM REPLACEMENT - BOTH SIDES | N/A                       | B         | N/A            | \$ 30.73           | N        |             |  |

|                     |                                                                                         |            |  |                       |                           |        |                |                    |  |             |  |
|---------------------|-----------------------------------------------------------------------------------------|------------|--|-----------------------|---------------------------|--------|----------------|--------------------|--|-------------|--|
| Repair Order Date : |                                                                                         | 09/06/2007 |  | Repair Order Number : |                           | 054218 |                | Odometer Reading : |  | 22156 miles |  |
| Serviced By :       | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316<br>(330) 876-4055 |            |  |                       | Selling Source :          |        | 13 - CHEVROLET |                    |  |             |  |
|                     |                                                                                         |            |  |                       | Site Code :               |        | 28238          |                    |  |             |  |
|                     |                                                                                         |            |  |                       | Business Associate Code : |        | 113590         |                    |  |             |  |
| Cycle               | Cycle                                                                                   |            |  |                       |                           | Auth   | Person         | Line               |  |             |  |

<http://198.208.187.167/gmvis/main/ClaimHistory?languageSelected=EN&VIN=1G1AK15...> 4/17/2009

| Date       | Nbr | Case | Type | Labor Operation                               | Part | Code | Code | Total     | Comments |
|------------|-----|------|------|-----------------------------------------------|------|------|------|-----------|----------|
| 09/11/2007 | 829 | 01   | #    | H0122 - FRONT BRAKE ROTOR REFINISHING         | N/A  | N/A  | N/A  | \$ 122.90 | N        |
| 09/11/2007 | 829 | 02   | #    | Z7911 - 2-WAY SHUTTLE COURTESY TRANSPORTATION | N/A  | N/A  | N/A  | \$ 10.00  | N        |

|                     |           |                                                                                         |      |                                                       |  |                           |           |                    |            |             |  |
|---------------------|-----------|-----------------------------------------------------------------------------------------|------|-------------------------------------------------------|--|---------------------------|-----------|--------------------|------------|-------------|--|
| Repair Order Date : |           | 04/19/2007                                                                              |      | Repair Order Number :                                 |  | 052724                    |           | Odometer Reading : |            | 16342 miles |  |
| Serviced By :       |           | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316<br>(330) 876-4055 |      |                                                       |  | Selling Source :          |           | 13 - CHEVROLET     |            |             |  |
|                     |           |                                                                                         |      |                                                       |  | Site Code :               |           | 28238              |            |             |  |
|                     |           |                                                                                         |      |                                                       |  | Business Associate Code : |           | 113590             |            |             |  |
| Cycle Date          | Cycle Nbr | Case                                                                                    | Type | Labor Operation                                       |  | Part                      | Auth Code | Person Code        | Line Total | Comments    |  |
| 05/04/2007          | 792       | 01                                                                                      | #    | C2466 -<br>RETAINER/PANEL,<br>INSTRUMENT -<br>REPLACE |  | N/A                       | E         | N/A                | \$ 239.66  | Y           |  |
| 05/04/2007          | 792       | 02                                                                                      | #    | Z7911 - 2-WAY<br>SHUTTLE COURTESY<br>TRANSPORTATION   |  | N/A                       | N/A       | N/A                | \$ 10.00   | N           |  |

|                     |           |                                                                                         |      |                                          |  |                           |  |                    |             |            |          |
|---------------------|-----------|-----------------------------------------------------------------------------------------|------|------------------------------------------|--|---------------------------|--|--------------------|-------------|------------|----------|
| Repair Order Date : |           | 10/13/2006                                                                              |      | Repair Order Number :                    |  | 050621                    |  | Odometer Reading : |             | 7621 miles |          |
| Serviced By :       |           | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316<br>(330) 876-4055 |      |                                          |  | Selling Source :          |  | 13 - CHEVROLET     |             |            |          |
|                     |           |                                                                                         |      |                                          |  | Site Code :               |  | 28238              |             |            |          |
|                     |           |                                                                                         |      |                                          |  | Business Associate Code : |  | 113590             |             |            |          |
| Cycle Date          | Cycle Nbr | Case                                                                                    | Type | Labor Operation                          |  | Part                      |  | Auth Code          | Person Code | Line Total | Comments |
| 10/20/2006          | 736       | 01                                                                                      | #    | L1020 - FUEL TANK FILLER CAP REPLACEMENT |  | 10403773 - RETAINER       |  | N/A                | N/A         | \$ 15.22   | N        |

|                     |           |                                                                                         |      |                       |  |                           |  |                    |             |            |          |
|---------------------|-----------|-----------------------------------------------------------------------------------------|------|-----------------------|--|---------------------------|--|--------------------|-------------|------------|----------|
| Repair Order Date : |           | 05/11/2006                                                                              |      | Repair Order Number : |  | 048806                    |  | Odometer Reading : |             | 2 miles    |          |
| Serviced By :       |           | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316<br>(330) 876-4055 |      |                       |  | Selling Source :          |  | 13 - CHEVROLET     |             |            |          |
|                     |           |                                                                                         |      |                       |  | Site Code :               |  | 28238              |             |            |          |
|                     |           |                                                                                         |      |                       |  | Business Associate Code : |  | 113590             |             |            |          |
| Cycle Date          | Cycle Nbr | Case                                                                                    | Type | Labor Operation       |  | Part                      |  | Auth Code          | Person Code | Line Total | Comments |
|                     |           |                                                                                         |      |                       |  |                           |  |                    |             |            |          |

<http://198.208.187.167/gmvis/main/ClaimHistory?languageSelected=EN&VIN=1G1AK15...> 4/17/2009

|            |     |    |   |                                   |     |     |     |         |   |
|------------|-----|----|---|-----------------------------------|-----|-----|-----|---------|---|
| 05/16/2006 | 691 | 01 | I | Z6999 - PDI RELATED<br>FLUID ADDS | N/A | N/A | N/A | \$ 1.29 | N |
|------------|-----|----|---|-----------------------------------|-----|-----|-----|---------|---|

|                     |                                                                                         |            |                          |  |                           |                    |                |         |  |
|---------------------|-----------------------------------------------------------------------------------------|------------|--------------------------|--|---------------------------|--------------------|----------------|---------|--|
| Repair Order Date : |                                                                                         | 05/09/2006 | Repair Order<br>Number : |  | A59531                    | Odometer Reading : |                | 0 miles |  |
| Serviced<br>By :    | TERRY HARMON MOTORS, INC.<br>PO BOX 316-RTE<br>KINSMAN, OH 44428-0316<br>(330) 876-4055 |            |                          |  | Selling Source :          |                    | 13 - CHEVROLET |         |  |
|                     |                                                                                         |            |                          |  | Site Code :               |                    | 28238          |         |  |
|                     |                                                                                         |            |                          |  | Business Associate Code : |                    | 113590         |         |  |

|               |              |      |      |                                                   |      |              |                |               |          |
|---------------|--------------|------|------|---------------------------------------------------|------|--------------|----------------|---------------|----------|
| Cycle<br>Date | Cycle<br>Nbr | Case | Type | Labor Operation                                   | Part | Auth<br>Code | Person<br>Code | Line<br>Total | Comments |
| 05/12/2006    | 690          | 01   | I    | Z7000 - PRE-DELIVERY<br>INSPECTION - BASE<br>TIME | N/A  | N/A          | N/A            | \$ 77.01      | N        |

## CHECK HISTORY

|                                          |
|------------------------------------------|
| Vehicle Has No Associated Check History. |
|------------------------------------------|

© 1998-2005 General Motors Corporation. All Rights Reserved.

## GM Vehicle Inquiry System

### Vehicle Build

Home - Summary - Claim History - Vehicle Build - Vehicle Component - Delivery Information - Dealer Information -  
Service Contract - Warranty Block - Branded Title

[Help](#)

|     |             |
|-----|-------------|
| VIN | 1G1AK15F367 |
|-----|-------------|

#### VEHICLE BUILD

|                               |                                    |                |        |
|-------------------------------|------------------------------------|----------------|--------|
| Merchandising Model :         | 1AK37 -2006 COBALT 2-DOOR LS COUPE |                |        |
| Gross Vehicle Weight Rating : | 1678 kg (3700 lb)                  | Order Number : | JZHDG7 |
| Build Date :                  | 05/09/2006                         | Build Plant :  | 167A   |

GMVIS is not the definitive source of GM Vehicle RPO information and is intended for service reference only. Should there be any questions about the vehicle's original build or RPO information please refer to the original vehicle invoice or window sticker.

#### OPTION CODES

|                                                |                                               |
|------------------------------------------------|-----------------------------------------------|
| AK5 - DRIVER & RIGHT FRONT PASSENGER AIR BAGS  | AR9 - DELUXE FRONT BUCKET SEAT                |
| AU0 - REMOTE KEYLESS ENTRY                     | AU3 - POWER DOOR LOCKS W/REMOTE KEYLESS ENTRY |
| B34 - FLOOR MATS                               | B35 - REAR FLOOR MATS                         |
| B84 - BODY COLOR BODYSIDE MOLDINGS             | C67 - ELECT. FRONT AIR CONDITIONER            |
| DC8 - MIRROR, O/S MANUAL FLDG, BLK             | E2C - ORDER TO DELIVERY - EXPEDITE            |
| FE1 - SUSPENSION SYSTEM-SOFT RIDE              | FE9 - FEDERAL EMISSIONS                       |
| FY1 - TRANS/AXLE 3.63 RATIO                    | IPB - INTERIOR TRIM DESIGN                    |
| J41 - POWER DISC FRONT BRAKES                  | K64 - 115 AMP GENERATOR                       |
| LOD - ASSEMBLY PLANT - LORDSTOWN, OHIO         | L61 - 2.2L DOHC 4 CYL ENGINE                  |
| MN5 - 4 SPEED AUTO TRANSMISSION                | MX0 - 4-SPD. AUTO. TRANS. W/OVERDRIVE         |
| NT7 - FEDERAL EMISSION TIER 2                  | N46 - 4 SPOKE STEERING WHEEL                  |
| PG1 - 15" STEEL WHEEL                          | QTU - P195/60R15 TOURING BW TIRES             |
| R6P - PREMIUM PAINT                            | R8K - *****                                   |
| R9Z - POMS EXPEDITE-SOLD ORDERS/TSE            | SLL - SOLD ORDERS                             |
| T43 - REAR DECK-LID SPOILER                    | UN0 - AM/FM STEREO W/CD & RDS                 |
| UQ4 - BASE SPEAKER SYSTEM                      | VK3 - FRONT LICENSE PLATE MOUNT               |
| V73 - STATEMENT OF VEHICLE CERT.- U.S. /CANADA | ILS - ILS BASE PACKAGE                        |
| 1SZ - OPTION PACKAGE DISCOUNT                  | 14B - GRAY                                    |



<http://198.208.187.167/gmvis/main/VehicleBuild?languageSelected=EN&VIN=1G1AK15...> 4/17/2009



|                    |                    |
|--------------------|--------------------|
| 14I - GRAY         | 6AR - FRONT SPRING |
| 7AR - FRONT SPRING | 74U - VICTORY RED  |
| 8AA - REAR SPRING  | 9AA - REAR SPRING  |

© 1998-2005 General Motors Corporation. All Rights Reserved.



|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>UNIT NUMBERS</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">2</div> </div> | <b>DAMAGE AREA</b><br><br>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>PRE-CRASH ACTIONS</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">5</div> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div>          | <b>SEQUENCE OF EVENTS</b><br><table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%; text-align: center;">A</td> <td style="width:50%; text-align: center;">B</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">9</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">0</td> </tr> </table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | A                                                                                                                                                                                                                                                                                                                                            | B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2                                                                                            | 0 | 1 | 0 | 0 | 9 | 3 | 0 | 4 | 0 | <b>POSTED SPEED</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">5</div> <div style="border: 1px solid black; padding: 2px;">5</div> <div style="border: 1px solid black; padding: 2px;">5</div> <div style="border: 1px solid black; padding: 2px;">5</div> </div> | <b>DRUG TEST STATUS</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div> |
| A                                                                                                                                                                                                                                                                                                                                         | B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 2                                                                                                                                                                                                                                                                                                                                         | 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 1                                                                                                                                                                                                                                                                                                                                         | 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 0                                                                                                                                                                                                                                                                                                                                         | 9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 3                                                                                                                                                                                                                                                                                                                                         | 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 4                                                                                                                                                                                                                                                                                                                                         | 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| <b>NON-MOTORIST LOCATION</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">A</div> <div style="border: 1px solid black; padding: 2px;">B</div> </div>                                                                                                                | <b>MOTORIST</b><br>01. MOVEMENTS ESSENTIALLY STRAIGHT AHEAD<br>02. BACKING<br>03. CHANGING LANES<br>04. OVERTAKING/PASSING<br>05. TURNING RIGHT<br>06. TURNING LEFT<br>07. MAKING U-TURN<br>08. ENTERING TRAFFIC LANE<br>09. LEAVING TRAFFIC LANE<br>10. PARKED<br>11. SLOWING/STOPPED IN TRAFFIC<br>12. DRIVERLESS<br>13. OTHER<br>14. UNKNOWN<br><b>NON-MOTORIST</b><br>15. ENTERING/CROSSING IN SPECIFIED LOCATION<br>16. WALKING, RUNNING, JOGGING, PLAYING, CYCLING<br>17. WORKING<br>18. PUSHING VEHICLE<br>19. APPROACHING/LEAVING VEHICLE<br>20. PLAYING/WORKING ON VEHICLE<br>21. STANDING<br>22. OTHER<br>23. UNKNOWN                                                                                                                                                                                                                                                                                                                                           | <b>CONTRIBUTING CIRCUMSTANCES</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">2</div> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div> | <b>NON-COLLISION</b><br>01. OVERTURN/ROLL-OVER<br>02. FIRE/EXPLOSION<br>03. IMMERSION<br>04. JACKKNIFE<br>05. CAR/DO/EQUIPMENT LOSS/SHIFT<br>06. EQUIPMENT FAILURE<br>07. SEPARATION OF UNITS<br>08. RUN OFF ROAD RIGHT<br>09. RUN OFF ROAD LEFT<br>10. CROSS MEDIAN/ENTER LANE<br>11. DOWNHILL RUNAWAY<br>12. OTHER NON-COLLISION<br>13. UNKNOWN NON-COLLISION<br><b>COLLISION W/PERSON, VEHICLE, OR OBJECT NOT FIXED</b><br>14. PEDESTRIAN<br>15. BICYCLE<br>16. RAILWAY VEHICLE<br>17. ANIMAL - FARM<br>18. ANIMAL - DEER<br>19. ANIMAL - OTHER<br>20. MOTOR VEHICLE IN TRANSPORT<br>21. PARKED MOTOR VEHICLE<br>22. WORK ZONE MAINTENANCE EQUIPMENT<br>23. OTHER MOVABLE OBJECT<br>24. UNKNOWN MOVABLE OBJECT<br><b>COLLISION WITH FIXED OBJECT</b><br>25. IMPACT ATTENUATOR/CRASH CUSHION<br>26. BRIDGE OVERHEAD STRUCTURE<br>27. BRIDGE PIER/DRAINAGE<br>28. BRIDGE PARAPET<br>29. BRIDGE RAIL<br>30. OVERHEAD RAIL FACE<br>31. OVERHEAD RAIL END<br>32. MEDIAN BARRIER<br>33. HIGHWAY TRAFFIC SIGN POST<br>34. OVERHEAD SIGN POST<br>35. LIGHTING LUMINAIRE SUPPORT<br>36. UTILITY POLE<br>37. OTHER POST, POLE OR SUPPORT<br>38. CULVERT<br>39. CURB<br>40. DITCH<br>41. EMBANKMENT<br>42. FENCE<br>43. MAILBOX<br>44. TREE<br>45. OTHER FIXED OBJECT<br>46. WORK ZONE MAINTENANCE EQUIPMENT<br>47. UNKNOWN FIXED OBJECT<br>48. OTHER<br>49. UNKNOWN | <b>TRAFFIC CONTROL</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">2</div> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">2</div> </div> | <b>DRUG TEST TYPE</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div>                                                                                                                                                                                                                                                                                                                                                                              |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| <b>TYPE OF UNIT</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">6</div> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">2</div> </div> | <b>MOTORIST</b><br>01. SUBCOMPACT<br>02. COMPACT<br>03. MID SIZE<br>04. FULL SIZE<br>05. MINIVAN<br>06. SPORT UTILITY VEHICLE<br>07. PICKUP<br>08. FINEVAN<br>09. SINGLE UNIT TRUCK, 2 AXLES, 6 TIRES<br>10. SINGLE UNIT TRUCK, 3+ AXLES<br>11. TRUCK TRAILER<br>12. TRUCK TRACTOR (SEMI-TRAIL)<br>13. TRACTOR SEMI-TRAILER<br>14. TRACTOR DOUBLE SHORT<br>15. TRACTOR DOUBLE LONG<br>16. FIFTH WHEEL OR CONVERTIBLE<br>17. TRACTOR TRIPLES<br>18. MOTORCYCLE<br>19. MOTORIZED BICYCLE<br>20. SCHOOL BUS<br>21. CHURCH BUS<br>22. PUBLIC BUS<br>23. OTHER BUS<br>24. POLICE VEHICLE<br>25. FIRE TRUCK<br>26. AMBULANCE/RESCUE<br>27. TAXI<br>28. MOTOR HOME<br>29. TRAIN<br>30. FARM VEHICLE<br>31. FARM EQUIPMENT<br>32. SNOWMOBILE<br>33. CONSTRUCTION EQUIPMENT<br>34. ALL OTHERS<br><b>NON-MOTORIST</b><br>35. ANIMAL W/DRIVER<br>36. ANIMAL W/NO DRIVER<br>37. BICYCLE<br>38. PEDESTRIAN<br>39. PEDAL CYCLIST<br>40. SKATER<br>41. OTHER NON-MOTORIST<br>42. UNKNOWN | <b>POINT OF IMPACT</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">9</div> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">2</div> </div>            | <b>TYPE OF INTERSECTION</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">2</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>CONDITION</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div>                                                                                                                               | <b>DRUG TEST 1&amp;2 RESULT</b><br><table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%; text-align: center;">A</td> <td style="width:50%; text-align: center;">B</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> </tr> </table> | A                                                                                            | B | 1 | 1 | 2 | 1 | 3 | 1 | 4 | 1 |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| A                                                                                                                                                                                                                                                                                                                                         | B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 1                                                                                                                                                                                                                                                                                                                                         | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 2                                                                                                                                                                                                                                                                                                                                         | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 3                                                                                                                                                                                                                                                                                                                                         | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 4                                                                                                                                                                                                                                                                                                                                         | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| <b>ACTION</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">3</div> <div style="border: 1px solid black; padding: 2px;">4</div> </div>                                                                                                                               | <b>VEHICLE DEFECT CODE ONLY IF 119 SELECTED ABOVE</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">A</div> <div style="border: 1px solid black; padding: 2px;">B</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>ALCOHOL/DRUG SUSPECTED</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div>                                                                                                                             | <b>ALCOHOL TEST STATUS</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>ROAD CONTOUR</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">2</div> </div>                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| <b>IN EMERGENCY RESPONSE</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">A</div> <div style="border: 1px solid black; padding: 2px;">B</div> </div>                                                                                                                | <b>STRIKING VEHICLE: OVERRIDE/UNDERIDE</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">B</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>ALCOHOL TEST TYPE</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div>                                                                                                                                  | <b>ALCOHOL TEST RESULT</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">A</div> <div style="border: 1px solid black; padding: 2px;">B</div> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>ROAD CONDITION</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">0</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div>                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| <b>DAMAGE SCALE</b><br><div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px;">2</div> <div style="border: 1px solid black; padding: 2px;">4</div> </div>                                                                                                                         | <b>1. NO UNDERIDE OR OVERRIDE</b><br>2. UNDERIDE, CO-IMPARTMENT INTRUSION<br>3. UNDERIDE, NO CO-IMPARTMENT INTRUSION<br>4. UNDERIDE, CO-IMPARTMENT INTRUSION UNKNOWN<br>5. OVERRIDE, MOTOR VEHICLE IN TRANSPORT<br>6. OVERRIDE OTHER VEHICLE<br>7. UNKNOWN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>1. NONE</b><br>2. TEST REFUSED<br>3. TEST GIVEN, CONTAMINATED SAMPLE/UNUSABLE<br>4. TEST GIVEN, RESULTS KNOWN<br>5. TEST GIVEN, RESULTS UNKNOWN<br>6. UNKNOWN                                                                                                                                                                                        | <b>1. NONE</b><br>2. TEST REFUSED<br>3. TEST GIVEN, CONTAMINATED SAMPLE/UNUSABLE<br>4. TEST GIVEN, RESULTS KNOWN<br>5. TEST GIVEN, RESULTS UNKNOWN<br>6. UNKNOWN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>01. DRY</b><br>02. WET<br>03. SNOW<br>04. ICE<br>05. SAND, MUD, DIRT, GRIT, GRAVEL<br>06. WATER (STANDING, FLOWING)<br>07. SLUSH<br>08. DEBRIS **<br>09. RUTS, HOLES, BUMPS, UNEVEN PAVEMENT **<br>10. OTHER<br>11. UNKNOWN<br>** SECONDARY ROAD CONDITIONS ONLY                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                              |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| TOP COPY - COPS BOTTOM COPY - AGENCY                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                              | <b>SUPPLEMENT * *X IF YES</b><br><div style="border: 1px solid black; padding: 2px;">A</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>LOCAL REPORT # *</b><br><div style="border: 1px solid black; padding: 2px;">(b) (6)</div> |   |   |   |   |   |   |   |   |   |                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |

CAD Incident Number -

(b) (6)

TA000102486

# Narrative

Unit#1 was traveling west on Dodgeville Road, unit#2 was traveling north on SR 46. Unit#1 failed to yield the right of way, unit#2 took evasive action traveled off the west side of the roadway and struck the guardrail. After impact with the west side guardrail unit#2 rotated counter clockwise and came to rest against the east side guardrail.

## MANNER OF COLLISION OR IMPACT

6

- 1 NOT COLLISION BETWEEN TWO VEHICLES IN TRANSPORT
- 2 REAR-END
- 3 HEAD-ON
- 4 REAR-TO-REAR
- 5 BACKING
- 6 ANGLE
- 7 SIDE SWIPE, SAME DIRECTION
- 8 SIDE SWIPE, OPPOSITE DIRECTION
- 9 UNKNOWN

## WEATHER

0 1

- 01 CLEAR
- 02 CLOUDY
- 03 FOG, SMOG, SMOKE
- 04 RAIN
- 05 SLEET, HAIL (FREEZING RAIN OR DRIZZLE)
- 06 SNOW
- 07 SEVERE CROSSWINDS
- 08 BLOWING SAND, SOIL, DIRT, SNOW
- 09 OTHER
- 10 UNKNOWN

## LIGHT CONDITIONS

PP. BARK. S. B. C. G. A. P.

1

- 1 DAYLIGHT
- 2 DAWN
- 3 DUSK
- 4 DARK - LIGHTED HIGHWAY
- 5 DARK - NOT LIGHTED
- 6 DARK - UNKNOWN LIGHTING
- 7 CLARE
- 8 OTHER
- 9 UNKNOWN

## SCHOOL BUS RELATED

1

- 1 NO
- 2 YES, DIRECTLY INVOLVED
- 3 YES, INDIRECTLY INVOLVED
- 4 UNKNOWN

## WORK ZONE RELATED

1

- 1 NO
- 2 YES
- 3 UNKNOWN

## TYPE OF WORK ZONE

1

- 1 LANE CLOSURE
- 2 LANE SHIFT/ROAD WIDENING
- 3 WORK ON SHOULDER OR MEDIAN
- 4 INTERMITTENT MOVING WORK
- 5 OTHER

## LOCATION OF CRASH IN WORK ZONE

1


- 1 BEFORE FIRST WORK ZONE WARNING SIGN
- 2 ADVANCE WARNING AREA
- 3 TRANSITION AREA
- 4 ACTIVITY AREA

## WORKERS PRESENT

1

- 1 NO
- 2 YES
- 3 UNKNOWN

## Diagram



## Truck/Bus

UNIT #

1 2

THE CRASH INVOLVED ONE OR MORE OF THE FOLLOWING:

- A TRUCK (MOTOR VEHICLE) WITH A GVWR MORE THAN 10,000 POUNDS; OR
- A TRUCK (MOTOR VEHICLE) WITH A HAZARDOUS MATERIALS PLACARD; OR
- A BUS DESIGNED FOR AT LEAST 8 PERSONS, INCLUDING DRIVER.

AND

THE CRASH RESULTED IN ONE OR MORE OF THE FOLLOWING:

- A FATALITY; OR
- AN INJURY REQUIRING TRANSPORTATION FOR MEDICAL TREATMENT; OR
- AT LEAST ONE VEHICLE WAS TOWED DUE TO DISABLING DAMAGE OR REQUIRED INTERVENING ASSISTANCE BEFORE PROCEEDING UNDER ITS OWN POWER.

COMPANY (FROM SHIPPING PAPERS)

COMPANY PHONE

ADDRESS (STREET, CITY, ST, ZIP CODE)

US DOT

ICC MC

PUCO

TRAILER LP ST.

TRAILER LP YEAR

TRAILER LP #

PLACARD #

# DIA

## CARGO BODY TYPE

1

- 01 NOT APPLICABLE
- 02 BUS (15 INCLUDING DRIVER)
- 03 VAN/ENCLOSED BOX
- 04 GRABBER/SIDE RAMP

- 05 POLE
- 06 CARGO TANK
- 07 FLATBED
- 08 DUMP

- 09 CONCRETE MIXER
- 10 AUTO TRANSPORTER
- 11 CARGO/REFUSE
- 12 OTHER
- 13 UNKNOWN

## WEIGHT (GVWR)

- 1 LESS THAN 10,000
- 2 10,001 - 20,000
- 3 MORE THAN 20,000

## CDL CLASS

- 1 CLASS A
- 2 CLASS B
- 3 CLASS C
- 4 CLASS II
- 5 CLASS D

## HAZARDOUS MATERIALS PLACARD

- 1 NO
- 2 YES
- 3 UNKNOWN

## HAZARDOUS MATERIALS RELEASED

- 1 NO
- 2 YES
- 3 NOT APPLICABLE
- 4 UNKNOWN

## Police Action

DATE CRASH REPORTED

0 4 1 3 2 0 0 9

TIME REC CALL

1 3 1 5

DISPATCH

1 3 1 5

ARRIVED

1 3 2 6

CLEARED

1 4 4 5

OTHER

6 0

TOTAL MINUTES

0 1 5 0

OFFICER'S NAME \*

Sutton, Jerad

BADGE # \*

1 1 5 0

CHECKED BY

mlloyd

DATE REPORT FILED \*

0 4 1 7 2 0 0 9

REPORT TAKEN BY

1

- 1 POLICE AGENCY
- 2 MOTORIST

REPORT TAKEN AT

1

- 1 SCENE
- 2 STATION
- 3 OTHER

SUPPLEMENT \*  
\* IF YES

LOCAL REPORT # \*

(b) (6)

TOP COPY - COFS BOTTOM COPY - AG ENCY

CAD Incident Number -

(b) (6)

TA000102487

## OHIO TRAFFIC ACCIDENT - DIAGRAM/NARRATIVE CONTINUATION

OH-2 (REV. 1/82)

| LOCAL<br>REPORT<br>NUMBER<br><b>(b) (6)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | REPORTING<br>AGENCY<br>Ohio State Highway Patrol | DATE OF ACCIDENT<br>04/13/2009 |                         |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|--------------------------------|-------------------------|----|----|-------------|---|-------|-------|--------------------|---|-------|-------|---------------------|---|-------|------|----------------|---|-------|-------|----------------------|---|-------|-------|------------------------|---|-------|-------|-------------------------|---|-------|-------|-----------------------|---|--------|------|-------------------------|---|--------|-------|-----------------------|---|--------|------|------------------------|
| IN COUNTY OF<br>Ashtabula                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | ACCIDENT<br>LOCATION<br>SR0046                   |                                |                         |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| <p>Upon my arrival on scene I observed unit#2 with heavy front end damage. Unit#2 was against the east guardrail facing south in the north lan travel. The west guardrail had heavy damage from contact with unit#2.<br/>Unit#1 was moved from the scene prior to my arrival.</p> <p>Damage to unit#1: left front bumper</p> <p>The evidence at the crash scene and damage to unit#1 are not consistent. No contact damage was observed on unit#2 as a result of contact unit#1.</p> <p>Damage to unit#2: front bumper, grill, hood, both front fenders, windshield, and left rear bumper</p> <p>RP is: C.E.I. Pole# 557461<br/>From RP to Point "0" is 21-05<br/>Roadway is 25-09<br/>Point zero (Pt 0): Is located on the east fog line<br/>Baseline is the east fog line<br/>Measurements taken via: Roll-A-Tape<br/>Measurements are in feet-inches</p> <table border="1"><thead><tr><th>PT</th><th>AE</th><th>FE</th><th>DESCRIPTION</th></tr></thead><tbody><tr><td>A</td><td>31-02</td><td>11-06</td><td>Left rear skid U#2</td></tr><tr><td>B</td><td>51-09</td><td>14-11</td><td>Left front skid U#2</td></tr><tr><td>C</td><td>53-09</td><td>9-00</td><td>Unrelated mark</td></tr><tr><td>D</td><td>74-10</td><td>16-10</td><td>Right front skid U#2</td></tr><tr><td>E</td><td>79-05</td><td>22-06</td><td>Left skid off road U#2</td></tr><tr><td>F</td><td>92-08</td><td>22-00</td><td>Right skid off road U#2</td></tr><tr><td>G</td><td>96-03</td><td>25-05</td><td>U#2 strikes guardrail</td></tr><tr><td>H</td><td>126-05</td><td>5-09</td><td>Right front U#2 at rest</td></tr><tr><td>I</td><td>132-02</td><td>3-11E</td><td>U#2 strikes guardrail</td></tr><tr><td>J</td><td>135-00</td><td>1-07</td><td>Right rear U#2 at rest</td></tr></tbody></table> |                                                  |                                | PT                      | AE | FE | DESCRIPTION | A | 31-02 | 11-06 | Left rear skid U#2 | B | 51-09 | 14-11 | Left front skid U#2 | C | 53-09 | 9-00 | Unrelated mark | D | 74-10 | 16-10 | Right front skid U#2 | E | 79-05 | 22-06 | Left skid off road U#2 | F | 92-08 | 22-00 | Right skid off road U#2 | G | 96-03 | 25-05 | U#2 strikes guardrail | H | 126-05 | 5-09 | Right front U#2 at rest | I | 132-02 | 3-11E | U#2 strikes guardrail | J | 135-00 | 1-07 | Right rear U#2 at rest |
| PT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | AE                                               | FE                             | DESCRIPTION             |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 31-02                                            | 11-06                          | Left rear skid U#2      |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 51-09                                            | 14-11                          | Left front skid U#2     |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 53-09                                            | 9-00                           | Unrelated mark          |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 74-10                                            | 16-10                          | Right front skid U#2    |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 79-05                                            | 22-06                          | Left skid off road U#2  |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 92-08                                            | 22-00                          | Right skid off road U#2 |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| G                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 96-03                                            | 25-05                          | U#2 strikes guardrail   |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 126-05                                           | 5-09                           | Right front U#2 at rest |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| I                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 132-02                                           | 3-11E                          | U#2 strikes guardrail   |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| J                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 135-00                                           | 1-07                           | Right rear U#2 at rest  |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |
| OFFICERS SIGNATURE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                  | BADGE NO.<br>1150              |                         |    |    |             |   |       |       |                    |   |       |       |                     |   |       |      |                |   |       |       |                      |   |       |       |                        |   |       |       |                         |   |       |       |                       |   |        |      |                         |   |        |       |                       |   |        |      |                        |

HSY 7002


CAD Incident Number - **(b) (6)**

TA000102488

## OHIO TRAFFIC ACCIDENT - DIAGRAM/NARRATIVE CONTINUATION

OH-2 (REV. 1/82)

|                                             |                                                  |                                |
|---------------------------------------------|--------------------------------------------------|--------------------------------|
| LOCAL<br>REPORT<br>NUMBER<br><b>(b) (6)</b> | REPORTING<br>AGENCY<br>Ohio State Highway Patrol | DATE OF ACCIDENT<br>04/13/2009 |
| IN COUNTY OF<br>Ashtabula                   | ACCIDENT<br>LOCATION<br>SR0046                   |                                |



OFFICERS SIGNATURE

BADGE NO.

1150

HSY 7002

CAD Incident Number - **(b) (6)**

TA000102489



## OHIO TRAFFIC CRASH WITNESS STATEMENT

OH-3 REV 1/82

LOCAL  
REPORT  
NUMBER

(b) (6)

REPORTING  
AGENCY

Ohio State Highway Patrol

DATE OF CRASH  
04/13/2009

FOR LOCAL USE ONLY - DO NOT SUBMIT TO THE STATE EXCEPT FOR FATAL CRASHES

I, \_\_\_\_\_, \_\_\_\_\_ HEREBY MAKE THIS VOLUNTARY STATEMENT TO  
(PRINTED)

Sutton, Jerad

AT SR0046

(OFFICER'S NAME)

(LOCATION)

ADDRESS  
OF  
WITNESS

Jefferson, Ohio

PHONE

SIGNATURE  
OF  
WITNESS

OFFICER'S SIGNATURE

HSY 7003 1/82

CAD Incident Number - (b) (6)

TA000102490

## OHIO TRAFFIC CRASH WITNESS STATEMENT

OH-3 REV 1/82

|                           |         |                     |                           |               |            |
|---------------------------|---------|---------------------|---------------------------|---------------|------------|
| LOCAL<br>REPORT<br>NUMBER | (b) (6) | REPORTING<br>AGENCY | Ohio State Highway Patrol | DATE OF CRASH | 04/13/2009 |
|---------------------------|---------|---------------------|---------------------------|---------------|------------|

FOR LOCAL USE ONLY - DO NOT SUBMIT TO THE STATE EXCEPT FOR FATAL CRASHES

|                            |  |                                         |        |
|----------------------------|--|-----------------------------------------|--------|
| I, (b) (6)                 |  | HEREBY MAKE THIS VOLUNTARY STATEMENT TO |        |
| (PRINTED)                  |  |                                         |        |
| Sutton, Jerad              |  | AT                                      | SR0046 |
| (OFFICER'S NAME)           |  | (LOCATION)                              |        |
|                            |  |                                         |        |
| ADDRESS<br>OF<br>WITNESS   |  | PHONE                                   |        |
| (b) (6) Rome, Ohio (b) (6) |  | (b) (6)                                 |        |
| SIGNATURE<br>OF<br>WITNESS |  | OFFICER'S SIGNATURE                     |        |
|                            |  |                                         |        |

HSY 7003 1/82

CAD Incident Number - (b) (6)

TA000102491



(b) (6)



20090413



|                                       |                                       |                                 |
|---------------------------------------|---------------------------------------|---------------------------------|
| LOCAL REPORT NUMBER<br><b>(b) (6)</b> | REPORTING AGENCY<br>STATE HWY. PATROL | DATE OF CRASH<br>M 4 10 13 1989 |
|---------------------------------------|---------------------------------------|---------------------------------|

FOR LOCAL USE ONLY - DO NOT SUBMIT TO THE STATE EXCEPT FOR FATAL CRASHES

|                                                                                                  |
|--------------------------------------------------------------------------------------------------|
| I. <input checked="" type="checkbox"/> <b>[REDACTED]</b> HEREBY MAKE THIS VOLUNTARY STATEMENT TO |
| PRINTED<br>SGT. J. R. SUTTON                                                                     |
| OFFICER'S NAME                                                                                   |
| AT <b>[REDACTED]</b> LOCATION                                                                    |

I was leaving my house to go to BP. I WAS heading northbound on Rt. 46. I was going past the intersection of Rt. 46 and Dodgeville Rd. and seen a vehicle approaching from the East of Dodgeville and stop at the Stop Sign. I continued heading north and the vehicle pulled out in front of me. I Swerved to the west as hard as I could to avoid an accident but it was too late and I hit the guardrail on the west side of the road and my head hit the windshield and the next thing I knew I heard sirens. I did everything in my power to not hurt the person in the other vehicle.

Q: DID YOU HIT THE OTHER VEHICLE? / A: I DO NOT REMEMBER.

Q: HOW FAST WERE YOU TRAVELING? / A: ABOUT 50 MPH

Q: WAS THE OTHER VEHICLE IN YOUR LANE OF TRAVEL? / A: SHE WAS TURNING TO THE NORTH IN MY LANE WHEN I SWERVED.

Q: HOW FAR WERE YOU FROM THE INTERSECTION WHEN SHE PULLED OUT? / A: VERY CLOSE, JUST A FEW FEET

Q: WERE YOU WEARING YOUR SEATBELT? / A: NO

|                                                                    |                                           |
|--------------------------------------------------------------------|-------------------------------------------|
| ADDRESS OF WITNESS<br><b>[REDACTED]</b> Rome, OH <b>[REDACTED]</b> | PHONE<br><b>[REDACTED]</b>                |
| SIGNATURE OF WITNESS<br>X <b>[REDACTED]</b>                        | OFFICER'S SIGNATURE<br>X <i>JR Sutton</i> |



# TRAFFIC CRASH WITNESS STATEMENT

OH-3

|                                       |                                       |                                    |
|---------------------------------------|---------------------------------------|------------------------------------|
| LOCAL REPORT NUMBER<br><b>(b) (6)</b> | REPORTING AGENCY<br>STATE HWY. PATROL | DATE OF CRASH<br>M 4   D 13   Y 09 |
|---------------------------------------|---------------------------------------|------------------------------------|

FOR LOCAL USE ONLY - DO NOT SUBMIT TO THE STATE EXCEPT FOR FATAL CRASHES

I, [REDACTED] HEREBY MAKE THIS VOLUNTARY STATEMENT TO

PRINTED SGT. J. R. SUTTON AT NEW LYME SCAF 11204RS

LOOKED TO LEFT - no car - turned right  
- crash - Following up to Wright's phone  
for air changes

Q: ARE YOU INJURED?  
A: NO

Q: HOW FAST WERE YOU TRAVELING?  
A: ABOUT 10 TO 20 MPH, I WAS JUST PULLING OUT.

Q: DID YOU STOP AT THE STOP SIGN?  
A: YES

Q: WHEN DID YOU FIRST SEE THE RED CAR?  
A: WHEN WE CRASHED

Q: DID YOU FEEL THE IMPACT?  
A: NO

Q: WHAT DID YOU DO AFTER THE CRASH?  
A: I WENT OUT AND ASKED THE GUY IF HE WAS OK.

Q: WHERE WAS YOUR VEHICLE WHEN THE CRASH OCCURRED?  
A: I WAS ENTERING THE NORTH LANE OF SR 46.

ADDRESS OF WITNESS  
X [REDACTED]

PHONE  
[REDACTED]

SIGNATURE OF WITNESS  
X [REDACTED]

OFFICER'S SIGNATURE  
X [Signature]

HSY 7003 4/07

[Signature]

1 OF 1

## CDR File Information

|                            |                                      |
|----------------------------|--------------------------------------|
| User Entered VIN           | 1G1AK15F367                          |
| User                       | mrstee                               |
| Case Number                | 669903                               |
| EDR Data Imaging Date      | Wednesday, May 6 2009                |
| Crash Date                 | Monday, April 13 2009                |
| Filename                   | 1G1AK15F367.CDR                      |
| Saved on                   | Wednesday, May 6 2009 at 03:58:05 PM |
| Collected with CDR version | Crash Data Retrieval Tool 3.1.1      |
| Reported with CDR version  | Crash Data Retrieval Tool 3.1.1      |
| EDR Device Type            | airbag control module                |
| Event(s) recovered         | Non-Deployment                       |

**IMPORTANT NOTICE:** Robert Bosch LLC recommends that the latest production release of Crash Data Retrieval software be utilized when viewing, printing or exporting any retrieved data from within the CDR program. This ensures that the retrieved data has been translated using the most recent information including but not limited to that which was provided by the manufacturers of the vehicles supported in this product.

## Data Limitations

### Recorded Crash Events:

There are two types of recorded crash events. The first is the Non-Deployment Event. A Non-Deployment Event records data but does not deploy the air bag(s). The minimum SDM Recorded Vehicle Velocity Change, that is needed to record a Non-Deployment Event, is five MPH. A Non-Deployment Event contains Pre-Crash and Crash data. The SDM can store up to one Non-Deployment Event. This event can be overwritten by an event that has a greater SDM recorded vehicle velocity change. This event will be cleared by the SDM, after approximately 250 ignition cycles. This event can be overwritten by a second Deployment Event, referred to as Deployment Event #2, if the Non-Deployment Event is not locked. The data in the Non-Deployment Event file will be locked, if the Non-Deployment Event occurred within five seconds of a Deployment Event. A locked Non Deployment Event cannot be overwritten or cleared by the SDM.

The second type of SDM recorded crash event is the Deployment Event. It also contains Pre-Crash and Crash data. The SDM can store up to two different Deployment Events. If a second Deployment Event occurs any time after the Deployment Event, the Deployment Event #2 will overwrite any non-locked Non-Deployment Event. Deployment Events cannot be overwritten or cleared by the SDM. Once the SDM has deployed an air bag, the SDM must be replaced.

### Data:

-SDM Recorded Vehicle Velocity Change reflects the change in velocity that the sensing system experienced during the recorded portion of the event. SDM Recorded Vehicle Velocity Change is the change in velocity during the recording time and is not the speed the vehicle was traveling before the event, and is also not the Barrier Equivalent Velocity. For Deployment Events, the SDM will record 220 milliseconds of data after deployment criteria is met and up to 70 milliseconds before deployment criteria is met. For Non-Deployment Events, the SDM can record up to the first 300 milliseconds of data after algorithm enable. Velocity Change data is displayed in SAE sign convention.

-Maximum Recorded Vehicle Velocity Change is the maximum square root value of the sum of the squares for the vehicle's combined "X" and "Y" axis change in velocity.

-Event Recording Complete will indicate if data from the recorded event has been fully written to the SDM memory or if it has been interrupted and not fully written.

-SDM Recorded Vehicle Speed accuracy can be affected by various factors, including but not limited to the following:

- significant changes in the tire's rolling radius
- final drive axle ratio changes
- wheel lockup and wheel slip

-Brake Switch Circuit Status indicates the open/closed state of the brake switch circuit.

-Pre-Crash data is recorded asynchronously.

-Pre-Crash Electronic Data Validity Check Status indicates "Data Invalid" if:

- the SDM receives a message with an "invalid" flag from the module sending the pre-crash data
- no data is received from the module sending the pre-crash data
- no module is present to send the pre-crash data

-Driver's and Passenger's Belt Switch Circuit Status indicates the status of the seat belt switch circuit, except: The Passenger Belt Switch Circuit Status for 2005 vehicles is available only on the Cadillac STS. The Passenger Belt Switch Circuit Status for 2006 Chevrolet Cobalt Sport Coupe (AP) model vehicles, with the option package that includes Recaro brand seats (RPO ALV), always reports a default value of "Buckled," because there is no passenger belt switch with the Recaro seat option.

-The Time Between Non-Deployment to Deployment Events is displayed in seconds. If the time between the two events is greater than five seconds, "N/A" is displayed in place of the time. If the value is negative, then the Deployment Event occurred first. If the value is positive, then the Non-Deployment Event occurred first.

-If power to the SDM is lost during a crash event, all or part of the crash record may not be recorded.

-The ignition cycle counter relies upon the transitions through OFF->RUN->CRANK power-moding messages, on the GMLAN communication bus, to increment the counter. Applying and removing of battery power to the module will not increment the ignition counter.

-Steering Wheel Angle data is displayed as a positive value when the steering wheel is turned to the right and a negative value

1G1AK15F367

Page 1 of 11

Printed on: Wednesday, May 6 2009 at 04:01:47 PM



when the steering wheel is turned to the left, except for Cadillac STS model vehicles with StabiliTrak 3.0 systems (RPO JL7). For Cadillac STS model vehicles with StabiliTrak 3.0 systems (RPO JL7), when the steering wheel is turned to the right, a negative value will be displayed and when the steering wheel is turned to the left, a positive value will be displayed. The Steering Wheel Angle data is reported in 16 degree increments.

**Data Source:**

All SDM recorded data is measured, calculated, and stored internally, except for the following:

- Vehicle Status Data (Pre-Crash) is transmitted to the SDM, by various vehicle control modules, via the vehicle's communication network.
- The Belt Switch Circuit is wired directly to the SDM.

### Multiple Event Data

|                                                         |     |
|---------------------------------------------------------|-----|
| Associated Events Not Recorded                          | 1   |
| An Event(s) Preceded the Recorded Event(s)              | No  |
| An Event(s) was in Between the Recorded Event(s)        | No  |
| An Event(s) Followed the Recorded Event(s)              | Yes |
| The Event(s) Not Recorded was a Deployment Event(s)     | No  |
| The Event(s) Not Recorded was a Non-Deployment Event(s) | Yes |

### System Status At AE

|                                              |             |          |
|----------------------------------------------|-------------|----------|
| Vehicle Identification Number                | **1AK15F*6* | (b) (6)  |
| Low Tire Pressure Warning Lamp (If Equipped) |             | Invalid  |
| Vehicle Power Mode Status                    |             | Run      |
| Remote Start Status (If Equipped)            |             | Inactive |
| Run/Crank Ignition Switch Logic Level        |             | Active   |
| Brake System Warning Lamp (If Equipped)      |             | OFF      |

### System Status At 1 second

|                                                   |             |
|---------------------------------------------------|-------------|
| Transmission Range (If Equipped)                  | Fourth Gear |
| Transmission Selector Position (If Equipped)      | Fourth Gear |
| Traction Control System Active (If Equipped)      | Invalid     |
| Service Engine Soon (Non-Emission Related) Lamp   | OFF         |
| Service Vehicle Soon Lamp                         | OFF         |
| Outside Air Temperature (degrees F) (If Equipped) | 42          |
| Left Front Door Status (If Equipped)              | Closed      |
| Right Front Door Status (If Equipped)             | Closed      |
| Left Rear Door Status (If Equipped)               | Unused      |
| Right Rear Door Status (If Equipped)              | Unused      |
| Rear Door(s) Status (If Equipped)                 | Closed      |

### Pre-crash data

| Parameter                                         | -2 sec  | -1 sec  |
|---------------------------------------------------|---------|---------|
| Reduced Engine Power Mode                         | OFF     | OFF     |
| Cruise Control Active (If Equipped)               | Invalid | Invalid |
| Cruise Control Resume Switch Active (If Equipped) | Invalid | Invalid |
| Cruise Control Set Switch Active (If Equipped)    | Invalid | Invalid |


### Pre-Crash Data

| Parameter                                                | -5 sec  | -4 sec  | -3 sec  | -2 sec  | -1 sec  |
|----------------------------------------------------------|---------|---------|---------|---------|---------|
| Vehicle Speed (MPH)                                      | 58      | 58      | 58      | 59      | 53      |
| Engine Speed (RPM)                                       | 2112    | 2048    | 2048    | 2048    | 1792    |
| Percent Throttle Accelerator Pedal Position (percent)    | 43      | 43      | 43      | 43      | 15      |
| Antilock Brake System Active (If Equipped)               | 21      | 21      | 20      | 21      | 0       |
| Lateral Acceleration (feet/s <sup>2</sup> )(If Equipped) | Invalid | Invalid | Invalid | Invalid | Invalid |
| Yaw Rate (degrees per second) (If Equipped)              | Invalid | Invalid | Invalid | Invalid | Invalid |
| Steering Wheel Angle (degrees) (If Equipped)             | Invalid | Invalid | Invalid | Invalid | Invalid |
|                                                          | 0       | 0       | 0       | 0       | 0       |

| Parameter                                           | -5 sec  | -4 sec  | -3 sec  | -2 sec  | -1 sec  |
|-----------------------------------------------------|---------|---------|---------|---------|---------|
| Vehicle Dynamics<br>Control Active (If<br>Equipped) | Invalid | Invalid | Invalid | Invalid | Invalid |


## System Status At Non-Deployment

|                                                                       |                    |
|-----------------------------------------------------------------------|--------------------|
| Ignition Cycles At Investigation                                      | 4845               |
| SIR Warning Lamp Status                                               | OFF                |
| SIR Warning Lamp ON/OFF Time (seconds)                                | 655200             |
| Number of Ignition Cycles SIR Warning Lamp was ON/OFF Continuously    | 1672               |
| Ignition Cycles At Event                                              | 4845               |
| Ignition Cycles Since DTCs Were Last Cleared                          | 254                |
| Driver's Belt Switch Circuit Status                                   | UNBUCKLED          |
| Passenger's Belt Switch Circuit Status                                | UNBUCKLED          |
| Automatic Passenger SIR Suppression System Validity Status            | Valid              |
| Automatic Passenger SIR Suppression System Status                     | Air Bag Suppressed |
| Diagnostic Trouble Codes at Event, fault number: 1                    | N/A                |
| Diagnostic Trouble Codes at Event, fault number: 2                    | N/A                |
| Diagnostic Trouble Codes at Event, fault number: 3                    | N/A                |
| Diagnostic Trouble Codes at Event, fault number: 4                    | N/A                |
| Diagnostic Trouble Codes at Event, fault number: 5                    | N/A                |
| Diagnostic Trouble Codes at Event, fault number: 6                    | N/A                |
| Maximum SDM Recorded Velocity Change (MPH)                            | 26.47              |
| Algorithm Enable to Maximum SDM Recorded Velocity Change (msec)       | 330                |
| Driver First Stage Deployment Loop Commanded                          | No                 |
| Driver Second Stage Deployment Loop Commanded                         | No                 |
| Driver Side Deployment Loop Commanded                                 | No                 |
| Driver Pretensioner Deployment Loop Commanded                         | No                 |
| Driver (Initiator 1) Roof Rail/Head Curtain Loop Commanded            | No                 |
| Driver (Initiator 2) Roof Rail/Head Curtain Loop Commanded            | No                 |
| Driver Knee Deployment Loop Commanded                                 | No                 |
| Passenger First Stage Deployment Loop Commanded                       | No                 |
| Passenger Second Stage Deployment Loop Commanded                      | No                 |
| Passenger Side Deployment Loop Commanded                              | No                 |
| Passenger Pretensioner Deployment Loop Commanded                      | No                 |
| Passenger (Initiator 1) Roof Rail/Head Curtain Loop Commanded         | No                 |
| Passenger (Initiator 2) Roof Rail/Head Curtain Loop Commanded         | No                 |
| Passenger Knee Deployment Loop Commanded                              | No                 |
| Driver Anchor Pretensioner Deployment Loop Commanded (If Equipped)    | No                 |
| Second Row Left Pretensioner Deployment Loop Commanded                | No                 |
| Third Row Left Roof Rail/Head Curtain Loop Commanded                  | No                 |
| Passenger Anchor Pretensioner Deployment Loop Commanded (If Equipped) | No                 |
| Second Row Right Pretensioner Deployment Loop Commanded               | No                 |
| Third Row Right Roof Rail/Head Curtain Loop Commanded                 | No                 |
| Second Row Center Pretensioner Deployment Loop Commanded              | No                 |
| Crash Record Locked                                                   | No                 |
| Vehicle Event Data (Pre-Crash) Associated With This Event             | Yes                |
| Deployment Event Recorded in the Non-Deployment Record                | No                 |
| Event Recording Complete                                              | Yes                |



|                                                      |      |      |       |       |       |       |       |       |       |       |       |       |       |        |        |
|------------------------------------------------------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|
| Time (milliseconds)                                  | 10   | 20   | 30    | 40    | 50    | 60    | 70    | 80    | 90    | 100   | 110   | 120   | 130   | 140    | 150    |
| SDM Longitudinal Axis Recorded Velocity Change (MPH) | 0.00 | 0.00 | -0.68 | -1.36 | -2.03 | -2.71 | -3.39 | -3.39 | -4.74 | -5.42 | -6.10 | -6.78 | -8.81 | -10.17 | -11.52 |

|                                                      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Time (milliseconds)                                  | 160    | 170    | 180    | 190    | 200    | 210    | 220    | 230    | 240    | 250    | 260    | 270    | 280    | 290    | 300    |
| SDM Longitudinal Axis Recorded Velocity Change (MPH) | -12.88 | -13.56 | -15.59 | -16.27 | -16.95 | -18.30 | -18.98 | -19.66 | -20.34 | -21.69 | -22.37 | -23.05 | -23.72 | -23.72 | -24.40 |



|                                                 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |       |
|-------------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| Time (milliseconds)                             | 10   | 20   | 30   | 40   | 50   | 60   | 70   | 80   | 90   | 100  | 110  | 120  | 130  | 140  | 150   |
| SDM Lateral Axis Recorded Velocity Change (MPH) | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.68 | 0.68 | 0.00 | 0.00 | 0.00 | -0.68 |

|                                                 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Time (milliseconds)                             | 160   | 170   | 180   | 190   | 200   | 210   | 220   | 230   | 240   | 250   | 260   | 270   | 280   | 290   | 300   |
| SDM Lateral Axis Recorded Velocity Change (MPH) | -0.68 | -1.36 | -2.03 | -2.03 | -2.71 | -3.39 | -3.39 | -3.39 | -4.07 | -4.07 | -4.74 | -4.74 | -4.74 | -5.42 | -5.42 |

## Hexadecimal Data

Data that the vehicle manufacturer has specified for data retrieval is shown in the hexadecimal data section of the CDR report. The hexadecimal data section of the CDR report may contain data that is not translated by the CDR program. The control module contains additional data that is not retrievable by the CDR system.

```
$01 68 00 00 00 00 00 00
$02 00 00 00 00 00 00 00
$03 01 00 00 00 00 00 00
$04 00 00 00 00 00 00 00
$05 80 00 00 00 00 00 00
$06 00 4A 00 00 19 90 11
$07 00 89 00 00 00 00 00
$08 00 FF 00 00 00 00 00
$09 00 00 00 00 00 00 00
$0A 00 00 00 00 00 00 00
$0B 00 00 0F 0F 03 00 00
$0C 00 00 00 00 00 00 00
$0D 00 00 00 00 00 00 00
$0E 00 00 00 00 00 00 00
$0F 00 00 00 00 00 00 00
$10 47 31 41 4B 31 35 46
$11 33 36 37 38 35 39 35
$12 33 31 00 00 00 00 00
$13 00 00 00 00 00 00 00
$14 00 00 00 00 00 00 00
$15 00 00 00 00 00 00 00
$16 03 06 0C 16 34 00 00
$17 00 00 00 00 00 00 00
$18 00 00 00 00 00 00 00
$19 00 00 00 00 00 00 00
$1B 3F 00 00 67 00 7A 00
$1C 3F 00 00 02 00 1A 00
$1D 00 00 00 00 00 00 00
$1E 00 00 00 00 00 00 00
$1F 28 00 00 00 00 00 00
$20 40 00 00 00 00 00 00
$21 00 00 00 00 F0 00 00
$22 00 91 00 00 00 00 00
$24 00 00 00 00 00 00 00
$25 00 00 00 00 00 00 00
$26 00 00 00 00 00 00 00
$27 FF 00 FF 00 00 00 00
$2A 00 00 00 00 00 00 00
$2B 00 00 00 00 00 00 00
$2D 00 00 00 00 00 00 00
$2E 00 FF F0 06 88 00 00
$2F 00 FE 12 ED 00 00 00
$30 9D 00 00 00 00 00 00
$31 00 35 34 36 35 00 00
$32 00 00 00 80 00 00 00
$33 27 6E 6D 6E 6E 00 00
$34 1C 20 20 20 21 00 00
$35 55 5F 5E 5E 5E 00 00
$36 00 00 00 00 00 00 00
$37 00 00 00 04 04 00 E2
$38 5B 00 00 00 03 C0 00
$39 00 00 00 00 00 80 00
$3A 00 00 00 00 00 80 00
$3B 03 06 0C 00 00 00 00
$3C 00 00 00 00 00 00 C0
$3D 31 41 4B 31 35 46 00
```



```

$3E 36 85 95 31 00 00 00
$3F 29 00 90 00 00 00 00
$40 20 A5 00 00 00 00 00
$41 00 00 00 00 00 00 00
$42 00 FF F0 06 88 00 00
$43 FE 12 ED 00 00 00 00
$44 00 00 00 00 00 00 00
$45 00 00 00 00 00 00 00
$46 00 00 00 00 00 00 00
$47 00 00 00 00 00 FF 00
$48 00 FE 00 FD 00 FC 00
$49 00 FB 00 FB 00 F9 00
$4A 01 F8 01 F7 00 F6 00
$4B 00 F3 00 F1 FF EF 00
$4C FF ED FE EC FD E9 00
$4D FD E8 FC E7 FB E5 00
$4E FB E4 FB E3 FA E2 00
$4F FA E0 F9 DF F9 DE 00
$50 F9 DD F8 DD F8 DC 00
$51 50 00 00 00 00 00 00
$52 00 00 00 00 00 00 00
$53 21 05 F5 00 00 00 00
$54 00 00 00 00 00 00 00
$55 00 00 00 00 00 00 00
$67 00 00 00 00 00 00 00
$68 F8 F8 90 C0 00 00 00
$69 80 FF FF FF FF 00 00
$6A FF FF FF 00 00 00 00
$6B FF FF FF FF FF FF 00
$6C FF FF FF FF FF FF 00
$6D FF FF FF FF FF FF 00
$6E FF FF FF FF FF FF 00
$6F FF FF FF FF FF FF 00
$70 FF FF FF FF FF FF 00
$71 FF FF FF FF FF FF 00
$72 FF FF FF FF FF FF 00
$73 FF FF FF FF FF FF 00
$74 FF FF FF FF FF FF 00
$75 FF FF FF FF FF FF 00
$76 FF FF FF FF FF FF 00
$77 FF FF FF FF FF FF 00
$78 F0 00 00 F0 00 00 00
$79 81 FF FF FF 00 00 00
$7A 82 FF FF 00 00 00 00
$7B FF FF FF FF FF FF 00

```

```

$01 41 55 01 02 03 04 52 53 41 32 03 09 01 AA AA 01
$02 01 02 03 04
$03 41 54 01 02 03 04 52 53 41 32 03 09 01 AA AA 01
$04 01 02 03 04
$05 42 55 FF FF FF FF FF FF FF FF FF FF FF FF FF
$06 FF FF FF FF
$07 42 54 FF FF FF FF FF FF FF FF FF FF FF FF FF
$08 FF FF FF FF
$0D 41 48 32 39 35 31 52 36 30 35 31 31 37 52 56 4C
$0E 01 5A 4B 31
$0F 41 4A 01 02 03 04 52 45 41 32 30 32 33 30 30 30
$10 01 02 03 04
$13 42 52 30 31 33 34 56 31 06 30 39 38 4B 55 33 55
$14 01 5A 74 02
$17 42 54 FF FF FF FF FF FF FF FF FF FF FF FF FF
$18 FF FF FF FF
$21 33 19 2A B4 E6 87 91 9A
$22 90 11
$23 31 41 FA FA FA FA FA
$24 31 41 FA FA FA FA FA
$25 32 41 FA FA FA FA FA

```

```

$26 32 41 FA FA FA FA FA
$40 00 00
$41 3F 00 00 02 00 1A
$42 F0 C4
$43 00 00 8E 80
$44 C6 00 00 FC C0 C0
$45 07 01 07 01 05 01
$46 FF 1A 1A 64 64
$47 0A 64 06 04 04 05 0A 06 04 0A 00 00 FA 00 00 FF 04 64
$48 18 08 08
$B0 58
$B1 FD FE 00
$B2 FF FF FF FF FF
$B4 41 53 39 30 31 31 32 31 36 33 41 4B 20 20 20 20
$B7 50 AA 04 0F 03
$B8 41 57 68 09 19
$C1 30 46 30 33
$CA 30 46 30 33
$CB 01 5A D1 33
$CC 01 5A D1 33
$D1 00 00
$DB 00 00
$DC 00 00

```

## Comments

Location: IAA 1601 Thrailkill Grove City OH  
Connected through SIR fuse  
external power to positive post  
odometer 49067  
Sir lamp no flash "ON"

## Disclaimer of Liability

The users of the CDR product and reviewers of the CDR reports and exported data shall ensure that data and information supplied is applicable to the vehicle, vehicle's system(s) and the vehicle ECU. Robert Bosch LLC and all its directors, officers, employees and members shall not be liable for damages arising out of or related to incorrect, incomplete or misinterpreted software and/or data. Robert Bosch LLC expressly excludes all liability for incidental, consequential, special or punitive damages arising from or related to the CDR data, CDR software or use thereof.

## CDR File Information

|                            |                                      |
|----------------------------|--------------------------------------|
| User Entered VIN           | 1G1AK15F367                          |
| User                       | mrstee                               |
| Case Number                | 669903                               |
| EDR Data Imaging Date      | Wednesday, May 6 2009                |
| Crash Date                 | Monday, April 13 2009                |
| Filename                   | 1G1AK15F367 CDR                      |
| Saved on                   | Wednesday, May 6 2009 at 03:58:05 PM |
| Collected with CDR version | Crash Data Retrieval Tool 3.1.1      |
| Reported with CDR version  | Crash Data Retrieval Tool 3.1.1      |
| EDR Device Type            | airbag control module                |
| Event(s) recovered         | Non-Deployment                       |

**IMPORTANT NOTICE:** Robert Bosch LLC recommends that the latest production release of Crash Data Retrieval software be utilized when viewing, printing or exporting any retrieved data from within the CDR program. This ensures that the retrieved data has been translated using the most recent information including but not limited to that which was provided by the manufacturers of the vehicles supported in this product.

## Data Limitations

### Recorded Crash Events:

There are two types of recorded crash events. The first is the Non-Deployment Event. A Non-Deployment Event records data but does not deploy the air bag(s). The minimum SDM Recorded Vehicle Velocity Change, that is needed to record a Non-Deployment Event, is five MPH. A Non-Deployment Event contains Pre-Crash and Crash data. The SDM can store up to one Non-Deployment Event. This event can be overwritten by an event that has a greater SDM recorded vehicle velocity change. This event will be cleared by the SDM, after approximately 250 ignition cycles. This event can be overwritten by a second Deployment Event, referred to as Deployment Event #2, if the Non-Deployment Event is not locked. The data in the Non-Deployment Event file will be locked, if the Non-Deployment Event occurred within five seconds of a Deployment Event. A locked Non Deployment Event cannot be overwritten or cleared by the SDM. The second type of SDM recorded crash event is the Deployment Event. It also contains Pre-Crash and Crash data. The SDM can store up to two different Deployment Events. If a second Deployment Event occurs any time after the Deployment Event, the Deployment Event #2 will overwrite any non-locked Non-Deployment Event. Deployment Events cannot be overwritten or cleared by the SDM. Once the SDM has deployed an air bag, the SDM must be replaced.

### Data:

- SDM Recorded Vehicle Velocity Change reflects the change in velocity that the sensing system experienced during the recorded portion of the event. SDM Recorded Vehicle Velocity Change is the change in velocity during the recording time and is not the speed the vehicle was traveling before the event, and is also not the Barrier Equivalent Velocity. For Deployment Events, the SDM will record 220 milliseconds of data after deployment criteria is met and up to 70 milliseconds before deployment criteria is met. For Non-Deployment Events, the SDM can record up to the first 300 milliseconds of data after algorithm enable. Velocity Change data is displayed in SAE sign convention.
- Maximum Recorded Vehicle Velocity Change is the maximum square root value of the sum of the squares for the vehicle's combined "X" and "Y" axis change in velocity.
- Event Recording Complete will indicate if data from the recorded event has been fully written to the SDM memory or if it has been interrupted and not fully written.
- SDM Recorded Vehicle Speed accuracy can be affected by various factors, including but not limited to the following:
  - significant changes in the tire's rolling radius
  - final drive axle ratio changes
  - wheel lockup and wheel slip
- Brake Switch Circuit Status indicates the open/closed state of the brake switch circuit.
- Pre-Crash data is recorded asynchronously.
- Pre-Crash Electronic Data Validity Check Status indicates "Data Invalid" if:
  - the SDM receives a message with an "invalid" flag from the module sending the pre-crash data
  - no data is received from the module sending the pre-crash data
  - no module is present to send the pre-crash data

-Driver's and Passenger's Belt Switch Circuit Status indicates the status of the seat belt switch circuit, except: The Passenger Belt Switch Circuit Status for 2005 vehicles is available only on the Cadillac STS. The Passenger Belt Switch Circuit Status for 2006 Chevrolet Cobalt Sport Coupe (AP) model vehicles, with the option package that includes Recaro brand seats (RPO ALV), always

reports a default value of "Buckled," because there is no passenger belt switch with the Recaro seat option.

-The Time Between Non-Deployment to Deployment Events is displayed in seconds. If the time between the two events is greater than five seconds, "N/A" is displayed in place of the time. If the value is negative, then the Deployment Event occurred first. If the value is positive, then the Non-Deployment Event occurred first.

-If power to the SDM is lost during a crash event, all or part of the crash record may not be recorded.

-The ignition cycle counter relies upon the transitions through OFF->RUN->CRANK power-moding messages, on the GMLAN communication bus, to increment the counter. Applying and removing of battery power to the module will not increment the ignition counter.

-Steering Wheel Angle data is displayed as a positive value when the steering wheel is turned to the right and a negative value when the steering wheel is turned to the left, except for Cadillac STS model vehicles with StabiliTrak 3.0 systems (RPO JL7). For Cadillac STS model vehicles with StabiliTrak 3.0 systems (RPO JL7), when the steering wheel is turned to the right, a negative value will be displayed and when the steering wheel is turned to the left, a positive value will be displayed. The Steering Wheel Angle data is reported in 16 degree increments.

**Data Source:**

All SDM recorded data is measured, calculated, and stored internally, except for the following:

-Vehicle Status Data (Pre-Crash) is transmitted to the SDM, by various vehicle control modules, via the vehicle's communication network.

-The Belt Switch Circuit is wired directly to the SDM.

**Ignition Data**

| Data Location       | Data Value (Hex) | Parameter Descriptor             | Translated Value | Units  |
|---------------------|------------------|----------------------------------|------------------|--------|
| DPID \$2F Bytes 3-4 | \$12ED           | Ignition Cycles at Investigation | 4845             | cycles |

# Vehicle Status Data (Pre-Crash)

| Data Location          | Data Value (Hex) | Parameter Descriptor                                     | Translated Value | Units           |
|------------------------|------------------|----------------------------------------------------------|------------------|-----------------|
| DPID Pack \$31 Byte 1  | \$00             | Accelerator Pedal Position (-1 sec)                      | 0                | % full throttle |
| DPID Pack \$31 Byte 2  | \$35             | Accelerator Pedal Position (-2 sec)                      | 21               | % full throttle |
| DPID Pack \$31 Byte 3  | \$34             | Accelerator Pedal Position (-3 sec)                      | 20               | % full throttle |
| DPID Pack \$31 Byte 4  | \$36             | Accelerator Pedal Position (-4 sec)                      | 21               | % full throttle |
| DPID Pack \$31 Byte 5  | \$35             | Accelerator Pedal Position (-5 sec)                      | 21               | % full throttle |
| DPID \$31 Byte 6 bit 7 | \$00             | Accelerator Pedal Position Validity Status               | Valid            |                 |
| DPID \$32 Byte 1 bit 7 | \$00             | Brake Switch State (-1 sec)                              | OFF              |                 |
| DPID \$32 Byte 1 bit 6 | \$00             | Brake Switch State (-2 sec)                              | OFF              |                 |
| DPID \$32 Byte 1 bit 5 | \$00             | Brake Switch State (-3 sec)                              | OFF              |                 |
| DPID \$32 Byte 1 bit 4 | \$00             | Brake Switch State (-4 sec)                              | OFF              |                 |
| DPID \$32 Byte 1 bit 3 | \$00             | Brake Switch State (-5 sec)                              | OFF              |                 |
| DPID \$32 Byte 2 bit 7 | \$00             | Brake Switch State Validity Status                       | Valid            |                 |
| DPID \$32 Byte 3 bit 7 | \$00             | Cruise Control Active (-1 sec) If Equipped               | No               |                 |
| DPID \$32 Byte 3 bit 6 | \$00             | Cruise Control Active (-2 sec) If Equipped               | No               |                 |
| DPID \$32 Byte 3 bit 5 | \$00             | Cruise Control Resume Switch Active (-1 sec) If Equipped | No               |                 |
| DPID \$32 Byte 3 bit 4 | \$00             | Cruise Control Resume Switch Active (-2 sec) If Equipped | No               |                 |
| DPID \$32 Byte 3 bit 3 | \$00             | Cruise Control Set Switch Active (-1 sec) If Equipped    | No               |                 |
| DPID \$32 Byte 3 bit 2 | \$00             | Cruise Control Set Switch Active (-2 sec) If Equipped    | No               |                 |
| DPID \$32 Byte 3 bit 1 | \$00             | Reduced Engine Power Mode (-1sec)                        | OFF              |                 |
| DPID \$32 Byte 3 bit 0 | \$00             | Reduced Engine Power Mode (-2sec)                        | OFF              |                 |
| DPID \$32 Byte 4 bit 7 | \$80             | Cruise Control Active Validity Status If Equipped        | Invalid          |                 |
| DPID \$33 Byte 1       | \$27             | Throttle Position (-1 sec)                               | 15               | % full throttle |
| DPID \$33 Byte 2       | \$6E             | Throttle Position (-2 sec)                               | 43               | % full throttle |
| DPID \$33 Byte 3       | \$6D             | Throttle Position (-3 sec)                               | 43               | % full throttle |
| DPID \$33 Byte 4       | \$6E             | Throttle Position (-4 sec)                               | 43               | % full throttle |
| DPID \$33 Byte 5       | \$6E             | Throttle Position (-5 sec)                               | 43               | % full throttle |
| DPID \$33 Byte 6 bit 7 | \$00             | Throttle Position Validity Status                        | Valid            |                 |



| Data Location             | Data Value (Hex) | Parameter Descriptor                                        | Translated Value | Units   |
|---------------------------|------------------|-------------------------------------------------------------|------------------|---------|
| DPID \$34 Byte 1          | \$1C             | Engine Speed (-1 sec)                                       | 1792             | RPM     |
| DPID \$34 Byte 2          | \$20             | Engine Speed (-2 sec)                                       | 2048             | RPM     |
| DPID \$34 Byte 3          | \$20             | Engine Speed (-3 sec)                                       | 2048             | RPM     |
| DPID \$34 Byte 4          | \$20             | Engine Speed (-4 sec)                                       | 2048             | RPM     |
| DPID \$34 Byte 5          | \$21             | Engine Speed (-5 sec)                                       | 2112             | RPM     |
| DPID \$34 Byte 6 bit 7    | \$00             | Engine Speed Validity Status                                | Valid            |         |
| DPID \$35 Byte 1          | \$55             | Vehicle Speed (-1 sec)                                      | 53               | MPH     |
| DPID \$35 Byte 2          | \$5F             | Vehicle Speed (-2 sec)                                      | 59               | MPH     |
| DPID \$35 Byte 3          | \$5E             | Vehicle Speed (-3 sec)                                      | 58               | MPH     |
| DPID \$35 Byte 4          | \$5E             | Vehicle Speed (-4 sec)                                      | 58               | MPH     |
| DPID \$35 Byte 5          | \$5E             | Vehicle Speed (-5 sec)                                      | 58               | MPH     |
| DPID \$35 Byte 6 bit 7    | \$00             | Vehicle Speed Validity Status                               | Valid            |         |
| DPID \$36 Byte 1          | \$00             | Steering Wheel Angle (-1 sec) If Equipped                   | 0                | degrees |
| DPID \$36 Byte 2          | \$00             | Steering Wheel Angle (-2 sec) If Equipped                   | 0                | degrees |
| DPID \$36 Byte 3          | \$00             | Steering Wheel Angle (-3 sec) If Equipped                   | 0                | degrees |
| DPID \$36 Byte 4          | \$00             | Steering Wheel Angle (-4 sec) If Equipped                   | 0                | degrees |
| DPID \$36 Byte 5          | \$00             | Steering Wheel Angle (-5 sec) If Equipped                   | 0                | degrees |
| DPID \$36 Byte 6 bit 7    | \$00             | Steering Wheel Angle Validity Status If Equipped            | Valid            |         |
| DPID \$37 Byte 1 bit 7    | \$00             | Antilock Brake System Active (-1 sec) If Equipped           | No               |         |
| DPID \$37 Byte 1 bit 6    | \$00             | Antilock Brake System Active (-2 sec) If Equipped           | No               |         |
| DPID \$37 Byte 1 bit 5    | \$00             | Antilock Brake System Active (-3 sec) If Equipped           | No               |         |
| DPID \$37 Byte 1 bit 4    | \$00             | Antilock Brake System Active (-4 sec) If Equipped           | No               |         |
| DPID \$37 Byte 1 bit 3    | \$00             | Antilock Brake System Active (-5 sec) If Equipped           | No               |         |
| DPID \$37 Byte 2 bit 7    | \$00             | Traction Control System Active (-1 sec) If Equipped         | No               |         |
| DPID \$37 Byte 3 bit 7    | \$00             | Vehicle Dynamics Control Active (-1 sec) If Equipped        | No               |         |
| DPID \$37 Byte 3 bit 6    | \$00             | Vehicle Dynamics Control Active (-2 sec) If Equipped        | No               |         |
| DPID \$37 Byte 3 bit 5    | \$00             | Vehicle Dynamics Control Active (-3 sec) If Equipped        | No               |         |
| DPID \$37 Byte 3 bit 4    | \$00             | Vehicle Dynamics Control Active (-4 sec) If Equipped        | No               |         |
| DPID \$37 Byte 3 bit 3    | \$00             | Vehicle Dynamics Control Active (-5 sec) If Equipped        | No               |         |
| DPID \$37 Byte 4 bits 3-0 | \$04             | Transmission Range (-1 sec) If Equipped                     | Fourth Gear      |         |
| DPID \$37 Byte 5 bits 3-0 | \$04             | Transmission Selector Position (-1 sec) If Equipped         | Fourth Gear      |         |
| DPID \$37 Byte 6 bit 7    | \$00             | Service Engine Soon (Non-Emission Related) Lamp (1 sec)     | OFF              |         |
| DPID \$37 Byte 6 bit 6    | \$00             | Service Vehicle Soon Lamp (1 sec)                           | OFF              |         |
| DPID \$37 Byte 6 bit 3    | \$00             | Brake System Warning Lamp If Equipped                       | OFF              |         |
| DPID \$37 Byte 6 bit 1    | \$00             | Low Tire Pressure Warning Lamp If Equipped                  | OFF              |         |
| DPID \$37 Byte 7 bit 7    | \$E2             | Antilock Brake System Active Validity Status If Equipped    | Invalid          |         |
| DPID \$37 Byte 7 bit 6    | \$E2             | Traction Control System Active Validity Status If Equipped  | Invalid          |         |
| DPID \$37 Byte 7 bit 5    | \$E2             | Vehicle Dynamics Control Active Validity Status If Equipped | Invalid          |         |
| DPID \$37 Byte 7 bit 4    | \$E2             | Transmission Range Validity Status If Equipped              | Valid            |         |
| DPID \$37 Byte 7 bit 3    | \$E2             | Transmission Selector Position Validity Status If Equipped  | Valid            |         |

| Data Location             | Data Value (Hex) | Parameter Descriptor                                         | Translated Value | Units                 |
|---------------------------|------------------|--------------------------------------------------------------|------------------|-----------------------|
| DPID \$37 Byte 7 bit 2    | \$E2             | Service Engine Soon (Non-Emission Related) / Service Vehicle | Valid            |                       |
|                           |                  | Soon Lamp Validity Status                                    |                  |                       |
| DPID \$37 Byte 7 bit 1    | \$E2             | Low Tire Pressure Warning Lamp Validity Status If Equipped   | Invalid          |                       |
| DPID \$38 Byte 1          | \$5B             | Outside Air Temperature (-1 sec) If Equipped                 | 42               |                       |
| DPID \$38 Byte 2 bit 7    | \$00             | Outside Air Temperature Validity Status (-1 sec) If Equipped | Valid            |                       |
| DPID \$38 Byte 5 bits 7-6 | \$03             | Left Front Door Status (-1 sec) If Equipped                  | Closed           |                       |
| DPID \$38 Byte 5 bits 5-4 | \$03             | Right Front Door Status (-1 sec) If Equipped                 | Closed           |                       |
| DPID \$38 Byte 5 bits 3-2 | \$03             | Rear Door(s) Status (-1 sec) If Equipped                     | Closed           |                       |
| DPID \$38 Byte 5 bits 1-0 | \$03             | Left Rear Door Status (-1 sec) If Equipped                   | Unused           |                       |
| DPID \$38 Byte 6 bits 7-6 | \$C0             | Right Rear Door Status (-1 sec) If Equipped                  | Unused           |                       |
| DPID \$38 Byte 7 bit 7    | \$00             | Left Front Door Validity Status If Equipped                  | Valid            |                       |
| DPID \$38 Byte 7 bit 6    | \$00             | Right Front Door Validity Status If Equipped                 | Valid            |                       |
| DPID \$38 Byte 7 bit 5    | \$00             | Rear Door(s) Validity Status If Equipped                     | Valid            |                       |
| DPID \$38 Byte 7 bit 4    | \$00             | Left Rear Door Validity Status If Equipped                   | Valid            |                       |
| DPID \$38 Byte 7 bit 3    | \$00             | Right Rear Door Validity Status If Equipped                  | Valid            |                       |
| DPID \$39 Byte 1          | \$00             | Lateral Acceleration (-1 sec) If Equipped                    | 0                | feet/sec <sup>2</sup> |
| DPID \$39 Byte 2          | \$00             | Lateral Acceleration (-2 sec) If Equipped                    | 0                | feet/sec <sup>2</sup> |
| DPID \$39 Byte 3          | \$00             | Lateral Acceleration (-3 sec) If Equipped                    | 0                | feet/sec <sup>2</sup> |
| DPID \$39 Byte 4          | \$00             | Lateral Acceleration (-4 sec) If Equipped                    | 0                | feet/sec <sup>2</sup> |
| DPID \$39 Byte 5          | \$00             | Lateral Acceleration (-5 sec) If Equipped                    | 0                | feet/sec <sup>2</sup> |
| DPID \$39 Byte 6 bit 7    | \$80             | Lateral Acceleration Validity Status If Equipped             | Invalid          |                       |
| DPID \$3A Byte 1          | \$00             | Yaw Rate (-1 sec) If Equipped                                | 0                |                       |
| DPID \$3A Byte 2          | \$00             | Yaw Rate (-2 sec) If Equipped                                | 0                |                       |
| DPID \$3A Byte 3          | \$00             | Yaw Rate (-3 sec) If Equipped                                | 0                |                       |
| DPID \$3A Byte 4          | \$00             | Yaw Rate (-4 sec) If Equipped                                | 0                |                       |
| DPID \$3A Byte 5          | \$00             | Yaw Rate (-5 sec) If Equipped                                | 0                |                       |
| DPID \$3A Byte 6 bit 7    | \$80             | Yaw Rate Validity Status If Equipped                         | Invalid          |                       |

## VIN Data

| Data Location             | Data Value (Hex) | Parameter Descriptor                         | Translated Value | Units |
|---------------------------|------------------|----------------------------------------------|------------------|-------|
| DPID \$3D Byte 1          | \$31             | Vehicle Identification Number (VIN) Digit 3  | 1                |       |
| DPID \$3D Byte 2          | \$41             | Vehicle Identification Number (VIN) Digit 4  | A                |       |
| DPID \$3D Byte 3          | \$4B             | Vehicle Identification Number (VIN) Digit 5  | K                |       |
| DPID \$3D Byte 4          | \$31             | Vehicle Identification Number (VIN) Digit 6  | 1                |       |
| DPID \$3D Byte 5          | \$35             | Vehicle Identification Number (VIN) Digit 7  | 5                |       |
| DPID \$3D Byte 6          | \$46             | Vehicle Identification Number (VIN) Digit 8  | F                |       |
| DPID \$3E Byte 1          | \$36             | Vehicle Identification Number (VIN) Digit 10 | 6                |       |
| DPID \$3E Byte 2 bits 7-4 | \$85             | Vehicle Identification Number (VIN) Digit 12 | 8                |       |
| DPID \$3E Byte 2 bits 3-0 | \$85             | Vehicle Identification Number (VIN) Digit 13 | 5                |       |
| DPID \$3E Byte 3 bits 7-4 | \$95             | Vehicle Identification Number (VIN) Digit 14 | 9                |       |
| DPID \$3E Byte 3 bits 3-0 | \$95             | Vehicle Identification Number (VIN) Digit 15 | 5                |       |
| DPID \$3E Byte 4 bits 7-4 | \$31             | Vehicle Identification Number (VIN) Digit 16 | 3                |       |
| DPID \$3E Byte 4 bits 3-0 | \$31             | Vehicle Identification Number (VIN) Digit 17 | 1                |       |

## Multiple Event Data

| Data Location             | Data Value (Hex) | Parameter Descriptor                                    | Translated Value | Units |
|---------------------------|------------------|---------------------------------------------------------|------------------|-------|
| DPID \$3F Byte 1 bit 7    | \$29             | An Event(s) Preceded the Recorded Event(s)              | No               |       |
| DPID \$3F Byte 1 bit 6    | \$29             | An Event(s) was in Between the Recorded Event(s)        | No               |       |
| DPID \$3F Byte 1 bit 5    | \$29             | An Event(s) Followed the Recorded Event(s)              | Yes              |       |
| DPID \$3F Byte 1 bit 4    | \$29             | The Event(s) Not Recorded was a Deployment Event(s)     | No               |       |
| DPID \$3F Byte 1 bit 3    | \$29             | The Event(s) Not Recorded was a Non-Deployment Event(s) | Yes              |       |
| DPID \$3F Byte 1 bits 2-0 | \$29             | Associated Events Not Recorded                          | 1                |       |

## Power Mode Data

| Data Location             | Data Value (Hex) | Parameter Descriptor                  | Translated Value | Units |
|---------------------------|------------------|---------------------------------------|------------------|-------|
| DPID \$3F Byte 3 bits 7-6 | \$90             | Vehicle Power Mode Status             | Run              |       |
| DPID \$3F Byte 3 bit 5    | \$90             | Remote Start Status If Equipped       | Inactive         |       |
| DPID \$3F Byte 3 bit 4    | \$90             | Run/Crank Ignition Switch Logic Level | Active           |       |

## Non-Deployment Or Deployment #2 Event Data

| Data Location          | Data Value (Hex) | Parameter Descriptor                                               | Translated Value | Units   |
|------------------------|------------------|--------------------------------------------------------------------|------------------|---------|
| DPID \$40 Byte 1 bit 7 | \$20             | Crash Record Locked                                                | No               |         |
| DPID \$40 Byte 1 bit 6 | \$20             | Deployment Event Recorded in the Non-Deployment Record             | No               |         |
| DPID \$40 Byte 1 bit 5 | \$20             | Vehicle Event Data (Pre-Crash) Associated With This Event          | Yes              |         |
| DPID \$40 Byte 2       | \$A5             | Event Recording Complete                                           | Yes              |         |
| DPID \$41 Byte 1 bit 7 | \$00             | Driver 1st Stage Deployment Loop Commanded                         | No               |         |
| DPID \$41 Byte 1 bit 6 | \$00             | Driver 2nd Stage Deployment Loop Commanded                         | No               |         |
| DPID \$41 Byte 1 bit 5 | \$00             | Driver Side Deployment Loop Commanded                              | No               |         |
| DPID \$41 Byte 1 bit 4 | \$00             | Driver Pretensioner Deployment Loop Commanded                      | No               |         |
| DPID \$41 Byte 1 bit 3 | \$00             | Driver (Initiator 1) Roof Rail/Head Curtain Loop Commanded         | No               |         |
| DPID \$41 Byte 1 bit 2 | \$00             | Driver (Initiator 2) Roof Rail/Head Curtain Loop Commanded         | No               |         |
| DPID \$41 Byte 1 bit 1 | \$00             | Driver Knee Deployment Loop Commanded                              | No               |         |
| DPID \$41 Byte 2 bit 7 | \$00             | Passenger 1st Stage Deployment Loop Commanded                      | No               |         |
| DPID \$41 Byte 2 bit 6 | \$00             | Passenger 2nd Stage Deployment Loop Commanded                      | No               |         |
| DPID \$41 Byte 2 bit 5 | \$00             | Passenger Side Deployment Loop Commanded                           | No               |         |
| DPID \$41 Byte 2 bit 4 | \$00             | Passenger Pretensioner Deployment Loop Commanded                   | No               |         |
| DPID \$41 Byte 2 bit 3 | \$00             | Passenger (Initiator 1) Roof Rail/Head Curtain Loop Commanded      | No               |         |
| DPID \$41 Byte 2 bit 2 | \$00             | Passenger (Initiator 2) Roof Rail/Head Curtain Loop Commanded      | No               |         |
| DPID \$41 Byte 2 bit 1 | \$00             | Passenger Knee Deployment Loop Commanded                           | No               |         |
| DPID \$41 Byte 3 bit 7 | \$00             | Second Row Left Side Deployment Loop Commanded                     | No               |         |
| DPID \$41 Byte 3 bit 6 | \$00             | Second Row Left Pretensioner Deployment Loop Commanded             | No               |         |
| DPID \$41 Byte 3 bit 5 | \$00             | Third Row Left Roof Rail/Head Curtain Loop Commanded               | No               |         |
| DPID \$41 Byte 3 bit 4 | \$00             | Second Row Right Side Deployment Loop Commanded                    | No               |         |
| DPID \$41 Byte 3 bit 3 | \$00             | Second Row Right Pretensioner Deployment Loop Commanded            | No               |         |
| DPID \$41 Byte 3 bit 2 | \$00             | Third Row Right Roof Rail/Head Curtain Loop Commanded              | No               |         |
| DPID \$41 Byte 3 bit 1 | \$00             | Center Rear Pretensioner Deployment Loop Commanded                 | No               |         |
| DPID \$42 Byte 1 bit 7 | \$00             | SIR Warning Lamp Status                                            | OFF              |         |
| DPID \$42 Bytes 2-3    | \$FFF0           | SIR Warning Lamp ON/OFF Time Continuously                          | 655200           | seconds |
| DPID \$42 Bytes 4-5    | \$0688           | Number of Ignition Cycles SIR Warning Lamp was ON/OFF Continuously | 1672             | cycles  |
| DPID \$43 Byte 1       | \$FE             | Ignition Cycles Since DTCs Were Last Cleared                       | 254              | cycles  |
| DPID \$43 Bytes 2-3    | \$12ED           | Ignition Cycles at Event                                           | 4845             | cycles  |
| DPID \$44 Bytes 1-2    | \$0000           | DTC number for fault #1                                            | N/A              |         |
| DPID \$44 Byte 3       | \$00             | DTC fault type for fault #1                                        | \$00             |         |
| DPID \$44 Bytes 4-5    | \$0000           | DTC number for fault #2                                            | N/A              |         |
| DPID \$44 Byte 6       | \$00             | DTC fault type for fault #2                                        | \$00             |         |
| DPID \$45 Bytes 1-2    | \$0000           | DTC number for fault #3                                            | N/A              |         |
| DPID \$45 Byte 3       | \$00             | DTC fault type for fault #3                                        | \$00             |         |

| Data Location       | Data Value (Hex) | Parameter Descriptor                                                                                   | Translated Value | Units |
|---------------------|------------------|--------------------------------------------------------------------------------------------------------|------------------|-------|
| DPID \$45 Bytes 4-5 | \$0000           | DTC number for fault #4                                                                                | N/A              |       |
| DPID \$45 Byte 6    | \$00             | DTC fault type for fault #4                                                                            | \$00             |       |
| DPID \$46 Bytes 1-2 | \$0000           | DTC number for fault #5                                                                                | N/A              |       |
| DPID \$46 Byte 3    | \$00             | DTC fault type for fault #5                                                                            | \$00             |       |
| DPID \$46 Bytes 4-5 | \$0000           | DTC number for fault #6                                                                                | N/A              |       |
| DPID \$46 Byte 6    | \$00             | DTC fault type for fault #6                                                                            | \$00             |       |
| DPID \$47 Byte 1    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (10 ms after event enable or 70 ms before deployment) | 0.00             | MPH   |
| DPID \$47 Byte 2    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #2 (10 ms after event enable or 70 ms before deployment) | 0.00             | MPH   |
| DPID \$47 Byte 3    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (20 ms after event enable or 60 ms before deployment) | 0.00             | MPH   |
| DPID \$47 Byte 4    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #2 (20 ms after event enable or 60 ms before deployment) | 0.00             | MPH   |
| DPID \$47 Byte 5    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (30 ms after event enable or 50 ms before deployment) | 0.00             | MPH   |
| DPID \$47 Byte 6    | \$FF             | SDM Recorded Vehicle Velocity Change for Axis #2 (30 ms after event enable or 50 ms before deployment) | -0.68            | MPH   |
| DPID \$48 Byte 1    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (40 ms after event enable or 40 ms before deployment) | 0.00             | MPH   |
| DPID \$48 Byte 2    | \$FE             | SDM Recorded Vehicle Velocity Change for Axis #2 (40 ms after event enable or 40 ms before deployment) | -1.36            | MPH   |
| DPID \$48 Byte 3    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (50 ms after event enable or 30 ms before deployment) | 0.00             | MPH   |
| DPID \$48 Byte 4    | \$FD             | SDM Recorded Vehicle Velocity Change for Axis #2 (50 ms after event enable or 30 ms before deployment) | -2.03            | MPH   |
| DPID \$48 Byte 5    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (60 ms after event enable or 20 ms before deployment) | 0.00             | MPH   |
| DPID \$48 Byte 6    | \$FC             | SDM Recorded Vehicle Velocity Change for Axis #2 (60 ms after event enable or 20 ms before deployment) | -2.71            | MPH   |
| DPID \$49 Byte 1    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (70 ms after event enable or 10 ms before deployment) | 0.00             | MPH   |
| DPID \$49 Byte 2    | \$FB             | SDM Recorded Vehicle Velocity Change for Axis #2 (70 ms after event enable or 10 ms before deployment) | -3.39            | MPH   |
| DPID \$49 Byte 3    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (80 ms after event enable or at deployment)           | 0.00             | MPH   |
| DPID \$49 Byte 4    | \$FB             | SDM Recorded Vehicle Velocity Change for Axis #2 (80 ms after event enable or at deployment)           | -3.39            | MPH   |
| DPID \$49 Byte 5    | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (90 ms after event enable or 10 ms after deployment)  | 0.00             | MPH   |

| Data Location    | Data Value (Hex) | Parameter Descriptor                                                                                    | Translated Value | Units |
|------------------|------------------|---------------------------------------------------------------------------------------------------------|------------------|-------|
| DPID \$49 Byte 6 | \$F9             | SDM Recorded Vehicle Velocity Change for Axis #2 (90 ms after event enable or 10 ms after deployment)   | -4.74            | MPH   |
| DPID \$4A Byte 1 | \$01             | SDM Recorded Vehicle Velocity Change for Axis #1 (100 ms after event enable or 20 ms after deployment)  | 0.68             | MPH   |
| DPID \$4A Byte 2 | \$F8             | SDM Recorded Vehicle Velocity Change for Axis #2 (100 ms after event enable or 20 ms after deployment)  | -5.42            | MPH   |
| DPID \$4A Byte 3 | \$01             | SDM Recorded Vehicle Velocity Change for Axis #1 (110 ms after event enable or 30 ms after deployment)  | 0.68             | MPH   |
| DPID \$4A Byte 4 | \$F7             | SDM Recorded Vehicle Velocity Change for Axis #2 (110 ms after event enable or 30 ms after deployment)  | -6.10            | MPH   |
| DPID \$4A Byte 5 | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (120 ms after event enable or 40 ms after deployment)  | 0.00             | MPH   |
| DPID \$4A Byte 6 | \$F6             | SDM Recorded Vehicle Velocity Change for Axis #2 (120 ms after event enable or 40 ms after deployment)  | -6.78            | MPH   |
| DPID \$4B Byte 1 | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (130 ms after event enable or 50 ms after deployment)  | 0.00             | MPH   |
| DPID \$4B Byte 2 | \$F3             | SDM Recorded Vehicle Velocity Change for Axis #2 (130 ms after event enable or 50 ms after deployment)  | -8.81            | MPH   |
| DPID \$4B Byte 3 | \$00             | SDM Recorded Vehicle Velocity Change for Axis #1 (140 ms after event enable or 60 ms after deployment)  | 0.00             | MPH   |
| DPID \$4B Byte 4 | \$F1             | SDM Recorded Vehicle Velocity Change for Axis #2 (140 ms after event enable or 60 ms after deployment)  | -10.17           | MPH   |
| DPID \$4B Byte 5 | \$FF             | SDM Recorded Vehicle Velocity Change for Axis #1 (150 ms after event enable or 70 ms after deployment)  | -0.68            | MPH   |
| DPID \$4B Byte 6 | \$EF             | SDM Recorded Vehicle Velocity Change for Axis #2 (150 ms after event enable or 70 ms after deployment)  | -11.52           | MPH   |
| DPID \$4C Byte 1 | \$FF             | SDM Recorded Vehicle Velocity Change for Axis #1 (160 ms after event enable or 80 ms after deployment)  | -0.68            | MPH   |
| DPID \$4C Byte 2 | \$ED             | SDM Recorded Vehicle Velocity Change for Axis #2 (160 ms after event enable or 80 ms after deployment)  | -12.88           | MPH   |
| DPID \$4C Byte 3 | \$FE             | SDM Recorded Vehicle Velocity Change for Axis #1 (170 ms after event enable or 90 ms after deployment)  | -1.36            | MPH   |
| DPID \$4C Byte 4 | \$EC             | SDM Recorded Vehicle Velocity Change for Axis #2 (170 ms after event enable or 90 ms after deployment)  | -13.56           | MPH   |
| DPID \$4C Byte 5 | \$FD             | SDM Recorded Vehicle Velocity Change for Axis #1 (180 ms after event enable or 100 ms after deployment) | -2.03            | MPH   |
| DPID \$4C Byte 6 | \$E9             | SDM Recorded Vehicle Velocity Change for Axis #2 (180 ms after event enable or 100 ms after deployment) | -15.59           | MPH   |
| DPID \$4D Byte 1 | \$FD             | SDM Recorded Vehicle Velocity Change for Axis #1 (190 ms after event enable or 110 ms after deployment) | -2.03            | MPH   |

| Data Location    | Data Value (Hex) | Parameter Descriptor                                                                                    | Translated Value | Units |
|------------------|------------------|---------------------------------------------------------------------------------------------------------|------------------|-------|
| DPID \$4D Byte 2 | \$E8             | SDM Recorded Vehicle Velocity Change for Axis #2 (190 ms after event enable or 110 ms after deployment) | -16.27           | MPH   |
| DPID \$4D Byte 3 | \$FC             | SDM Recorded Vehicle Velocity Change for Axis #1 (200 ms after event enable or 120 ms after deployment) | -2.71            | MPH   |
| DPID \$4D Byte 4 | \$E7             | SDM Recorded Vehicle Velocity Change for Axis #2 (200 ms after event enable or 120 ms after deployment) | -16.95           | MPH   |
| DPID \$4D Byte 5 | \$FB             | SDM Recorded Vehicle Velocity Change for Axis #1 (210 ms after event enable or 130 ms after deployment) | -3.39            | MPH   |
| DPID \$4D Byte 6 | \$E5             | SDM Recorded Vehicle Velocity Change for Axis #2 (210 ms after event enable or 130 ms after deployment) | -18.30           | MPH   |
| DPID \$4E Byte 1 | \$FB             | SDM Recorded Vehicle Velocity Change for Axis #1 (220 ms after event enable or 140 ms after deployment) | -3.39            | MPH   |
| DPID \$4E Byte 2 | \$E4             | SDM Recorded Vehicle Velocity Change for Axis #2 (220 ms after event enable or 140 ms after deployment) | -18.98           | MPH   |
| DPID \$4E Byte 3 | \$FB             | SDM Recorded Vehicle Velocity Change for Axis #1 (230 ms after event enable or 150 ms after deployment) | -3.39            | MPH   |
| DPID \$4E Byte 4 | \$E3             | SDM Recorded Vehicle Velocity Change for Axis #2 (230 ms after event enable or 150 ms after deployment) | -19.66           | MPH   |
| DPID \$4E Byte 5 | \$FA             | SDM Recorded Vehicle Velocity Change for Axis #1 (240 ms after event enable or 160 ms after deployment) | -4.07            | MPH   |
| DPID \$4E Byte 6 | \$E2             | SDM Recorded Vehicle Velocity Change for Axis #2 (240 ms after event enable or 160 ms after deployment) | -20.34           | MPH   |
| DPID \$4F Byte 1 | \$FA             | SDM Recorded Vehicle Velocity Change for Axis #1 (250 ms after event enable or 170 ms after deployment) | -4.07            | MPH   |
| DPID \$4F Byte 2 | \$E0             | SDM Recorded Vehicle Velocity Change for Axis #2 (250 ms after event enable or 170 ms after deployment) | -21.69           | MPH   |
| DPID \$4F Byte 3 | \$F9             | SDM Recorded Vehicle Velocity Change for Axis #1 (260 ms after event enable or 180 ms after deployment) | -4.74            | MPH   |
| DPID \$4F Byte 4 | \$DF             | SDM Recorded Vehicle Velocity Change for Axis #2 (260 ms after event enable or 180 ms after deployment) | -22.37           | MPH   |
| DPID \$4F Byte 5 | \$F9             | SDM Recorded Vehicle Velocity Change for Axis #1 (270 ms after event enable or 190 ms after deployment) | -4.74            | MPH   |
| DPID \$4F Byte 6 | \$DE             | SDM Recorded Vehicle Velocity Change for Axis #2 (270 ms after event enable or 190 ms after deployment) | -23.05           | MPH   |
| DPID \$50 Byte 1 | \$F9             | SDM Recorded Vehicle Velocity Change for Axis #1 (280 ms after event enable or 200 ms after deployment) | -4.74            | MPH   |
| DPID \$50 Byte 2 | \$DD             | SDM Recorded Vehicle Velocity Change for Axis #2 (280 ms after event enable or 200 ms after deployment) | -23.72           | MPH   |
| DPID \$50 Byte 3 | \$F8             | SDM Recorded Vehicle Velocity Change for Axis #1 (290 ms after event enable or 210 ms after deployment) | -5.42            | MPH   |

| Data Location            | Data Value (Hex) | Parameter Descriptor                                                                                                         | Translated Value   | Units |
|--------------------------|------------------|------------------------------------------------------------------------------------------------------------------------------|--------------------|-------|
| DPID \$50 Byte 4         | \$DD             | SDM Recorded Vehicle Velocity Change for Axis #2 (290 ms after event enable or 210 ms after deployment)                      | -23.72             | MPH   |
| DPID \$50 Byte 5         | \$F8             | SDM Recorded Vehicle Velocity Change for Axis #1 (300 ms after event enable or 220 ms after deployment)                      | -5.42              | MPH   |
| DPID \$50 Byte 6         | \$DC             | SDM Recorded Vehicle Velocity Change for Axis #2 (300 ms after event enable or 220 ms after deployment)                      | -24.40             | MPH   |
| DPID \$51 Byte 1 bit 7   | \$50             | Driver Belt Switch Circuit Status                                                                                            | UNBUCKLED          |       |
| DPID \$51 Byte 1 bit 6   | \$50             | Driver Belt Switch Circuit Status Monitored                                                                                  | Yes                |       |
| DPID \$51 Byte 1 bit 5   | \$50             | Passenger Belt Switch Circuit Status                                                                                         | UNBUCKLED          |       |
| DPID \$51 Byte 1 bit 4   | \$50             | Passenger Belt Switch Circuit Status Monitored                                                                               | Yes                |       |
| DPID \$51 Byte 1 bit 3   | \$50             | Front Center Belt Switch Circuit Status                                                                                      | UNBUCKLED          |       |
| DPID \$51 Byte 1 bit 2   | \$50             | Front Center Belt Switch Circuit Status Monitored                                                                            | No                 |       |
| DPID \$51 Byte 2 bit 7   | \$00             | Second Row Left Belt Switch Circuit Status                                                                                   | UNBUCKLED          |       |
| DPID \$51 Byte 2 bit 6   | \$00             | Second Row Left Belt Switch Circuit Status Monitored                                                                         | No                 |       |
| DPID \$51 Byte 2 bit 5   | \$00             | Second Row Center Belt Switch Circuit Status                                                                                 | UNBUCKLED          |       |
| DPID \$51 Byte 2 bit 4   | \$00             | Second Row Center Belt Switch Circuit Status Monitored                                                                       | No                 |       |
| DPID \$51 Byte 2 bit 3   | \$00             | Second Row Right Belt Switch Circuit Status                                                                                  | UNBUCKLED          |       |
| DPID \$51 Byte 2 bit 2   | \$00             | Second Row Right Belt Switch Circuit Status Monitored                                                                        | No                 |       |
| DPID \$51 Byte 3 bit 7   | \$00             | Third Row Left Belt Switch Circuit Status                                                                                    | UNBUCKLED          |       |
| DPID \$51 Byte 3 bit 6   | \$00             | Third Row Left Belt Switch Circuit Status Monitored                                                                          | No                 |       |
| DPID \$51 Byte 3 bit 5   | \$00             | Third Row Center Belt Switch Circuit Status                                                                                  | UNBUCKLED          |       |
| DPID \$51 Byte 3 bit 4   | \$00             | Third Row Center Belt Switch Circuit Status Monitored                                                                        | No                 |       |
| DPID \$51 Byte 3 bit 3   | \$00             | Third Row Right Belt Switch Circuit Status                                                                                   | UNBUCKLED          |       |
| DPID \$51 Byte 3 bit 2   | \$00             | Third Row Right Belt Switch Circuit Status Monitored                                                                         | No                 |       |
| DPID \$51 Byte 4 bit 7   | \$00             | Driver Seat Position Status                                                                                                  | Rearward           |       |
| DPID \$51 Byte 4 bit 6   | \$00             | Driver Seat Position Status Monitored                                                                                        | No                 |       |
| DPID \$51 Byte 4 bit 5   | \$00             | Passenger Seat Position Status                                                                                               | Rearward           |       |
| DPID \$51 Byte 4 bit 4   | \$00             | Passenger Seat Position Status Monitored                                                                                     | No                 |       |
| DPID \$52 Byte 1 bit 7   | \$00             | Automatic Passenger SIR Suppression System Validity Status / Passenger SIR Suppression Switch Circuit Status Validity Status | Valid              |       |
| DPID \$52 Byte 1 bit 0   | \$00             | Automatic Passenger SIR Suppression System Status / Passenger SIR Suppression Switch Circuit Status                          | Air Bag Suppressed |       |
| DPID \$52 Bytes 2-3      | \$0000           | SDM Synchronization Counter                                                                                                  | 0                  |       |
| DPID \$52 Byte 4 bit 7-6 | \$00             | Rollover Sensor Message Status                                                                                               | No Rollover        |       |
| DPID \$52 Byte 4 bit 5   | \$68             | Side Air Bag(s) Were First Commanded to Deploy Due to Side Impact Event                                                      | Yes                |       |
| DPID \$52 Byte 4 bit 4   | \$68             | Side Air Bag(s) Were First Commanded to Deploy Due to Rollover Event                                                         | No                 |       |



| Data Location             | Data Value (Hex) | Parameter Descriptor                                                                                                  | Translated Value                       | Units |
|---------------------------|------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------|
| DPID \$52 Byte 4 bits 3-0 | \$00             | Rollover Sensor Status                                                                                                | Last message received contained errors |       |
| DPID \$53 Byte 1          | \$21             | Time From Algorithm Enable to Maximum SDM Recorded Vehicle Velocity Change                                            | 330                                    | msec  |
| DPID \$53 Bytes 2-3       | \$05F5           | Maximum SDM Recorded Vehicle Velocity Change                                                                          | 26.47                                  | MPH   |
| DPID \$54 Byte 1 bit 7    | \$00             | Automatic Passenger SIR Suppression System Validity Status / Passenger SIR Suppression Switch Circuit Validity Status | Valid                                  |       |
| DPID \$54 Byte 1 bit 1    | \$00             | Automatic Passenger SIR Suppression System Status / Passenger SIR Suppression Switch Circuit Status                   | Air Bag Suppressed                     |       |
| DPID \$54 Byte 2          | \$00             | Rollover Sensor - Time Between Successive Side Deploys                                                                | 0                                      | msec  |
| DPID \$54 Byte 3          | \$00             | Rollover Sensor - Time From Rollover Enable to Deploy                                                                 | 0                                      | msec  |
| DPID \$55 Byte 1          | \$00             | Driver 1st Stage Time From Algorithm Enable to Deployment Command Criteria Met                                        | 0                                      | msec  |
| DPID \$55 Byte 2          | \$00             | Driver 2nd Stage Time From Algorithm Enable to Deployment Command Criteria Met                                        | 0                                      | msec  |
| DPID \$55 Byte 3          | \$00             | Passenger 1st Stage Time From Algorithm Enable to Deployment Command Criteria Met                                     | 0                                      | msec  |
| DPID \$55 Byte 4          | \$00             | Passenger 2nd Stage Time From Algorithm Enable to Deployment Command Criteria Met                                     | 0                                      | msec  |
| DPID \$55 Byte 5          | \$00             | Driver Side or Roof Rail/Head Curtain Time From Algorithm Enable to Deployment Command Criteria Met                   | 0                                      | msec  |
| DPID \$55 Byte 6          | \$00             | Passenger Side or Roof Rail/Head Curtain Time From Algorithm Enable to Deployment Command Criteria Met                | 0                                      | msec  |