



NEW FLYER®

RESCUE SHEET


For an

XDE60


**Xcelsior Hybrid-Electric
Transit Bus**



0. RESCUE SHEET



*Note: Typical configuration of emergency exits and rooftop components is shown.
Number of exits and locations may vary. Optional components marked by this symbol ★.*

	 Low Voltage Battery	 High Voltage Li-ion Battery	 Disconnect High Voltage	 High Voltage Component	 Air Conditioning	 Automatic Fire Suppression <i>(Optional)</i>
	 Emergency Exit	 Break To Obtain Access	 Emergency Door Opener	 Lifting Point		 Fuel Tank
	 Height Adjustment	 Seat Adjustment	 Air Tank	 Preloaded Spring		

1. IDENTIFICATION / RECOGNITION



Hybrid-Electric Propulsion

2. IMMOBILIZATION / STABILIZATION / LIFTING



Kneel switch located in driver's area



Seat height adjustment on driver's seat



Lift points

3. DISABLE DIRECT HAZARDS / SAFETY REGULATIONS



Shut down high voltage

4. ACCESS TO THE OCCUPANTS



Three exit doors

Note: Typical configuration shown. Number and placement may vary.



Two roof hatch exits, six emergency window exits

Note: Typical configuration shown. Number and placement of exits may vary.



Break windows to obtain access



Steering wheel tilt control on steering column




Seat height adjustment on driver's seat



Longitudinal seat adjustment on driver's seat

5. STORED ENERGY / LIQUIDS / GASES / SOLIDS



6. IN THE EVENT OF A FIRE



7. IN CASE OF SUBMERSION

