






MACK TRUCKS

MDe6 / MDe7 (150 kWh battery pack)

PRODUCTION START : 2024



 High voltage lithium-ion battery	 Low voltage device that disconnects the high voltage	 Low voltage battery	 Air tank	 Seat adjustment	 Disconnect high voltage device
 Steering wheel tilt control	 High voltage component	 High voltage cable	 Gas strut, pre-loaded spring	 Starter switch	

NOTE

(a) The above image shows information for one variant of this product. Number of axles, cab structure and number of traction batteries can vary depend on the variant of the product.

(b) These instructions do not cover the safety aspects of the components and equipments mounted by a third party (example: body builders).

(c) Discrepancy may exist in the translated documents as the original document is authored in English.


	Identification number	Version number	Page number
	800077265	10/2025	1/3




MACK TRUCKS

Mde6 / MDe7 (240 kWh battery pack)

PRODUCTION START : 2024



 High voltage lithium-ion battery	 Low voltage device that disconnects the high voltage	 Low voltage battery	 Air tank	 Seat adjustment	 Disconnect high voltage device
 Steering wheel tilt control	 High voltage component	 High voltage cable	 Gas strut, pre-loaded spring	 Starter switch	

NOTE

(a) The above image shows information for one variant of this product. Number of axles, cab structure and number of traction batteries can vary depend on the variant of the product.

(b) These instructions do not cover the safety aspects of the components and equipments mounted by a third party (example: body builders).

(c) Discrepancy may exist in the translated documents as the original document is authored in English.

	Identification number	Version number	Page number
	800077265	10/2025	2/3

1. Identification/recognition




Full-electric vehicle.

2. Immobilisation/stabilization/lifting




Always approach the vehicle from the sides to stay out of the potential travel path. Due to lack of noise it may be difficult to determine the state of vehicle.

3. Disable direct hazards/safety regulations





Shut down the high voltage.



Disconnect the high voltage.

5. Stored energy/liquid/gases/solid



6. In case of fire



7. In case of water submersion



The damage level of a submerged vehicle may not be visible. Handling a submerged truck without appropriate Personal-Protective Equipment (PPE) may result in serious injury or death due to electric shock.

If possible, disable direct hazards (Refer to “3. Disable direct hazards/safety regulations”).

8. Towing/transportation/storage



Monitor the battery temperature.