



NEW FLYER®

RESCUE SHEET


For an

XDE35/XDE40


**Xcelsior Hybrid-Electric
Transit Bus**



0. RESCUE SHEET



Note: Typical configuration of emergency exits is shown. Number of exits and locations may vary. Optional components marked by this symbol ★.

	 Low Voltage Battery		 High Voltage Li-ion Battery	 Disconnect High Voltage	 High Voltage Component	 Air Conditioning	 Automatic Fire Suppression <i>(Optional)</i>
	 Emergency Exit		 Break To Obtain Access		 Emergency Door Opener		 Lifting Point
	 Height Adjustment		 Seat Adjustment		 Air Tank		 Preloaded Spring
	 Fuel Tank						

1. IDENTIFICATION / RECOGNITION



Hybrid-Electric Propulsion

2. IMMOBILIZATION / STABILIZATION / LIFTING



Kneel switch located in driver's area



Seat height adjustment on driver's seat



Lift points

3. DISABLE DIRECT HAZARDS / SAFETY REGULATIONS



Shut down high voltage

4. ACCESS TO THE OCCUPANTS



Two exit doors
Note: Typical configuration shown. Placement may vary.



Two roof hatch exits, five emergency window exits
Note: Typical configuration shown. Number and placement of exits may vary.



Break windows to obtain access



Steering wheel tilt control on steering column




Seat height adjustment on driver's seat



Longitudinal seat adjustment on driver's seat

5. STORED ENERGY / LIQUIDS / GASES / SOLIDS



6. IN THE EVENT OF A FIRE



7. IN CASE OF SUBMERSION

