




RESCUE SHEET



For an

XE35/XE40

Xcelsior Electric Transit Bus




0. RESCUE SHEET



Note: Typical configuration of emergency exits and rooftop components are shown. Number and location of emergency exits and ESS enclosures may vary. Optional components marked by this symbol ★.

 Electric Propulsion	 Low Voltage Battery	 Plug-in Charge Port	 High Voltage Li-ion Battery	 Disconnect High Voltage	 High Voltage Component	 Automatic Fire Suppression
	 Emergency Exit	 Break To Obtain Access	 Emergency Door Opener	 Lifting Point	 Air Conditioning	 Fuel Tank
 High Voltage Power	 Height Adjustment	 Seat Adjustment	 Air Tank	 Preloaded Spring		

1. IDENTIFICATION / RECOGNITION



Electric Propulsion

2. IMMOBILIZATION / STABILIZATION / LIFTING



Kneel switch located in driver's area



Seat height adjustment on driver's seat



Lift points

3. DISABLE DIRECT HAZARDS / SAFETY REGULATIONS



Shut down high voltage

4. ACCESS TO THE OCCUPANTS



Two exit doors
Note: Typical configuration shown. Placement may vary.



Two roof hatch exits, four emergency window exits
Note: Typical configuration shown. Quantity and placement of exits may vary.



Break windows to obtain access



Steering wheel tilt control on steering column




Seat height adjustment on driver's seat



Longitudinal seat adjustment on driver's seat

5. STORED ENERGY / LIQUIDS / GASES / SOLIDS



6. IN THE EVENT OF A FIRE



7. IN CASE OF SUBMERSION

