




RESCUE SHEET


For an

XE35/XE40



Xcelsior Electric Transit Bus




0. RESCUE SHEET



Note: Typical configuration of emergency exits and rooftop components are shown. Number and location of emergency exits and ESS enclosures may vary. Optional components marked by this symbol ★.

	 Low Voltage Battery	 Plug-in Charge Port	 High Voltage Li-ion Battery	 Disconnect High Voltage	 High Voltage Component	 Automatic Fire Suppression
Electric Propulsion	 Emergency Exit	 Break To Obtain Access	 Emergency Door Opener	 Lifting Point	 Air Conditioning	
	 Height Adjustment		 Seat Adjustment		 Air Tank	
	High Voltage Power		Preloaded Spring		 Fuel Tank	

1. IDENTIFICATION / RECOGNITION



Electric Propulsion

2. IMMOBILIZATION / STABILIZATION / LIFTING



Kneel switch located in driver's area



Seat height adjustment on driver's seat



Lift points

3. DISABLE DIRECT HAZARDS / SAFETY REGULATIONS



Shut down high voltage

4. ACCESS TO THE OCCUPANTS



Two exit doors
Note: Typical configuration shown. Placement may vary.



Two roof hatch exits, four emergency window exits
Note: Typical configuration shown. Quantity and placement of exits may vary.



Break windows to obtain access



Steering wheel tilt control on steering column




Seat height adjustment on driver's seat



Longitudinal seat adjustment on driver's seat

5. STORED ENERGY / LIQUIDS / GASES / SOLIDS



6. IN THE EVENT OF A FIRE



7. IN CASE OF SUBMERSION

