





RESCUE SHEET


For an

XE60




Xcelsior Electric
Transit Bus




0. RESCUE SHEET



*Note: Typical configuration of emergency exits and rooftop components are shown.
Number of exits and locations may vary. Optional components marked by this symbol ★.*

	 Low Voltage Battery	 Plug-in Charge Port	 High Voltage Li-ion Battery	 Disconnect High Voltage	 High Voltage Component	 AUTO
Electric Propulsion	 Emergency Exit	 Break To Obtain Access	 EXIT Emergency Door Opener	 Lifting Point	 Air Conditioning	Automatic Fire Suppression
	 AIR Height Adjustment		 AIR Seat Adjustment		 AIR Air Tank	
	High Voltage Power		Air Tank		 Preloaded Spring	
						 Fuel Tank

1. IDENTIFICATION / RECOGNITION



Electric Propulsion

2. IMMOBILIZATION / STABILIZATION / LIFTING



Kneel switch located in driver's area



Seat height adjustment on driver's seat



Lift points

3. DISABLE DIRECT HAZARDS / SAFETY REGULATIONS



Shut down high voltage

4. ACCESS TO THE OCCUPANTS



Three exit doors

Note: Typical configuration shown. Placement may vary.



Two roof hatch exits, six emergency window exits

Note: Typical configuration shown. Quantity and placement of exits may vary.



Break windows to obtain access



Steering wheel tilt control on steering column




Seat height adjustment on driver's seat



Longitudinal seat adjustment on driver's seat

5. STORED ENERGY / LIQUIDS / GASES / SOLIDS



6. IN THE EVENT OF A FIRE



7. IN CASE OF SUBMERSION

