



Day-6 Task


1. Use COUNT() to count total orders.




2. Find the SUM() of all order prices.



3. Find the AVG() order price.



4. Group orders by product_name and show total sales.



5. Find the MAX() and MIN() price of orders.

The screenshot shows the Microsoft SQL Server Management Studio interface. The query editor contains the following SQL statement:

```
select max(price) from orders;
```

The query has been executed successfully. The Results pane shows a single row with the value 1000.

(No column name)
1000

The status bar at the bottom indicates: Query executed successfully. GKV\SQLEXPRESS01 (16.0 RTM) | GKV\DELL (66) | companyDB 00:00:00 1 rows

The screenshot shows the Microsoft SQL Server Management Studio interface. The query editor contains the following SQL statement:


```
select min(price) from orders;
```

The query has been executed successfully. The Results pane shows a single row with the value 190.

(No column name)
190

The status bar at the bottom indicates: Query executed successfully. GKV\SQLEXPRESS01 (16.0 RTM) | GKV\DELL (66) | companyDB 00:00:00 1 rows

6. Sort the grouped data by total sales descending.



The screenshot shows the Microsoft SQL Server Management Studio interface. The query editor contains the following SQL statement:

```
select sum(price) from orders group by product_name order by sum(price) desc;
```

The query has been executed successfully, and the results are displayed in the Results pane. The results show 5 rows of data, sorted by total sales in descending order.

	(no column name)
1	1000
2	600
3	500
4	250
5	150

The status bar at the bottom indicates: Query executed successfully. | GKV\SQLSERVER01 (16.0 RTM) | GKV\DELL (66) | companyDB | 00:00:00 | 5 rows