

INDEX

Index Terms

Links

A

| | | | |
|----------------------------|-----|-----|-----|
| absolute measurement | 255 | | |
| acceleration of nucleation | 180 | | |
| activation energy | 369 | | |
| adhesive strength | 194 | | |
| adsorption | 269 | | |
| aging | 396 | | |
| amplitude | 339 | | |
| angular velocity | 281 | 283 | 288 |
| anisotropic | 229 | | |
| liquids | 138 | | |
| annealing | 249 | | |
| annular viscometer | 289 | | |
| antithixotropic | 172 | | |
| antithixotropy | 171 | | |
| apparent | | | |
| shear stress | 189 | | |
| viscosity | 109 | 127 | 130 |
| | 131 | 136 | 261 |
| Arrhenius equation | 94 | | |
| asphalts | 373 | 374 | |
| Avrami kinetic equation | 178 | | |

Index Terms

Links

B

| | | | |
|---------------------------|-----|-----|-----|
| backpressure | 404 | | |
| Bauschinger effect | 250 | | |
| bell type cylinders | 291 | | |
| bentonite | 133 | 134 | |
| Bernoulli's law | 2 | | |
| biaxial extension | 323 | | |
| stress growth coefficient | 204 | | |
| bi-conical viscometer | 287 | | |
| Bingham | 382 | | |
| equation | 143 | | |
| viscoplasticmedia | 144 | 184 | |
| biological | | | |
| fluids | 377 | | |
| materials | 5 | | |
| birefringence | 187 | 192 | 257 |
| | 347 | 349 | 350 |
| | 351 | 352 | 354 |
| amplitude | 350 | | |
| bitumen | 373 | | |
| Blasius rule | 182 | | |
| body lotion | 376 | | |
| Boltzmann-Volterra | | | |
| equation | 62 | | |
| principle | 61 | | |
| boundary problem | 5 | 20 | |
| Brabender Plasticorder | 301 | | |
| branching | 204 | | |
| bread production | 374 | | |

Index Terms

Links

| | | | |
|----------------------------|-----|-----|-----|
| Brewster | 349 | | |
| Brownian movement | 80 | | |
| bubble inflation rheometer | 324 | | |
| Buckingham-Reiner equation | 400 | | |
| bulk modulus | 225 | 448 | |
| Burgers model | 59 | | |
| butyl rubber | 103 | 161 | |
| C | | | |
| calendering | 406 | | |
| calibration | 256 | | |
| capacity model | 191 | | |
| capillary | | | |
| flow | 192 | | |
| instruments | 271 | | |
| tube viscometers | 279 | | |
| viscometer | 266 | 272 | 273 |
| viscometry | 257 | 263 | 270 |
| | 271 | | |
| wall | 258 | | |
| carbon black | 134 | | |
| Carreau-Yasuda equation | 142 | | |
| Casson equation | 143 | | |
| Cauchy rule | 12 | | |
| Cauchy-Green tensor | 29 | 30 | 33 |
| | 113 | 233 | 237 |
| | 240 | | |
| ceramics | 5 | | |

Index Terms

Links

| | | | |
|-------------------------------|-----|-----|-----|
| chain | | | |
| deformation | 78 | | |
| rigidity | 146 | | |
| segment | 146 | | |
| slip | 167 | | |
| channel surface adsorption | 269 | | |
| chemical kinetics | 387 | | |
| chemistry | 4 | | |
| chemorheology | 384 | | |
| choice of a coordinate system | 15 | | |
| Clausius-Clapeyron equation | 175 | 176 | |
| clays | 1 | | |
| coal | 5 | | |
| coaxial | | | |
| cylinders | 282 | 290 | 310 |
| | 355 | | |
| technique | 305 | | |
| coefficient of friction | 181 | | |
| coining | 417 | | |
| colloid gel | 159 | | |
| complex | | | |
| compliance | 51 | | |
| dynamic viscosity | 51 | | |
| modulus | 327 | | |
| shear compliance | 51 | | |
| shear modulus | 51 | | |
| compliance tensor | 230 | | |
| compression | 13 | | |
| molding | 411 | 412 | |

Index Terms

Links

| | | | |
|-------------------------------|-----|-----|-----|
| concentrated | | | |
| solution | 146 | 164 | |
| suspensions | 379 | | |
| concentration range | 164 | | |
| concrete | 1 | 5 | |
| cone-and-plate technique | 286 | 303 | |
| conformational transition | 179 | | |
| conical surfaces | 285 | | |
| conjugated stresses | 12 | | |
| conservation of | | | |
| energy | 398 | | |
| mass | 398 | | |
| momentum | 398 | | |
| constant | | | |
| strain | 257 | | |
| stress | 257 | | |
| torque | 281 | | |
| viscometers | 298 | | |
| constitutive | | | |
| equation | 43 | 128 | 396 |
| model | 116 | | |
| continuous spectrum | 75 | | |
| continuum mechanics | 9 | | |
| controlled flow rate | 277 | | |
| convective constraint release | 116 | | |
| convergent channel | 322 | | |
| conversion | 395 | | |
| degree | 386 | | |
| cooling rate | 372 | | |
| coordinate invariance | 397 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|---------------------|-----|-----|-----|
| cosmetics | 5 | 376 | |
| Couette | | | |
| correction | 265 | | |
| flow | 183 | 186 | |
| coupled mass | 329 | | |
| Cox-Merz rule | 109 | | |
| creams | 376 | | |
| creep | 44 | 46 | 47 |
| | 50 | 69 | 100 |
| | 281 | | |
| compliance | 47 | | |
| function | 48 | 66 | |
| critical | | | |
| molecular mass | 146 | | |
| shear stress | 189 | | |
| time | 101 | | |
| Cross equation | 71 | 142 | 403 |
| crossover frequency | 87 | | |
| crystalline | | | |
| content | 178 | | |
| phase | 178 | | |
| crystallization | 176 | | |
| cup viscometers | 275 | | |
| curing kinetics | 395 | | |

D

| | | | |
|----------------------|-----|-----|-----|
| damping oscillations | 333 | 342 | |
| dashpot | 55 | | |
| Deborah number | 185 | 186 | 206 |
| | 208 | 210 | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|----------------------|-----|-----|-----|
| Debye | 132 | | |
| criterion | 164 | | |
| decrement of damping | 334 | | |
| deformation | 9 | 21 | 24 |
| | 28 | 29 | 32 |
| | 43 | 44 | 65 |
| amplitude | 108 | | |
| history | 62 | | |
| rate | 30 | 103 | 133 |
| | 198 | | |
| tensor | 23 | 27 | 30 |
| | 204 | | |
| delta function | 49 | | |
| determinism | 397 | | |
| deviator | 16 | | |
| deviatoric component | 20 | | |
| die swell | 165 | | |
| dilatancy | 174 | 242 | |
| dilute solution | 148 | 164 | |
| dimensionless | | | |
| form | 149 | | |
| gap | 185 | | |
| disk viscometer | 288 | 289 | |
| disperse phase | 152 | | |
| displacement | 24 | | |
| tensor | 25 | | |
| distance | 21 | | |
| between crosslinks | 147 | | |

Index Terms

Links

| | | | |
|-----------------------------|-----|----|-----|
| Doppler | | | |
| effect | 357 | | |
| velocimetry | 190 | | |
| double | | | |
| refraction | 257 | | |
| reptation | 86 | | |
| dough | 374 | | |
| drag | | | |
| flow | 403 | | |
| reduction | 182 | | |
| dynamic | | | |
| compliance | 69 | | |
| equilibrium | 128 | | |
| functions | 57 | 69 | 70 |
| method | 257 | | |
| modulus | 52 | 69 | 331 |
| reaction | 9 | | |
| storage modulus | 96 | | |
| viscosity | 109 | | |
| dynamometer | 291 | | |
| dynamo-optic Maxwell effect | 354 | | |

E

| | | | |
|-------------|-----|-----|-----|
| Einstein | 4 | 152 | |
| elastic | | | |
| deformation | 160 | 176 | |
| effect | 111 | | |
| energy | 163 | 239 | |
| liquid | 160 | 186 | 199 |
| | 223 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|-------------------------------|-----|-----|-----|
| elastic (<i>Cont.</i>) | | | |
| modulus | 80 | 108 | 244 |
| potential | 224 | 235 | 239 |
| function | 111 | | |
| properties | 72 | | |
| recoil | 44 | 46 | 63 |
| | 71 | 156 | 158 |
| region | 202 | | |
| solid | 247 | | |
| elasticity | 162 | 244 | |
| limits | 243 | | |
| elastic-to-plastic transition | 243 | | |
| elastomers | 231 | | |
| elastoviscometers | 295 | | |
| electro-rheological | | | |
| effect | 382 | | |
| liquids | 301 | 382 | |
| materials | 381 | | |
| ellipsoid | 26 | | |
| elongation | 29 | 30 | 204 |
| | 243 | | |
| elongational | | | |
| flow | 196 | | |
| rheometry | 323 | | |
| viscosity | 130 | 197 | 198 |
| | 199 | 205 | |
| empirical constants | 240 | | |
| emulsion | 53 | 108 | 109 |
| | 175 | 376 | |
| energetic criterion | 247 | | |

| <u>Index Terms</u> | <u>Links</u> | | |
|---------------------------|---------------------|-----|----|
| engineering stress | 235 | | |
| Engler viscometer | 275 | | |
| entanglements | 82 | 83 | 84 |
| | 132 | 147 | |
| entrance | | | |
| correction | 264 | 265 | |
| factor | 265 | | |
| epoxy resin | 389 | | |
| equation | 3 | | |
| of state | 43 | | |
| equibiaxial | | | |
| elongation | 204 | | |
| stretching | 205 | | |
| equidistant distribution | 77 | | |
| equilibrium | | | |
| compliance | 84 | | |
| conditions | 241 | | |
| modulus | 47 | 66 | |
| Euler | | | |
| equality | 50 | | |
| law | 2 | | |
| theorem | 50 | | |
| expandability | 366 | | |
| experimental | | | |
| scale | 73 | | |
| techniques | 344 | | |
| window | 73 | | |
| extension | 13 | 29 | 47 |
| ratio | 29 | 237 | |
| extensional viscosity | 128 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | |
|------------------|-----|
| extinction angle | 348 |
| extrudate | 186 |
| swell | 165 |
| extruders | 403 |
| extrusion | 64 |
| rheometer | 279 |

F

| | | | |
|---------------------------------------|-----|-----|----|
| fading memory | 46 | 64 | |
| failure | 243 | 245 | |
| falling | | | |
| cylinder viscometers | 318 | | |
| sphere | 313 | 317 | |
| viscometers | 317 | | |
| Feigenbaum fractal chaotic structures | 195 | | |
| film | 13 | 409 | |
| Finger tensor | 30 | 33 | 36 |
| | 237 | | |
| first | 45 | | |
| first-order kinetic equation | 45 | | |
| flexible-chain polymers | 190 | | |
| flow | 4 | | |
| curve | 141 | 155 | |
| direction | 188 | | |
| rate | 194 | | |
| region | 202 | | |
| velocity | 255 | | |
| fluid dynamics | 43 | | |

Index Terms

Links

| | | | |
|----------------------------|-----|-------|-----|
| food | | | |
| industry | 374 | | |
| products | 5 | 374 | |
| force | 9 | 10 | |
| force decay | 45 | | |
| form-factor | 283 | 288 | 329 |
| | 342 | | |
| Fourier | | | |
| integral | 50 | | |
| transform | 69 | | |
| Fredholm integral equation | 77 | 90 | |
| free draining chain | 78 | 82-83 | |
| frequency | 340 | | |
| friction | | | |
| coefficient | 83 | | |
| law | 83 | | |
| front-factor | 333 | | |
| functional of errors | 76 | | |

G

| | | | |
|----------------------|-----|-----|--|
| gas | | | |
| capillary viscometer | 274 | | |
| viscometers | 273 | | |
| gelation temperature | 371 | | |
| gel-point | 388 | 391 | |
| gel-time | 388 | | |
| geometrical analysis | 26 | | |
| geometry | | | |
| factor | 283 | | |
| of flow | 256 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|---------------------------|-----|-----|-----|
| glaciers | 5 | | |
| glass | 5 | | |
| transition temperature | 392 | | |
| viscometers | 276 | | |
| Gleissle mirror relations | 109 | | |
| gloss | 187 | | |
| Goodrich plastometer | 310 | | |
| gravitation force | 269 | | |
| grease | 5 | 168 | 373 |

H

| | | | |
|-------------------------|-----|-----|--|
| Hagen-Poiseuille law | 181 | 260 | |
| harmonic | | | |
| function | 50 | | |
| law | 50 | 325 | |
| oscillation | 50 | | |
| perturbations | 342 | | |
| heat | | | |
| dissipation | 390 | | |
| emission | 358 | | |
| explosion | 292 | | |
| flux | 398 | | |
| Hencky | | | |
| deformation | 321 | | |
| measure of deformations | 30 | | |
| strain | 29 | | |
| hereditary integrals | 62 | | |

Index Terms

Links

| | | | |
|-----------------------|-----|-----|-----|
| Hershel-Bulkley | | | |
| equation | 143 | 144 | |
| liquid | 145 | | |
| viscoplastic medium | 400 | | |
| Hoeppler | | | |
| consistometer | 312 | | |
| viscometer | 317 | | |
| Hooke law | 2 | 43 | 56 |
| | 64 | 225 | 232 |
| | 234 | | |
| Hookean | | | |
| elastic material | 226 | | |
| material | 224 | | |
| solid | 55 | 67 | 448 |
| Huggins | | | |
| constant | 148 | | |
| equation | 148 | | |
| Humboldt penetrometer | 312 | | |
| hydraulic | | | |
| drive | 278 | | |
| pressure | 16 | 17 | 18 |
| | 127 | 175 | 226 |
| | 245 | | |
| hysteresis loop | 191 | 196 | |

I

| | | | |
|------------------|-----|-----|--|
| imaginary part | 51 | | |
| impedance | 330 | | |
| indenter | 256 | 312 | |
| induction period | 178 | 391 | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|----------------------------|-----|-----|-----|
| inertial instability | 180 | | |
| infinite shear rate | 131 | | |
| infinitesimal | 27 | | |
| deformation | 23 | 26 | 27 |
| volume | 25 | | |
| initial stress | 46 | | |
| injection | | | |
| molding | 413 | 414 | |
| cycle | 415 | | |
| instability | 192 | | |
| instantaneous | | | |
| compliance | 47 | 66 | |
| elastic modulus | 71 | | |
| modulus | 71 | | |
| intensity of shear stress | 246 | | |
| interaction | 148 | | |
| interference picture | 347 | | |
| internal friction | 127 | | |
| intrinsic viscosity | 132 | 148 | |
| invariants | 14 | 26 | 111 |
| isothermal crystallization | 180 | | |
| isotropic | 229 | | |

J

| | |
|-----------------|-----|
| junction points | 133 |
|-----------------|-----|

K

| | |
|-------------|-----|
| K-BKZ model | 112 |
| Kelvin | 174 |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|--------------------------------|-----|-----|----|
| Kelvin-Voigt | | | |
| model | 49 | 57 | 58 |
| viscoelastic liquid | 55 | | |
| Kernel approximation | 75 | | |
| kinetic | | | |
| correction | 263 | | |
| effect | 176 | | |
| energy | 264 | | |
| kinetics of crystallization | 178 | | |
| kinetorheology | 384 | | |
| Kohlrausch function | 46 | | |
| Kraemer equation | 148 | | |
| Kronecker delta | 11 | 29 | |
| Kronig-Kramer equation | 70 | | |
| Kuhn-Guth-James-Mark potential | 236 | 241 | |
| L | | | |
| Lamé constants | 226 | | |
| laminar | 180 | 181 | |
| flow | 270 | | |
| Laplace | | | |
| integral | 73 | | |
| transform | 73 | | |
| large deformations | 23 | 232 | |
| law of equality | 12 | | |
| lecithin | 172 | | |
| Leonov model | 114 | 115 | |
| lifetime of entanglements | 133 | | |

Index Terms

Links

| | | |
|-----------------------|-----|-----|
| limiting | | |
| extension stress | 249 | |
| state | 247 | 248 |
| stress | 199 | 244 |
| viscosity | 131 | |
| linear | | |
| approximation | 328 | |
| superposition | 61 | 62 |
| viscoelastic behavior | 47 | 156 |
| linearization | 76 | 238 |
| liquid crystals | 139 | 204 |
| liquid-like | 223 | |
| Lissajou figure | 53 | |
| local action | 397 | |
| Lodge equation | 72 | 162 |
| long branching | 86 | |
| loss | | |
| angle | 54 | |
| compliance | 54 | |
| modulus | 333 | 377 |
| tangent | 57 | |
| low torque viscometer | 300 | |
| lubricants | 5 | |
| Luders lines | 248 | |
| lyotropic | 151 | |

M

| | |
|---------------------|----|
| machining | 64 |
| macromolecular coil | 82 |

Index Terms

Links

| | | | |
|-----------------------------|-----|-----|----|
| magneto-rheological | | | |
| effect | 383 | | |
| materials | 381 | | |
| Margules equation | 283 | | |
| Mark-Kuhn-Houwink equation | 148 | | |
| Marrucci model | 116 | | |
| Martin equation | 148 | | |
| Mason number | 383 | | |
| master curve | 92 | 93 | |
| material objectivity | 398 | | |
| matrix | 10 | | |
| maximum shear stress | 245 | 248 | |
| maximum stress | 18 | | |
| Maxwell | 45 | | |
| fluid | 114 | | |
| model | 49 | 57 | 58 |
| Maxwellian | | | |
| element | 82 | | |
| viscoelastic liquid | 55 | | |
| mechanical impedance | 331 | | |
| mechanics of continuum | 4 | | |
| mechano-chemical effect | 406 | | |
| melamine-formaldehyde resin | 389 | | |
| melt | 132 | 370 | |
| flow | | | |
| index | 272 | 370 | |
| rate | 272 | | |
| fracture | 192 | | |
| memory function | 63 | | |
| metals | 5 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|-----------------------------|-----|-----|-----|
| methylmethacrylate | 386 | | |
| micellar colloid | 186 | | |
| micelles | 172 | | |
| microrheology | 4 | | |
| mineral | | | |
| dispersions | 5 | | |
| oils | 371 | | |
| modeling | 365 | | |
| modulus of elasticity | 280 | | |
| molding | 410 | | |
| molecular | | | |
| chain | 367 | | |
| mass | 146 | | |
| model | 74 | | |
| movement | 78 | | |
| weight distribution | 157 | | |
| molecular-mass distribution | 87 | | |
| molten state | 146 | | |
| moment of force | 12 | | |
| momentum conservation | 20 | | |
| monodisperse polymers | 99 | 154 | 199 |
| mono-spherical viscometer | 290 | | |
| Mooney | | | |
| method | 268 | | |
| viscometer | 302 | | |
| Mooney-Rivlin potential | 237 | | |
| morphological effect | 176 | | |
| mud | 5 | | |
| Mullins effect | 251 | | |
| multiaxial elongation | 204 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|--------------------------|-----|-----|-----|
| multi-valued flow curves | 190 | | |
| N | | | |
| Navier-Stokes equation | 128 | | |
| neck formation | 101 | 102 | 247 |
| neo-Hookean material | 235 | | |
| network of entanglements | 146 | | |
| Newton | | | |
| hypothesis | 127 | | |
| law | 43 | | |
| second law | 19 | | |
| Newtonian | | | |
| flow | 204 | | |
| liquid | 55 | 67 | 127 |
| | 260 | | |
| viscosity | 71 | 72 | 86 |
| | 87 | 99 | 133 |
| Newton-Stokes | | | |
| hypothesis | 259 | | |
| law | 257 | 261 | |
| liquid | 127 | | |
| NMR imaging | 357 | | |
| no slip hypothesis | 267 | | |
| non-draining | | | |
| coil | 81 | | |
| model | 81 | | |
| non-Hookean | 2 | | |
| behavior | 100 | | |

Index Terms

Links

| | | | |
|--------------------|-----|-----|-----|
| non-linear | | | |
| creep | 100 | | |
| effect | 99 | | |
| elasticity | 241 | | |
| relaxation | 102 | | |
| non-Newtonian | 2 | | |
| behavior | 104 | 130 | 131 |
| | 133 | 169 | |
| degree of | 141 | | |
| liquids | 261 | | |
| viscosity | 99 | 104 | |
| normal | | | |
| force | 9 | 12 | |
| stress | 9 | 10 | 13 |
| | 68 | 73 | 160 |
| | 246 | | |
| nuclei | | | |
| density | 179 | | |
| formation | 179 | | |
| size | 180 | | |
| O | | | |
| oil-based products | 371 | | |
| oligomer curing | 388 | | |
| operator equation | 60 | | |
| orientation | 10 | 11 | 180 |
| | 207 | | |
| oscillation loops | 192 | | |

Index Terms

Links

| | | | |
|---------------------------|-----|-----|-----|
| oscillatory | | | |
| amplitude | 108 | | |
| birefringence | 350 | | |
| stress | 350 | | |
| Ostwald-De Waele equation | 142 | | |
| Ostwald-Fenskeviscometer | 276 | | |
| outlet instability | 193 | | |
| overshoot | 166 | | |
| P | | | |
| packing | 152 | | |
| paints | 1 | 5 | |
| parallel plates | 325 | | |
| parsimonious model) | 76 | | |
| partial compliance | 48 | | |
| penetrometer | 311 | | |
| periodic | | | |
| defects | 189 | | |
| oscillation | 50 | 52 | |
| pharmaceuticals | 1 | 5 | 376 |
| phase | | | |
| angle | 326 | 340 | 352 |
| inversion | 179 | | |
| separation | 176 | | |
| transition | 151 | 175 | 196 |
| temperature | 175 | 180 | |
| phenomenological form | 239 | | |

Index Terms

Links

| | | | |
|---------------------------|-----|-----|-----|
| physical | | | |
| effect | 15 | | |
| methods | 346 | | |
| reality | 3 | | |
| physics | 4 | | |
| plane stress state | 13 | | |
| plastic | 209 | | |
| deformation | 156 | 194 | |
| flow | 245 | | |
| plasticating extruder | 404 | | |
| plasticity | 134 | 138 | 223 |
| | 244 | 245 | 310 |
| plastics | 5 | | |
| plastometers | 306 | | |
| plate-and-plate technique | 304 | | |
| plateau modulus | 52 | 87 | 89 |
| Pochettino viscometers | 310 | | |
| Poisson ratio | 30 | 31 | 225 |
| | 226 | | |
| polar coordinate system | 21 | | |
| poly(methylmethacrylate) | 105 | | |
| polyamide-6 | 178 | | |
| polybutadiene | 95 | 105 | 131 |
| | 194 | 356 | 357 |
| polycarbonate | 351 | | |
| polydimethylsiloxane | 105 | 367 | |
| polydisperse | | | |
| polymers | 90 | 155 | 132 |
| | 190 | | |
| systems | 178 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|------------------|-----|-----|-----|
| polydispersity | 87 | 155 | |
| polyethylene | 88 | 105 | 136 |
| melt | 165 | | |
| polyisobutylene | 96 | 102 | 105 |
| | 349 | | |
| polymer | | | |
| chain | 78 | | |
| flow | 356 | | |
| melt | 5 | 353 | 354 |
| polymerization | 386 | | |
| poly-p-benzamide | 139 | | |
| polyphosphazenes | 190 | | |
| polypropylene | 179 | 204 | |
| polystyrene | 89 | 90 | 105 |
| | 248 | 351 | 357 |
| polysulfone | 387 | 396 | |
| polyvinylacetate | 395 | | |
| polyvinylalcohol | 395 | | |
| power | | | |
| drive | 277 | | |
| law equation | 142 | 144 | |
| Poynting effect | 32 | 174 | 242 |
| preform | 412 | | |
| pressure | | | |
| correction | 267 | | |
| gradient | 194 | | |
| losses | 266 | | |
| oscillation | 192 | | |

Index Terms

Links

| | | | |
|------------------------------------|-----|-----|----|
| principal | | | |
| deformation | 26 | | |
| stress | 12 | 13 | 14 |
| | 144 | 353 | |
| principle of material indifference | 35 | | |
| printing inks | 5 | | |
| pseudo-Newtonian region | 136 | | |
| pseudo-plasticity | 136 | | |
| pulp | 5 | | |
| pure shear | 33 | | |

Q

| | | | |
|------------------------------|-----|--|--|
| quasi-equilibrium compliance | 352 | | |
| quasi-linear mode | 68 | | |
| quasi-Newtonian | 264 | | |

R

| | | | |
|----------------------------|-----|-----|-----|
| Rabinovitsch-Weissenberg | | | |
| equation | 262 | 288 | 402 |
| formula | 268 | | |
| rate of deformation tensor | 34 | | |
| Rayleigh instability | 207 | | |
| reaction injection molding | 414 | | |
| recoil strain | 156 | | |
| recoverable | | | |
| deformation | 158 | 352 | |
| strain | 156 | 157 | |
| reduced mass | 329 | | |
| Redwood viscometer | 275 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|---------------------------------|-----|----|-----|
| reference temperature | 92 | | |
| refractive indices | 346 | | |
| reinforced plastics | 5 | | |
| relative measurement | 255 | | |
| relaxation | 44 | 50 | 69 |
| | 257 | | |
| function | 47 | 66 | |
| mode | 73 | 74 | 77 |
| modulus | 47 | 92 | |
| phenomenon | 47 | | |
| process | 46 | | |
| rate | 173 | | |
| spectrum | 47 | 70 | 71 |
| | 72 | 89 | 98 |
| | 103 | | |
| time | 45 | 46 | 48 |
| | 57 | 77 | 103 |
| | 186 | | |
| spectrum | 48 | | |
| relaxation-retardation behavior | 59 | | |
| reptation model | 85 | 86 | |
| residual stress | 45 | | |
| resonance | | | |
| amplitude | 339 | | |
| frequency | 332 | | |
| oscillations | 332 | | |
| retardation | 44 | 63 | |
| angle | 68 | | |
| spectrum | 80 | | |
| time | 57 | 60 | |

Index Terms

Links

| | | | |
|------------------------------------|-----|-----|-----|
| Reynolds | 174 | | |
| number | 165 | 180 | 181 |
| | 184 | 186 | 290 |
| | 292 | 293 | 366 |
| rheogoniometers | 295 | | |
| rheokinetic | | | |
| effects | 387 | | |
| studies | 392 | 396 | |
| rheokinetics | 384 | | |
| rheological | | | |
| effects | 365 | | |
| equation of state | 103 | 110 | 128 |
| | 396 | | |
| equations | 43 | 59 | |
| model | 396 | | |
| rheology | 1 | 4 | 5 |
| | 9 | | |
| rheometry | 255 | 279 | |
| rheo-optical | | | |
| instrument | 355 | | |
| method | 352 | | |
| rheo-optics | 346 | | |
| rheopexy | 169 | 171 | 174 |
| rigid-chain polymers | 190 | | |
| ring-and-bead model | 78 | | |
| Rivlin-Ericksen tensor | 36 | 398 | |
| Roberts-Weissenberg rheogoniometer | 304 | | |
| rolling | 244 | | |
| rotating coil model | 82 | | |
| rotation constant frequency | 280 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|-----------------|-----|-----|-----|
| rotational | | | |
| equilibrium | 12 | | |
| flow | 185 | | |
| instruments | 282 | 293 | |
| rheometers | 296 | | |
| rheometry | 279 | 280 | 281 |
| | 285 | | |
| speed | 280 | 296 | |
| viscometer | 295 | 355 | |
| viscometry | 292 | | |
| rubbers | 5 | 231 | |
| rubbery | | | |
| behavior | 93 | | |
| character | 201 | | |
| deformation | 281 | | |
| elasticity | 93 | | |
| material | 137 | | |
| modulus | 156 | | |
| rupture | 199 | 200 | 406 |
| Rusk viscometer | 317 | | |

S

| | | | |
|---------------------|-----|-----|-----|
| sagging fiber | 18 | | |
| screwless extruder | 159 | | |
| sealants | 1 | 5 | |
| secondary flows | 185 | | |
| second-order effect | 162 | | |
| sharkskin | 187 | 188 | 189 |
| effect | 187 | | |
| sharp corners | 193 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | | |
|-----------------------------|-------|-----|-----|
| shear | 13 | 47 | |
| banding | 195-6 | | |
| compliance | 47 | 72 | 156 |
| | 157 | | |
| deformation | 68 | 71 | 156 |
| | 175 | | |
| field | 82 | | |
| flow | 130 | 180 | |
| modulus | 225 | 448 | |
| plastometer | 307 | | |
| rate | 65 | 71 | 102 |
| | 136 | 155 | 157 |
| | 207 | 264 | 281 |
| | 288 | 391 | |
| strength | 281 | | |
| stress | 10 | 17 | 71 |
| | 193 | 246 | 249 |
| | 258 | 353 | |
| amplitude | 350 | | |
| thickening | 174 | | |
| viscosity | 127 | 130 | |
| shear-induced fractionation | 178 | | |
| shearing | 173 | | |
| kinetic effect | 390 | | |
| shear-thinning liquid | 267 | | |
| shock absorber | 54 | | |
| simple shear | 31 | 32 | |
| siphon effect | 205 | 322 | |
| sliding | 132 | | |
| slip | 188 | | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | |
|---|-----|-----|
| slippage regime | 194 | |
| slit die | 352 | |
| Snell law | 347 | |
| soils | 5 | |
| solid | 223 | |
| solidification | 366 | |
| solid-like | 223 | |
| sound insulator | 54 | |
| space scale | 2 | |
| sphere | 26 | |
| spherical | | |
| stress tensor | 17 | |
| surfaces | 289 | 343 |
| tensor | 16 | |
| spinning | 408 | |
| spring | 55 | |
| viscometers | 298 | |
| spurt | 132 | |
| squeezing flow | | |
| instrument | 324 | |
| plastometers | 308 | |
| stamping | 244 | |
| static experiment | 50 | |
| stationary | | |
| flow | 258 | |
| regime | 100 | |
| statistical theory of rubber elasticity | 241 | |

Index Terms

Links

| | | | |
|---------------------|-----|-----|-----|
| steady | | | |
| flow | 102 | | |
| regime | 130 | | |
| shear flow | 66 | 173 | |
| state | | | |
| compliance | 71 | 87 | |
| flow | 68 | | |
| stick-slip behavior | 280 | | |
| Stokes formula | 314 | | |
| storage | | | |
| compliance | 54 | | |
| modulus | 54 | 95 | 108 |
| stored energy | 224 | | |
| strain | 23 | | |
| hardening | 203 | 205 | |
| rate | 255 | | |
| strengthening | 250 | | |
| stress | 9 | | |
| difference | 161 | | |
| distribution | 11 | | |
| field | 11 | | |
| function | 198 | | |
| hardening | 250 | | |
| invariant | 224 | | |
| relaxation | 45 | | |
| state | 11 | 12 | |

Index Terms

Links

| | | | |
|-------------------------|-----|-----|-----|
| stress (<i>Cont.</i>) | | | |
| tensor | 10 | 11 | 13 |
| | 14 | 17 | 21 |
| | 26 | 128 | 144 |
| | 160 | 226 | 249 |
| | 351 | | |
| stress-optical | | | |
| coefficient | 351 | 354 | |
| law | 348 | | |
| rule | 351 | 353 | |
| structural viscosity | 136 | | |
| structure | 250 | | |
| destruction | 251 | | |
| restoration | 251 | | |
| strukturviscosität | 136 | | |
| substantial derivative | 35 | | |
| super-extrusion | 192 | | |
| superposition | 91 | 366 | |
| principle | 61 | 63 | 70 |
| surface | | | |
| defects | 188 | | |
| rupture | 188 | | |
| tension forces | 270 | | |
| waves | 207 | | |
| suspension | 152 | | |
| swell ratio | 165 | | |
| swelling effect | 405 | | |

Index Terms

Links

T

tangential

component 10

force 12

Taylor

cells 183

number 184 186

Taylor-Couette

cells 184

instability 184 186

technological characteristics 370

telescopic shear 310

temperature

correction 266

shift factor 94

tensile

recoil 200

strength 243

stress 9 188 321

tensor 10

thermodynamic effect 176

thermodynamics 114 175

thermotropic 151

thickening 366

effect 380

thinning 366

thixotropic 172 173

effect 250

effects 170

Index Terms

Links

| | | | |
|-------------------------------|-----|-----|-----|
| thixotropy | 169 | 250 | 251 |
| | 381 | | |
| Tikhonov regularization | 77 | | |
| time of deformation | 133 | | |
| time-dependent effect | 223 | 250 | |
| time-scale | 173 | | |
| of observation | 223 | | |
| Toms effect | 182 | 366 | |
| toothpaste | 376 | | |
| torque | 255 | 280 | |
| control | 299 | | |
| torsion | | | |
| oscillations | 329 | 341 | |
| pendulums | 345 | | |
| torsional shafts | 291 | | |
| transient | | | |
| behavior | 166 | 173 | |
| deformation | | | |
| range | 167 | | |
| regime | 130 | | |
| mode | 65 | | |
| regime | 256 | | |
| transition | | | |
| point | 200 | | |
| zone | 96 | | |
| Tresca-Saint-Venant criterion | 245 | | |
| tribological effect | 189 | | |

Index Terms

Links

Trouton

equation

197

law

128

130

197

319

viscosity

128

204

T-T-T diagram of curing

393

tube model

85

tubeless siphon

205

turbulent

181

flow

270

U

ultimate

elongation

243

recoil

156

function

156

uniaxial

elongation

30

321

extension

17

31

128

196

197

369

unrecoverable deformation

209

unsteady

flow

187

regime

100

upper Newtonian viscosity

135

V

vector

10

34

velocimetry

357

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | | |
|--------------------------|-----|-----|
| velocity | 34 | |
| gradient | 35 | |
| profile | 190 | 357 |
| vibration viscometry | 337 | |
| vibrational method | 257 | |
| video microscopy | 187 | |
| Virk asymptote | 182 | |
| viscoelastic | 250 | |
| behavior | 69 | 101 |
| compliance | 47 | |
| effect | 103 | |
| entanglements | 84 | |
| functions | 69 | |
| material | 52 | 131 |
| properties | 53 | 281 |
| region | 202 | |
| viscoelasticity | 71 | 379 |
| viscometers-calorimeters | 358 | |
| viscometry | 255 | |
| viscoplastic | | |
| flow | 134 | |
| liquids | 136 | |
| material | 135 | 138 |
| viscosity | 127 | |
| measurement | 141 | |
| viscous | 209 | |
| friction | 358 | |
| volume change | 47 | |
| volumetric flow rate | 266 | |
| Von Mises criterion | 144 | |

This page has been reformatted by Knovel to provide easier navigation.

Index Terms

Links

| | |
|-----------|----|
| vorticity | 25 |
| tensor | 34 |

W

| | | | |
|--------------------------------|-----|-----|-----|
| Wagner model | 112 | 114 | |
| wall instability | 194 | | |
| wave propagation | 335 | | |
| wax content | 371 | | |
| Weissenberg | 159 | | |
| effect | 159 | 242 | 287 |
| | 292 | 303 | 366 |
| number | 186 | 194 | 200 |
| Rheogoniometer | 295 | | |
| White-Metzner tensor | 36 | 398 | |
| Williams plastometer | 310 | | |
| Williams-Landel-Ferry equation | 94 | 95 | |
| wire insulation | 187 | | |

Y

| | | | |
|---------------|-----|-----|-----|
| yield | | | |
| point | 209 | | |
| stress | 134 | 135 | 141 |
| | 143 | 204 | 209 |
| | 373 | 378 | 379 |
| | 380 | | |
| yogurt | 1 | | |
| Young modulus | 2 | 225 | 226 |
| | 229 | 234 | 448 |

Index Terms

Links

Z

| | | |
|--------------------------|-----|-----|
| zero moment | 71 | |
| zero-shear-rate | 131 | 141 |
| viscosity | 147 | |
| Zimm-Crothers viscometer | 300 | |