

# KeyError at /issue/show\_app/43

'user\_id'

Request Method: GET  
Request URL: http://localhost:8000/issue/show\_app/43  
Django Version: 2.1.4  
Exception Type: KeyError  
Exception Value: 'user\_id'  
Exception Location: C:\Anaconda3\lib\site-packages\django\contrib\sessions\backends\base.py in \_\_getitem\_\_, line 55  
Python Executable: C:\Anaconda3\python.exe  
Python Version: 3.7.1  
Python Path: ['C:\\Users\\어다희\\work\_django\\groot-django', 'C:\\Users\\어다희\\work\_django\\groot-django', 'C:\\Anaconda3\\python37.zip', 'C:\\Anaconda3\\DLLs', 'C:\\Anaconda3\\lib', 'C:\\Anaconda3', 'C:\\Anaconda3\\lib\\site-packages', 'C:\\Anaconda3\\lib\\site-packages\\win32', 'C:\\Anaconda3\\lib\\site-packages\\win32\\lib', 'C:\\Anaconda3\\lib\\site-packages\\Pythonwin']  
Server time: 화요일, 22 1월 2019 17:45:20 +0900

## Traceback [Switch to copy-and-paste view](#)

C:\Anaconda3\lib\site-packages\django\core\handlers\exception.py in inner

34. response = get\_response(request)

► Local vars

C:\Anaconda3\lib\site-packages\django\core\handlers\base.py in \_get\_response

126. response = self.process\_exception\_by\_middleware(e, request)

► Local vars

C:\Anaconda3\lib\site-packages\django\core\handlers\base.py in \_get\_response

124. response = wrapped\_callback(request, \*callback\_args, \*\*callback\_kwargs)

► Local vars

C:\Users\어다희\work\_django\groot-django\groot\views.py in show\_app

508. user\_id = request.session['user\_id']

► Local vars

C:\Anaconda3\lib\site-packages\django\contrib\sessions\backends\base.py in \_\_getitem\_\_

55. return self.\_session[key]

► Local vars

## Request information

USER AnonymousUser  
GET No GET data  
POST No POST data  
FILES No FILES data  
COOKIES No cookie data  
META

| Variable                | Value  |
|-------------------------|--|
| ALLUSERSPROFILE         | 'C:\\ProgramData'  |
| APPDATA                 | 'C:\\Users\\어다희\\AppData\\Roaming'   |
| COMMONPROGRAMFILES      | 'C:\\Program Files\\Common Files'  |
| COMMONPROGRAMFILES(X86) | 'C:\\Program Files (x86)\\Common Files'  |
| COMMONPROGRAMW6432      | 'C:\\Program Files\\Common Files'  |
| COMPUTERNAME            | 'DESKTOP-1CDR712'  |
| COMSPEC                 | 'C:\\WINDOWS\\system32\\cmd.exe'   |
| CONFIGSETROOT           | 'C:\\WINDOWS\\ConfigSetRoot'   |
| CONTENT_LENGTH          | ''   |
| CONTENT_TYPE            | 'text/plain'   |
| DJANGO_SETTINGS_MODULE  | 'blockchain.settings'  |
| DRIVERDATA              | 'C:\\Windows\\System32\\Drivers\\DriverData'   |
| ETHEREUM_SOCKET         | '\\\\.\\.pipe\\geth.ipc'   |
| GATEWAY_INTERFACE       | 'CGI/1.1'  |
| HOMEDRIVE               | 'C:'   |
| HOMEPATH                | '\\Users\\어다희'   |
| HTTP_ACCEPT             | 'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'  |
| HTTP_ACCEPT_ENCODING    | 'gzip'   |
| HTTP_ACCEPT_LANGUAGE    | 'ko-KR,en,*'   |
| HTTP_CONNECTION         | 'Keep-Alive'   |
| HTTP_HOST               | 'localhost:8000'   |
| HTTP_USER_AGENT         | ('Mozilla/5.0 (Windows NT 6.2; Win64; x64) AppleWebKit/534.34 (KHTML, like 'Gecko) wkhtmltopdf Safari/534.34') |
| JAVA_HOME               | 'C:\\JAVA\\jdk-11.0.2'   |
| LOCALAPPDATA            | 'C:\\Users\\어다희\\AppData\\Local'   |
| LOGONSERVER             | '\\\\DESKTOP-1CDR712'  |
| NUMBER_OF_PROCESSORS    | '4'  |
| ONEDRIVE                | 'C:\\Users\\어다희\\OneDrive'   |
| OS                      | 'Windows_NT'   |

Hide »

Versions

Django 2.1.4

시작

TOTAL: 288.20ms

Settings

Headers

Request

SHOW APP

SQL

0 QUERIES IN 0.00ms

Static files

0 FILES USED

Templates

Cache

0 CALLS IN 0.00ms

Signals

6 RECEIVERS OF 12 SIGNALS

Logging

1 MESSAGE

Intercept re directs

| Variable                  | Value   |
|---------------------------|---|
| PATH                      | ('C:\\Program Files (x86)\\Common Files\\Oracle\\Java\\javapath;C:\\Program ' 'Files (x86)\\Intel\\iCLS Client\\;C:\\Program Files\\Intel\\iCLS ' 'Client\\;C:\\WINDOWS\\system32;C:\\WINDOWS;C:\\WINDOWS\\System32\\Wbem;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\Program ' 'Files (x86)\\Intel\\Intel(R) Management Engine Components\\DAL;C:\\Program ' 'Files\\Intel\\Intel(R) Management Engine Components\\DAL;C:\\Program Files ' '(x86)\\Intel\\Intel(R) Management Engine Components\\IPT;C:\\Program ' 'Files\\Intel\\Intel(R) Management Engine ' 'Components\\IPT;C:\\WINDOWS\\System32\\OpenSSH\\;C:\\Program ' 'Files\\Microsoft VS Code\\bin;C:\\Program Files\\PuTTY\\;C:\\Program ' 'Files\\nodejs\\;C:\\Program Files\\Geth;C:\\Program ' 'Files\\Git\\cmd;C:\\Anaconda3;C:\\Anaconda3\\Library\\mingw- w64\\bin;C:\\Anaconda3\\Library\\bin;C:\\Anaconda3\\Scripts;C:\\JAVA\\jdk-11.0.2\\bin;C:\\Program ' 'Files\\wkhtmltopdf\\bin\\;C:\\Anaconda3;C:\\Anaconda3\\Library\\mingw- w64\\bin;C:\\Anaconda3\\Library\\usr\\bin;C:\\Anaconda3\\Library\\bin;C:\\Anaconda3\\Scripts;C:\\Users\\\어다회\\windows-build- tools\\python27\\;C:\\Program ' 'Files\\nodejs\\node_modules\\npm\\node_modules\\npm-lifecycle\\node-gyp-bin;C:\\Users\\\어다회\\ \\AppData\\Roaming\\npm\\node_modules\\windows-build-tools\\node_modules\\bin;C:\\Users\\\어다회\\ \\AppData\\Roaming\\npm\\node_modules\\bin;C:\\Program ' 'Files (x86)\\Common Files\\Oracle\\Java\\javapath;C:\\Program Files ' '(x86)\\Intel\\iCLS Client\\;C:\\Program Files\\Intel\\iCLS ' 'Client\\;C:\\WINDOWS\\system32;C:\\WINDOWS;C:\\WINDOWS\\System32\\Wbem;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\Program ' 'Files (x86)\\Intel\\Intel(R) Management Engine Components\\DAL;C:\\Program ' 'Files\\Intel\\Intel(R) Management Engine Components\\DAL;C:\\Program Files ' '(x86)\\Intel\\Intel(R) Management Engine Components\\IPT;C:\\Program ' 'Files\\Intel\\Intel(R) Management Engine ' 'Components\\IPT;C:\\WINDOWS\\System32\\OpenSSH\\;C:\\Program ' 'Files\\Microsoft VS Code\\bin;C:\\Program Files\\PuTTY\\;C:\\Program ' 'Files\\nodejs\\;C:\\Program Files\\;C:\\Program Files\\wkhtmltopdf\\bin\\;') 'COM; .EXE; .BAT; .CMD; .VBS; .VBE; .JS; .JSE; .WSF; .WSH; .MSC' '/issue/show_app/43' 'AMD64' 'Intel64 Family 6 Model 142 Stepping 9, GenuineIntel' '6' '8e09' 'C:\\ProgramData' 'C:\\Program Files' 'C:\\Program Files (x86)' 'C:\\Program Files' ('C:\\Program ' 'Files\\WindowsPowerShell\\Modules;C:\\WINDOWS\\system32\\WindowsPowerShell\\v1.0\\Modules') 'C:\\Users\\Public' '1' 'UTF-8' 'C:\\Users\\\어다회\\work_django\\groot-django' '1' '' 'GET' 'true' '' 'DESKTOP-1CDR712' '8000' 'HTTP/1.1' 'WSGIServer/0.2' 'Console' 'C:' 'C:\\WINDOWS' 'C:\\Users\\\어다회\\AppData\\Local\\Temp' 'C:\\Users\\\어다회\\AppData\\Local\\Temp' 'DESKTOP-1CDR712' 'DESKTOP-1CDR712' '어다회' 'C:\\Users\\\어다회' 'C:\\Program Files\\Oracle\\VirtualBox\\' 'C:\\WINDOWS' <_io.TextIOWrapper name='<stderr>' mode='w' encoding='UTF-8'> '' <_io.BufferedReader name=1664> False True False 'http' (1, 0) |
| PATHEXT                   |   |
| PATH_INFO                 |   |
| PROCESSOR_ARCHITECTURE    |   |
| PROCESSOR_IDENTIFIER      |   |
| PROCESSOR_LEVEL           |   |
| PROCESSOR_REVISION        |   |
| PROGRAMDATA               |   |
| PROGRAMFILES              |   |
| PROGRAMFILES(X86)         |   |
| PROGRAMW6432              |   |
| PSMODULEPATH              |   |
| PUBLIC                    |   |
| PYCHARM_HOSTED            |   |
| PYTHONIOENCODING          |   |
| PYTHONPATH                |   |
| PYTHONUNBUFFERED          |   |
| QUERY_STRING              |   |
| REMOTE_ADDR               |   |
| REMOTE_HOST               |   |
| REQUEST_METHOD            |   |
| RUN_MAIN                  |   |
| SCRIPT_NAME               |   |
| SERVER_NAME               |   |
| SERVER_PORT               |   |
| SERVER_PROTOCOL           |   |
| SERVER_SOFTWARE           |   |
| SESSIONNAME               |   |
| SYSTEMDRIVE               |   |
| SYSTEMROOT                |   |
| TEMP                      |   |
| TMP                       |   |
| USERDOMAIN                |   |
| USERDOMAIN_ROAMINGPROFILE |   |
| USERNAME                  |   |
| USERPROFILE               |   |
| VBOX_MSI_INSTALL_PATH     |   |
| WINDIR                    |   |
| wsgi.errors               |   |
| wsgi.file_wrapper         |   |
| wsgi.input                |   |
| wsgi.multiprocess         |   |
| wsgi.multithread          |   |
| wsgi.run_once             |   |
| wsgi.url_scheme           |   |
| wsgi.version              |   |

## Settings

Using settings module blockchain.settings

| Setting                     | Value   |
|-----------------------------|---|
| ABSOLUTE_URL_OVERRIDES      | {}  |
| ADMINS                      | []  |
| ALLOWED_HOSTS               | ['localhost', '127.0.0.1', '210.107.78.149', 'www.grootchain.com']        |
| APPEND_SLASH                | True  |
| AUTHENTICATION_BACKENDS     | ['django.contrib.auth.backends.ModelBackend']                             |
| AUTH_PASSWORD_VALIDATORS    | ['django.contrib.auth.backends.ModelBackend']                             |
| AUTH_USER_MODEL             | 'auth.User'   |
| BASE_DIR                    | 'C:\\Users\\\어다회\\work_django\\groot-django'                              |
| CACHES                      | {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}} |
| CACHE_MIDDLEWARE_ALIAS      | 'default'   |
| CACHE_MIDDLEWARE_KEY_PREFIX | ''  |
| CACHE_MIDDLEWARE_SECONDS    | 600   |
| CSRF_COOKIE_AGE             | 31449600  |
| CSRF_COOKIE_DOMAIN          | None  |
| CSRF_COOKIE_HTTPONLY        | False   |
| CSRF_COOKIE_NAME            | 'csrftoken'   |
| CSRF_COOKIE_PATH            | '/'   |
| CSRF_COOKIE_SAMESITE        | 'Lax'   |
| CSRF_COOKIE_SECURE          | False   |

| Setting                           | Value  |
|-----------------------------------|--|
| CSRF_FAILURE_VIEW                 | 'django.views.csrf.csrf_failure'   |
| CSRF_HEADER_NAME                  | 'HTTP_X_CSRFTOKEN'   |
| CSRF_TRUSTED_ORIGINS              | []   |
| CSRF_USE_SESSIONS                 | False  |
| DATABASES                         | {'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.mysql', 'HOST': '210.107.78.149', 'NAME': 'SecDocu', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': 'root'}} |
| DATABASE_ROUTERS                  | []   |
| DATA_UPLOAD_MAX_MEMORY_SIZE       | 2621440  |
| DATA_UPLOAD_MAX_NUMBER_FIELDS     | 1000   |
| DATETIME_FORMAT                   | 'N j, Y, P'  |
| DATETIME_INPUT_FORMATS            | ['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%Y-%m-%d', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M', '%m/%d/%y']  |
| DATE_FORMAT                       | 'N j, Y'   |
| DATE_INPUT_FORMATS                | ['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']   |
| DEBUG                             | True   |
| DEBUG_PROPAGATE_EXCEPTIONS        | False  |
| DECIMAL_SEPARATOR                 | ','  |
| DEFAULT_CHARSET                   | 'utf-8'  |
| DEFAULT_CONTENT_TYPE              | 'text/html'  |
| DEFAULT_EXCEPTION_REPORTER_FILTER | 'django.views.debug.SafeExceptionReporterFilter'   |
| DEFAULT_FILE_STORAGE              | 'django.core.files.storage.FileSystemStorage'  |
| DEFAULT_FROM_EMAIL                | 'webmaster@localhost'  |
| DEFAULT_INDEX_TABLESPACE          | ''   |
| DEFAULT_TABLESPACE                | ''   |
| DISALLOWED_USER_AGENTS            | []   |
| EMAIL_BACKEND                     | 'django.core.mail.backends.smtp.EmailBackend'  |
| EMAIL_HOST                        | 'localhost'  |
| EMAIL_HOST_PASSWORD               | '*****'  |
| EMAIL_HOST_USER                   | ''   |
| EMAIL_PORT                        | 25   |
| EMAIL_SSL_CERTFILE                | None   |
| EMAIL_SSL_KEYFILE                 | '*****'  |
| EMAIL_SUBJECT_PREFIX              | '[Django] '  |
| EMAIL_TIMEOUT                     | None   |
| EMAIL_USE_LOCALTIME               | False  |
| EMAIL_USE_SSL                     | False  |
| EMAIL_USE_TLS                     | False  |
| FILE_CHARSET                      | 'utf-8'  |
| FILE_UPLOAD_DIRECTORY_PERMISSIONS | None   |
| FILE_UPLOAD_HANDLERS              | ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']  |
| FILE_UPLOAD_MAX_MEMORY_SIZE       | 2621440  |
| FILE_UPLOAD_PERMISSIONS           | None   |
| FILE_UPLOAD_TEMP_DIR              | None   |
| FIRST_DAY_OF_WEEK                 | 0  |
| FIXTURE_DIRS                      | []   |
| FORCE_SCRIPT_NAME                 | None   |
| FORMAT_MODULE_PATH                | None   |
| FORM_RENDERER                     | 'django.forms.renderers.DjangoTemplates'   |
| IGNORABLE_404_URLS                | []   |
| INSTALLED_APPS                    | ['groot', 'administrator', 'django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'debug_toolbar']  |
| INTERNAL_IPS                      | ('127.0.0.1',)   |

| Setting                | Value  |
|------------------------|--|
| LANGUAGES              | [('af', 'Afrikaans'), ('ar', 'Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('cs', 'Czech'), ('cy', 'Welsh'), ('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'), ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'), ('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('hu', 'Hungarian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), ('ka', 'Georgian'), ('kab', 'Kabyle'), ('kk', 'Kazakh'), ('km', 'Khmer'), ('kn', 'Kannada'), ('ko', 'Korean'), ('lb', 'Luxembourgish'), ('lt', 'Lithuanian'), ('lv', 'Latvian'), ('mk', 'Macedonian'), ('ml', 'Malayalam'), ('mn', 'Mongolian'), ('mr', 'Marathi'), ('my', 'Burmese'), ('nb', 'Norwegian Bokmål'), ('ne', 'Nepali'), ('nl', 'Dutch'), ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'), ('pa', 'Punjabi'), ('pl', 'Polish'), ('pt', 'Portuguese'), ('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latn', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'), ('ta', 'Tamil'), ('te', 'Telugu'), ('th', 'Thai'), ('tr', 'Turkish'), ('tt', 'Tatar'), ('udm', 'Udmurt'), ('uk', 'Ukrainian'), ('ur', 'Urdu'), ('vi', 'Vietnamese'), ('zh-hans', 'Simplified Chinese'), ('zh-hant', 'Traditional Chinese')] |
| LANGUAGES_BIDI         | ['he', 'ar', 'fa', 'ur']   |
| LANGUAGE_CODE          | 'ko-kr'  |
| LANGUAGE_COOKIE_AGE    | None   |
| LANGUAGE_COOKIE_DOMAIN | None   |
| LANGUAGE_COOKIE_NAME   | 'django_language'  |
| LANGUAGE_COOKIE_PATH   | '/'  |
| LOCALE_PATHS           | []   |
| LOGGING                | {}   |
| LOGGING_CONFIG         | 'logging.config.dictConfig'  |
| LOGIN_REDIRECT_URL     | '/accounts/profile/'   |
| LOGIN_URL              | '/accounts/login/'   |
| LOGOUT_REDIRECT_URL    | None   |
| MANAGERS               | []   |
| MEDIA_ROOT             | ''   |
| MEDIA_URL              | ''   |
| MESSAGE_STORAGE        | 'django.contrib.messages.storage.fallback.FallbackStorage'   |
| MIDDLEWARE             | ['debug_toolbar.middleware.DebugToolbarMiddleware', 'django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']  |

| Setting                         | Value   |
|---------------------------------|---|
| MIGRATION_MODULES               | {}  |
| MONTH_DAY_FORMAT                | 'F j'   |
| NUMBER_GROUPING                 | 0   |
| PASSWORD_HASHERS                | '*****'   |
| PASSWORD_RESET_TIMEOUT_DAYS     | '*****'   |
| PREPEND_WWW                     | False   |
| ROOT_URLCONF                    | 'blockchain.urls'   |
| SECRET_KEY                      | '*****'   |
| SECURE_BROWSER_XSS_FILTER       | False   |
| SECURE_CONTENT_TYPE_NOSNIFF     | False   |
| SECURE_HSTS_INCLUDE_SUBDOMAINS  | False   |
| SECURE_HSTS_PRELOAD             | False   |
| SECURE_HSTS_SECONDS             | 0   |
| SECURE_PROXY_SSL_HEADER         | None  |
| SECURE_REDIRECT_EXEMPT          | []  |
| SECURE_SSL_HOST                 | None  |
| SECURE_SSL_REDIRECT             | False   |
| SERVER_EMAIL                    | 'root@localhost'  |
| SESSION_CACHE_ALIAS             | 'default'   |
| SESSION_COOKIE_AGE              | 1209600   |
| SESSION_COOKIE_DOMAIN           | None  |
| SESSION_COOKIE_HTTPONLY         | True  |
| SESSION_COOKIE_NAME             | 'sessionid'   |
| SESSION_COOKIE_PATH             | '/'   |
| SESSION_COOKIE_SAMESITE         | 'Lax'   |
| SESSION_COOKIE_SECURE           | False   |
| SESSION_ENGINE                  | 'django.contrib.sessions.backends.db'   |
| SESSION_EXPIRE_AT_BROWSER_CLOSE | False   |
| SESSION_FILE_PATH               | None  |
| SESSION_SAVE_EVERY_REQUEST      | False   |
| SESSION_SERIALIZER              | 'django.contrib.sessions.serializers.JSONSerializer'  |
| SETTINGS_MODULE                 | 'blockchain.settings'   |
| SHORT_DATETIME_FORMAT           | 'm/d/Y P'   |
| SHORT_DATE_FORMAT               | 'm/d/Y'   |
| SIGNING_BACKEND                 | 'django.core.signing.TimestampSigner'   |
| SILENCED_SYSTEM_CHECKS          | []  |
| STATICFILES_DIRS                | []  |
| STATICFILES_FINDERS             | ['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']  |
| STATICFILES_STORAGE             | 'django.contrib.staticfiles.storage.StaticFilesStorage'   |
| STATIC_ROOT                     | 'C:\\Users\\어디회\\work_django\\groot-django\\static'   |
| STATIC_URL                      | '/static/'  |
| TEMPLATES                       | [{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['C:\\Users\\어디회\\work_django\\groot-django\\templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}] |
| TEST_NON_SERIALIZED_APPS        | []  |
| TEST_RUNNER                     | 'django.test.runner.DiscoverRunner'   |
| THOUSAND_SEPARATOR              | ','   |
| TIME_FORMAT                     | 'P'   |
| TIME_INPUT_FORMATS              | ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']  |
| TIME_ZONE                       | 'Asia/Seoul'  |
| USE_I18N                        | True  |
| USE_L10N                        | True  |
| USE_THOUSAND_SEPARATOR          | False   |
| USE_TZ                          | False   |
| USE_X_FORWARDED_HOST            | False   |
| USE_X_FORWARDED_PORT            | False   |
| WSGI_APPLICATION                | 'blockchain.wsgi.application'   |
| X_FRAME_OPTIONS                 | 'SAMEORIGIN'  |
| YEAR_MONTH_FORMAT               | 'F Y'   |

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.