




Classes and Objects in Java



What is a class in Java?

In simple words, a class is a **blueprint**. It defines what data an object should have, and what actions it can perform.



Think of it like an architect's design for a house. The blueprint is not the house itself – it's just the plan. But you can use that plan to build many houses.


In Java, a class contains variables – which are called **fields** – and **methods** – which define what the object can do.

```
// Define a class
public class Car {
    String brand;
    String color;
    int speed;

    void start() {
        System.out.println("Car is starting");
    }
}
```

What is an object?

An object is an actual instance of the class. It holds real values and behaves like a real thing.



Think of it like an architect's design for a house. The blueprint is not the house itself – it's just the plan.

You can create many objects from one class – just like you can build many houses from one blueprint.

```
// Main class to test objects
public class Main {
    public static void main(String[] args) {
        // Create object
        Car carOne = new Car();
        carOne.brand = "Toyota";
        carOne.color = "Red";
        carOne.speed = 80;

        // Access object members
        System.out.println(carOne.brand);
        carOne.start();
    }
}
```

```
// Define a class named ClassName
class ClassName {
```

```
    // Fields (variables)
    DataType field1;
    DataType field2;
```

```
    // Method 1
    void methodOne() {
        // method body
    }
```

```
    // Method 2
    void methodTwo() {
        // method body
    }
```

```
// Define a class
public class Car {
    String brand;
    String color;
    int speed;

    void start() {
        System.out.println("Car is starting");
    }
}
```

```
// Main class to test objects
public class Main {
    public static void main(String[] args) {
        // Create object
        Car carOne = new Car();
        carOne.brand = "Toyota";
        carOne.color = "Red";
        carOne.speed = 80;
```

```
// Method 2
void methodTwo() {
    // method body
}
```

```
// Create object
Car carOne = new Car();
carOne.brand = "Toyota";
carOne.color = "Red";
carOne.speed = 80;

// Access object members
System.out.println(carOne.brand);
carOne.start();
}
```