



Decision Intelligence Platform

User Guide

Market structure, live charts, opportunity discovery, reports, and trading behavior in one decision intelligence platform.

Updated edition · September 2026

Confidential — Not for Distribution

© 2026 Sigmalytic Quant Corporation. All rights reserved.

Table of Contents

Chapter 1 — Introduction 3

Chapter 2 — Getting Started 4

Chapter 3 — Your Daily and Weekly Routine 5

Chapter 4 — Core Concepts 7

 4.1 Welcome 7

 4.2 Command Center 7

 4.3 Sigma Radar 8

 4.4 Live Opportunity Center 8

 4.5 Sigma Analysis 8

 4.6 Heat Map 8

 4.7 Behavioral Intelligence 9

 4.8 Import History 9

 4.9 Journal 9

 4.10 Portfolio 9

 4.11 Preferences 9

 4.12 Reports 10

 4.13 Morning Report 10

 4.14 Billing 10

 4.15 User Guide 10

 4.16 Admin 10

Chapter 5 — Glossary 11

Chapter 6 — Support and Feedback 13

Appendix A — Worked Examples 14

Chapter 1 — Introduction

What Sigmalytic does

Sigmalytic helps you narrow a broad market of price and volume activity into opportunities worth a closer look. The platform combines a live single-symbol workspace, a configurable structural-pattern radar, a multi-chart opportunity workspace, wave and Wyckoff analysis, reports, alerts, and a record of your own trading decisions. Its purpose is to help you find potential **Trades About to Happen** and review the supporting evidence efficiently.

A scan can point to a symbol; the Command Center then lets you inspect its quote, candles, volume, and nearby structural levels. Sigma Analysis keeps distinct time-bar, Renko, point-and-figure, and Wyckoff readings visible without reducing them to one answer. Heat Map adds sector and industry context. This sequence is designed to save time while still showing what evidence produced your view.

The other half of the platform follows the trader. A stated plan, recorded entry or exit, imported history, and Journal records can inform the Behavioral Intelligence profile. That profile gives you a way to examine execution, discipline, timing, and risk management over repeated decisions. Reports and alerts help you return to the market and the decisions you have already made.

The platform presents research and market-structure information. A displayed pattern, grade, score, wall, or price level is context for your own decision, not an order or a promised outcome. Data availability varies by symbol, session, subscription, and upstream feed. Always read the timestamp and any unavailable-data message before relying on a display.

Who this guide is for

This guide is for subscribers and demo users. The main procedures describe controls available on the current customer interface. The Admin tab is described briefly for orientation; operational settings and manual jobs belong to administrators.

How to use this guide

Chapter 2 gets you into the interface. Chapter 3 suggests a repeatable daily and weekly workflow. Chapter 4 explains each currently visible tab and its controls. Chapter 5 defines terms that appear in the app. Chapter 6 provides support and copyright information. Appendix A offers worked tasks.

Chapter 2 — Getting Started

Sign in and open the workspace

- Open Sigalytic in a modern browser and select **Sign In** with your account email and password. The sign-in screen also offers **Sign Up**, **Forgot your password?**, and **Try Demo — No Sign Up Required**.
- Start at **Welcome**; use **Open User Guide** for this PDF. Use the horizontal tab bar to move between workspaces. Some account or trading actions require a signed-in subscriber account.
- To study a ticker, type its symbol in the top field and click **Load Symbol**. The header displays a live price and buttons for 1m, 5m, 15m, 1H, 2H, 4H, 1D, and 1W. Use **Lookback** to change the number of requested bars.

Customize the chart session

Open **Customize Bar** beside the timeframe and lookback controls. Select the bar amount and **Current interval**, **Minutes**, **Hours**, or **Monthly**; choose a session, then click **Apply**. The session choices are **All SIP hours**, **Premarket 4:00-9:30 ET**, **Regular 9:30-16:00 ET**, and **Extended 4:00-20:00 ET**. Session selection recalculates intraday OHLC and volume from available trades. Daily and weekly bars use their own full-period aggregation. Tick, volume, and range bar builders are not in the current customize control.

Current tabs

Welcome · Command Center · Sigma Radar · Live Opportunity Center · Sigma Analysis · Heat Map · Behavioral Intelligence · Import History · Journal · Portfolio · Preferences · Reports · Morning Report · Billing · User Guide · Admin. The Admin tab holds restricted controls; subscriber procedures below do not require those controls.

Chapter 3 — Your Daily and Weekly Routine

A consistent review sequence helps you move from broad discovery to a single symbol, then back to your own decisions. Use the schedule below as a practical example and adjust it for the hours and markets you follow.

A typical daily routine

Before the session

- Open **Morning Report** and press **Play** when a report is available. Pause, resume, stop, or step between sentences as needed. Check **Reports** for the latest saved nightly analysis and its date.
- Review **Sigma Radar** for the latest scan timestamp. Filter by signal type, sort the results, and open a chart by selecting a row. A missing result may simply mean the selected scan found no matching pattern.
- Use **Live Opportunity Center** to review the watchlist, qualifying opportunities, and lifecycle strip. Select a row to load the linked three-chart workspace and read its detail panel.

During the session

- Load the chosen symbol in **Command Center**. Compare the quote area, live price, candlesticks, volume, chart history, and price ladder. Check the chart session and timestamp when extended-hours or premarket data matters.
- Read **Sigma Analysis** for independent time-bar, Renko, point-and-figure, and Wyckoff readings. Use **Heat Map** to inspect sector and industry performance in its hourly, daily, weekly, or monthly view.
- If you make a trading decision, record the plan with **Save Plan** and the entry through **Enter Trade** or the **Journal** entry form, as appropriate. These controls record your decisions in Sigalytic; they do not submit broker orders.

After the session

- Close and review trades in **Journal**; inspect **Portfolio** for open positions, live P&L, allocation, and sector exposure. Check **Behavioral Intelligence** for execution, discipline, timing, and risk patterns.
- Compare the session's decisions against the entry, stop, target, and notes you recorded. Read the latest report rather than assuming an older report reflects the current session.

A typical weekly routine

- Import a new brokerage CSV in **Import History** if you want past trades included. Check the upload status and import summary before relying on the resulting behavioral profile.

- In **Preferences**, choose alert delivery, watchlist, market-hours suppression, and whether the nightly report should be emailed when saved. The report email switch is separate from the alert delivery frequency.
- Compare your completed trades with the regime and behavior views in **Behavioral Intelligence**. Focus on repeat patterns rather than drawing a conclusion from one trade.
- Revisit the watchlist and **Portfolio** together: a chart opportunity and an existing position may concentrate exposure in the same symbol or sector.

Chapter 4 — Core Concepts

The sections below follow the current tab bar. A label such as “loading,” “insufficient history,” or “no patterns found” describes the data available at that moment; it is not a trade conclusion.

4.1 Welcome

The opening page includes the founder’s foreword and explains the app, Behavioral Intelligence, reports, alerts, and how to share feedback. **Open User Guide** opens this guide. Its copyright notice identifies the company’s protected application and content.

4.2 Command Center

Live quote and Smart Chart

Use the symbol field, **Load Symbol**, timeframe buttons, **Lookback**, and **Customize Bar** above the tabs. The live price tile and chart follow the selected ticker; the quote area shows bid, last trade, ask, and their available timestamps. The Smart Chart shows OHLC candlesticks and separate regular and cumulative volume views. Its live price and current bar update as fresh market data arrives. The chart gives its own no-bar message if that symbol, session, or interval has no returned history.

The chart fits the available viewport. Its chart-history control lets you browse earlier candles; you can zoom or reset zoom. In the volume ladders, drag or scroll over the scale to adjust the visible height of regular and cumulative volume. Annotation checkboxes control wave and structure overlays; **Vibration Selection**, **Daily Volume MA Period**, and optional **Call Wall**, **Put Wall**, and **Gamma Flip Point** inputs change what you see. **Generate Report** summarizes the chart’s current analysis. Manual wall levels and synthetic fallback must not be mistaken for a verified live options chain; read the options-data label.

Decision and trade panels

The **Price Ladder** places breakout, liquidity, expansion, live price, trigger, trap door, and fail gate levels together with distance and risk/reward context. Additional cards show decision and structural information, including separate Renko-Weis and PnF-Weis readings when data is available. The **Plan Trade** panel accepts direction, entry, stop, target, size, and setup notes. **Save Plan** records intention; **Enter Trade** records an entry for behavioral tracking. Use the active-trade and Journal controls to review and close positions you recorded. These are recordkeeping actions, not brokerage execution.

4.3 Sigma Radar

Sigma Radar displays the most recent configurable Russell 1000 structural scan with a last-run timestamp and scanned/hit counts. Use **Filter** to select a signal type, **Sort** to order hits, and click a result row to open that symbol's chart. The result chart has its own timeframe, lookback, and volume moving-average controls. Inside the chart are the annotation layers, candlesticks, volume views, and volume-scale interaction. **Close Chart** hides the selected chart. Scan settings and **Run Scan Now** are administrator controls and do not appear for a normal subscriber.

Signal names can include Spring, Upthrust, buying or selling climax, and three-bar reversal. A row is a historical-pattern detection in the scan window, not an instruction to trade or proof that the setup remains active right now.

4.4 Live Opportunity Center

This tab starts with a watchlist radar, scan metadata, a lifecycle strip, a paginated table of qualifying symbols, and a selected-symbol detail panel. Click **Refresh Opportunities** to request the latest snapshot. Click any table row to populate the three-chart workspace. The **Previous** and **Next** buttons page through the qualifying universe.

The workspace can show one symbol at three timeframes or different symbols together. Choose **Alert View**, **Structure View**, **Long View**, **Compare Symbols**, or **Custom**. The **LINKED/UNLINKED** control decides whether symbol choices move together; individual chart selectors let you change symbols and timeframes. Compare the row's alert and lifecycle information against actual price and volume before creating a plan.

4.5 Sigma Analysis

For the loaded ticker, Sigma Analysis presents four separate reads: **Time-Bar Weis Engine**, **Renko-Weis Engine**, **PnF-Weis Engine**, and **Wyckoff** structure. The analysis tab uses the Sigma name, while its individual engine cards retain their Weis labels. A cross-engine synthesis explains agreements or differences without averaging the engines into a single grade. Read each engine's status and available wave, brick, column, effort/result, and directional text. A PnF count guide may show a measured cause and possible effect targets when enough data exists. An unavailable or insufficient-history state means that particular engine cannot provide a current reading.

4.6 Heat Map

The **Sector / Industry Heat Map** groups Russell 1000 symbols by sector and industry. Tile color represents price performance and tile size represents trading volume. Select **Hourly**, **Daily**, **Weekly**, or **Monthly** to change the period; use it to see where broad participation is strengthening or weakening, then study a specific symbol elsewhere in the app.

4.7 Behavioral Intelligence

The Behavioral Profile displays total trades, a composite decision score, and separate **Execution, Discipline, Timing**, and **Risk Management** scores. Other panels show warnings and the most common behavior pattern, best and worst regime where available, a regime-performance table, and recent trade scorecards. These readings depend on recorded or imported trading history. With little history, empty or insufficient-data states are expected.

Use the profile to compare what you planned with what you recorded, and to spot repeatable habits. A behavioral grade evaluates documented decisions; it is distinct from a symbol's market-structure reading.

4.8 Import History

Export a brokerage trade-history CSV, then drag it to **Upload Brokerage Statement** or click to browse. The screen lists export guidance and supported broker or generic CSV formats. Read the upload status and reconstructed-history summary, then inspect Behavioral Intelligence to see the resulting profile.

4.9 Journal

The Journal offers **Log Trade Entry** and **Close / Exit Trade** forms, a list of open and closed trades, and a behavioral profile view. Supply the symbol, direction, entry date, entry price, shares, and any optional notes in the entry form; choose an open trade and record its exit in the closing form. Check the displayed status after submission. Journal records feed behavioral review and the Portfolio summary; they are not orders at a broker.

4.10 Portfolio

Portfolio summarizes **Open Positions, Capital Deployed**, and average **Unrealized P&L**. The open-positions table shows symbol, direction, entry, current price, P&L, allocation, and sector; a sector-exposure panel groups capital by sector. If there are no open positions, log a trade in Journal to populate the page. P&L depends on available current prices and the position details you recorded.

4.11 Preferences

Choose **Real-time, Hourly Digest**, or **Daily Summary** for alerts. Set a **Minimum Confluence Score** with **Save Score**; toggle structure, vector, score, cycle, and level alert types; and maintain a watchlist of symbols (empty means all). **Market hours only** suppresses alerts outside 9:30 a.m.–4:00 p.m. Eastern. Hurst cycle profile and wave-sensitivity settings control their related analyses; use **Save Sensitivity** for the latter.

The separate **Daily Intelligence Report** switch says “Email me the nightly report when it is saved.” Turn it on to request email delivery when a report is generated and your account

preference is available. This switch does not change alert frequency. Read the status shown after changing a setting.

4.12 Reports

Reports lists saved nightly intelligence reports. Choose a date to read the saved report in the in-app preview; use **Download PDF** or **Print / Save PDF** for a copy. An empty list means no stored report was returned or the archive could not be reached. Report generation and deletion buttons, when present, are administrator actions. The email option for new nightly reports lives in Preferences.

4.13 Morning Report

The Morning Report tab reads the saved morning text aloud through your browser's speech synthesis. Press **Play**; use **Pause / Resume**, **Stop**, **Previous**, and **Next**. Previous and Next move by sentence, rather than by seconds, because this is spoken text and not a recorded audio file. The currently spoken sentence is highlighted in the text panel. Playback needs a saved report and browser speech support.

4.14 Billing

Billing presents the account's subscription and plan controls, subject to the signed-in account's permissions. Read the displayed plan, price, and confirmation before making an account or billing change. Its location in the tab bar is between Morning Report and User Guide.

4.15 User Guide

The User Guide tab embeds this PDF and provides **Open Full Guide** and **Download PDF**. On a phone, opening the PDF in a separate view is usually easier to read. The guide describes the interface and outputs available at the edition date on the cover.

4.16 Admin

The Admin tab contains operational and diagnostic controls for authorized administrators. Some other tabs expose additional manual scan, generation, or configuration controls only to an administrator. Subscribers can use the read-only results and report views described in the previous sections without running these jobs.

Chapter 5 — Glossary

Terms below describe labels and views in the current platform. Interpret estimates and structural patterns as research context.

Alert view — A preset of the three-chart opportunity workspace focused on alert timeframes.

Ask / Bid — Displayed best available offer to sell / bid to buy in the quote area; these can differ from the last traded price.

Bar / Candle — An open, high, low, close, and volume summary over the selected timeframe and session.

Buying / Selling Climax — High-activity pattern labels used in the structural scan and chart analysis; context matters.

Call Wall / Put Wall — Options-related price levels when a live chain supports them; the chart can also show manual inputs or a labeled synthetic fallback.

Composite Decision Score — Behavioral Intelligence's overall assessment of documented trading decisions, distinct from a market signal.

Cumulative Volume — Chart view accumulating activity across a wave or period; its scale can be adjusted in the chart.

Effort vs. Result — Compares trading volume with the price movement achieved; used in the wave-analysis panels.

Extended hours — The 4:00 a.m.-8:00 p.m. Eastern chart session choice, dependent on available SIP trades.

Fail Gate / Trap Door — Lower structural reference levels shown on the Command Center price ladder.

Gamma Flip Point — Estimated price level associated with a change in net options gamma exposure when suitable options data exists.

Heat Map — Treemap grouped by sector and industry; color shows performance and box area shows volume.

Hurst Cycle Profile — Selectable lookback horizon for the app's cycle-timing analysis.

Intraday — A timeframe shorter than one trading day; session selection can change its OHLC and volume.

Last trade — Most recently reported executed trade in the quote area, with its own timestamp.

Lookback — Requested count of historical bars; availability still depends on the data source and timeframe.

OHLC — Open, high, low, and close prices of a chart bar.

PnF / Point and Figure — Column-based price construction used by one of the separate Sigma Analysis engines.

Premarket — The 4:00–9:30 a.m. Eastern intraday session choice in Customize Bar.

Regular session — The 9:30 a.m.–4:00 p.m. Eastern intraday chart session choice.

Renko — Price-brick representation used by a separate wave engine; it is not a time-based candle.

Risk/reward ratio — Displayed comparison between potential gain toward a reference level and potential loss toward a failure level.

SIP — Securities Information Processor feed referenced by the quote and chart-hours controls.

Spring / Upthrust — Structural scan labels for a support break and recovery / resistance break and failure.

Three-bar reversal — A structural scan pattern detected over three bars.

Unrealized P&L — Open-position gain or loss based on recorded entry and a currently available market price.

Volume MA — Moving average of chart-bar volume over the selected number of bars.

Wave sensitivity — Reversal threshold used in the wave analysis setting; lower values are more sensitive.

Wyckoff — A price-and-volume market-structure framework displayed as a separate Sigma Analysis reading.

Chapter 6 — Support and Feedback

Contact

For help, a bug report, or a suggestion, email **teams@sigalyticquantcorp.com**. Please allow **24-48 hours** for a response. Include your account email, the tab and symbol involved, when it happened, the chart timeframe and session if relevant, and a screenshot or the exact on-screen error. Never include a password in a support email.

Copyright and permitted use

© **2026 Sigalytic Quant Corporation. All rights reserved.** The Sigalytic application design, software and source code, analyses, reports, text, charts, graphics, and this guide are protected by copyright. Copying, modifying, distributing, or reusing these materials requires prior written permission, except as permitted by law or an applicable license. Third-party market data and licensed materials remain the property of their respective rights holders.

This guide is provided to authorized users for using Sigalytic. The “Confidential — Not for Distribution” marking reflects the company’s intended circulation of the guide. For reuse permissions, contact the support email above.

Appendix A — Worked Examples

Example 1 — Compare an opportunity against live price and volume

- Open **Live Opportunity Center**, review its snapshot timestamp, select a qualifying symbol, and read its detail panel and three charts.
- Type that symbol in the header and click **Load Symbol**. Open **Command Center** and compare bid, last, ask, live price, candles, regular volume, and cumulative volume.
- Choose the desired timeframe and **Customize Bar** session. Review the price ladder and the source label for options levels before saving a plan.

Example 2 — Read a structural pattern in Sigma Radar

- Open **Sigma Radar**, read the last-run time, filter for a pattern, and sort the matches. Click one row.
- Choose the chart timeframe, lookback, and volume MA. Adjust volume-ladder scale if needed; turn annotation layers on only when they help interpret the bars.
- Cross-check the symbol in **Sigma Analysis**. Treat a pattern hit and a wave-engine disagreement as information to investigate, not as an automatic entry.

Example 3 — Study premarket and regular-session candles

- Load a symbol and select an intraday timeframe, such as **5m**. Open **Customize Bar**, choose **Premarket 4:00-9:30 ET**, and click **Apply**.
- Note the timestamps, open/high/low/close, and volume. Switch to **Regular 9:30-16:00 ET** and apply again to compare the regular session. Use **All SIP hours** or **Extended** when a broader view is needed.
- If the selected interval returns no bars, adjust the session, timeframe, or lookback and check whether the source has historical data for those hours.

Example 4 — Record and review a decision

- In **Command Center**, enter direction, entry, stop, target, size, and setup notes; click **Save Plan**. When you actually enter a trade, click **Enter Trade** or log it in **Journal**.
- When you close it, use the Journal exit form. Inspect the completed record and then open **Behavioral Intelligence** to review your pattern and component scores.
- Open **Portfolio** to verify that only current open positions remain. An imported broker CSV can add past records through **Import History**.

Example 5 — Set up reports and alerts

- In **Preferences**, choose alert frequency and types, set a score threshold, and add symbols to the watchlist if you only want those symbols considered for alerts.

- Turn the **Daily Intelligence Report** email switch on if you want a nightly report emailed when saved. Open **Reports** to read archived dates and download a PDF.
- Use **Morning Report** to play the current saved text. Use Previous and Next to move between sentences; there is no time-based seek control.

Example 6 — Rebuild context from prior trades

- Export transaction history from a supported broker as CSV. Open **Import History**, use the broker-specific export guidance, and upload a single CSV file.
- Read the upload result and the displayed reconstructed-history summary. If the file is rejected or has unexpected totals, check the broker export format and date range before trying again.
- Open **Behavioral Intelligence** and compare its total trades and regime table with your earlier view. The score and common-pattern panels depend on the history successfully recorded.

Example 7 — Compare market breadth with current exposure

- Choose **Weekly** on the **Heat Map** to see which sectors and industries have moved over the broader period. Compare it with **Daily** to see whether the recent move is similar.
- Open **Portfolio** and read the sector-exposure bars and open-positions table. Note whether several recorded positions are already in the same sector that caught your eye in the heat map.
- If a symbol merits individual study, enter it in the header and load **Command Center**. The heat map gives context; the chart, volume, and your position details provide a closer view.

Example 8 — Check a missing or unexpected chart value

- Confirm the loaded symbol, the selected timeframe, Lookback, and **Customize Bar** session. A premarket-only intraday chart may have no historical bars outside those hours.
- Read the quote receipt time and last-trade time, then compare them with the chart's latest bar time. Bid and ask can update even when there has been no new trade or completed bar.
- If the mismatch persists, capture a screenshot showing the quote, live price, chart, symbol, timeframe, and session. Send it with the time and your account email to **teams@sigmalyticquantcorp.com**.