

# QuizCram: A Question-Directed Video Studying Interface

**1st Author Name**  
Affiliation  
Address  
e-mail address  
Optional phone number

**2nd Author Name**  
Affiliation  
Address  
e-mail address  
Optional phone number

**3rd Author Name**  
Affiliation  
Address  
e-mail address  
Optional phone number

## ABSTRACT

TODO less than 150 words

## Author Keywords

Guides; instructions; author's kit; conference publications; keywords should be separated by a semi-colon.

Optional section to be included in your final version, but strongly encouraged.

## ACM Classification Keywords

H.5.m. Information Interfaces and Presentation (e.g. HCI): Miscellaneous

See: <http://www.acm.org/about/class/1998/> for more information and the full list of ACM classifiers and descriptors. Optional section to be included in your final version, but strongly encouraged. On the submission page only the classifiers letter-number combination will need to be entered.

## INTRODUCTION

Online courses on platforms such as Coursera and EdX focus heavily on viewing video content. However, a phenomenon known as the testing effect shows that actively engaging with the material and quizzing yourself on it is more effective for retention than simply passively watching the content. Platforms such as Coursera have in-video quizzes which attempt to bring the benefits of testing into the video context by asking the user a multiple-choice question at key points in the video about the content that they have just watched.

Our system, Quiz-driven Video Cramming (QuizCram), makes the quiz the focus of the review and doing the following:

Quizzes are shown before and alongside the associated video content, instead of after. A timeline of previously answered quizzes, along with associated videos, is shown. Quizzes can depend on video segments other than just the immediately preceding one.

However, there are some weaknesses with the standard in-video quiz format, which the system presented in our paper attempts to address:

Paste the appropriate copyright statement here. ACM now supports three different copyright statements:

- ACM copyright: ACM holds the copyright on the work. This is the historical approach.
- License: The author(s) retain copyright, but ACM receives an exclusive publication license.
- Open Access: The author(s) wish to pay for the work to be open access. The additional fee must be paid to ACM.

This text field is large enough to hold the appropriate release statement assuming it is single spaced.

Every submission will be assigned their own unique DOI string to be included here.

In-video quizzes are shown only after the viewer has viewed the video: The in-video quiz serves simply as an after-the-fact indication to the user of whether they understood the preceding section or not. It does not actually help the user with the task of deciding whether he needs to watch this section, or identifying the key parts of the video that they should pay attention to while watching.

No call-to-action if the user doesn't know the answer: The user is freely able to skip over the quiz, and if they answer the question incorrectly then they are simply told they are incorrect (with no other feedback), or if they answer incorrectly 3 times the answer is shown and the video advances onwards. This does not encourage the

Limited flexibility in writing questions: In-video quizzes imply that their answer is located

Limited density of questions:

We present a system which attempts to improve on these weakness of in-video quizzes in the following ways:

Show the quiz beforehand: Our interface encourages users to look at the associated question before watching the video, so that it serves as an advance organizer to prime them towards the key concepts they should focus on while watching the video.

Provide helpful feedback

However, because the in-video quiz tests the key concepts in the section, it can also serve as a summary of the video. It is useful to look at it prior to viewing, both to show the user whether or not they need to view the video. Our interface encourages users to look at the in-video quiz before watching the video, so that it serves as an advance organizer to prime them towards the key concepts they should focus on while watching the video.

No call-to-action if the user doesn't know the answer: The user is freely able to skip over the quiz, and if they answer the question incorrectly then they are simply told they are incorrect (with no other feedback), or if they answer incorrectly 3 times the answer is shown and the video advances onwards. Instead, our system more useful feedback in response to an incorrect answer, encourages the user to review the relevant portion of the video, and enforces that users can answer the question on their own before advancing them to the next portion of the video.

Users are not encouraged to review the portions of the video they do not understand: Our own independent analysis of

viewing logs on Coursera shows that among users who finish watching a video, less than a sixth will ever re-open it. To encourage people to review videos, our system keeps track of which video portions users need to review (using a score based on question scores on associated segments, percentage of the segment reviewed, and recency of reviewing), and gives them suggestions of portions to review once they have watched all the video segments.

## RELATED WORK

We designed our system features around a set of phenomenon from the education literature, which are also exploited by many other systems.

### Testing Effect: Traditional Quizzes and In-video Quizzes

The testing effect finds that repeated testing combined with fast, informative feedback helps students remember material [6]. Traditional courses already employ testing in the form of exams, but these are infrequent, are not repeated, and . Although in-video quizzes are more frequent, help resolve the delayed feedback issue by putting the quiz immediately after the relevant section of the video. However,

Our system attempts to make this more granular, making testing and quizzing at the video-clip level rather than the .

### Pre-Testing Effect

Lindsey E. Richland: The Pretesting Effect: Do Unsuccessful Retrieval Attempts Enhance Learning?

### Advance organizers: Video Transcript Summaries

Amy Pavel: Video Digests: A Browseable, Skimmable Format for Informational Lecture Videos

### Visualizing progress within videos

Robert Mertens: Social navigation in web lectures

Juho Kim: Data-Driven Interaction Techniques for Improving Navigation of Educational Videos

Abir Al-Hajri: Video Navigation with a Personal Viewing History

### Spaced repetition: Flashcards

Spaced repetition is a technique designed to help learners retain information by having them review items at regular intervals. A class of applications that exploit this are flashcards, where information is split into independent chunks that are scheduled for review based on factors such as mastery and recency of review. Flashcards can also have associated multimedia, such as video clips.

Similar to flashcards, our system also schedules items (questions and associated video clips) for review according to mastery and recency of review. One key difference is that lecture videos build on each other, so this is an additional constraint for scheduling: the user needs to have covered the previous videos. Another key difference is the cost of review: a user memorizing vocabulary using flashcards only needs to spend a few seconds on each flashcard, while answering a question or reviewing a video clip takes an order of magnitude more

time. Hence, the user will make fewer review passes through the video content than they would with vocabulary flashcards.

Integration and assessment of streaming video content and API development into a spaced repetition service

The relevant portion of the video is not indicated by the quiz: the portion being tested is obviously

## Density of In-video Quiz Questions

Is there any related work for this?

## SYSTEM DESIGN

QuizCram's interface shows users a question to review, with an associated video segment. The system includes features a recommendation system for suggesting questions to review, interface to help users track their progress in videos,

### Question-focused Video Viewing

For each section of the video in the course, we have one or more associated questions. We can get these question-video pairs automatically from existing videos with in-video quizzes, by associating the in-video quiz section with the immediately preceding video segment. For video segments that did not have an associated in-video quiz, we either automatically insert a generic "How well did you understand this video" question, (the format tested in our first study), or write a new question (the format tested in our second study).

Whenever the user advances to a new section, we show the question and video concurrently, with the question to the left of the video, as shown in Figure 1. The video does not autoplay, so that the user has time to read the question before they start watching the video. If the user already knows the answer, they can answer the question and move on to the next section. Even if the user does not already know the answer, reading the question before they watch the video serves as an advance organizer which summarizes the key points they should pay attention to when watching the video.

Unlike in-video quizzes, which users are freely able to skip over, in QuizCram the user must correctly answer the question before they can move on to the next question and associated video segment. This is designed to ensure that users learn the material before advancing onwards, as opposed to simply passively watching the videos without testing themselves.

Forcing users to answer the question may lead to frustration if the user is unable to determine the correct answer even after watching the video. Hence, whenever the user answers the question incorrectly, we provide them with immediate, informative feedback by showing the answers and providing an explanation, as opposed to the model used by Coursera where it states that the answer is incorrect, and only shows the explanation and correct answer after 3 tries. We made this design choice based on literature that finds that specific feedback that explains the correct answer to learners is more helpful and motivates them more than simply stating that their answer is incorrect [8].

Question 2 of 18

### The Four Functions, part 2/4

Which of the following stimuli are sensed but not perceived?

- ☐ Skin warming
- ☐ An increase in blood oxygen concentration
- ☐ Skin incision
- ☐ Lung pressure
- ☐ Vibration

check answer




Figure 1. The QuizCram interface, showing the current video. The focus question is on left, and the associated video is on the right. The progressbar highlights the relevant portion of the video in yellow. Already-watched segments of previous sections is in blue, already-watched segments of the current part are in green. Because we are currently watching a section we have already viewed, an option to skip to the unseen portion is shown.

Question 2 of 18

### The Four Functions, part 2/4

Which of the following stimuli are sensed but not perceived?

- ☐ Vibration
- ☒ An increase in blood oxygen concentration
- ☐ Skin incision
- ☒ Lung pressure
- ☐ Skin warming

**Incorrect - see correct answer above** Our bodies are able to detect things (like carbon dioxide concentration in the blood) that we are not able to perceive. Perceivable stimuli are those we are capable of being aware of.

review video before answering again



Question 2 of 18

### The Four Functions, part 2/4

Which of the following stimuli are sensed but not perceived?

- ☐ Vibration
- ☐ Skin incision
- ☐ An increase in blood oxygen concentration
- ☐ Lung pressure
- ☐ Skin warming

**Please watch at least 25% of this video part before trying to answer again.**




Figure 2. In response to an incorrect response, the user is asked to view an additional 10% of the video, the answer options are shuffled, and the user needs to re-answer the question correctly before moving on.

Of course, immediately showing the answer in response to an incorrect answer leads to the risk that learners may choose to immediately reveal the answer without attempting to answer the question themselves. To discourage such behavior, even though we show the user the answer and explanation in response to an incorrect response, we do not advance them automatically. Rather, we shuffle the answer options and require them to view at least 10% of the video segment, which is roughly 20 seconds, before attempting to answer it again, as shown in Figure 2. This viewing task encourages users to review the video, incentivizes users to answer questions correctly, and ensures they aren't simply storing the answers in short-term memory and reproducing them. Requiring users to review the video and then retesting them after an incorrect response creates an additional retrieval opportunity, which should improve retention of the material [6].

While shuffling the answers and requiring video watching in response to an incorrect response discourages users from simply submitting the incorrect response and memorizing the answers, it does not entirely eliminate the risk. We can further discourage memorization of answers by having multiple questions for each video segment, which we alternate between. For example, in an algebra context we could simply ask the question again with different variable values whenever the user responds incorrectly. However, we did not use this option in our user studies since it would require us to write additional questions.

### Scheduling Questions and Video Sections for Review

We want users to spend their study time focusing on material that they have not yet mastered. Hence, we assign each question a *mastery score*, which represents how well the user currently knows the material, and show users the questions for which they have low mastery score. The question's mastery score is based on the following 3 factors:

- *Past performance on question*: This element of the score encourages users to review questions they answered incorrectly. Each time a user tries answering the question, we give them a score between 0 to 1 based on the percent of checkboxes they correctly checked (the questions used in our study were all multiple-check questions). We then do a weighted-mean of all historic scores, with each newer score assigned 2 times more weight than the previous score (so more recent performance is weighted more heavily). For those video segments that have no associated question, we obtain this score by asking users to rate "How well did you understand this video?". If the user has never answered the question before, this has a default score of 0.
- *Fraction of associated video segment watched*: This element of the score encourages users to view video segments they have not seen. For each section of video, we keep track of whether the user has ever watched it. This score is the number of seconds watched in the question's video segment, divided by the total length of that video segment.
- *Recency of review*: This element of the score encourages spaced repetition for the questions. It also ensures that users are not shown the same questions repeatedly, which

would make users bored. It is equal to  $1 / \text{number of questions elapsed since this question was last seen by the user}$ . If the question has never been seen, this has a default score of 0.

The mastery score is a weighted sum of these factors, where question correctness is 4/7 of the score, fraction of the video watched is 2/7 of the score, and recency of review is 1/7 of the score. We assign question correctness the highest priority because users should all be able to answer the questions correctly, but some users may choose to not watch portions of video they consider irrelevant or already know.

Sorting by the mastery score alone does not enforce that users have met the prerequisites for understanding the video and answering the question, before we show them the video and question. Unlike flashcards, lecture videos are meant to be watched in order and build on each other, so each video segment has a set of prerequisite videos which need to be watched before students can understand them. In our implementation, we enforce prerequisites by requiring that the user has correctly answered the questions for preceding video segments, before we show them the next video segment and associated question.

Sorting questions by mastery score and enforcing the prerequisites effectively results in users first being shown questions that work them through the videos in the order the course covers them, then asking them to review the questions they got low scores for and videos did not finish watching.

### Timeline of previous questions and videos

Although QuizCram focuses the user's attention towards the current question and associated video segment, we also wish to make it easy to refer to the previously answered video segments. This gives users finer granularity than simply listing the videos as Coursera does. As shown in Figure 3, the timeline displays the past set of questions that the user has answered, along with a minified version associated video, immediately below, so they can be conveniently accessed by scrolling down. Clicking on the video enlarges it to full-size and allows the user to rewatch it.

### Visualizing progress through videos

With QuizCram, we hope to make reviewing more convenient than

### Visualizing progress through the material

#### USER STUDY 1

#### USER STUDY 2

#### DISCUSSION

This format is to be used for submissions that are published in the conference proceedings. We wish to give this volume a consistent, high-quality appearance. We therefore ask that authors follow some simple guidelines. In essence, you should format your paper exactly like this document. The easiest way to do this is simply to download a template from the conference web site, and replace the content with your own material.

Question 2 of 18 80% correct, 57% seen

## The Four Functions, part 2/4

Which of the following stimuli are sensed but not perceived?

- ☐ Vibration
- ☒ An increase in blood oxygen concentration
- ☒ Lung pressure
- ☐ Skin incision
- ☐ Skin warming

**Correct** Our bodies are able to detect things (like carbon dioxide concentration in the blood) that we are not able to perceive. Perceivable stimuli are those we are capable of being aware of.

Question 1 of 18 100% correct, 28% seen

## The Four Functions, part 1/4

Which of the following are voluntary movements?

- ☒ Laughing at a joke
- ☒ Crying when you hear bad news
- ☐ Moving food through the intestinal tract
- ☒ Breathing
- ☐ Pumping blood through the circulatory system

**Correct** Voluntary movements are self-generated actions driven by the brain. These can be deliberate movements or emotional reactions.




Figure 3. The timeline displays the past set of questions the user has answered. We list the correctness score and video progress scores to help users locate the questions they had difficulty with, and videos they have not yet fully watched.

### PAGE SIZE AND COLUMNS

On each page your material (not including the page number) should fit within a rectangle of 18 x 23.5 cm (7 x 9.25 in.), centered on a US letter page, beginning 1.9 cm (.75 in.) from the top of the page, with a .85 cm (.33 in.) space between two 8.4 cm (3.3 in.) columns. Right margins should be justified, not ragged. Beware, especially when using this template on a Macintosh, Word can change these dimensions in unexpected ways. Please be sure that your PDF is US letter and not A4. If your PDF or paper are formatted for A4, the submission will be returned to you to fix.

### TYPESET TEXT

Prepare your submissions on a word processor or typesetter. Please note that page layout may change slightly depending upon the printer you have specified.  $\text{\LaTeX}$  sometimes will create overfull lines that extend into columns. To attempt to combat this, the .cls file has a command, `\sloppy`, that essentially asks  $\text{\LaTeX}$  to prefer underfull lines with extra whitespace. For more details on this, and info on how to control it more finely, check out <http://www.economics.utoronto.ca/osborne/latex/PMMAKEUP.HTM>.

### Title and Authors

Your paper's title, authors and affiliations should run across the full width of the page in a single column 17.8 cm (7 in.) wide. The title should be in Helvetica 18-point bold; use Arial if Helvetica is not available. Authors' names should be

in Times Roman 12-point bold, and affiliations in Times Roman 12-point. For more than three authors, you may have to place some address information in a footnote, or in a named section at the end of your paper. Please use full international addresses and telephone dialing prefixes. Leave one 10-pt line of white space below the last line of affiliations.

### Abstract and Keywords

Every submission should begin with an abstract of about 150 words, followed by a set of keywords. The abstract and keywords should be placed in the left column of the first page under the left half of the title. The abstract should be a concise statement of the problem, approach and conclusions of the work described. It should clearly state the paper's contribution to the field of HCI.

The first set of keywords will be used to index the paper in the proceedings. The second set are used to catalogue the paper in the ACM Digital Library. The latter are entries from the ACM Classification System [3]. In general, it should only be necessary to pick one or more of the H5 subcategories, see <http://www.acm.org/class/1998/ccs98.html>

### Normal or Body Text

Please use a 10-point Times Roman font or, if this is unavailable, another proportional font with serifs, as close as possible in appearance to Times Roman 10-point. The Press 10-point font available to users of Script is a good substitute for Times Roman. If Times Roman is not available, try the

Objects	Caption — pre-2002	Caption — 2003 and afterwards
Tables	Above	Below
Figures	Below	Below

**Table 1. Table captions should be placed below the table.**

font named Computer Modern Roman. On a Macintosh, use the font named Times and not Times New Roman. Please use sans-serif or non-proportional fonts only for special purposes, such as headings or source code text.

### First Page Copyright Notice

Leave 3 cm (1.25 in.) of blank space for the copyright notice at the bottom of the left column of the first page. In this template a floating text box will automatically generate the required space. Note however that the text box is anchored to the **ABSTRACT** heading, so if that heading is deleted the text box will disappear as well. You can replace the default copyright notice by uncommenting the `\toappear` block at the beginning of the document and inserting your own text, for example, for versions under review.

### Subsequent Pages

On pages beyond the first, start at the top of the page and continue in double-column format. The two columns on the last page should be of equal length.

### References and Citations

Use a numbered list of references at the end of the article, ordered alphabetically by first author, and referenced by numbers in brackets [2, 4, 5, 9]. For papers from conference proceedings, include the title of the paper and an abbreviated name of the conference (e.g., for Interact 2003 proceedings, use *Proc. Interact 2003*). Do not include the location of the conference or the exact date; do include the page numbers if available. See the examples of citations at the end of this document. Within this template file, use the `References` style for the text of your citation.

Your references should be published materials accessible to the public. Internal technical reports may be cited only if they are easily accessible (i.e., you provide the address for obtaining the report within your citation) and may be obtained by any reader for a nominal fee. Proprietary information may not be cited. Private communications should be acknowledged in the main text, not referenced (e.g., “[Robertson, personal communication]”).

### SECTIONS

The heading of a section should be in Helvetica 9-point bold, all in capitals. Use Arial if Helvetica is not available. Sections should not be numbered.

### Subsections

Headings of subsections should be in Helvetica 9-point bold with initial letters capitalized. For sub-sections and sub-subsections, a word like *the* or *of* is not capitalized unless it is the first word of the heading.)

### Sub-subsections

Headings for sub-subsections should be in Helvetica 9-point italic with initial letters capitalized. Standard `\section`, `\subsection`, and `\subsubsection` commands will work fine.

### FIGURES/CAPTIONS

Place figures and tables at the top or bottom of the appropriate column or columns, on the same page as the relevant text

Papers and notes may use color figures, which are included in the page limit; the figures must be usable when printed in black and white in the proceedings. The paper may be accompanied by a short video figure up to five minutes in length. However, the paper should stand on its own without the video figure, as the video may not be available to everyone who reads the paper.

### LANGUAGE, STYLE AND CONTENT

The written and spoken language of SIGCHI is English. Spelling and punctuation may use any dialect of English (e.g., British, Canadian, US, etc.) provided this is done consistently. Hyphenation is optional. To ensure suitability for an international audience, please pay attention to the following:

- Write in a straightforward style.
- Try to avoid long or complex sentence structures.
- Briefly define or explain all technical terms that may be unfamiliar to readers.
- Explain all acronyms the first time they are used in your text—e.g., “Digital Signal Processing (DSP)”.
- Explain local references (e.g., not everyone knows all city names in a particular country).
- Explain “insider” comments. Ensure that your whole audience understands any reference whose meaning you do not describe (e.g., do not assume that everyone has used a Macintosh or a particular application).
- Explain colloquial language and puns. Understanding phrases like “red herring” may require a local knowledge of English. Humor and irony are difficult to translate.
- Use unambiguous forms for culturally localized concepts, such as times, dates, currencies and numbers (e.g., “1-5-97” or “5/1/97” may mean 5 January or 1 May, and “seven o’clock” may mean 7:00 am or 19:00). For currencies, indicate equivalences—e.g., “Participants were paid 10,000 lire, or roughly \$5.”
- Be careful with the use of gender-specific pronouns (he, she) and other gendered words (chairman, manpower, man-months). Use inclusive language that is gender-neutral (e.g., she or he, they, s/he, chair, staff, staff-hours, person-years). See [7] for further advice and examples regarding gender and other personal attributes.
- If possible, use the full (extended) alphabetic character set for names of persons, institutions, and places (e.g., Grønbaek, Lafrenière, Sánchez, Universität, Weißenbach,



Züllighoven, Århus, etc.). These characters are already included in most versions of Times, Helvetica, and Arial fonts.

## ACCESSIBILITY

The Executive Council of SIGCHI has committed to making SIGCHI conferences more inclusive for researchers, practitioners, and educators with disabilities. As a part of this goal, the all authors are asked to work on improving the accessibility of their submissions. Specifically, we encourage authors to carry out the following five steps:

1. Add alternative text to all figures
2. Mark table headings
3. Add tags to the PDF
4. Verify the default language
5. Set the tab order to “Use Document Structure”

Unfortunately good tools do not yet exist to create tagged PDF files from LaTeX. LaTeX users will need to carry out all of the above steps in the PDF directly using Adobe Acrobat, after the PDF has been generated.

For more information and links to instructions and resources, please see: <http://chi2014.acm.org/authors/guide-to-an-accessible-submission>.

## PAGE NUMBERING, HEADERS AND FOOTERS

Your final submission SHOULD NOT contain any footer or header string information at the top or bottom of each page. The submissions will be paginated in a determined order by the chairs and page numbers added to the pdf during the compiling, indexing, and pagination processes.

## PRODUCING AND TESTING PDF FILES

We recommend that you produce a PDF version of your submission well before the final deadline. Your PDF file must be ACM DL Compliant. The requirements for an ACM Compliant PDF are available at: <http://www.sheridanprinting.com/typedept/ACM-distilling-settings.htm>.

Test your PDF file by viewing or printing it with the same software we will use when we receive it, Adobe Acrobat Reader Version 7. This is widely available at no cost from [1]. Note that most reviewers will use a North American/European version of Acrobat reader, which cannot handle documents containing non-North American or non-European fonts (e.g. Asian fonts). Please therefore do not use Asian fonts, and verify this by testing with a North American/European Acrobat reader (obtainable as above). Something as minor as including a space or punctuation character in a two-byte font can render a file unreadable.

## BLIND REVIEW

For archival submissions, CHI requires a “blind review.” To prepare your submission for blind review, remove author and institutional identities in the title and header areas of the paper. You may also need to remove part or all of the Acknowledgments text. Further suppression of identity in the body of

the paper and references is left to the authors’ discretion. For more details, see the submission guidelines and checklist for your submission category.

## CONCLUSION

It is important that you write for the SIGCHI audience. Please read previous years’ Proceedings to understand the writing style and conventions that successful authors have used. It is particularly important that you state clearly what you have done, not merely what you plan to do, and explain how your work is different from previously published work, i.e., what is the unique contribution that your work makes to the field? Please consider what the reader will learn from your submission, and how they will find your work useful. If you write with these questions in mind, your work is more likely to be successful, both in being accepted into the Conference, and in influencing the work of our field.

## ACKNOWLEDGMENTS

We thank CHI, PDC and CSCW volunteers, and all publications support and staff, who wrote and provided helpful comments on previous versions of this document. Some of the references cited in this paper are included for illustrative purposes only. **Don’t forget to acknowledge funding sources as well**, so you don’t wind up having to correct it later.

## REFERENCES FORMAT

References must be the same font size as other body text.

## REFERENCES

1. Adobe Acrobat Reader 7.  
<http://www.adobe.com/products/acrobat/>.
2. Anderson, R. E. Social Impacts of Computing: Codes of Professional Ethics. *Social Science Computer Review* December 10, 4 (1992), 453–469.
3. How to Classify Works Using ACM’s Computing Classification System.  
[http://www.acm.org/class/how\\_to\\_use.html](http://www.acm.org/class/how_to_use.html).
4. Klemmer, S. R., Thomsen, M., Phelps-Goodman, E., Lee, R., and Landay, J. A. Where do web sites come from?: capturing and interacting with design history. In *Proc. CHI 2002*, ACM Press (2002), 1–8.
5. Mather, B. D. Making up titles for conference papers. In *Ext. Abstracts CHI 2000*, ACM Press (2000), 1–2.
6. Roediger III, H. L., and Butler, A. C. The critical role of retrieval practice in long-term retention. *Trends in cognitive sciences* 15, 1 (2011), 20–27.
7. Schwartz, M. *Guidelines for Bias-Free Writing*. Indiana University Press, 1995.
8. Shute, V. J. Focus on formative feedback. *Review of educational research* 78, 1 (2008), 153–189.
9. Zellweger, P. T., Bouvin, N. O., Jehøj, H., and Mackinlay, J. D. Fluid annotations in an open world. In *Proc. Hypertext 2001*, ACM Press (2001), 9–18.