

**NAME**

**gzero** - the zero disk/block device

**DESCRIPTION**

The **gzero** device is provider in the GEOM(4) modular disk I/O requestion transformation framework. It simulates a 1 Exabyte write-only disk where all blocks read are filled with the byte 0x00. It differs from zero(4), which is a regular character device and has an infinite length. The /dev/gzero device is created by loading the geom\_zero kernel module with either the command:

```
# kldload geom_zero  
or  
# geom load zero
```

The /dev/gzero device is removed by unloading the geom\_zero kernel module with either the command

```
# kldunload geom_zero  
or  
# geom unload zero
```

Once loaded, information about the gzero device can be found with the following command:

```
# geom zero list  
Geom name: gzero  
Providers:  
1. Name: gzero  
   Mediasize: 1152921504606846976 (1.0E)  
   Sectorsize: 512  
   Mode: r0w0e0
```

It can be used as a simple benchmark of the speed of a disk or subsystem, where compression of the data will not change the results (clearly blocks from /dev/gzero will compress exceptionally well.) Example of a benchmarks that might use /dev/gzero is comparing the speed of two disk encryption algorithms or comparing a hardware versus software implementation of a single encryption algorithms.

**FILES**

*/dev/gzero*

**SEE ALSO**

GEOM(4), zero(4), geom(8)

*18.3.3. Creating a Mirror with an Existing Drive, The FreeBSD Handbook,*  
<https://www.freebsd.org/doc/handbook/geom-mirror.html#geom-mirror-existing-drive>.

## HISTORY

A **gzero** device first appeared in FreeBSD 6

## AUTHORS

The **gzero** device was written by Pawel Jakub Dawidek <pjd@FreeBSD.org>. The **gzero** manual page was written by Greg White <gkwhite@gmail.com>.