



Greenwood County Health Profile⁶

| INDICATOR | MEASURE | COUNT | VALUE | RANK ¹ | STATE |
|---|--|-------|-------|-------------------|-------|
| Births ² | Births with expected payor Medicaid (percent of all live births; 2014-2016) | 1335 | 55.7 | NA | 51.2 |
| | Breastfeeding initiation (percent of all live births; 2014-2016) | 1616 | 65.2 | 21 | 74.6 |
| | Low birthweight births (<2,500 grams; percent of all live births; 2014-2016) | 256 | 10.3 | 23 | 9.5 |
| | Mothers receiving adequate prenatal care (percent of all live births; 2014-2016) | 1997 | 80.6 | 4 | 74.6 |
| | Mothers who smoked during pregnancy (percent of all live births; 2014-2016) | 377 | 15.2 | 37 | 10.0 |
| | Preterm births (<37 weeks gestation; percent of all live births; 2014-2016) | 288 | 11.6 | 25 | 11.0 |
| | Teen live births (rate per 1,000 female population aged 15-19; 2014-2016) | 251 | 33.8 | 31 | 26.1 |
| Infant Mortality ² | Infant mortality (rate per 1,000 live births; 2014-2016) | 19 | 7.7 | 25 | 6.8 |
| Chronic Diseases, Risk Factors, and Health Behaviors ³ | Coronary heart disease (percent; 2014-2016) | NA | 3.8 | 11 | 4.6 |
| | Stroke (percent; 2014-2016) | NA | 5.6 | 34 | 3.8 |
| | Heart attack (percent; 2014-2016) | NA | 4.9 | 14 | 4.8 |
| | Hypertension (percent; 2014-2016) | NA | 43.5 | 24 | 38.7 |
| | Diabetes (percent; 2014-2016) | NA | 14.3 | 26 | 12.3 |
| | Current asthma (percent; 2014-2016) | NA | 7.8 | 18 | 12.6 |
| | Current smoking (percent; 2014-2016) | NA | 21.3 | 25 | 20.4 |
| | Adults categorized as obese, aged 20+ (BMI ≥30; percent; 2014-2016) | NA | 32.4 | 12 | 32.7 |
| | Reported leisure time physical activity in the past 30 days (percent; 2014-2016) | NA | 71.3 | 20 | 73.7 |
| | Received a flu vaccine in the last year, aged 65+ (percent; 2014-2016) | NA | 64.9 | 15 | 62.8 |
| | Received a pneumococcal vaccine ever, aged 65+ (percent; 2014-2016) | NA | 72.5 | 18 | 71.8 |
| Mortality ² | Accidental drug overdose (age-adjusted rate per 100,000 population; 2014-2016) | 21 | 10.9 | 26 | 14.7 |
| | Alzheimer's disease (age-adjusted rate per 100,000 population; 2014-2016) | 102 | 34.4 | 12 | 43.0 |
| | Cancer (malignant neoplasms only; age-adjusted rate per 100,000 population; 2014-2016) | 475 | 175.1 | 23 | 168.4 |
| | Cerebrovascular disease (age-adjusted rate per 100,000 population; 2014-2016) | 111 | 39.2 | 10 | 45.4 |
| | Chronic lower respiratory disease (age-adjusted rate per 100,000 population; 2014-2016) | 119 | 42.7 | 14 | 48.5 |
| | Diabetes (age-adjusted rate per 100,000 population; 2014-2016) | 79 | 29.5 | 31 | 22.5 |
| | Diseases of the heart (age-adjusted rate per 100,000 population; 2014-2016) | 465 | 167.7 | 11 | 176.8 |
| | Motor vehicle accident (age-adjusted rate per 100,000 population; 2014-2016) | 34 | 17.1 | 12 | 19.0 |
| | Suicide (age-adjusted rate per 100,000 population; 2014-2016) | 33 | 15.4 | 29 | 15.3 |
| | All causes (age-adjusted rate per 1,000 population; 2014-2016) | 2203 | 8.1 | 11 | 8.3 |
| | | | | | |
| Population Demographics ⁴ | Families below the poverty level (percent; 2012-2016) | NA | 19.1 | NA | 12.8 |
| | Population Non-Hispanic white (percent; 2016) | NA | 60.3 | NA | 64.7 |
| | Population Non-Hispanic black (percent; 2016) | NA | 32.2 | NA | 27.6 |
| | Population Non-Hispanic other (percent; 2016) | NA | 1.4 | NA | 2.2 |
| | Population Hispanic/Latino (percent; 2016) | NA | 6.1 | NA | 5.5 |
| Health Care Access | Delayed seeing a doctor in the last year due to cost (percent; 2014-2016) ³ | NA | 16.9 | 22 | 16.7 |
| | Has at least one person considered a personal doctor or health care provider (percent; 2014-2016) ³ | NA | 84.3 | 9 | 77.8 |
| | Population insured by Medicaid (percent; 2010-2014) ⁴ | NA | 57.4 | NA | 64.4 |
| | Population insured by private health insurance (percent; 2010-2014) ⁴ | NA | 16.2 | NA | 13.8 |
| | Population without health insurance (percent; 2010-2014) ⁴ | NA | 16.2 | NA | 13.3 |
| Home and Environmental Hazards | Elevated (≥5 mcg/dL) blood lead tests in children <6 years of age (percent of all tests; 2016) ⁵ | NA | 5.8 | 44 | 2.6 |
| | Homes built prior to 1980 (percent; 2012-2016) ⁴ | NA | 53.1 | NA | 39.3 |

1 - Ranking based on VALUE column, Regardless of the INDICATOR a ranking of 1 is always better, NA - Not Applicable.

2 - Source: Division of Biostatistics, DHEC

3 - Source: Behavioral Risk Factor Surveillance System, DHEC

4 - Source: 2012-2016 American Community Survey 5-Year Estimates, US Census Bureau, US Department of Commerce

5 - Source: Lead Surveillance, DHEC

6 - Estimates for counties with low populations contain more error.

Created: 01-2018