# Lee County Health Profile[6]

| INDICATOR | MEASURE | COUNT | VALUE | RANK[1] | STATE |
|---|---|---|---|---|---|
| Births[2] | Births with expected payor Medicaid (percent of all live births; 2015-2017) | 446 | 83.2 | NA | 50.1 |
| | Breastfeeding initiation (percent of all live births; 2015-2017) | 272 | 50.7 | 42 | 76.5 |
| | Low birthweight births (<2,500 grams; percent of all live births; 2015-2017) | 71 | 13.2 | 46 | 9.6 |
| | Mothers receiving adequate prenatal care (percent of all live births; 2015-2017) | 413 | 77.1 | 12 | 75.2 |
| | Mothers who smoked during pregnancy (percent of all live births; 2015-2017) | 47 | 8.8 | 16 | 9.1 |
| | Preterm births (<37 weeks gestation; percent of all live births; 2015-2017) | 70 | 13.1 | 38 | 11.2 |
| | Teen live births (rate per 1,000 female population aged 15-19; 2015-2017) | 66 | 43.1 | 40 | 23.8 |
| Infant Mortality[2] | Infant mortality (rate per 1,000 live births; 2015-2017) | 6 | 11.2 | 41 | 6.8 |
| Chronic Diseases, Risk Factors, and Health Behaviors[3] | Coronary heart disease (percent; 2015-2017) | NA | 6.8 | 36 | 4.6 |
| | Stroke (percent; 2015-2017) | NA | 5.8 | 35 | 3.8 |
| | Heart attack (percent; 2015-2017) | NA | 8.4 | 42 | 4.9 |
| | Hypertension (percent; 2015-2017) | NA | 51.6 | 40 | 38.4 |
| | Diabetes (percent; 2015-2017) | NA | 17.3 | 34 | 12.8 |
| | Current asthma (percent; 2015-2017) | NA | 16.3 | 46 | 8.7 |
| | Current smoking (percent; 2015-2017) | NA | 26.3 | 39 | 19.5 |
| | Adults categorized as obese, aged 20+ (BMI ≥30; percent; 2015-2017) | NA | 34.4 | 15 | 33.2 |
| | Reported leisure time physical activity in the past 30 days (percent; 2015-2017) | NA | 66.7 | 32 | 72.7 |
| | Received a flu vaccine in the last year, aged 65+ (percent; 2015-2017) | NA | 43.2 | 46 | 62.4 |
| | Received a pneumococcal vaccine ever, aged 65+ (percent; 2015-2017) | NA | 56.1 | 45 | 73.4 |
| Mortality[2] | Accidental drug overdose (age-adjusted rate per 100,000 population; 2015-2017) | | 6.7 | 9 | 16.7 |
| | Alzheimer's disease (age-adjusted rate per 100,000 population; 2015-2017) | | 61.1 | 41 | 45.4 |
| | Cancer (malignant neoplasms only; age-adjusted rate per 100,000 population; 2015-2017) | | 227.2 | 46 | 165.5 |
| | Cerebrovascular disease (age-adjusted rate per 100,000 population; 2015-2017) | | 71.2 | 44 | 45.6 |
| | Chronic lower respiratory disease (age-adjusted rate per 100,000 population; 2015-2017) | | 59.7 | 36 | 48.4 |
| | Diabetes (age-adjusted rate per 100,000 population; 2015-2017) | | 46.6 | 42 | 23.4 |
| | Diseases of the heart (age-adjusted rate per 100,000 population; 2015-2017) | | 264.3 | 43 | 174.0 |
| | Motor vehicle accident (age-adjusted rate per 100,000 population; 2015-2017) | | 33.0 | 37 | 20.5 |
| | Suicide (age-adjusted rate per 100,000 population; 2015-2017) | | 15.1 | 25 | 15.6 |
| | All causes (age-adjusted rate per 1,000 population; 2015-2017) | | 11.1 | 45 | 8.3 |
| Population Demographics[4] | Families below the poverty level (percent; 2013-2017) | NA | 18.3 | NA | 12.3 |
| | Population Non-Hispanic white (percent; 2017) | NA | 32.7 | NA | 64.6 |
| | Population Non-Hispanic black (percent; 2017) | NA | 64.1 | NA | 27.5 |
| | Population Non-Hispanic other (percent; 2017) | NA | 0.7 | NA | 2.3 |
| | Population Hispanic/Latino (percent; 2017) | NA | 2.5 | NA | 5.7 |
| Health Care Access | Delayed seeing a doctor in the last year due to cost (percent; 2015-2017)[3] | NA | 12.4 | 4 | 15.8 |
| | Has at least one person considered a personal doctor or health care provider (percent; 2015-2017)[3] | NA | 83.0 | 14 | 78.0 |
| | Population insured by Medicaid (percent; 2013-2017)[4] | NA | 52.7 | NA | 65.2 |
| | Population insured by private health insurance (percent; 2013-2017)[4] | NA | 9.4 | NA | 5.3 |
| | Population without health insurance (percent; 2013-2017)[4] | NA | 11.7 | NA | 12.1 |
| Home and Environmental Hazards | Elevated (≥5 mcg/dL) blood lead tests in children <6 years of age (percent of all tests; 2017)[5] | NA | 4.3 | 42 | 1.9 |
| | Homes built prior to 1980 (percent; 2013-2017)[4] | NA | 48.3 | NA | 38.7 |

1 - Ranking based on VALUE column, Regardless of the INDICATOR a ranking of 1 is always better, NA - Not Applicable.

2 - Source: Division of Biostatistics, DHEC

3 - Source: Behavioral Risk Factor Surveillance System, DHEC

4 - Source: 2013-2017 American Community Survey 5-Year Estimates, US Census Bureau, US Department of Commerce

5 - Source: Lead Surveillance, DHEC

6 - Estimates for counties with low populations contain more error.

*Created: 01-2019*