

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. [Privacy Policy](#).

Accept

Deny Non-Essential

Manage Preferences

as separators. For example, parameters in a HTTP GET message are encoded as name-value pairs separated by an ampersand (&). If an attacker can supply text strings that are used to fill in these parameters, then they can inject special characters used in the encoding scheme to add or modify parameters. For example, if user input is fed directly into an HTTP GET request and the user provides the value "myInput&new_param=myValue", then the input parameter is set to myInput, but a new parameter (new_param) is also added with a value of myValue. This can significantly change the meaning of the query that is processed by the server. Any encoding scheme where parameters are identified and separated by text characters is potentially vulnerable to this attack - the HTTP GET encoding used above is just one example.

▼ **Likelihood Of Attack**

Medium

▼ **Typical Severity**

Medium

▼ **Relationships**

	Nature	Type	ID	Name
	ParentOf		6	Argument Injection
	ParentOf		15	Command Delimiters
	ParentOf		134	Email Injection
	ParentOf		135	Format String Injection
	ParentOf		138	Reflection Injection
	ParentOf		182	Flash Injection

	View Name	Top Level Categories
	Domains of Attack	Software , Social Engineering
	Mechanisms of Attack	Inject Unexpected Items

▼ **Prerequisites**

The target application must use a parameter encoding where separators and parameter identifiers are expressed in regular text.

The target application must accept a string as user input, fail to sanitize characters that have a special meaning in the parameter encoding, and insert the user-supplied string in an encoding which is then processed.

▼ **Resources Required**

None: No specialized resources are required to execute this type of attack. The only requirement is the ability to provide string input to the target.

▼ **Consequences**

	Scope	Impact	Likelihood
--	-------	--------	------------

88	Improper Neutralization of Argument Delimiters in a Command ('Argument Injection')
----	--

► **Content History**

Page Last Updated or Reviewed: July 31, 2018