

Inhibit System Recovery

Adversaries may delete or remove built-in data and turn off services designed to aid in the recovery of a corrupted system to prevent recovery.^{[1][2]} This may deny access to available backups and recovery options.

Operating systems may contain features that can help fix corrupted systems, such as a backup catalog, volume shadow copies, and automatic repair features. Adversaries may disable or delete system recovery features to augment the effects of [Data Destruction](#) and [Data Encrypted for Impact](#).^{[1][2]} Furthermore, adversaries may disable recovery notifications, then corrupt backups.^[3]

A number of native Windows utilities have been used by adversaries to disable or delete system recovery features:

- `vssadmin.exe` can be used to delete all volume shadow copies on a system - `vssadmin.exe delete shadows /all /quiet`
- [Windows Management Instrumentation](#) can be used to delete volume shadow copies - `wmic shadowcopy delete`
- `wbadmin.exe` can be used to delete the Windows Backup Catalog - `wbadmin.exe delete catalog -quiet`
- `bcdedit.exe` can be used to disable automatic Windows recovery features by modifying boot configuration data - `bcdedit.exe /set {default} bootstatuspolicy ignoreallfailures & bcdedit /set {default} recoveryenabled no`
- `REAgentC.exe` can be used to disable Windows Recovery Environment (WinRE) repair/recovery options of an infected system
- `diskshadow.exe` can be used to delete all volume shadow copies on a system - `diskshadow delete shadows all` ^[4] ^[5]

On network devices, adversaries may leverage [Disk Wipe](#) to delete backup firmware images and reformat the file system, then [System Shutdown/Reboot](#) to reload the device. Together this activity may leave network devices completely inoperable and inhibit recovery operations.

On ESXi servers, adversaries may delete or encrypt snapshots of virtual machines to support [Data Encrypted for Impact](#), preventing them from being leveraged as backups (e.g., via `vim-cmd vmsvc/snapshot.removeall`).^[6]

Adversaries may also delete "online" backups that are connected to their network – whether via network storage media or through folders that sync to cloud services.^[7] In cloud environments, adversaries may disable versioning and backup policies and delete snapshots, database backups, machine images, and prior versions of objects designed to be used in disaster recovery scenarios.^{[8][9]}

ID: T1490

Sub-techniques: No sub-techniques

- ① **Tactic:** [Impact](#)
 - ① **Platforms:** Containers, ESXi, IaaS, Linux, Network Devices, Windows, macOS
 - ① **Impact Type:** Availability
- Contributors:** Austin Clark, @c2defense; Harjot Shah Singh; Joey Lei; Pallavi Sivakumaran, WithSecure; Yonatan Gotlib, Deep Instinct

Version: 1.6

Created: 02 April 2019

Last Modified: 12 May 2026

[Version Permalink](#)

Procedure Examples

ID	Name	Description
C0063	2025 Poland Wiper Attacks	During the 2025 Poland Wiper Attacks , the adversaries deleted Windows Volume Shadow Copies using <code>vssadmin delete shadows</code> . ^[10]
S1129	Akira	Akira will delete system volume shadow copies via PowerShell commands. ^{[11][12]}
S0640	Avaddon	Avaddon deletes backups and shadow copies using native system tools. ^{[13][14]}
S0638	Babuk	Babuk has the ability to delete shadow volumes using <code>vssadmin.exe delete shadows /all /quiet</code> . ^{[15][16]}
S1136	BFG Agonizer	BFG Agonizer wipes the boot sector of infected machines to inhibit system recovery. ^[17]
S0570	BitPaymer	BitPaymer attempts to remove the backup shadow files from the host using <code>vssadmin.exe Delete Shadows /All /Quiet</code> . ^[18]
S1070	Black Basta	Black Basta can delete shadow copies using vssadmin.exe. ^{[19][20][21][22][23][24][25][26][26][27]}
G1043	BlackByte	BlackByte resized and deleted volume shadow copy files to prevent system recovery after encryption. ^{[28][29]}
S1181	BlackByte 2.0 Ransomware	BlackByte 2.0 Ransomware modifies volume shadow copies during execution in a way that destroys them on the victim machine. ^[30]
S1180	BlackByte Ransomware	BlackByte Ransomware deletes all volume shadow copies and restore points among other actions to inhibit system recovery following ransomware deployment. ^[31]
S1068	BlackCat	BlackCat can delete shadow copies using <code>vssadmin.exe delete shadows /all /quiet</code> and <code>wmic.exe Shadowcopy Delete</code> ; it can also modify the boot loader using <code>bcdedit /set {default} recoveryenabled No</code> . ^[32]
S0611	Clon	Clon can delete the shadow volumes with <code>vssadmin Delete Shadows /all /quiet</code> and can use bcdedit to disable recovery options. ^[33]
S0608	Conficker	Conficker resets system restore points and deletes backup files. ^[34]
S0575	Conti	Conti can delete Windows Volume Shadow Copies using <code>vssadmin</code> . ^[35]
S1111	DarkGate	DarkGate can delete system restore points through the command <code>cmd.exe /c vssadmin delete shadows /for=c: /all /quiet</code> ". ^[36]
S0673	DarkWatchman	DarkWatchman can delete shadow volumes using <code>vssadmin.exe</code> . ^[37]
S0616	DEATHRANSOM	DEATHRANSOM can delete volume shadow copies on compromised hosts. ^[38]
S0659	Diavol	Diavol can delete shadow copies using the <code>IVssBackupComponents</code> COM object to call the <code>DeleteSnapshots</code> method. ^[39]
S0605	EKANS	EKANS removes backups of Volume Shadow Copies to disable any restoration capabilities. ^{[40][41]}
S1247	Embargo	Embargo has cleared files from the recycle bin by invoking <code>SHEmptyRecycleBinW()</code> and disabled Windows recovery through <code>C:\Windows\System32\cmd.exe /q /c bcdedit /set {default} recoveryenabled no</code> . ^[42]
S0618	FIVEHANDS	FIVEHANDS has the ability to delete volume shadow copies on compromised hosts. ^{[38][43]}

ID	Name	Description
S0260	InvisiMole	InvisiMole can can remove all system restore points. ^[49]
S0389	JCry	JCry has been observed deleting shadow copies to ensure that data cannot be restored easily. ^[50]
S1199	LockBit 2.0	LockBit 2.0 has the ability to delete volume shadow copies on targeted hosts. ^{[51][52]}
S1202	LockBit 3.0	LockBit 3.0 can delete volume shadow copies. ^{[53][54][55]}
S0449	Maze	Maze has attempted to delete the shadow volumes of infected machines, once before and once after the encryption process. ^{[56][57]}
G1051	Medusa Group	Medusa Group has deleted recovery files such as shadow copies using <code>vssadmin.exe</code> . ^{[58][59][60][61]}
S1244	Medusa Ransomware	Medusa Ransomware has deleted recovery files such as shadow copies using <code>vssadmin.exe</code> . ^{[58][59][60][61]}
S0576	MegaCortex	MegaCortex has deleted volume shadow copies using <code>vssadmin.exe</code> . ^[62]
S0688	Meteor	Meteor can use <code>bcdedit</code> to delete different boot identifiers on a compromised host; it can also use <code>vssadmin.exe delete shadows /all /quiet</code> and <code>C:\Windows\system32\wbem\wmic.exe shadowcopy delete</code> . ^[63]
S1135	MultiLayer Wiper	MultiLayer Wiper wipes the boot sector of infected systems to inhibit system recovery. ^[17]
S0457	Netwalker	Netwalker can delete the infected system's Shadow Volumes to prevent recovery. ^{[64][65]}
S0365	Olympic Destroyer	Olympic Destroyer uses the native Windows utilities <code>vssadmin</code> , <code>wbadmin</code> , and <code>bcdedit</code> to delete and disable operating system recovery features such as the Windows backup catalog and Windows Automatic Repair. ^[1]
S1162	Playcrypt	Playcrypt can use AlphaVSS to delete shadow copies. ^[66]
S1058	Prestige	Prestige can delete the backup catalog from the target system using: <code>c:\Windows\System32\wbadmin.exe delete catalog -quiet</code> and can also delete volume shadow copies using: <code>\Windows\System32\vssadmin.exe delete shadows /all /quiet</code> . ^[67]
S0654	ProLock	ProLock can use <code>vssadmin.exe</code> to remove volume shadow copies. ^[68]
S0583	Pysa	Pysa has the functionality to delete shadow copies. ^[69]
S1242	Qilin	Qilin can execute <code>vssadmin.exe delete shadows /all /quiet</code> to remove volume shadow copies and can disable High Availability (HA) and Distributed Resource Scheduler (DRS) in vCenter clusters. ^{[70][71][72][73]}
S0481	Ragnar Locker	Ragnar Locker can delete volume shadow copies using <code>vssadmin delete shadows /all /quiet</code> . ^[74]
S1212	RansomHub	RansomHub has used <code>vssadmin.exe</code> to delete volume shadow copies. ^{[75][76]}
S0496	REvil	REvil can use <code>vssadmin</code> to delete volume shadow copies and <code>bcdedit</code> to disable recovery features. ^{[77][78][79][80][81][82][83][84][85]}
S1150	ROADSWEEP	ROADSWEEP has the ability to disable <code>SystemRestore</code> and Volume Shadow Copies. ^{[86][87]}
S0400	RobbinHood	RobbinHood deletes shadow copies to ensure that all the data cannot be restored easily. ^[88]
S1073	Royal	Royal can delete shadow copy backups with <code>vssadmin.exe</code> using the command <code>delete shadows /all /quiet</code> . ^{[89][90][91]}

ID	Name	Description
G1015	Scattered Spider	Scattered Spider has stopped the Volume Shadow Copy service on compromised hosts. ^[93]
G1053	Storm-0501	Storm-0501 has deleted snapshots, restore points, storage accounts, and backup services to prevent remediation and restoration. ^[94] Storm-0501 has also impacted Azure resources through the targeting of <code>Microsoft.Compute/snapshots/delete</code> , <code>Microsoft.Compute/restorePointCollections/delete</code> , <code>Microsoft.Storage/storageAccounts/delete</code> , and <code>Microsoft.RecoveryServices/Vaults/backupFabrics/protectionContainers/delete</code> . ^[94]
G1055	VOID MANTICORE	VOID MANTICORE has deleted virtual machines directly from the virtualization platform. ^[95]
S0366	WannaCry	WannaCry uses <code>vssadmin</code> , <code>wbadmin</code> , <code>bcdedit</code> , and <code>wmic</code> to delete and disable operating system recovery features. ^{[96][2][97]}
S0612	WastedLocker	WastedLocker can delete shadow volumes. ^{[98][99][100]}
G0102	Wizard Spider	Wizard Spider has used WMIC and vssadmin to manually delete volume shadow copies. Wizard Spider has also used Conti ransomware to delete volume shadow copies automatically with the use of vssadmin. ^[101]

Mitigations

ID	Mitigation	Description
M1053	Data Backup	Consider implementing IT disaster recovery plans that contain procedures for taking regular data backups that can be used to restore organizational data. ^[102] Ensure backups are stored off system and is protected from common methods adversaries may use to gain access and destroy the backups to prevent recovery. In cloud environments, enable versioning on storage objects where possible, and copy backups to other accounts or regions to isolate them from the original copies. ^[103] On ESXi servers, ensure that disk images and snapshots of virtual machines are regularly taken, with copies stored off system. ^[104]
M1038	Execution Prevention	Consider using application control configured to block execution of utilities such as <code>diskshadow.exe</code> that may not be required for a given system or network to prevent potential misuse by adversaries.
M1028	Operating System Configuration	Consider technical controls to prevent the disabling of services or deletion of files involved in system recovery. Additionally, ensure that WinRE is enabled using the following command: <code>reagentc /enable</code> . ^[105]
M1018	User Account Management	Limit the user accounts that have access to backups to only those required. In AWS environments, consider using Service Control Policies to restrict API calls to delete backups, snapshots, and images.

Detection Strategy

ID	Name	Analytic ID	Analytic Description
DET0329	Behavioral Detection for T1490 - Inhibit System Recovery	AN0933	Process chains that use native utilities (vssadmin, wbadmin, diskshadow, bcdedit, REAgentC, wmic) with arguments to delete shadow copies, disable recovery, or remove backup catalogs
		AN0934	Shell utilities or scripts deleting <code>/etc/systemd/system/rescue.target</code> , <code>/etc/fstab</code> backups, or <code>/boot/efi</code> partitions; chatr used to block snapshot auto-recovery
		AN0935	ESXi shell or vim-cmd execution that deletes all VM snapshots using <code>vmsvc/snapshot.removeall</code> or <code>rm</code> on snapshot paths

References

1. [Mercer, W. and Rascagneres, P. \(2018, February 12\). Olympic Destroyer Takes Aim At Winter Olympics. Retrieved March 14, 2019.](#)
2. [Berry, A., Homan, J., and Eitzman, R. \(2017, May 23\). WannaCry Malware Profile. Retrieved March 15, 2019.](#)
3. [TheDFIRReport. \(2022, March 1\). Disabling notifications on Synology servers before ransom. Retrieved September 12, 2024.](#)
4. [Microsoft Windows Server. \(2023, February 3\). Diskshadow. Retrieved November 21, 2023.](#)
5. [Romain Dumont. \(2022, September 21\). Technical Analysis of Crytox Ransomware. Retrieved November 22, 2023.](#)
6. [Cybereason Nocturnus. \(n.d.\). Cybereason vs. BlackCat Ransomware. Retrieved March 26, 2025.](#)
7. [Steve Ranger. \(2020, February 27\). Ransomware victims thought their backups were safe. They were wrong. Retrieved March 21, 2023.](#)
8. [Brian Prince. \(2014, June 20\). Code Hosting Service Shuts Down After Cyber Attack. Retrieved March 21, 2023.](#)
9. [Spencer Gietzen. \(n.d.\). AWS Simple Storage Service S3 Ransomware Part 2: Prevention and Defense. Retrieved March 21, 2023.](#)
10. [CERT Polska. \(2026, January 30\). Energy Sector Incident Report – 29 December. Retrieved April 22, 2026.](#)
11. [Max Kersten & Alexandre Mundo. \(2023, November 29\). Akira Ransomware. Retrieved April 4, 2024.](#)
12. [CISA et al. \(2024, April 18\). #StopRansomware: Akira Ransomware. Retrieved December 10, 2024.](#)
13. [Security Lab. \(2020, June 5\). Avaddon: From seeking affiliates to in-the-wild in 2 days. Retrieved August 19, 2021.](#)
14. [Yuste, J. Pastrana, S. \(2021, February 9\). Avaddon ransomware: an in-depth analysis and decryption of infected systems. Retrieved August 19, 2021.](#)
15. [Sogeti. \(2021, March\). Babuk Ransomware. Retrieved August 11, 2021.](#)
16. [Mundo, A. et al. \(2021, February\). Technical Analysis of Babuk Ransomware. Retrieved August 11, 2021.](#)
17. [Or Chechik, Tom Fakterman, Daniel Frank & Assaf Dahan. \(2023, November 6\). Agonizing Serpens \(Aka Agrius\) Targeting the Israeli Higher Education and Tech Sectors. Retrieved May 22, 2024.](#)
18. [Frankoff, S., Hartley, B. \(2018, November 14\). Big Game Hunting: The Evolution of INDRIK SPIDER From Dridex Wire Fraud to BitPaymer Targeted Ransomware. Retrieved January 6, 2021.](#)
19. [Zargarov, N. \(2022, May 2\). New Black Basta Ransomware Hijacks Windows Fax Service. Retrieved March 7, 2023.](#)
20. [Cyble. \(2022, May 6\). New ransomware variant targeting high-value organizations. Retrieved November 17, 2024.](#)
21. [Gonzalez, I., Chavez I., et al. \(2022, May 9\). Examining the Black Basta Ransomware's Infection Routine. Retrieved March 7, 2023.](#)
22. [Avertium. \(2022, June 1\). AN IN-DEPTH LOOK AT BLACK BASTA RANSOMWARE. Retrieved March 7, 2023.](#)
23. [Inman, R. and Gurney, P. \(2022, June 6\). Shining the Light on Black Basta. Retrieved March 8, 2023.](#)
24. [Vilkomir-Preisman, S. \(2022, August 18\). Beating Black Basta Ransomware. Retrieved March 8, 2023.](#)
25. [Elsad, A. \(2022, August 25\). Threat Assessment: Black Basta](#)
54. [FBI et al. \(2023, March 16\). #StopRansomware: LockBit 3.0. Retrieved February 5, 2025.](#)
55. [INCIBE-CERT. \(2024, March 14\). LockBit: response and recovery actions. Retrieved February 5, 2025.](#)
56. [Mundo, A. \(2020, March 26\). Ransomware Maze. Retrieved May 18, 2020.](#)
57. [Brandt, A., Mackenzie, P. \(2020, September 17\). Maze Attackers Adopt Ragnar Locker Virtual Machine Technique. Retrieved October 9, 2020.](#)
58. [Anthony Gallette, Doel Santos. \(2024, January 11\). Medusa Ransomware Turning Your Files into Stone. Retrieved October 15, 2025.](#)
59. [Cybersecurity and Infrastructure Security Agency. \(2025, March 12\). AA25-071A #StopRansomware: Medusa Ransomware. Retrieved October 15, 2025.](#)
60. [Threat Hunter Team Symantec and Carbon Black. \(2025, March 6\). Medusa Ransomware Activity Continues to Increase. Retrieved October 15, 2025.](#)
61. [Vlad Pasca. \(2024, January 1\). A Deep Dive into Medusa Ransomware. Retrieved October 15, 2025.](#)
62. [Del Fierro, C. Kessem, L.. \(2020, January 8\). From Mega to Giga: Cross-Version Comparison of Top MegaCortex Modifications. Retrieved February 15, 2021.](#)
63. [Check Point Research Team. \(2021, August 14\). Indra - Hackers Behind Recent Attacks on Iran. Retrieved February 17, 2022.](#)
64. [Victor, K.. \(2020, May 18\). Netwalker Fileless Ransomware Injected via Reflective Loading . Retrieved May 26, 2020.](#)
65. [Szappanos, G., Brandt, A.. \(2020, May 27\). Netwalker ransomware tools give insight into threat actor. Retrieved May 27, 2020.](#)
66. [Trend Micro Research. \(2023, July 21\). Ransomware Spotlight: Play. Retrieved September 24, 2024.](#)
67. [MSTIC. \(2022, October 14\). New “Prestige” ransomware impacts organizations in Ukraine and Poland. Retrieved January 19, 2023.](#)
68. [Group IB. \(2020, September\). LOCK LIKE A PRO. Retrieved November 17, 2024.](#)
69. [CERT-FR. \(2020, April 1\). ATTACKS INVOLVING THE MESPINOZA/PYSA RANSOMWARE. Retrieved March 1, 2021.](#)
70. [Magdy, S. et al. \(2022, August 25\). New Golang Ransomware Agenda Customizes Attacks. Retrieved September 26, 2025.](#)
71. [Halcyon RISE Team. \(2024, October 24\). New Qilin.B Ransomware Variant Boasts Enhanced Encryption and Defense Evasion. Retrieved September 26, 2025.](#)
72. [Bradshaw, A. et al. \(2025, April 1\). Qilin affiliates spear-phish MSP ScreenConnect admin, targeting customers downstream. Retrieved September 26, 2025.](#)
73. [Takeda, T. et al. \(2025, October 26\). Uncovering Qilin attack methods exposed through multiple cases. Retrieved March 26, 2026.](#)
74. [SophosLabs. \(2020, May 21\). Ragnar Locker ransomware deploys virtual machine to dodge security. Retrieved June 29, 2020.](#)
75. [CISA et al. \(2024, August 29\). #StopRansomware: RansomHub Ransomware. Retrieved March 17, 2025.](#)
76. [Alfano, V. et al. \(2025, February 12\). RansomHub Never Sleeps Episode 1: The evolution of modern ransomware. Retrieved March 17, 2025.](#)

29. [Symantec Threat Hunter Team. \(2022, October 21\). Exbyte: BlackByte Ransomware Attackers Deploy New Exfiltration Tool. Retrieved December 16, 2024.](#)
30. [Microsoft Incident Response. \(2023, July 6\). The five-day job: A BlackByte ransomware intrusion case study. Retrieved December 16, 2024.](#)
31. [Rodel Mendrez & Lloyd Macrohon. \(2021, October 15\). BlackByte Ransomware – Pt. 1 In-depth Analysis. Retrieved December 16, 2024.](#)
32. [Microsoft Defender Threat Intelligence. \(2022, June 13\). The many lives of BlackCat ransomware. Retrieved December 20, 2022.](#)
33. [Mundo, A. \(2019, August 1\). Clop Ransomware. Retrieved May 10, 2021.](#)
34. [Burton, K. \(n.d.\). The Conficker Worm. Retrieved February 18, 2021.](#)
35. [Baskin, B. \(2020, July 8\). TAU Threat Discovery: Conti Ransomware. Retrieved February 17, 2021.](#)
36. [Adi Zeligson & Rotem Kerner. \(2018, November 13\). Enter The DarkGate - New Cryptocurrency Mining and Ransomware Campaign. Retrieved February 9, 2024.](#)
37. [Smith, S., Stafford, M. \(2021, December 14\). DarkWatchman: A new evolution in fileless techniques. Retrieved January 10, 2022.](#)
38. [McLellan, T. and Moore, J. et al. \(2021, April 29\). UNC2447 SOMBRAT and FIVEHANDS Ransomware: A Sophisticated Financial Threat. Retrieved June 2, 2021.](#)
39. [Neeamni, D., Rubinfeld, A.. \(2021, July 1\). Diavol - A New Ransomware Used By Wizard Spider?. Retrieved November 12, 2021.](#)
40. [Dragos. \(2020, February 3\). EKANS Ransomware and ICS Operations. Retrieved February 9, 2021.](#)
41. [Hinchliffe, A. Santos, D. \(2020, June 26\). Threat Assessment: EKANS Ransomware. Retrieved February 9, 2021.](#)
42. [Cyble. \(2024, May 24\). The Rust Revolution: New Embargo Ransomware Steps In. Retrieved October 19, 2025.](#)
43. [CISA. \(2021, May 6\). Analysis Report \(AR21-126A\) FiveHands Ransomware. Retrieved June 7, 2021.](#)
44. [Reynolds, J.. \(2016, September 14\). H1N1: Technical analysis reveals new capabilities – part 2. Retrieved November 17, 2024.](#)
45. [Thomas, W. et al. \(2022, February 25\). CrowdStrike Falcon Protects from New Wiper Malware Used in Ukraine Cyberattacks. Retrieved March 25, 2022.](#)
46. [ESET. \(2022, March 1\). IsaacWiper and HermeticWizard: New wiper and worm targeting Ukraine. Retrieved April 10, 2022.](#)
47. [Dani, M. \(2022, March 1\). Ukrainian Targets Hit by HermeticWiper, New Datawiper Malware. Retrieved March 25, 2022.](#)
48. [Cybereason Security Research Team. \(2023, November 20\). Threat Alert: INC Ransomware. Retrieved June 5, 2024.](#)
49. [Hromcová, Z. \(2018, June 07\). InvisiMole: Surprisingly equipped spyware, undercover since 2013. Retrieved July 10, 2018.](#)
50. [Lee, S.. \(2019, May 14\). JCry Ransomware. Retrieved June 18, 2019.](#)
51. [FBI. \(2022, February 4\). Indicators of Compromise Associated with LockBit 2.0 Ransomware. Retrieved January 24, 2025.](#)
52. [Cybereason Global SOC Team. \(n.d.\). THREAT ANALYSIS REPORT: LockBit 2.0 - All Paths Lead to Ransom. Retrieved January 24, 2025.](#)
53. [CISA et al. \(2023, June 14\). UNDERSTANDING RANSOMWARE THREAT ACTORS: LOCKBIT. Retrieved February 5, 2025.](#)
80. [Cadieux, P. et al \(2019, April 30\). Sodinokibi ransomware exploits WebLogic Server vulnerability. Retrieved August 4, 2020.](#)
81. [McAfee. \(2019, October 2\). McAfee ATR Analyzes Sodinokibi aka REvil Ransomware-as-a-Service – What The Code Tells Us. Retrieved August 4, 2020.](#)
82. [Intel 471 Malware Intelligence team. \(2020, March 31\). REvil Ransomware-as-a-Service – An analysis of a ransomware affiliate operation. Retrieved August 4, 2020.](#)
83. [Ozarslan, S. \(2020, January 15\). A Brief History of Sodinokibi. Retrieved August 5, 2020.](#)
84. [Counter Threat Unit Research Team. \(2019, September 24\). REvil/Sodinokibi Ransomware. Retrieved August 4, 2020.](#)
85. [Tetra Defense. \(2020, March\). CAUSE AND EFFECT: SODINOKIBI RANSOMWARE ANALYSIS. Retrieved November 17, 2024.](#)
86. [Jenkins, L. at al. \(2022, August 4\). ROADSWEEP Ransomware - Likely Iranian Threat Actor Conducts Politically Motivated Disruptive Activity Against Albanian Government Organizations. Retrieved August 6, 2024.](#)
87. [CISA. \(2022, September 23\). AA22-264A Iranian State Actors Conduct Cyber Operations Against the Government of Albania. Retrieved August 6, 2024.](#)
88. [Lee, S. \(2019, May 17\). CB TAU Threat Intelligence Notification: RobbinHood Ransomware Stops 181 Windows Services Before Encryption. Retrieved July 29, 2019.](#)
89. [Cybereason Global SOC and Cybereason Security Research Teams. \(2022, December 14\). Royal Rumble: Analysis of Royal Ransomware. Retrieved March 30, 2023.](#)
90. [Iacono, L. and Green, S. \(2023, February 13\). Royal Ransomware Deep Dive. Retrieved March 30, 2023.](#)
91. [CISA. \(2023, March 2\). #StopRansomware: Royal Ransomware. Retrieved March 31, 2023.](#)
92. [Hanel, A. \(2019, January 10\). Big Game Hunting with Ryuk: Another Lucrative Targeted Ransomware. Retrieved May 12, 2020.](#)
93. [Mandiant Incident Response. \(2025, May 6\). Defending Against UNC3944: Cybercrime Hardening Guidance from the Frontlines. Retrieved October 13, 2025.](#)
94. [Microsoft Threat Intelligence. \(2025, August 27\). Storm-0501's evolving techniques lead to cloud-based ransomware. Retrieved October 19, 2025.](#)
95. [Check Point Research. \(2026, March 12\). "Handala Hack" – Unveiling Group's Modus Operandi. Retrieved April 20, 2026.](#)
96. [Noerenberg, E., Costis, A., and Quist, N. \(2017, May 16\). A Technical Analysis of WannaCry Ransomware. Retrieved December 8, 2024.](#)
97. [Counter Threat Unit Research Team. \(2017, May 18\). WCry Ransomware Analysis. Retrieved March 26, 2019.](#)
98. [Symantec Threat Intelligence. \(2020, June 25\). WastedLocker: Symantec Identifies Wave of Attacks Against U.S. Organizations. Retrieved May 20, 2021.](#)
99. [Antenucci, S., Pantazopoulos, N., Sandee, M. \(2020, June 23\). WastedLocker: A New Ransomware Variant Developed By The Evil Corp Group. Retrieved September 14, 2021.](#)
100. [Walter, J.. \(2020, July 23\). WastedLocker Ransomware: Abusing ADS and NTFS File Attributes. Retrieved September 14, 2021.](#)
101. [Shilkov, J., et al. \(2021, October 7\). FIN12: The Prolific Ransomware Intrusion Threat Actor That Has Aggressively Pursued Healthcare Targets. Retrieved June 15, 2023.](#)
102. [Ready.gov. \(n.d.\). IT Disaster Recovery Plan. Retrieved March 15, 2019.](#)