

Coding and Configuration for Secure Systems in BSDs

John O'Keefe-Odom

Contents

Author	iii
Preface	v
Endnotes	vii
Acknowledgements	ix
Endnotes	xi
Introduction	xiii
Endnotes	xv
1 Understanding Risks to Physical Systems	1
1.1 Introduction	1
1.2 Literature Review	6
1.3 Methodology	6
1.4 Analysis	14
1.5 Discussion	15
Endnotes	17
2 Amnesiac Systems in FreeBSD	21
2.1 Introduction	21
2.1.1 Background and Content	21
2.1.2 Problem Statement	21
2.1.3 Project Objectives	28
2.1.4 Scope of Work	28
2.1.5 Variables	29
2.1.6 Assumptions, Risks, and Limitations	29
2.1.7 Significance of the Project	30
2.2 Literature Review	30
2.2.1 Overview of Existing Solutions or Approaches	30
2.2.2 Comparisons of Technologies or Frameworks	32
2.2.3 Gaps in the Literature	33
2.3 Methodology	33
2.3.1 Technical Research Questions	33
2.3.2 System Architecture and Design	33
2.3.3 Implementation Plan	33
2.4 Analysis	51
2.4.1 Quality	51
2.4.2 Tests	51

2.5	Discussion	51
2.6	Chapter References	51
2.6.1	Books	51
2.6.2	MAN Pages	52
2.6.3	Websites	53
	Endnotes	55
3	Login Procedures for Disconnected Systems	63
3.1	Introduction	63
3.2	Methodology	63
3.3	Results	64
3.3.1	Required Or Specific Equipment	64
3.3.2	Code Notes for Power Up	64
3.3.3	Code Notes for Poweroff	65
3.4	Analysis	66
3.4.1	Quality	66
3.4.2	Tests	66
3.5	Discussion	67
3.5.1	Summary of Usefulness	67
3.5.2	Lessons Learned	67
3.6	References	67
3.6.1	Books	67
3.6.2	MAN pages	67
3.6.3	URLs	68
	Endnotes	69
4	Basic Tape Operations with FreeBSD	71
4.1	Introduction	71
4.2	Methodology	71
4.3	Results	71
4.3.1	Code Notes	71
4.4	Analysis	75
4.4.1	Quality	75
4.4.2	Tests	75
4.5	Discussion	75
4.6	References	76
	Endnotes	77
	Glossary	79
	Endnotes	83
	Index	85

Author

John O’Keefe-Odom received a Master of Liberal Arts (ALM) in Extension Studies in the field of Cybersecurity from Harvard University, Harvard University Extension School, in 2026. He received an AAS in Web Programming from Chattanooga State Community College in 2013. He received a BA in English: Writing from the University of Tennessee at Chattanooga in 2001. He holds various technical certifications in cybersecurity including: Certified Information Systems Security Professional (CISSP), Certified Secure Software Lifecycle Professional (CSSLP), Certified Cloud Security Professional (CCSP), SecurityX, PenTest+, CySA+, Security+, and Linux+. He has worked as a senior application security engineer and software engineer for various companies for over ten years.

Preface

Your preface text goes here...

Endnotes

- [1] “Amnesiac, N.” Oxford English Dictionary, Oxford UP, December 2024, <https://doi.org/10.1093/OED/9207200444>.
- [2] “Cache, N. (2), Sense 3.” Oxford English Dictionary, Oxford UP, September 2025, <https://doi.org/10.1093/OED/1117661132>.
- [3] “Coding, N., Sense 3.” Oxford English Dictionary, Oxford UP, June 2025, <https://doi.org/10.1093/OED/4701717734>.
- [4] “Configuration, N., Sense 8.” Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/1065280211>.
- [5] “Dialogue | Dialog, N., Sense 4.b.” Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/4999880636>.
- [6] “Dialogue Box | Dialog Box, N.” Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/3367209004>.
- [7] “Encrypt, V.” Oxford English Dictionary, Oxford UP, December 2025, <https://doi.org/10.1093/OED/1124748007>.
- [8] Vppalapati, Mallikarjun. “Immutability as an Operational Constraint rather than a Security Feature.” *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176–184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.
- [9] “Immutable, Adj., Sense 1.b.” Oxford English Dictionary, Oxford UP, December 2025, <https://doi.org/10.1093/OED/1176087402>.
- [10] “Memory Stick, N.” Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/1531282927>.
- [11] “Metadata, N.” Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/7968104326>.
- [12] “Mirror, V., Sense 4.” Oxford English Dictionary, Oxford UP, December 2025, <https://doi.org/10.1093/OED/8366938443>.
- [13] “Motherboard, N.” Oxford English Dictionary, Oxford UP, July 2023, <https://doi.org/10.1093/OED/1154882806>.
- [14] “Operating System, N.” Oxford English Dictionary, Oxford UP, July 2023, <https://doi.org/10.1093/OED/4828064025>.
- [15] Vppalapati, Mallikarjun. “Immutability as an Operational Constraint rather than a Security Feature.” *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176–184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.
- [16] “Pipe, N. (1), Sense III.26.b.” Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/5943533372>.
- [17] “Pipe, N. (1), Sense III.26.c.” Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/8044200378>.
- [18] “RAID, N.” Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/4981410541>.
- [19] “Shell, N., Additional sense.” Oxford English Dictionary, Oxford UP, March 2026, <https://doi.org/10.1093/OED/4563192747>.
- [20] Vppalapati, Mallikarjun. “Immutability as an Operational Constraint rather than a Security Feature.” *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176–184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.
- [21] “Thumb Drive, N.” Oxford English Dictionary, Oxford UP, March 2026, <https://doi.org/10.1093/OED/9979951645>.

Acknowledgements

Your acknowledgements text goes here...

With our chosen style of citations, we tried to provide references that would withstand common lab use and academic rigor. We provided in-chapter sections for convenient references to books, man pages, and websites. We also continued with inline footnoting for chapter endnotes; we especially noted various computer commands and technologies since they are fundamentally derivative works upon which we depend. This made for a lot of references and some duplicity. We have cited generously.

We decided to set a previous book in fonts by Erik Spiekermann after seeing “Helvetica” by Gary Hustwit (2007). We carried that through here. InfoOTDisp-Book is copyrighted by Ole Schaefer and Erik Spiekermann; it is published by FSI Fonts und Software GmbH. Eurostile Extended Regular and Eurostile W01 Regular are copyrighted 2006 and 2010 by URW Design and Development.

For typesetting and formatting, we chose LaTeX. We repeatedly consulted various AI and Internet sources for coding the document which generated the paper. For bibliographic formatting, we frequently used MyBib. [1]

Endnotes

[1] Mybib. "MyBib Bibliography Generator." MyBib.Com, 13 July 2018, <https://www.mybib.com>. Accessed 12 July 2026.

Introduction

Your introduction text goes here...

Endnotes

[1] Mybib. "MyBib Bibliography Generator." MyBib.Com, 13 July 2018, <https://www.mybib.com>. Accessed 12 July 2026.

1 Understanding Risks to Physical Systems

We conducted a risk assessment to better understand the threat of criminal action against an in-house system. We examined both cybercrimes and physical crimes using data that was normalized to a per-capita rates of crimes. We drew from FBI Internet Crime Complaint Center (IC3) annual reports and Chattanooga Police open data records. The population samples were taken from the US Census Bureau reports.

1.1 Introduction




Fig. 1.1: Example run of a Monte Carlo simulation using state-level data to set bounds. Here we chose Personal Data Breach victim counts from 2016 and 2022 as upper and lower bounds. 10,000 rows projected randomized values between these bounds and determined mean and counts by confidence interval. [1]

Background and Content

We had a modest amount of education in Statistics as we began the project. Our skills were derived primarily from three college courses. At Chattanooga State Community College in 2011, we had courses in "Elementary Statistics." [2] This was an algebra-based course that focused on the fundamentals of applying data to normal distributions. Also there in 2012, we had a course in "Statistics for Engineers." [3]

This was an algebra-based course that discussed various quality control techniques and statistical modeling. In 2023 at Harvard University Extension School, we had a graduate course in "Risk in Information Security" with Derek Brink. [4] Professor Brink authored the Excel spreadsheet which we have used for Monte Carlo simulations.




Fig. 1.2: Example results of applying Monte Carlo simulation to forecasting. Here we see the assertion that there is a 90% likelihood that the number of victims will be between 457 and 879; the mean of the simulation was 667.[5]

The spreadsheet conducts 10,000 simulations of data points between user-supplied bounds. Sheets in the Excel workbook are capable of conducting a variety of these simulations. They are differentiated by modeling style (uniform, triangular, normal, binary, or discrete) and points of interest (count, cost, or percentage).

Each of the simulating rows follows these general steps:

- Reference the lower bound.
- Ascertain the range between lower and upper bounds.
- Generate a random number.
- Multiply the random number against the range value.
- Install the generated random value in a cell.

The row values are then counted, sorted, and ranked into confidence intervals. The values and critical points are plotted on various graphs. The end result is that it is easy for an opertor of the spreadsheet to generate a Monte Carlo simulation of a distribution between bounds. Since there are enough iterations (10,000), the simulation can have statistical value. Since the inputs on the spreadsheet can be readily modified and since the cells are calculated upon page saving or loading, new simulations can be run with ease. We recognized Professor Brink’s spreadsheet was a

useful tool that we could apply to forecasts of interest to us here.

Problem Statement

We need a cheap source of risk information to inform procedural decisions in the lab. We can't afford to pay a vendor for intelligence feeds. Free attack-specific feeds that work well for defense technologies like Snort or Suricata are not in a form that would inform policy-level risk decisions. We want to gather this information efficiently and without generating any civil or criminal liability or threats; we're not going to conduct firsthand research in cybercrime forums to determine what shape a localized risk might take. We want to be able to use publicly available cybercrime data in order to pursue commercial-grade decisions on a localized scale in a manner that is informed and practical.

These conditions suggest that we should use the following resources:

- United States (US) IC3 data
- Computer Emergency Response Team (CERT) data from other nations
- Open Data from local government agencies
- MITRE ATT&CK for guiding data selection
- Other scientifically valid open data sources.

We found during our research that there would sometimes be promising documents published by security vendors and software companies. Unfortunately, many of those were not accompanied by scientifically valid open data sources. So it is with caution that we could sometimes accept the assertions; however, we sometimes found that the reports were useless beyond identifying an anecdotal cause, condition, or effect. Without data to quantify those identified conditions, we were sometimes left with a good idea that could not be proven in a manner that supported a quantitative risk assessment. In those times, those leads had to sometimes be abandoned or be allowed to fall short of their potential impact. Unscientific assertions from vendors seemed to be a trend in our research environment; unscientific assertions from vendors is such a part of the problem's environment that it is a problem almost unto itself.

Project Objectives

We want to be able to conduct a quantitative risk assessment for our small project lab that would be scientific and illustrative enough to allow others to accept it as guidance.

We want others to be able to conduct their own risk assessments and be able to use these notes as a pattern for their own benefit.

We want to proceed with an educated, professionally supported philosophical framework of ideas. We didn't want to decay into philosophical edge cases like harshly questioning cause and effect, blindly ignoring unquantified threats, or emotionally fueling conspiratorial fears. We need to keep our feet on the ground and our systems defended; but, if the risk assessment shows that threats are rare or severe, then we need to understand that through quantitative analysis.

Scope of Work

We chose to limit our risk analysis to the algebraic scaling of IC3 data on Excel spreadsheets to limit the calculations by hand. The data has four main trends (victim count, victim impact, suspect count, suspect impact), but to keep the analysis productive we would proceed all the way through with victim count. This would support an assessment of likelihood. Then we would go through the mathematics again to determine severity by scaling the values of victim impact. With those two categories available, we would have the minimum amount of data needed to conduct a quantitative assessment of likelihood and severity. This would meet the minimum expectations of most risk assessments' data analysis needs.

We would need to scope the data to understand it in a verifiable context. Since our goal is to analyze a project-sized scaling, we would need to couch that target between verifiable guideposts. So, we chose to scale state-level data to our city's population. Alongside this, we could scale state-level data to a small organization's size (e.g. 150 people as stakeholders). Since that scaled data would be calculated, we would want to present it in context with states and territories that represented high and low levels of cybercrime (California and American Samoa). This way we would set a scope that would allow a reader to see the effect of scaling from known states down to the small business organization level.

Variables

Not all of the collected IC3 data categories were stable over time. As the reports were produced year to year, new threats emerged and the cybercrime field changed. This meant that some categories that were present at the older end of our analysis (2016) were not present at the end of our sampling (2022) or later. Because of this, we had to ignore some categories or combine others. Variability in criminal activity affected reporting.

This had indirect effects on our analysis. Check Fraud and Credit Card Fraud, as activity titles, changed over the years. Threats to people, in the form of both Terrorism and Stalking, changed over the years. This meant that we chose to ignore some categories that would seem to have value to commercial businesses while combining counts into one category in others. Our picking and choosing among the categories genuinely shapes the risk picture we're considering as we do the risk assessment. Our projects and labs can't live in a fictional world where entire threat categories don't exist; but, we had to keep the data calculatable in order to proceed.

Assumptions, Risks, and Limitations

We set out to better understand the rates of computer-related crimes in our area using public data sources. We drew from FBI IC3 annual reports and Chattanooga Police open data records. The IC3 reports provided categorical breakdowns of different types of internet-related crimes. In the past, we were able to find per-state breakdowns of those crimes. The FBI would provide four views of computer crime: overall count, overall financial impact, victim count, and per-victim financial impact.

This was available both nationally and per state. When following up in 2026, we noticed we were only able to immediately discover the national-level summaries of crime.

Anecdotally, we know that we have witnessed several of these crimes at rates higher than shown in these tables (Tables 1.2, 1.3, 1.4). We suspect that we're seeing numbers this low because few victims are taking the steps necessary to report computer crimes to federal authorities. For example, when companies or individuals encounter ransomware, their reactions may involve repairing the affected endpoint but not informing law enforcement. Nonetheless, those authorities have been the public's observable source of crime reporting. While we continue to use this data, we may need to accept that true counts of cybercrime in the city must be scaled by an unknown factor.

The Chattanooga Police Department, like other departments of the City of Chattanooga, participate in an open data project. Anonymized crime reports are provided to the public in a manner that lets us track by approximate region of the city and by category of crime. We chose to do this because we recognized some crimes would be reported to local police that were not reported to federal authorities. Some crimes, such as physical break-ins, were more likely to be handled by local police. Since the systems involved are in-scope for physical damage, we felt the Chattanooga Police Department's open data would be the best public source for supporting criminal threat forecasts for events like burglary from a vehicle. Some of the crime categories, such as extortion or threats against a person, could be reported to either federal IC3 or local police; the nature of the threats might be different; but, there may be more direct physical threats reported to local police; there is no formal mimetic analysis that would shuttle a threatening complaint to one law enforcement agency or another. Meanwhile, some locally policed crimes may focus upon: employees, facility safeguards, loss of computer equipment in public, loss of computer equipment by theft from facilities or vehicles, and so on.

As we examine the data from the public data sources and we feel that the reported rates are less than our experience would justify, we have to recognize that there may be shortcomings in the reported data. Perhaps we would do well to scale the rates up to meet our experience. However, those arbitrary inflations would damage the validity of our academic risk calculations. So, for the time being, we leave the inflation or deflation of the end results for the reader as a localized adjustment. Since our main goal is to show a method for determining the risks through the reported data, it could be argued that the exact numbers are less relevant than the demonstrated methods.

Limitations Imposed by Federal Law Enforcement in Tennessee

During our research, one shocking fact came to light. At the Cybersecurity Summit conference in Nashville, TN in 2023, Derek Rousseau, a Special Agent from the FBI Nashville Cyber Squad, presented and answered a Q&A. To our surprise, the special agent answered a direct question, How much money needs to be at stake for the Federal Bureau of Investigation (FBI) to get involved in a cybercrime? His answer

was that the US Attorney in Nashville wanted to see at least \$100,000 in damage for domestic crimes or \$400,000 in damage for international crimes. For damage amounts below that, it was not effective to devote an FBI special agent to investigate the crime. As a result, the special agent encouraged the reporting of smaller crimes so that cases could be aggregated against a suspect to levels that merited federal investigation and prosecution. Later, as we compare IC3 crime data, we'll see that many of the annual totals are below these limits. This suggests that the US is prosecuting only a fraction of those reported crimes that affect the population.

Limitations Derived from Reporting

Another limitation on our projections arises from the voluntary nature of the reporting. Since victims or defenders need to advise the IC3 of a security event, only those who follow through with the voluntary reporting actions will get counted. Commercial defenders will see that in their experience only a small number of daily cybersecurity events will seem worthy to report to federal law enforcement; the scope of true attacks would seem through those anecdotes to be much greater than the reported numbers. Since all of the reports are likely to be initiated by those who speak up, we cannot escape the experimental design problems associated with a convenience sample when using IC3 data for our statistics.

As we've seen and will see, the grouping of those reports does not match our experimental needs. States and nations are simply too large to be of practical benefit to defenders. Most small businesses and organizations will need the value of public information; commercial vendors can provide similar data for a fee; we need the free data, but we need to tailor it down to the size of a defending organization to apply it realistically to risk assessments for cybersecurity defense.

Significance of the Project

1.2 Literature Review

Overview of Existing Solutions or Approaches

Comparisons of Technologies or Frameworks

Gaps in the Literature

1.3 Methodology

We took cybercrime data from a seven year span of IC3 publications. The annual reports for the nation and for each state showed a count of victims per category of cybercrime. The US FBI defined each category for their report. We put that data into a matrix, organized by year and category of crime.

Each state we chose got its own matrix. We noticed that three states typically had high counts of crime; they were: California, Texas, and Florida. We noticed that US territories, like American Samoa, US Virgin Islands, and Puerto Rico, were




Fig. 1.3: Seven year summary of personal data breaches in Tennessee reported to IC3.

reported also as if they were a state. These smaller areas with lower populations also showed low counts of cybercrime. We chose these high crime areas (e.g. California) and low crime areas (e.g. American Samoa) as our guides for choosing maximum and minimum limits. Our desired target areas were chosen by the target's home state; our initial runs included Chattanooga, Tennessee.

Using State Data to Forecast a Company's Data

Our main data sets are provided in the public interest; they're based on large units of people like states and nations. As system operators, we have a much smaller interest; we're interested in company sized elements. Instead of being concerned with the cybercrime fate of over 300 million Americans or 9 million Tennesseans, we are probably more interested in what might happen to 100 stakeholders.

To smooth out the counts of cybercrime into rates, we adjusted these state victim counts per capita. We chose the US Census reports for those years to be the population values of the states. This would provide us with a per capita rate of cybercrime based on the chosen state which represented the chosen limit or target in the distribution.

Formally, we note this process below as shown in Figure 1.4. R represents our result. N_t represents our constant for target sample population and is used for multiplying the rate to scale it to match the population of the target. t represents

our starting year for the sample from IC3 and coordinates the rows until it progresses to the final year chosen which is denoted by n . i represents our chosen category index of cybercrime. j represents our year index and is built with t until it progresses to the final year of the sample denoted by n . P_j represents the population of the target city at year j , drawn from matrix P .

$$R_j = N_t \sum_{j=t}^{t+6} \frac{X_{j,i}}{P_j}, \quad \text{where } X_{j,i} = \begin{cases} M_{j,i} & \text{if victim count} \\ V_{j,i} & \text{if victim impact} \\ S_{j,i} & \text{if suspect count} \\ D_{j,i} & \text{if suspect impact} \end{cases}$$

Fig. 1.4: Notation for the statistical calculation of the security event matrix adjusted for per-capita rates of incidence.

Five matrices inform this calculation. The first, P as shown in Figure 1.5, records the target city population for each year of the sample as a single column.

$$P = \text{Years} \left\{ \begin{array}{c} t \\ \vdots \\ j \\ \vdots \\ n \end{array} \right\} \left[\begin{array}{c} \text{Population} \\ \hline p_t \\ \vdots \\ p_j \\ \vdots \\ p_n \end{array} \right]$$

Fig. 1.5: Structure of the sample population matrix indexed by year.

The second matrix, M as shown in Figure 1.6, organises the raw cybercrime counts from IC3 by category and year, where each entry $a_{j,i}$ is a count that will be adjusted to a per-capita rate.

The third matrix, V as shown in Figure 1.7, organises the victim impact in USD from IC3 by category and year, where each entry $a_{j,i}$ is a count that will be adjusted later to a per-capita rate.

The fourth matrix, S as shown in Figure 1.8, organises the count of suspects from IC3 by category and year. Each entry $a_{j,i}$ helps us to understand how many suspects are operating within an area of concern. This is a count that will be adjusted later to a per-capita rate.

The fifth matrix, D as shown in Figure 1.9, organises the damages attributed by suspects in USD from IC3 by category and year, where each entry $a_{j,i}$ is a count that will be adjusted later to a per-capita rate. This helps us to understand rates of

$$M = \text{Years} \left\{ \begin{array}{c} t \\ \vdots \\ j \\ \vdots \\ n \end{array} \right. \left[\begin{array}{c} \overbrace{\begin{array}{ccccccc} a_{t,1} & \cdots & a_{t,2} & \cdots & a_{t,i} & \cdots & a_{t,m} \end{array}}^{\text{Victim Counts by Categories}} \\ \vdots \\ a_{j,1} & \cdots & a_{j,2} & \cdots & a_{j,i} & \cdots & a_{j,m} \\ \vdots \\ a_{n,1} & \cdots & a_{n,2} & \cdots & a_{n,i} & \cdots & a_{n,m} \end{array} \right]$$

Fig. 1.6: Structure of the security event matrix for victim counts by cybercrime categories indexed by year.

$$V = \text{Years} \left\{ \begin{array}{c} t \\ \vdots \\ j \\ \vdots \\ n \end{array} \right. \left[\begin{array}{c} \overbrace{\begin{array}{ccccccc} a_{t,1} & \cdots & a_{t,2} & \cdots & a_{t,i} & \cdots & a_{t,m} \end{array}}^{\text{Victim Impacts by Categories}} \\ \vdots \\ a_{j,1} & \cdots & a_{j,2} & \cdots & a_{j,i} & \cdots & a_{j,m} \\ \vdots \\ a_{n,1} & \cdots & a_{n,2} & \cdots & a_{n,i} & \cdots & a_{n,m} \end{array} \right]$$

Fig. 1.7: Structure of the security event matrix for victim impacts, as in dollars of damage, by cybercrime categories indexed by year.

$$S = \text{Years} \left\{ \begin{array}{c} t \\ \vdots \\ j \\ \vdots \\ n \end{array} \right. \left[\begin{array}{c} \overbrace{\begin{array}{ccccccc} a_{t,1} & \cdots & a_{t,2} & \cdots & a_{t,i} & \cdots & a_{t,m} \end{array}}^{\text{Suspect Counts by Categories}} \\ \vdots \\ a_{j,1} & \cdots & a_{j,2} & \cdots & a_{j,i} & \cdots & a_{j,m} \\ \vdots \\ a_{n,1} & \cdots & a_{n,2} & \cdots & a_{n,i} & \cdots & a_{n,m} \end{array} \right]$$

Fig. 1.8: Structure of the security event matrix for suspect counts by cybercrime categories indexed by year. These counts consider the number of actors who engage victims in a given area.

effective impact, per suspect, in a given area.

$$D = \text{Years} \left\{ \begin{array}{c} t \\ \vdots \\ j \\ \vdots \\ n \end{array} \right\} \left[\begin{array}{c} \overbrace{\begin{array}{ccccccc} a_{t,1} & \cdots & a_{t,2} & \cdots & a_{t,i} & \cdots & a_{t,m} \end{array}}^{\text{Suspect Damage by Categories}} \\ \vdots \\ a_{j,1} & \cdots & a_{j,2} & \cdots & a_{j,i} & \cdots & a_{j,m} \\ \vdots \\ a_{n,1} & \cdots & a_{n,2} & \cdots & a_{n,i} & \cdots & a_{n,m} \end{array} \right]$$

Fig. 1.9: Structure of the security event matrix for suspect damage, in dollars by perpetrators, by cybercrime categories indexed by year. This tally helps us understand how damaging each actor is to victims.

We apply these matrices to the formula shown in Figure 1.4. The entries $a_{j,i}$ are the raw counts taken from the IC3 state-level reports for the chosen source state. Dividing each entry by P_j converts it to a per-capita rate; multiplying by N_t then scales that rate to match the population of the target city. The population values in P provide the year-by-year context for N_t and confirm the representativeness of the scaling. Summing the selected column i of the per-capita-adjusted M across all years yields the final result R .

Methodology for Monte Carlo Simulations in Excel

We chose IC3 crime data from American Samoa to act as our 10% confidence limit. We chose data from Californiz to act as our 90% confidence limit. We set those limits by looking at seven year spans of crime data and taking the median. This means we would be likely to have observations above and below the limits, but that the limits themselves would have a basis in observation. We input and processed the data as follows:

- We imported the data from IC3 crime tables
- We calculated counts and costs for Chattanooga, American Samoa, and California.
- We imported a Uniform distribution table from the Monte Carlo Toolkit.
- We set median summary counts from American Samoa as our 10% interval.
- We set median summary counts from California as our 90% interval.
- We accepted the Monte Carlo percentages and exceedence curves.

Table 1.1: Changes to Population in Key Areas

Year	American Samoa Population References	City of Chattanooga Population References	State of Tennessee Population References	State of California Population References
2016		177,746 [6]	6,646,010 [7]	
2017		179,530 [8]	6,708,799 [9]	
2018		181,918 [10]	6,771,631 [11]	
2019		182,799 [12]	6,829,174 [13]	
2020		181,560 [14]	6,925,619 [15]	
2021		181,163 [16]	6,968,351 [17]	
2022		184,086 [18]	7,051,339 [19]	

City population based on the US Census reported population for the City of Chattanooga itself. Surrounding satellite cities and unincorporated areas within the Hamilton County, Tennessee, were not included. Population for the State of Tennessee provided perspective on calculated rates in later tables. Population for American Samoa and the State of California were included for perspective on maximum and minimum counts in later tables.

Table 1.2: Projected In-City Victim Counts, City of Chattanooga, Threats to System Intrusion

Year	Data Breach	Personal Data Breach
2016	1	11 [20]
2017	1	13 [21]
2018	0	18 [22]
2019	0	13 [23]
2020	0	18 [24]
2021	0	19 [25]
2022	1	23 [26]

Counts deduced from IC3 Victim Complaints for Tennessee adjusted for a per-capita rate and then multiplied by the city's population for that year.




Fig. 1.10: A Monte Carlo simulation suggests that there is a 90% probability that 8 or more personal data breaches will occur within the sample. There is a 50% likelihood that 17 or more will occur. There is a 10% chance that 26 or more will occur. Sample size was set equivalent to the City of Chattanooga to determine the per capita rates for each year over data from American Samoa and California. The medians of those rates were used to set 10% and 90% confidence intervals with American Samoa and California representing low and high cybercrime counts respectively. [27]

Table 1.3: Projected In-City Victim Counts, City of Chattanooga, Threats to System Intrusion

Year	Malware	Phishing	Ransomware	
2016	1	7	1	[28]
2017	1	9	0	[29]
2018	0	8	0	[30]
2019	1	8	0	[31]
2020	0	9	0	[32]
2021	0	11	1	[33]
2022	0	7	0	[34]

Counts deduced from IC3 Victim Complaints for Tennessee adjusted for a per-capita rate and then multiplied by the city’s population for that year.

Table 1.4: Projected In-City Victim Counts, City of Chattanooga, Threats to Personnel

Year	Crimes Against Children	Extortion	Threats, Stalking, Harassment, and Terrorism	
2016	0	9	7	[35]
2017	0	7	6	[36]
2018	0	20	7	[37]
2019	0	19	5	[38]
2020	1	31	6	[39]
2021	0	0	4	[40]
2022	1	18	0	[41]

Counts deduced from IC3 Victim Complaints for Tennessee adjusted for a per-capita rate and then multiplied by the city's population for that year. Threats, stalking, and harassment counts were combined with terrorism because the mechanisms were similar.

Table 1.5: Projected In-City Victim Counts, City of Chattanooga, Theft of Data Via Network

Year	Intellectual Property Rights (IPR) and Counterfeit	Identify Theft	Business Email Compromise (BEC)	
2016	1	7	4	[42]
2017	1	8	4	[43]
2018	0	10	7	[44]
2019	1	7	8	[45]
2020	1	10	6	[46]
2021	1	13	8	[47]
2022	0	14	10	[48]

Counts deduced from IC3 Victim Complaints for Tennessee adjusted for a per-capita rate and then multiplied by the city's population for that year.

1.4 Analysis

Using Nation or State Data as a Control for Smaller Forecasts

If we apply unadjusted for sample size counts limited to a one-year basis, we could use a Poisson distribution as shown in Figure 1.11.

$$X_{j,i} = \begin{cases} M_{j,i} & \text{if victim count} \\ V_{j,i} & \text{if victim impact} \\ S_{j,i} & \text{if suspect count} \\ D_{j,i} & \text{if suspect impact} \end{cases}$$

$$Y_i = \sum_{j=t}^{t+6} X_{j,i}$$

$$Y_i \sim \text{Poisson}(\lambda_i E_i)$$

$$R_i = \frac{Y_i}{E_i}$$

Fig. 1.11: Summary of applying Poisson distribution to counts from nation and state data.

This would allow us to feed per-state or national data into the formula and better understand the relationship of our projections to a larger view. It could help us to understand where our projected sample's forecast would stand against the whole state overall or nationally. This way, we could use the state and national data as controls for understanding the context of our forecast.

$$r_{j,i} = \frac{Y_{j,i}}{P_j}$$

Fig. 1.12: Empirical rate per year

$$Y_i = \sum_{j=t}^{t+6} Y_{j,i} \quad E_i = \sum_{j=t}^{t+6} P_j$$

Fig. 1.13: Aggregated count and exposure over historical window

$$\bar{r}_i = \frac{Y_i}{E_i} = \frac{\sum_{j=t}^{t+6} Y_{j,i}}{\sum_{j=t}^{t+6} P_j}$$

Fig. 1.14: Directly standardized (weighted mean) rate

$$Y_i \sim \text{Poisson}(\bar{r}_i \cdot E_i)$$

Fig. 1.15: Poisson model for the aggregated count

$$\bar{r}_i \pm 1.96 \sqrt{\frac{\bar{r}_i}{E_i}}$$

Fig. 1.16: Approximate 95% confidence interval for the rate

$$\hat{R}_i \in \left[\bar{r}_i - 1.96 \sqrt{\frac{\bar{r}_i}{E_i}}, \bar{r}_i + 1.96 \sqrt{\frac{\bar{r}_i}{E_i}} \right]$$

Fig. 1.17: Forecast evaluation: is the forecast within the control band?

1.5 Discussion

Endnotes

- [1]Monte Carlo Modeling Toolkit authored by Derek E. Brink, CISSP, www.linkedin.com/in/derekbrink. March 2023.
- [2]Triola, Mario F. Elementary Statistics Technology Update + Mystatlab Student Access Code Card. Pearson College Division, 2012.
- [3]Levine, David M, et al. Applied Statistics for Engineers and Scientists. Pearson, 2001.
- [4]Hubbard, Douglas W, and Richard Seiersen. How to Measure Anything in Cybersecurity Risk. Wiley, 2016.
- [5]Monte Carlo Modeling Toolkit authored by Derek E. Brink, CISSP, www.linkedin.com/in/derekbrink. March 2023.
- [6]<https://www.census.gov/quickfacts/chattanooga-city-tennessee>
- [7]<https://www.census.gov/quickfacts/fact/table/TN/PST045222>
- [8]<https://www.census.gov/quickfacts/chattanooga-city-tennessee>
- [9]<https://www.census.gov/quickfacts/fact/table/TN/PST045222>
- [10]<https://www.census.gov/quickfacts/chattanooga-city-tennessee>
- [11]<https://www.census.gov/quickfacts/fact/table/TN/PST045222>
- [12]<https://www.census.gov/quickfacts/chattanooga-city-tennessee>
- [13]<https://www.census.gov/quickfacts/fact/table/TN/PST045222>
- [14]<https://www.census.gov/quickfacts/chattanooga-city-tennessee>
- [15]https://www2.census.gov/programs-surveys/popest/datasets/2020-2022/state/totals/NST-EST2022-POPCHG2020_2022.csv
- [16]<https://www.census.gov/quickfacts/chattanooga-city-tennessee>
- [17]https://www2.census.gov/programs-surveys/popest/datasets/2020-2022/state/totals/NST-EST2022-POPCHG2020_2022.csv
- [18]<https://www.census.gov/quickfacts/chattanooga-city-tennessee>
- [19]https://www2.census.gov/programs-surveys/popest/datasets/2020-2022/state/totals/NST-EST2022-POPCHG2020_2022.csv
- [20]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2016State/StateReport.aspx?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2016_IC3Report.pdf
- [21]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2017State/StateReport.aspx?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2017_IC3Report.pdf
- [22]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2018State/StateReport.aspx?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2018_IC3Report.pdf
- [23]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2019State/StateReport.aspx?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2019_IC3Report.pdf
- [24]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2020State/StateReport.aspx?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2020_IC3Report.pdf
- [25]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2021State/StateReport.aspx?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2021_IC3Report.pdf
- [26]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2022State/StateReport.aspx?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2022_IC3Report.pdf
- [27]Monte Carlo Modeling Toolkit authored by Derek E. Brink, CISSP, www.linkedin.com/in/derekbrink. March 2023.
- [28]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2016State/StateReport.aspx?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2016_IC3Report.pdf
- [29]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2017State/StateReport.aspx?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2017_IC3Report.pdf

ts/2017_IC3Report.pdf

[30]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2018State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2018_IC3Report.pdf

[31]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2019State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2019_IC3Report.pdf

[32]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2020State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2020_IC3Report.pdf

[33]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2021State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2021_IC3Report.pdf

[34]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2022State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2022_IC3Report.pdf

[35]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2016State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2016_IC3Report.pdf

[36]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2017State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2017_IC3Report.pdf

[37]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2018State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2018_IC3Report.pdf

[38]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2019State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2019_IC3Report.pdf

[39]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2020State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2020_IC3Report.pdf

[40]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2021State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2021_IC3Report.pdf

[41]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2022State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2022_IC3Report.pdf

[42]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2016State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2016_IC3Report.pdf

[43]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2017State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2017_IC3Report.pdf

[44]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2018State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2018_IC3Report.pdf

[45]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2019State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2019_IC3Report.pdf

[46]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2020State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2020_IC3Report.pdf

[47]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2021State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2021_IC3Report.pdf

[48]original:<https://www.ic3.gov/Media/PDF/AnnualReport/2022State/StateReport.aspx#?s=47> current: https://www.ic3.gov/AnnualReport/Reports/2022_IC3Report.pdf

[ts/2022_IC3Report.pdf](#)

2 Amnesiac Systems in FreeBSD

In this technical note, we explore configurations of the FreeBSD operating system. With a goal of creating an amnesiac system that keeps the operating system separate from working storage drives, we experiment with various configurations. We demonstrate the planning of drive index configuration coding and the reasoning behind the choices. First, we code a system that uses the operating system on the storage drive discs. Then we evolve the plan into using a live cd for operating system use with drives that are connected to the immutable system in Random Access Memory (RAM) via configuration code. Using an amensiac system like this, we would be able to reset the operating system to a known immutable state with every startup. The drives could be disconnected and reattached to other systems for various purposes. Throughout, we cover specific commands for drive and operating system management and operation.

2.1 Introduction

2.1.1 Background and Content

In order to maintain persistence, download files, or interact with a file system, attackers need to be able to write to a system. Many active attack techniques require some kind of writing action as a precedent for execution. Based on our limited penetration testing and attack experience, we identified 60 Enterprise Technique groups in MITRE ATT&CK [1] that could be thwarted by removing an attacker's ability to write. This listing is not comprehensive or absolute; we reviewed these technique categories and recognized that at least a naive attempt to carry out those techniques might involve writing to a file or process. We ignored more passive reconnaissance techniques and those that would be executed outside of the target system itself. Still, we were able to generate a formidable list of attack techniques that would at least be hampered by an operating system that was designed to be immutable.

We cover our listing of these MITRE ATT&CK techniques in Tables 2.1, 2.2, 2.3, 2.4, 2.5, and 2.6. As we review the list, we can see how some might fall into the trap of thinking such a system was invincible or "hack proof". Our past experience with attack and defense warns us to accept these extensive defenses as tentative. An ingenious attacker might find a way to carry out these techniques without meeting our preconceived ideas that they require writing or that our chosen forms of immutability would protect against that writing. Nonetheless, the lengthy list of major groups of techniques and their longer list of subtechniques implies that immutability in the right ways can serve as a provocative and solid form of defense.

2.1.2 Problem Statement

Our goal is to keep the core services and operating system stable and immutable through physical security controls. This will allow the system to resist common

Table 2.1: MITRE ATT&CK Techniques Require Writing

Technique Group	Concept
Create Account	"Adversaries may create an account to maintain access to victim systems."[2]
Create or Modify System Process	"Adversaries may create or modify system-level processes to repeatedly execute malicious payloads as part of persistence."[3]
Data Destruction	"Adversaries may destroy data and files on specific systems or in large numbers on a network to interrupt availability to systems, services, and network resources. "[4]
Data Encoding	"Adversaries may encode data to make the content of command and control traffic more difficult to detect."[5]
Data Manipulation	"Adversaries may insert, delete, or manipulate data in order to influence external outcomes or hide activity, thus threatening the integrity of the data."[6]
Data Obfuscation	"Adversaries may obfuscate command and control traffic to make it more difficult to detect."[7]
Data Staged	"Adversaries may stage collected data in a central location or directory prior to Exfiltration."[8]
Defacement	"Adversaries may modify visual content available internally or externally to an enterprise network, thus affecting the integrity of the original content."[9]
Deploy Container	"Adversaries may deploy a container into an environment to facilitate execution or evade defenses."[10]
Develop Capabilities	"Adversaries may develop capabilities that can be used during targeting."[11]

Table 2.2: MITRE ATT&CK Techniques Require Writing

Technique Group	Concept
Disable or Modify System Firewall	"Adversaries may disable or modify host-based or network firewalls to impair defensive mechanisms and enable further action."[12]
Disable or Modify Tools	"Adversaries may disable, degrade, or tamper with security tools or applications (e.g., endpoint detection and response (EDR) tools, intrusion detection systems (IDS), antivirus, logging agents, sensors, etc.) to impair or reduce visibility of defensive capabilities. "[13]
Disk Wipe	"Adversaries may impair the availability of systems and data by destroying, corrupting, or overwriting data."[14]
Domain or Tenant Policy Modification	"Adversaries may modify the configuration settings of a domain or identity tenant to evade defenses and/or escalate privileges."[15]
Escape to Host	"Adversaries may break out of a container to gain access to the underlying host."[16]
Event Triggered Execution	"Adversaries may establish persistence and/or elevate privileges using system mechanisms that trigger execution based on specific events."[17]
Exclusive Control	"Adversaries who successfully compromise a system may attempt to maintain persistence by "closing the door" behind them – in other words, by preventing other threat actors from initially accessing or maintaining a foothold on the same system."[18]
Execution Guardrails	"Adversaries may use execution guardrails to constrain execution to specific environments."[19]
Exfiltration Over Physical Medium	"Adversaries may exfiltrate data using removable media."[20]
File and Directory Permissions Modification	"Adversaries may modify file and directory permissions or attributes to evade access control restrictions."[21]

Table 2.3: MITRE ATT&CK Techniques Require Writing

Technique Group	Concept
Firmware Corruption	"Adversaries may use malicious code embedded in firmware to maintain persistence or disrupt systems."[22]
Hide Artifacts	"Adversaries may abuse functionality to hide artifacts from the user or security tools."[23]
Hijack Execution Flow	"Adversaries may execute their own malicious payloads by hijacking the way operating systems load programs."[24]
Implant Internal Image	"Adversaries may implant malicious software into software images to establish persistence."[25]
Indicator Removal	"Adversaries may delete or modify artifacts generated on a system to remove evidence of their presence."[26]
Ingress Tool Transfer	"Adversaries may transfer tools or other files from an external system into a compromised environment."[27]
Inhibit System Recovery	"Adversaries may interrupt availability of system and network resources by inhibiting system recovery."[28]
Lateral Tool Transfer	"Adversaries may transfer tools or other files between systems in a compromised environment."[29]
Masquerading	"Adversaries may attempt to manipulate features of their artifacts to make them appear legitimate or benign to users and/or security tools."[30]
Modify Authentication Process	"Adversaries may modify authentication processes and mechanisms to bypass or weaken authentication requirements."[31]

Table 2.4: MITRE ATT&CK Techniques Require Writing

Technique Group	Concept
Modify Cloud Compute Infrastructure	"Adversaries may create, modify, or delete cloud resources to achieve their objectives."[32]
Modify Cloud Resource Hierarchy	"Adversaries may attempt to modify hierarchical structures in infrastructure-as-a-service (IaaS) environments in order to evade defenses."[33]
Modify Registry	"Adversaries may interact with the Windows Registry to hide configuration information, modify system settings, or remove information as part of their attack."[34]
Modify System Image	"Adversaries may modify the configuration of network devices to maintain access, modify traffic flows, or disrupt services."[35]
Multi-Stage Channels	"Adversaries may use multiple command and control channels to communicate with compromised systems."[36]
Obfuscated Files or Information	"Adversaries may obfuscate their malicious code, configuration files, or other artifacts to make detection and analysis more difficult."[37]
OS Credential Dumping	"Adversaries may attempt to dump credentials to obtain account information that can be used to access systems and services."[38]
Plist File Modification	"Adversaries may modify browser extensions to execute malicious code or collect information from a victim's browser."[39]
Poisoned Pipeline Execution	"Adversaries may manipulate continuous integration / continuous development (CI/CD) processes by injecting malicious code into the build process."[40]
Power Settings	"Adversaries may use virtualization and containerization technologies to create or maintain access to compromised environments."[41]

Table 2.5: MITRE ATT&CK Techniques Require Writing

Technique Group	Concept
Pre-OS Boot	"Adversaries may abuse Pre-OS Boot mechanisms as a way to establish persistence on a system."[42]
Prevent Command History Logging	"Adversaries may impair command history logging to hide commands they run on a compromised system"[43]
Process Injection	"Adversaries may inject code into processes in order to evade process-based defenses as well as possibly elevate privileges."[44]
Protocol Tunneling	"Adversaries may use protocol tunneling to hide network communications through existing protocols or services."[45]
Proxy	"Adversaries may use a connection proxy to direct network traffic between systems or act as an intermediary for network communications."[46]
Reflective Code Loading	"Adversaries may reflectively load code into a process in order to conceal the execution of malicious payloads."[47]
Remote Access Tools	"An adversary may use legitimate remote access tools to establish an interactive command and control channel within a network."[48]
Rogue Domain Controller	"Adversaries may register a rogue Domain Controller to enable manipulation of Active Directory data."[49]
Rootkit	"Adversaries may use rootkits to hide the presence of programs, files, network connections, services, drivers, and other system components."[50]
Scheduled Task/Job	"Adversaries may abuse task scheduling functionality to facilitate initial or recurring execution of malicious code."[51]

Table 2.6: MITRE ATT&CK Techniques Require Writing

Technique Group	Concept
Scheduled Transfer	"Adversaries may attempt to take screen captures of the desktop to gather information over the course of an operation."[52]
Screen Capture	"Adversaries may abuse legitimate extensible development features of servers to establish persistent access to systems."[53]
Server Software Component	"Adversaries may gain access to and use centralized software suites installed within an enterprise to execute commands and move laterally through the network."[54]
Software Deployment Tools	"Adversaries may upload, install, or otherwise set up capabilities that can be used during targeting."[55]
Stage Capabilities	"Adversaries may use shared content to move malicious files or code between systems."[56]
Taint Shared Content	"Adversaries may create or modify references in user document templates to conceal malicious code or force authentication attempts."[57]
Template Injection	"Adversaries may use traffic signaling to hide open ports or other malicious functionality used for persistence or command and control."[58]
Traffic Signaling	"Adversaries may compromise a network device's encryption capability in order to bypass encryption that would otherwise protect data communications."[59]
Weaken Encryption	"Adversaries may bypass application control and obscure execution of code by embedding scripts inside XSL files."[60]
XSL Script Processing	"Adversaries may bypass application control and obscure execution of code by embedding scripts inside XSL files."[61]

attacks such as the encryption of files from ransomware and persistent account takeovers.

2.1.3 Project Objectives

Our system, hostname Blondie, set an example for amnesiac system implementation and design with FreeBSD. We hope that this example system will raise awareness and set patterns that will allow others to gain some of the same risk controls in their systems.

2.1.4 Scope of Work

Hypothesis: H1

Attackers cannot destructively interact with systems without writing to them.

Some reflection on "cannot" may lead us into conflict with this hypothesis; so, let's consider carefully what we mean. At some point in the kill chain, if an attacker wants to stop being passive and start being active and destructive, then they must somehow modify a file on the target system or write a file to the target system. That file could be in RAM; it could be in a temporary directory; it could already exist. Not all attacks require this behavior, but many do. With some imprecision we assert that attackers need to write to destroy.

ingress tool transfer MITRE ATT&CK

Hypothesis: H2

An immutable operating system will be more resistant to destructive attack.

Hypothesis: H3

An immutable operating system will promote system integrity.

With ransomware as a dominant contemporary threat, integrity of the CIA triad rises to the forefront of defensive needs.

Hypothesis: H4

An immutable operating system will promote rapid recovery.

With core components and configurations unchanged, an immutable system restarted after an attack will experience a more rapid recovery.

2.1.5 Variables

Non-Adversarial Threats

- Hardware limitations
- Coding and configuration errors
- Physical deficiencies
- Disasters

Adversarial Threats

- Ransomware
- Network attacks
- Physical attacks
- Non-malicious insider threats

2.1.6 Assumptions, Risks, and Limitations

Assumptions

- Sufficient time and control for power up, power down, and maintenance operations
- Direct control of server stack allows for optical disc use
- No migration of an existing commercial stack
- No commercial pressure for business performance or profit

Risks

- New procedures require rehearsal
- Complex research patterns may cloud known references
- Endeavor may be too complex to implement for some teams
- Unforeseen compatability or integration problems

Limitations

- Increased complexity requires trained personnel
- Untaught patterns will require time to learn through experimentation
- No known defense against zero day vulnerabilities in the OS
- Size constraints on optical discs may limit immutable segment of system

2.1.7 Significance of the Project

2.2 Literature Review

2.2.1 Overview of Existing Solutions or Approaches

Immutability as a Constraining Concept

We wanted to better understand immutability as an idea. We came across an article ("Immutability as an Operational Constraint Rather Than a Security Feature")[62] that pointed out that immutability can be a limiting factor. The author warned, "By just making something immutable you haven't necessarily made it safe; what you have effectively done is taken away the possibility of alteration and replaced it with a new operational reality: correction must happen through additional writes, and recovery must happen through reconciliation rather than repair"[63]

In this approach, the entire system was assumed to be an immutable system. This helped us to realize what a benefit it was to not make the entire system immutable. Our original intention was to have centralized, core, aspects of the operating system be immutable; other parts of the system could be changed within the rules and limits set by the OS.

Still, those changeable parts might have logging and monitoring activities, such as database snapshots set up in a way that allowed these cautions about immutability to contribute to our planning. Mallikarjun Vppalapati pointed out problems that could be had when records of on-system actions became immutable. Suppose a log or record was contaminated with malware or privacy information that needed to be forgotten under General Data Protection Regulation (GDPR). Administrators might need to undertake complicated edits to allow future auditors to bypass data that should not be considered. Vppalapati outlined a situation in which a simple programmatic error needed an elaborate and complicated fix because simple overwrites were not available.[64]

Vppalapati described three kinds of immutability: hard, soft, and operational. "Hard immutability describes a state of being unchangeable where changes are so heavily protected by technical mechanisms and therefore practically infeasible the alteration process is therefore practically impossible."[65] "Soft immutability...can be reverted by using privileged credentials."[66] "Operational immutability implies the lack of changes without the use of technology"[67] In our proposed system, we would use hard immutability in the optical read-only recording of the core OS. We would use operational immutability as a control because we were applying an optical disc that required physical access to the server for alterations. For example, to change the operating system burned to optical disc, an attacker or operator would need to build a new disc and physically insert it into the system, and then follow our proscribed startup sequence to get the Operating System (OS) into RAM. We would also use soft immutability, in the writing of data to files in attached storage that was not automatically loaded by the system on boot.

Immutability Examples in Blockchains

If there's a technology that has a reputation for immutability, it is the blockchain. Simply put, the blockchain is a chain of cryptographic records; the starting point for the math used to encrypt each block is based on the previous record; the cumulative effect of the sequence of encryption is that if one record is corrupted or modified, then the break in the logic for decrypting subsequent blocks will reveal the change. So long as the records in the blockchain are accessible, users can assume that the previous entries have been unmodified. Blockchain has other characteristics; its records are usually distributed over networks and internets; but, the mathematical sequence of encryption and decryption based on preceding blocks is the source of its logical strength as an immutable record.

Blockchains, being immutable, can run into conflict with one of the more famous requirements for mutability of our time: GDPR's Right to be Forgotten (RtbF). [68][69] One of the components of GDPR, Recital 65, says that a person who has their data recorded has the right to request a modification or deletion of that data. There are some exceptions and provisions for children who get their data recorded, but at its core Recital 65 provides every person in the EU with the legal right to have their records modified. [70] Recital 66 says that a data controller has to inform processors to erase links to or copies of personal data. This way a request to be forgotten can't just stop with one entity or be restricted to entities that the requestor discovers on their own. [71] In these laws, we don't see exceptions for immutable systems built-in. On the contrary, by being left out altogether the responsibility for dealing with these legal conflicts seems to go back on the immutable system owner. If a system were to operate that was truly immutable, then if that system contained personal data that was to be erased upon a given request: it might require the destruction of the whole system to bring the operator into legal compliance with GDPR. This might not be as catastrophic as it sounds; perhaps an operator could take a system offline, delete a record, and then completely regenerate the records with the required deletions omitted. However, multiple such mutations could lead to complexities in system maintenance with multiple required regenerations. The problem could get further complicated if the system had subsequent sequential modifications. Altogether, system operators would be cautioned not to store personal data in immutable file structures. Perhaps we might be further cautioned to keep immutable only what was operationally necessary as a safeguard against future laws or requirements. As we work through the implementation of our immutable system, we shall see that sometimes the constraints can bring us structure and sometimes the limitations are innovation accelerators.

Blockchains offer an example of Vppalapati's hard immutability and operational immutability. The European Union (EU)'s GDPR counters with an example of soft immutability requirements for certain kinds of data. We can conclude that most personal data would have to be kept off of the optical discs (and out of any network distributed blockchains). While most Personally Identifiable Information (PII) would not seem to be a part of an operating system, later we'll see that a user's full name is requested by the system as a normal part of user account setup. We could have a small conflict that leads to an involved repair if we're not careful.

We found an article which examined the types of problems with blockchains in detail. The authors classified the problems into four main categories:

Immutability Examples in Database Administration

2.2.2 Comparisons of Technologies or Frameworks

Immutability and MAC Biba

Mac biba is a mandatory access control scheme, similar to military multilevel security classifications, but with an emphasis on file integrity. `mac_biba` allows for write down and read up; this is the opposite direction from mandatory access control schemes like military security classifications which can write up and read down. [72] [73] FreeBSD offers `mac_biba` as part of its operating system; unfortunately, OpenBSD does not. [74] ... compare with diagrams




Fig. 2.1: Your caption

2.2.3 Gaps in the Literature

2.3 Methodology

2.3.1 Technical Research Questions

2.3.2 System Architecture and Design

2.3.3 Implementation Plan

We're starting with a Dell T610 Server. Made in 2011, this machine is about ten years old. We purchased this at a government e-waste auction. She needed some cleanup. We started on the front lawn, blowing out the dust with a leafblower.

Most of the time servers from these auctions will have minimal RAM. Usually the drives and any good accessories will be stripped out. Anytime we get a hard drive, from any source, one of the first actions we take is to erase the drives to US National Institute of Standards and Technology (NIST) 800-88 Purge[75] with dedicated devices. That kind of erasing can be done with `dd` in Kali or FreeBSD; but, the drive erasers usually have a verification feature that's helpful.

Hardware Configuration

This is my favorite computer. I've named her "Blondie" after Debbie Harry's New Wave band.[76]

Now, she's configured with:

- A DVD RW drive
- A LTO III[77] tape backup unit
- In her 8 drive bay, we have:
 - Two VelociRaptor[78] 80GB 10000 rpm drives.
 - ★ We'll use these in a Mirror configuration to hold the main OS.
 - Two refurb 120GB Solid State Drive (SSD)s
 - ★ We'll use this in a Mirror as ZFS log drives.
 - ★ They'll help to make writes faster.
 - Four 500GB hard drives
 - ★ We'll use this as a RAIDZ-2 array to hold the jails.
 - ★ We have some smaller Serial Attached SCSI (SAS) drives.
 - ★ We have some Serial AT Attachment (SATA) drives.
- We replaced the one CPU with two Xeon 5550[79] quad cores and added a cooling tower.
- We added more RAM. Currently, we're at 196GB.
- We added some more Network Interface Card (NIC)s.
 - We have four for the jails.
 - We have two for the OS.
 - We'll leave the two on the motherboard mostly unused, except for our iDRAC connection.
 - ★ iDRAC is a proprietary baseboard controller.

- ✱ We could use it to power cycle the machine.
- ✱ There's a web interface that let's us know about motherboard-related facts.
- ✱ We cannot give a GELI password through the console in our current setup.

- The server has two 500W power supplies.

Because the dual power supplies draw about 500 Watts apiece, this server gets its own circuit.

The drives we're using are older, but we got enough copies of the drives to be able to support backups. When making physical backups of the drives, it can be helpful to have other volumes of the same model. So, instead of getting the best available, we planned for the best we could afford at quantity.

The server does not have:

- Any type of graphics card or Graphics Processing Unit (GPU)
- Sound cards or microphone hardware
- Wireless networking or Bluetooth.

Intentions: Paving the Road to Jails

We'll use the box for development. It'll be our main development server. We'll use it with progRAMs that we compile on a nearby poudriere package building box. In those package builds, we have segregated our builds into a pattern of jails that mimic the types of jails that will be needed on most of our computers.

So, there is a jail for functional groups like: development tools, offensive and defensive security programs, browsers, desktop software, and so on. Poudriere jails can be filled with whatever sets of programs we like. For successful builds, we find its best to keep the jails small.

There will be three main groups of drives:

- an OS Mirror pair
- a ZFS log Mirror pair
- a ZFS RAIDZ-2 kit of four drives.

The OS pair will hold ideas like:

- jail configuration
- main host networking and Virtual Network (VNET)
- host-based user accounts and configuration.

The ZFS kits will hold disconnected jails. We'll set up a system of hierarchical jails that provide us with a development environment made up of modular jails that will be the children of an overarching parent. These jails will communicate with each other and the parent through some custom VNET. We'll do all of our jail scripting, controls, and configuration manually. Likewise, the base ZFS setup will be done with simple scripts.

Preparing the Baseboard

The T610 has a built-in RAID card that can't be totally bypassed. This means that since we'll want ZFS to control the drives as much as possible, we'll need to tell

the hardware RAID to buzz off. We won't want hardware RAID to participate in the process. We'll just use the software RAID through ZFS.

We can't just unplug the RAID card. We tried that, and it leads to malfunctions on this machine. So, as a compromise, what we'll tell the machine is that each drive is its own VDEV and it's RAID-0. We'll end up with as many VDEVs as we have physical drives.

To prepare for a later step in this process, we'll note the serial number of each drive we load into position, its model number, and its capacity. We'll need to know that information, and we won't want to be hassled by having to power cycle the machine in the middle of the setup process just to check on those details.

Later on, we'll set VDEVs with ZFS; but, from this point on, we'll basically ignore the RAID card's description of these devices as VDEVs.

With the baseboard prepared, and the BIOS set to allow us to boot from disc, we'll get started with a plain install of FreeBSD to the first two drives in a Mirror configuration.

Incremental Advancement to Amnesiac System

With all of the manual coding and configuration needed to set up an amnesiac system like the one we desired, it was a big change from the normal BSD installs we had done for several years. Our first pass at building an amnesiac system decayed into manually scripting a regular operating system installation that had most of the features we desired in the amnesiac system. Both the on-disc OS system and the amnesiac system are detailed below.

Identifying and Allocating ZFS Drive Qualities

We need to be able to detect the drives and partitions that we want to work with using `geom`, `gpart`, and `zfs` commands. If, for some reason, you can't find those drives, then you need to address that. While working with this particular computer, I've found that the leading cause of failing to detect a drive goes back to the VDEV assignment in the hardware RAID. If the drive were pulled, this particular RAID card will need to have those configuration changes addressed. Often, this means rebooting the machine. It could be done through the iDRAC baseboard controller in some models; but the one we have here is not configured to do those tasks.

What are we going to want the ZFS kit to do? How are we going to use the drives? How can we wrestle with this new type of configuration?

After reading over *FreeBSD Mastery: ZFS* by Alan Jude and Michael Lucas[107], we came to a few conclusions. We chose to use RAIDZ-2 with Log drives because of the number of drives we have[108]. Some of the topics covered in that book that we'll want to apply include ideas in Table 2.7. In our first iterations we decided to install the OS on the hard drives in a pattern that looks like a conventional installation. Once the drive partitioning and utilization commands were worked out, we then

Table 2.7: ZFS Concepts and Commands

Topic	Concept	Command phrase example
Disk labels	Use the label to associate the logical with the physical[80]	[Host]-[PositionNumber 0-7]-[Serial_Number] [81]
ZFS Compression	Faster performance: less space[82]	zfs set compress=gzip-6 [DIRECTORY] [83]
ZFS zpool comment	Make a note on the pool[84]	zfs set comment="-" [85]
quota[86]	Limit growth[87]	-
reservation[88]	Set aside space for directory and its children[89]	-
refreservation[90]	Set aside space but don't count snapshots and child datasets[91]	-
canmount[92]	Control mounting[93]	zfs set canmount=off [DIRECTORY] [94]
mountpoint[95]	Specify where to mount[96]	zfs set mountpoint=/SOME [DIRECTORY] [97]
readonly[98]	Control readonly[99]	zfs set readonly=off [DIRECTORY] [100]
exec[101]	Control if it can execute[102]	zfs set exec=off [DIRECTORY] [103]
copies[104]	Make more than one copy[105]	zfs set copies=2 [DIRECTORY] [106]

Table 2.8: ZFS Main OS Use Hard Disk: Initial Estimates

	Estimate for 80 GB HDD
Blank: 15% "Free Space"	12 GB
Swap: Under-allocate, deliberately	10 GB
ZFS Main Partition: Remainder	58 GB

Table 2.9: ZFS Jail Use Hard Disk: Initial Estimates

	Estimate for 500 GB HDD
Blank: 15% "Free Space"	75 GB
Swap: 25% Physical RAM (196 GB max)	50 GB
ZFS Main Partition: Remainder	375 GB

started over and undertook the amnesiac version with the OS on a live disc that runs with attached drives.

Our goal for the system will be to split up the drives into three main groups, as described in Tables 2.8, 2.9, and 2.10. On each drive, we'll also allow:

- 15% of the disk's own capacity as "Free Space" by allocating a blank partition
- Swap by 100 | 50 | 33 | 25 percent of RAM (with a 25% minimum for all disks) or similar
- Remainder as one large ZFS main partition.

We decided we would want those qualities in an amnesiac system, with the exception of running the OS from a live disc.

For the OS-On-Disk system, this should bring us:

- Enough room for the main OS
- A 4 disk RAIDZ-2 array of almost 1.49 TB of actual storage
- Fast swap and copy-on-write
- With each disk capable of expansion or change.

The unused space on the drives (a blank partition of 15%) may look like we're grossly under-utilizing the disks. We're planning for future emergencies. Do we need more swap? Maybe we can add it in. Do we need to expand or resize the disk? Maybe we can delete that blank "Free Space" partition and use that. By not trying to use everything, we're giving ourselves some room to solve future problems.

What We Can Learn From Installing an OS

Later on, we'll install the other drives with `gpart` and `zfs` commands. This first pair, through, we could do with `bsdinstall`[109]. If we choose that, though, then we must commit the whole disk to the process. That would be how we would normally stand

Table 2.10: ZFS SLOG Log Use SSD: Initial Estimates

	Estimate for 120 GB SSD
Blank: 15% "Free Space"	18 GB
Swap: 25% Physical RAM (196 GB max)	50 GB
ZFS Log Partition: Remainder	52 GB

up a disk drive. In this case, we'll conduct a manual process that mimics the main steps of `bsdinstall`^[110] to show that the installation can be done manually. Part of these same kinds of steps are critical tasks when administrating and installing jails.

Basic Operating system Installation Goals

We're going to do an early phase, basic installation of the OS. At this point, we'll really only set up a pair of users and some plain vanilla settings for the OS. We want to be able to:

- to establish our ZFS kit
- to configure our main jail relationships
- to be able to check our networking with other hosts
- to set the basic operating system to call packages from our package server.

We can come back later and make a more sophisticated environment. At this stage, we will just lay the foundation for that work. If we don't get the ZFS kit stood up, then our more complex work with jails won't have an environment in which to thrive.

Main Steps for FreeBSD Installation from `bsdinstall`

^[111]

We can see that `bsdinstall` ^[112] is broken up into about a dozen main segments. They are:

- Keyboard mapping
- Hostname
- Networking configuration
- Wireless networking
- Partitioning
- Mounting temporary root
- Fetch the OS
- Extract the OS
- Set a root password
- Set the time
- Add users
- Enable some services
- Copy in the config ^[2].

We're not going to do all of these. We'll start with partitioning. We won't do

any wireless networking or set a root password. We're going to skip the wireless networking for now because the hardware doesn't have that capability. In the newer versions of `bsdinstall`, there are some protective measures not listed above. We won't tackle those just yet.

No Root Password

We won't set a root password because we will expect to always Secure Shell (SSH) into the root account with a key. By not setting a root password, we will create a situation where a key is always required. This can be dangerous in that it can create a single point of failure for the system.

Another risk is that we will require the ability to SSH in as root. Later, as we establish software firewalls on the host, we will want to limit what addresses can be used to access this root with SSH. It's a little dangerous, but it's also a little different.

We have some risk controls that will be in place. First, we often store our keys in a special collection of USB drives. Next, we will have 2FA on the SSH that will require a TOTP (Time-based One Time Password). Finally, we will limit what's done in this drive. Since most of our programs and work will be done in the jails, there is a limited amount of influence that this part of the system will have. It's there to start the box and spin up the jails. If we ever have to totally destroy this installation and hook up our jails to another system, that is possible.

What do we gain from no root password? An extra measure of security. If there is no password, then password enumeration attempts should all fail. This not only goes for root, but it goes for other users. Many of the automated login attacks we've seen have been simple dictionary attacks; these brute force exercises rarely attempt to account for the types of login procedures that we expect to put in place.

Not having a root password may also truncate or stop our ability to use commands like `su` or `sudo`. As we're trying to stop privilege escalation, we'll also be stopping legitimate means of `priv-esc`. It could be inconvenient, but we've used this technique before.

Also, there is another risk: leaving the needed key lying around. For example, if we give the key to a user account operator, like ourselves, and then we import copies of the key to the box for easy use: well, then those keys could be used and re-used locally. This would be the equivalent for storing a plain-text password on the box. They keys are ultimately simple text files with decorated, long, strings of hashes. It's the software that goes with the keys, combined with the configuration of the programs for logging in to a service, that makes them special. Switching from passwords to keys is not a perfect answer; but, it's the answer we'll use this time.

If someone wishes to put a root password in place, then that's a procedure that will be easy to implement. For now, though, there will be no root password. And that means we have to build the keys we will use to log in.

Be Able to Build the Keys

We can build our keys using the live disc's shell. and a thumbdrive. The main command to build the keys is:

```
ssh-keygen -b 1024 -t rsa[113]
```

Copy the files output to a thumbdrive and keep them handy for mounting.

Partition, Mount, and Use a Thumbdrive from Live Disc's Shell

Let's take some time to go over some detailed instructions on how to build those keys and get them onto a thumbdrive. The live disc's shell mostly uses a read-only file system. So, some people may not be familiar with how we are going to get the keys made and saved anywhere that will persist.

Start the Box and the Live Disk's Shell

With the hardware booted to the LiveCD (installation disc), we select "Shell" from the three main choices in the first menu. This drops us into the shell. If we try to save a file of any kind, we'll probably get an error message back that says we're in a read-only file system. Our main set of directions for this is in the FreeBSD Handbook. We look carefully at the sections for USB storage and "Adding Disks"

Be Able to Plug in the USB Thumbdrive and Find Its Logical Address

```
camcontrol devlist[114]
```

This should show the USB drive. If the list is long, we can pipe it to more and slowly advance through the list. In our case, the USB was at da0.

The listing should also show any other storage device that's plugged in to the machine. So, all of those hard drives loaded into the bays should appear. If they don't, then take it as a warning sign that we're having a problem with the RAID card's physical drive VDEVs. On the T610, we were seeing drives in positions 0 to 7 in addition to the USB thumbdrive we're working on now.

Be Able to Partition the USB

Since our USB has not been prepared for use with anything, we have to partition it. We can pretty much use the default commands from 17.2 "Adding Disks" to set up the drive. Here, we create a simple UFS file system and mount it to a directory that we'll put in /tmp. If our USB is already partitioned, we would want to skip this part.

```
gpart create -s GPT da0[115]  
gpart add -t freebsd-ufs -a 1M da0[116]  
newfs -U /dev/da0p1[117]
```

Mount the USB to the /tmp Directory:

```
mkdir /tmp/someDir[118]
```

```
mount /dev/da0p1 /tmp/someDir[119]
```

Be Able to Write to the USB

We could now write a simple text file onto /tmp/someDir, unmount the drive, and then re-mount it to check our work. That would go like:

```
cd /tmp[120]
umount /tmp/someDir[121]
rm -r /tmp/someDir[122]
```

Unplug the drive. Plug it in another slot. Use `camcontrol devlist` to find it again. It'll probably get the same address, like "da0".

```
mkdir /tmp/otherDir[123]
mount /dev/da0p1 /tmp/otherDir[124]
ls /tmp/otherDir[125]
```

Be Able to Put Some Key Pairs on the USB

Using these same principles, we can mount our USB thumbdrive, generate SSH keys, and save them there for later.

```
mkdir /tmp/otherDir/keys[126]
ssh-keygen -b 1024 -t rsa[127]
```

During the `ssh-keygen` dialog, simply direct the program to save the keys to /tmp/otherDir/keys. Be sure to record your passphrase somewhere.

Be Able to Use Commands to Build Out the Drives

We'd like to show a quick overview of some of the drive-related commands. These will be applied soon.

To list what devices are detected by the OS, we can use:

```
gpart show[128]
```

We will want to note the serial number of each drive, by position. We then note which drives we want to use for the main body of the RAIDZ-2 kit. All of this will become one pool of ZFS VDEVs. Then we'll add in the log mirrors. So, in the sequence of 0-7, numbering the drives, we should expect to skip those two for now.

Make the notes if you haven't already because we're going to list all of the drives for the main pool in one pop. This task may have been done before we set up the physical VDEVs for the hardware RAID.

We're going to choose to put a swap partition on the SSDs. We can add one onto the other disks, but a maximum of 4 swap partitions is recommended in the FreeBSD Handbook. Later on, we will be able to select swap partitions by mounting them and using commands like `swapon` `swapoff`.

To put the ZFS partition on the remaining disks:

```
gpart create -s SCHEME DISK_DEVICE[129]
```

```
gpart create -s gpt da4[130]
```

To add the main ZFS partition:

```
gpart add -a 1m -l ZFS_NUMBER \  
-t freebsd-zfs DISK_DEVICE[131]
```

```
gpart add -a 1m -l ZFS-BLONDIE-4-WD123465789 \  
-t freebsd-zfs da4[132]
```

To add the partition's swap:

```
gpart add -a 1m -slg -l SWAP_NUMBER \  
-t freebsd-swap DISK_DEVICE[133]
```

```
gpart add -a 1m -slg -l SWAP-BLONDIE-4-WD123465789 \  
-t freebsd-swap da4[134]
```

To add a logging partition on the SLOG SSDs:

```
gpart add -a 1m -l ZLOG_NUMBER \  
-t freebsd-zfs DISK_DEVICE[135]
```

```
gpart add -a 1m -l ZLOG-BLONDIE-2-WD123465789 \  
-t freebsd-zfs da2[136]
```

With each disk partitioned, we can add them to the pool for our RAIDZ-2 kit.

```
zpool create RAID POOL_NAME DISK_LABEL/ZFS_PARTITION_LABEL  
...next disk/partition...[137]
```

```
zpool create BLONDIE-MAIN raidz2 \[138]  
BLONDIE-4-WD12345/ZFS-BLONDIE-4-WD12345 \  
BLONDIE-5-WD12345/ZFS-BLONDIE-5-WD12345 \  

```

```
BLONDIE-6-WD12345/ZFS-BLONDIE-6-WD12345 \
BLONDIE-7-WD12345/ZFS-BLONDIE-7-WD12345
```

We can add on the mirrors for logging:

```
zpool add BLONDIE-MAIN log mirror \[139]
BLONDIE-2-WD12345/ZLOG-BLONDIE-2-WD12345 \
BLONDIE-3-WD12345/ZLOG-BLONDIE-3-WD12345
```

Once we get to the point that we have an operating system on disks, and disks ready for use with logs and jails, then we're at the end of this phase of system administration.

Goals for Amnesiac Systems

We chose at this point to do some experimental installs. For clarity, notes on those are not presented here. We did change our goals for the system. We recognized that we wanted:

- Use a LiveCD for an immutable OS
- Encrypt disc partitions instead of the whole disc
- Ensure we save keys and metadata to promote disc recovery
- Prepare commands in advance to reduce complexity.

From our testing, we recognize that a Live CD offered the best answer for an immutable system. It does come at the price of some instability. The "El Torrito" discs have a limited set of services. Adjusting the configuration of the operating system means drafting, burning, and testing a new disc. The "shell" instance on a FreeBSD installation disc is reportedly less stable; but, we did not know why or how it was less stable than a normal operating system. We worked through our disc commands and kept careful notes. Adding the physical serial number of the disc alone increased the complexity of manually typing in each command. We discovered the need to encrypt the discs by partitions instead of the whole disc because there was a visibility problem during the execution of discovering and attaching the discs. There was a poorly documented detail about protecting the disc metadata and keys. The keys are provided during the setup dialog; but, these highly important items will disappear after the setup process closes. This means it is important that an operator recognize the need to intercept and to record these keys. Without them, a later recovery of a disc is impossible. Since one typo would derail our experimental setups, we had to keep a second support computer on hand to record notes and consult references.

As our experimentation concluded, we had learned enough to stand a reasonable chance to setup an amnesiac machine. Its features include:

- An immutable OS
- Encrypted disc partitions
- Swap and logging for ZFS disc features
- Metadata and keys saved to a separate USB drive

Table 2.11: FreeBSD Swap Disk – Estimate of 500 GB HDD

GEOM Disk List Mediasize	465 GB
Blank: 15% "Free Space"	70 GB
Swap	395 GB

Table 2.12: ZFS Cache (Read Cache) Disk – Estimate of 80 GB HDD

GEOM Disk List Mediasize	74 GB
Blank: 15% "Free Space"	11 GB
Swap	63 GB

- A disc for holding FreeBSD jails (containerization)
- Enough room to expand, to update, and to recover.

Configure for SWAP Disk, ZFS Cache, ZFS SLOG Mirror, and ZFS RAIDz2

Changed config to keep the RAIDZ2 for main work. I was having trouble with the SSDs; so, I removed them and replaced them with two 80GB Western Digital Velociraptors. I added another WD Velociraptor for cache. Then we added a Western Digital Blue 500GB for a swap disk. That sounds like a lot of swap, but we hope to upgrade to near 196GB of RAM this year. So, a little more than twice that would be 400GB of swap. The next disk size on hand was 500GB.

We had some mis-aligned partitions with RAIDZ2 work for Blondie. We were using the full 500GB on the label as our actual amount of media to work with. Since less is available, we will have to set those up again.

We used gpart delete to delete each partition. Then we used gpart destroy to delete the partition table for the whole disk. In the end, gpart showed us only the CD.

Table 2.13: ZFS SLOG Log Mirror (Write Cache) Disk – Initial Estimates

	Estimate for 120 GB SSD
GEOM Disk List Mediasize	465 GB
Blank: 15% "Free Space"	18 GB
Swap: 25% Physical RAM (196 GB max)	50 GB
ZFS Log Partition: Remainder	52 GB

Table 2.14: ZFS Jail Use Hard Disk – Estimate of 500 GB HDD

	Estimate for 500 GB HDD
GEOM Disk List Mediasize	465 GB
Blank: 15% "Free Space"	75 GB
Swap: 25% Physical RAM (196 GB max)	50 GB
ZFS Main Partition: Remainder	375 GB

Startup with `bootonly.iso`

For this run, we'll begin by using the boot-only disk. We won't plan to ever boot from these hard drives. We'll just use the shell on the CD. As with the others, we'll mount a USB to store metadata information. We'll partition and encrypt the disks. In the following examples, we provide the actual serial numbers for the hard drives that were used. This example was derived from notes we maintained during experimentation; serial numbers in other instances will vary, of course.

Mount the USB to Save the Metadata Backup File

```
mkdir /tmp/usb3[140]
mount /dev/da0p1 /tmp/usb3[141]
```

Create Swap Disk in Bay 0

```
gpart create -s GPT mfid0[142]
gpart add -a 5K -s 395G -t freebsd-swap \
-l ZFS-BLONDIE-0-SWAP-WCC2ERZ56512 mfid0[143]
```

Create ZFS Cache in Bay 1

```
gpart create -s GPT mfid1[144]

gpart add -a 5K -s 63G -t freebsd-zfs \
-l ZFS-BLONDIE-1-CACHE-WXL1E40C1352 mfid1[145]
```

Create ZFS SLOG in Bays 2 and 3

```
gpart create -s GPT mfid2[146]

gpart add -a 5K -s 63G -t freebsd-zfs \
-l ZFS-BLONDIE-2-SLOG-WXL1E4067503 mfid2[147]

gpart create -s GPT mfid3[148]
```

```
gpart add -a 5K -s 63G -t freebsd-zfs \  
-l ZFS-BLONDIE-3-SLOG-WXC0CA9V8431 mfid3[149]
```

Create ZFS Work Disks for Jails

Bay 4

```
gpart create -s GPT mfid4[150]
```

```
gpart add -a 5K -s 50G -t freebsd-swap \  
-l ZFS-BLONDIE-4-SWAP-WCC2EE134983 mfid4[151]
```

```
gpart add -s 345G -t freebsd-zfs \  
-l ZFS-BLONDIE-4-FILES-WCC2EE134983 mfid4[152]
```

Bay 5

```
gpart create -s GPT mfid5[153]
```

```
gpart add -a 5K -s 50G -t freebsd-swap \  
-l ZFS-BLONDIE-5-SWAP-WMC2E3914420 mfid5[154]
```

```
gpart add -s 345G -t freebsd-zfs \  
-l ZFS-BLONDIE-5-FILES-WMC2E3914420 mfid5[155]
```

Bay 6

```
gpart create -s GPT mfid6[156]
```

```
gpart add -a 5K -s 50G -t freebsd-swap \  
-l ZFS-BLONDIE-6-SWAP-WCC2ETT39577 mfid6[157]
```

```
gpart add -s 345G -t freebsd-zfs \  
-l ZFS-BLONDIE-6-FILES-WCC2ETT39577 mfid6[158]
```

Bay 7

```
gpart create -s GPT mfid7[159]
```

```
gpart add -a 5K -s 50G -t freebsd-swap \  
-l ZFS-BLONDIE-7-SWAP-WCAYU2878968 mfid7[160]
```

```
gpart add -s 345G -t freebsd-zfs \  
-l ZFS-BLONDIE-7-FILES-WCAYU2878968 mfid7[161]
```


We should note that “Bay 7” is an observation of the physical hardware. The device (“mfid7”) could have whatever number assigned at the end that the machine gave it. If the hardware RAID had a problem with recognizing a device, the number might not correlate to what bay it is in. When powering up, check your geometry.

Encrypt those partitions

During this phase, we’ll encrypt the partitions. That means that we should have some recordkeeping materials on hand. Use a password manager or a notebook to carefully record the password that is about to be typed in. With each one completed, the machine will tell us that it has saved a file of backup metadata. We will want to copy that metadata file to the thumbdrive. If the encryption gets jammed up, or if there is some type of problem, then the metadata file will be used as part of the recovery process. Without a metadata file, recovering an encrypted partition can be difficult or impossible.

If you lose the metadata file, but still have routine access to the geli encryption because you know the password and the machine is functioning alright, then you can export another copy of the metadata. This means that anyone with root access to the machine, who can use geli commands, would also be able to export such a file. Keep this in mind if you need to secure your machine.

When we give the subcommand to “init,” the machine will ask us to give the new password twice. This is part of the password setting process. When we give the subcommand to “attach,” the machine will ask us to give the password as part of the normal attachment process. Type carefully, and look at the records carefully, because this is the main chance to make sure the password notes are right.

Commands to Encrypt the Partitions

```
geli init -l 256 mfid0p1[162]
geli attach mfid0p1[163]
```

```
geli init -l 256 mfid1p1[164]
geli attach mfid1p1[165]
```

```
geli init -l 256 mfid2p1[166]
geli attach mfid2p1[167]
```

```
geli init -l 256 mfid3p1[168]
geli attach mfid3p1[169]
```

```
geli init -l 256 mfid4p1[170]
geli attach mfid4p1[171]
```

```
geli init -l 256 mfid4p2[172]
geli attach mfid4p2[173]
```

```
geli init -l 256 mfid5p1[174]
geli attach mfid5p1[175]

geli init -l 256 mfid5p2[176]
geli attach mfid5p2[177]

geli init -l 256 mfid6p1[178]
geli attach mfid6p1[179]

geli init -l 256 mfid6p2[180]
geli attach mfid6p2[181]

geli init -l 256 mfid7p1[182]
geli attach mfid7p1[183]

geli init -l 256 mfid7p2[184]
geli attach mfid7p2[185]
```

To Preserve the Metadata Backup Files

Let us reiterate: preserving these backups at the time of disk creation is essential for later recoveries. If these files are not saved, then a powerdown of the system will cause them to be lost. They're automatically stored in an ephemeral directory. Conserve the ability to recover a disk later by recording these metadata backup files to a safe location.

Each metadata backup file was probably created with a name that does not look like the drive's label. Instead, the machine assigns a backup file name based on geometry. Since we can have a hardware configuration change that could mess up that pattern, we will want to save our backup files with names that look more like the disk labels. That way, if the drives move, then we can better discover which metadata file goes with it.

```
cp /var/backups/mfid0p1.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-0-SWAP-WCC2ERZ56512.eli[186]

cp /var/backups/mfid1p1.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-1-CACHE-WXL1E40C1352.eli[187]

cp /var/backups/mfid2p1.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-2-SLOG-WXL1E4067503.eli[188]

cp /var/backups/mfid3p1.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-3-SLOG-WXC0CA9V8431.eli[189]
```

```

cp /var/backups/mfid4p1.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-4-SWAP-WCC2EE134983.eli[190]

cp /var/backups/mfid4p2.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-4-FILES-WCC2EE134983.eli[191]

cp /var/backups/mfid5p1.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-5-SWAP-WMC2E3914420.eli[192]

cp /var/backups/mfid5p2.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-5-FILES-WMC2E3914420.eli[193]

cp /var/backups/mfid6p1.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-6-SWAP-WCC2ETT39577.eli[194]

cp /var/backups/mfid6p2.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-6-FILES-WCC2ETT39577.eli[195]

cp /var/backups/mfid7p1.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-7-SWAP-WCAYU2878968.eli[196]

cp /var/backups/mfid7p2.eli /tmp/usb3/backups
_27SEP2020/ZFS-BLONDIE-7-FILES-WCAYU2878968.eli[197]

```

File Name Check: Editing Labels

We got through all that, and found that we had named a file incorrectly. During experimentation, we had a typo; BAY 4 should be `WCC2EE134983` but that's not what we saw when we checked our work. Not the end of the world. We can move the `.eli` metadata file, and we can use `gpart`[198] modify to change the label.

```

gpart modify -i 1 \
-l ZFS-BLONDIE-4-SWAP-WCC2EE134983 mfid4[199]

gpart modify -i 2 \
-l ZFS-BLONDIE-4-FILES-WCC2EE134983 mfid4[200]

```

`gpart show`[201] and `geli status`[202] should show our drives as we expect them to be.

At this point, all of the drives should be partitioned and decrypted and attached. We can build a `zpool` for our ZFS file system. We can attach that swap drive for the benefit of our operating system right now.

To Use the Swap Disk

```
swapon mfid0p1.eli[203] swapinfo -k[204]
```

64G turned out to be the maximum capacity. We will need to fix up the swap better. We can fit 6 x 64G (384G) of swap partitions in our planned space. So, let's modify and add.

```
gpart resize -i 1 -s 64G mfid0[205]
```

We would need to add, to init and to attach five more swap partitions. We also have to restore mfid0 because there's a problem with reading the metadata.

```
gpart recover mfid0[206]  
gpart status mfid0[207]  
geli attach mfid0p1[208]
```

```
gpart add -s 64G -t freebsd-swap \  
-l ZFS-BLONDIE-0-SWAP-B-WCC2ERZ56512 mfid0[209]
```

```
gpart add -s 64G -t freebsd-swap \  
-l ZFS-BLONDIE-0-SWAP-C-WCC2ERZ56512 mfid0[210]
```

```
gpart add -s 64G -t freebsd-swap \  
-l ZFS-BLONDIE-0-SWAP-D-WCC2ERZ56512 mfid0[211]
```

```
gpart add -s 64G -t freebsd-swap \  
-l ZFS-BLONDIE-0-SWAP-E-WCC2ERZ56512 mfid0[212]
```

```
gpart add -s 64G -t freebsd-swap \  
-l ZFS-BLONDIE-0-SWAP-F-WCC2ERZ56512 mfid0[213]
```

Then we need to establish encryption for all of those.

```
geli init -l 256 mfid0p2[214]  
geli attach mfid0p2[215]  
geli init -l 256 mfid0p3[216]  
geli attach mfid0p3[217]  
geli init -l 256 mfid0p4[218]  
geli attach mfid0p4[219]  
geli init -l 256 mfid0p5[220]  
geli attach mfid0p5[221]  
geli init -l 256 mfid0p6[222]  
geli attach mfid0p6[223]
```

Using `swapinfo`[224], `swapon`[225] and `swapoff`[226], we were able to remove some of the other swap partitions and add on these. Did see a kernel limit on swap. Total configured swap exceeded `kern.maxswzone` (98087976 pages). We could tune the kernel, or we could reduce swap. For now, we reduce swap from 384GB to 324GB.

Similiarly, we could add on the other swap partitions, although in our current use, we probably won't need them. They would serve us better in cases where we were doing more intensive work, or working on another machine. We can mount them now, anyway, to see that it can be done.

To add on all the other swap partitions:

```
swapon /dev/mfid4p1.eli[227]
swapon /dev/mfid5p1.eli[228]
swapon /dev/mfid6p1.eli[229]
swapon /dev/mfid7p1.eli[230]
swapinfo -h[231]
```

Create the zpool for BLONDIE

We'll now create a mountpoint on the tmpfs, create the zpool, and then add in the cache and SLOG Mirrored disks.

Create a mountpoint

Create a mountpoint so that we will be able to mount the zpool without errors as we create it.

```
mkdir /tmp/BLONDIE[232]
```

2.4 Analysis

2.4.1 Quality

2.4.2 Tests

2.5 Discussion

2.6 Chapter References

2.6.1 Books

For our ZFS planning, we read: Lucas, Michael W, and Allan Jude. *FreeBSD Mastery: ZFS*. Tilted Windmill Press, 21 May 2015.

2.6.2 MAN Pages

Online MAN pages were available at: man.freebsd.org with an interface that allows for keyword based searches.

“bsdinstall.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=bsdinstall&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“camcontrol.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=camcontrol&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“cd.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=cd&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“cp.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=cp&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“geli(8).” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=geli&sektion=8&manpath=FreeBSD+10.3-RELEASE. Accessed 10 June 2026.

“gpart(8).” Freebsd.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“ls.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=ls&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“mkdir.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=mkdir&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“mount.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=mount&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“mt.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=mt&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“newfs.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=newfs&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“rm.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=rm&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“ssh-Keygen.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=ssh-keygen&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“su.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=su&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“swapon.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=swapon&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“umount.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=umount&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“zfs.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=zfs&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

“zpool.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=zpool&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

2.6.3 Websites

When planning and exploring our use of swap, we consulted: <https://www.cyberciti.biz/faq/create-a-freebsd-swap-file/>.

Endnotes

- [1]MITRE. "Techniques - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, 2023, <https://attack.mitre.org/techniques/enterprise/>. Accessed 13 July 2026.
- [2]MITRE ATT&CK. "Create Account, Technique T1136 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, 14 Dec. 2017, <https://attack.mitre.org/techniques/T1136/>. Accessed 13 July 2026.
- [3]"Create or Modify System Process, Technique T1543 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, <https://attack.mitre.org/techniques/T1543/>. Accessed 13 July 2026.
- [4]"Data Destruction, Technique T1485 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, <https://attack.mitre.org/techniques/T1485/>. Accessed 13 July 2026.
- [5]"Data Encoding, Technique T1132 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, <https://attack.mitre.org/techniques/T1132/>. Accessed 13 July 2026.
- [6]-. "Data Manipulation, Technique T1565 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, 2 Mar. 2020, <https://attack.mitre.org/techniques/T1565/>. Accessed 13 July 2026.
- [7]"Data Obfuscation, Technique T1001 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, <https://attack.mitre.org/techniques/T1001/>. Accessed 13 July 2026.
- [8]"Data Staged, Technique T1074 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, <https://attack.mitre.org/techniques/T1074/>. Accessed 13 July 2026.
- [9]"Defacement, Technique T1491 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, <https://attack.mitre.org/techniques/T1491/>. Accessed 13 July 2026.
- [10]"Deploy Container, Technique T1610 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, <https://attack.mitre.org/techniques/T1610/>. Accessed 13 July 2026.
- [11]"Develop Capabilities, Technique T1587 - Enterprise | MITRE ATT&CK®." Attack.Mitre.Org, <https://attack.mitre.org/techniques/T1587/>. Accessed 13 July 2026.
- [12]"Disable or Modify System Firewall, Technique T1686 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1686/>. Accessed 13 July 2026.
- [13]"Disable or Modify Tools, Technique T1685 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1685/>. Accessed 13 July 2026.
- [14]"Disk Wipe, Technique T1561 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1561/>. Accessed 13 July 2026.
- [15]"Domain or Tenant Policy Modification, Technique T1484 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1484/>. Accessed 13 July 2026.
- [16]"Escape to Host, Technique T1611 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1611/>. Accessed 13 July 2026.
- [17]"Event Triggered Execution, Technique T1546 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1546/>. Accessed 13 July 2026.
- [18]"Exclusive Control, Technique T1668 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1668/>. Accessed 13 July 2026.
- [19]"Execution Guardrails, Technique T1480 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1480/>. Accessed 13 July 2026.
- [20]"Exfiltration Over Physical Medium, Technique T1052 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1052/>. Accessed 13 July 2026.
- [21]"File and Directory Permissions Modification, Technique T1222 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1222/>. Accessed 13 July 2026.
- [22]"Firmware Corruption, Technique T1495 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1495/>. Accessed 13 July 2026.
- [23]"Hide Artifacts, Technique T1564 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1564/>. Accessed 13 July 2026.
- [24]"Hijack Execution Flow, Technique T1574 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1574/>. Accessed 13 July 2026.
- [25]"Implant Internal Image, Technique T1525 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1525/>. Accessed 13 July 2026.
- [26]"Indicator Removal, Technique T1070 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1070/>. Accessed 13 July 2026.
- [27]"Ingress Tool Transfer, Technique T1105 - Enterprise | MITRE ATT&CK®." Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1105/>. Accessed 13 July 2026.

- [28]“Inhibit System Recovery, Technique T1490 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1490/>. Accessed 13 July 2026.
- [29]“Lateral Tool Transfer, Technique T1570 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1570/>. Accessed 13 July 2026.
- [30]“Masquerading, Technique T1036 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1036/>. Accessed 13 July 2026.
- [31]“Modify Authentication Process, Technique T1556 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1556/>. Accessed 13 July 2026.
- [32]“Modify Cloud Compute Infrastructure, Technique T1578 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1578/>. Accessed 13 July 2026.
- [33]“Modify Cloud Resource Hierarchy, Technique T1666 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1666/>. Accessed 13 July 2026.
- [34]“Modify Registry, Technique T1112 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1112/>. Accessed 13 July 2026.
- [35]“Modify System Image, Technique T1601 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1601/>. Accessed 13 July 2026.
- [36]“Multi-Stage Channels, Technique T1104 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1104/>. Accessed 13 July 2026.
- [37]“Obfuscated Files or Information, Technique T1027 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1027/>. Accessed 13 July 2026.
- [38]“OS Credential Dumping, Technique T1003 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1003/>. Accessed 13 July 2026.
- [39]“Plist File Modification, Technique T1647 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1647/>. Accessed 13 July 2026.
- [40]“Poisoned Pipeline Execution, Technique T1677 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1677/>. Accessed 13 July 2026.
- [41]“Power Settings, Technique T1653 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1653/>. Accessed 13 July 2026.
- [42]“Pre-OS Boot, Technique T1542 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1542/>. Accessed 13 July 2026.
- [43]“Prevent Command History Logging, Technique T1690 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1690/>. Accessed 13 July 2026.
- [44]“Process Injection, Technique T1055 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1055/>. Accessed 13 July 2026.
- [45]“Protocol Tunneling, Technique T1572 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1572/>. Accessed 13 July 2026.
- [46]“Proxy, Technique T1090 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1090/>. Accessed 13 July 2026.
- [47]“Reflective Code Loading, Technique T1620 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1620/>. Accessed 13 July 2026.
- [48]“Remote Access Tools, Technique T1219 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1219/>. Accessed 13 July 2026.
- [49]“Rogue Domain Controller, Technique T1207 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1207/>. Accessed 13 July 2026.
- [50]“Rootkit, Technique T1014 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1014/>. Accessed 13 July 2026.
- [51]“Scheduled Task/Job, Technique T1053 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1053/>. Accessed 13 July 2026.
- [52]“Scheduled Transfer, Technique T1029 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1029/>. Accessed 13 July 2026.
- [53]“Screen Capture, Technique T1113 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1113/>. Accessed 13 July 2026.
- [54]“Server Software Component, Technique T1505 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1505/>. Accessed 13 July 2026.
- [55]“Software Deployment Tools, Technique T1072 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1072/>. Accessed 13 July 2026.
- [56]“Stage Capabilities, Technique T1608 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1608/>. Accessed 13 July 2026.

[//attack.mitre.org/techniques/T1608/](https://attack.mitre.org/techniques/T1608/). Accessed 13 July 2026.

[57]“Taint Shared Content, Technique T1080 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1080/>. Accessed 13 July 2026.

[58]“Template Injection, Technique T1221 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1221/>. Accessed 13 July 2026.

[59]“Traffic Signaling, Technique T1205 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1205/>. Accessed 13 July 2026.

[60]“Weaken Encryption, Technique T1600 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1600/>. Accessed 13 July 2026.

[61]“XSL Script Processing, Technique T1220 - Enterprise | MITRE ATT&CK®.” Mitre.Org, 2026, <https://attack.mitre.org/techniques/T1220/>. Accessed 13 July 2026.

[62]Vppalapati, Mallikarjun. “Immutability as an Operational Constraint rather than a Security Feature.” *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176-184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.

[63]Vppalapati, Mallikarjun. “Immutability as an Operational Constraint rather than a Security Feature.” *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176-184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.

[64]Vppalapati, Mallikarjun. “Immutability as an Operational Constraint rather than a Security Feature.” *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176-184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.

[65]Vppalapati, Mallikarjun. “Immutability as an Operational Constraint rather than a Security Feature.” *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176-184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.

[66]Vppalapati, Mallikarjun. “Immutability as an Operational Constraint rather than a Security Feature.” *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176-184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.

[67]Vppalapati, Mallikarjun. “Immutability as an Operational Constraint rather than a Security Feature.” *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176-184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.

[68]Wolford, Ben. “Everything You Need to Know About the ‘Right to Be Forgotten.’” *GDPR.Eu*, 5 Nov. 2018, <https://gdpr.eu/right-to-be-forgotten/>. Accessed 12 July 2026.

[69]GDPR. “Art. 17 GDPR - Right to Erasure (‘Right to Be Forgotten’) - GDPR.Eu.” *GDPR.Eu*, 14 Nov. 2018, <https://gdpr.eu/article-17-right-to-be-forgotten/>. Accessed 12 July 2026.

[70]“Recital 65 - Right of Rectification and Erasure.” *GDPR.Eu*, 14 Nov. 2018, <https://gdpr.eu/recital-65-right-of-rectification-and-erasure/>. Accessed 12 July 2026.

[71]“Recital 66 - Right to Be Forgotten.” *GDPR.Eu*, 14 Nov. 2018, <https://gdpr.eu/recital-66-right-to-be-forgotten/>. Accessed 12 July 2026.

[72]Martins, Gary R., et al. *Implementing Message Systems in Multilevel Secure Environments: Problems and Approaches*. Rand, 1982.

[73]Biba, K J., et al. *Integrity Considerations for Secure Computer Systems*. 1977.

[74]“Mac_Biba(4).” *Freebsd.Org*, 2025, https://man.freebsd.org/cgi/man.cgi?query=mac_biba&sektion=4&apropos=0&manpath=freebsd+15.1-release+and+ports. Accessed 13 July 2026.

[75]Chandramouli, Ramaswamy. *Guidelines for Media Sanitization*. 2025, nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-88r2.pdf, <https://doi.org/10.6028/nist.sp.800-88r2>.

[76]“Blondie | the Official Website of Blondie, Featuring Tour Dates, Presale Ticketing, News, the Official Store and More.” *Blondie.net*, 2026, blondie.net/. Accessed 10 June 2026.

[77]“LTO Ultrium 3: Product Views | Fujifilm [United States].” *Fujifilm.com*, 2026, www.fujifilm.com/us/en/business/data-storage/data-storage-media/lto-ultri

um-3/product-views. Accessed 10 June 2026.

[78]“WD VelociRaptor® SATA Hard Drives” <https://theretroweb.com/storage/documentation/wd6000-velociraptor-68407cb5c0c96653507203.pdf>

[79]Intel® Xeon® Processor 5500 Series an Intelligent Approach to IT Challenges. www.intel.com/content/dam/doc/product-brief/xeon-5500-server-brief.pdf.

[80]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[81]This pattern of coordinating host computer, bay position, and drive serial number was recommended by Lucas and Jude. Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[82]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[83]zfs set shown in: “Zfs.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=zfs&apropos=0&sektion=0&manpath=FreeBSD+14.0-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[84]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[85]zfs set shown in: “Zfs.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=zfs&apropos=0&sektion=0&manpath=FreeBSD+14.0-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[86]“Chapter 6 Managing ZFS File Systems (Solaris ZFS Administration Guide).” Docs.oracle.com, docs.oracle.com/cd/E19120-01/open.solaris/817-2271/6mhupg6m3/index.html.

[87]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[88]“Chapter 6 Managing ZFS File Systems (Solaris ZFS Administration Guide).” Docs.oracle.com, docs.oracle.com/cd/E19120-01/open.solaris/817-2271/6mhupg6m3/index.html.

[89]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[90]“Chapter 6 Managing ZFS File Systems (Solaris ZFS Administration Guide).” Docs.oracle.com, docs.oracle.com/cd/E19120-01/open.solaris/817-2271/6mhupg6m3/index.html.

[91]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[92]“Chapter 6 Managing ZFS File Systems (Solaris ZFS Administration Guide).” Docs.oracle.com, docs.oracle.com/cd/E19120-01/open.solaris/817-2271/6mhupg6m3/index.html.

[93]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[94]zfs set shown in: “Zfs.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=zfs&apropos=0&sektion=0&manpath=FreeBSD+14.0-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[95]“Chapter 6 Managing ZFS File Systems (Solaris ZFS Administration Guide).” Docs.oracle.com, docs.oracle.com/cd/E19120-01/open.solaris/817-2271/6mhupg6m3/index.html.

[96]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[97]zfs set shown in: “Zfs.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=zfs&apropos=0&sektion=0&manpath=FreeBSD+14.0-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[98]“Chapter 6 Managing ZFS File Systems (Solaris ZFS Administration Guide).” Docs.oracle.com, docs.oracle.com/cd/E19120-01/open.solaris/817-2271/6mhupg6m3/index.html.

[99]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[100]zfs set shown in: “Zfs.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=zfs&apropos=0&sektion=0&manpath=FreeBSD+14.0-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[101]“Chapter 6 Managing ZFS File Systems (Solaris ZFS Administration Guide).” Docs.oracle.com, docs.oracle.com/cd/E19120-01/open.solaris/817-2271/6mhupg6m3/index.html.

[102]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[103]zfs set shown in: “Zfs.” Freebsd.org, 2025, man.freebsd.org/cgi/man.cgi?query=zfs&apropos=0&sektion=0&manpath=FreeBSD+14.0-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[104]“Chapter 6 Managing ZFS File Systems (Solaris ZFS Administration Guide).” [Docs.oracle.com, docs.oracle.com/cd/E19120-01/open.solaris/817-2271/6mhupg6m3/index.html](https://docs.oracle.com/docs.oracle.com/cd/E19120-01/open.solaris/817-2271/6mhupg6m3/index.html).

[105]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[106]zfs set shown in: “Zfs.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=zfs&apropos=0&sektion=0&manpath=FreeBSD+14.0-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[107]Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[108]Lucas and Jude provide a detailed breakdown of different RAID and RAID-Z combinations with differing numbers of drives. Their analysis and provided charts were our chief reason for settling in on RAIDZ2. Lucas, Michael W, and Allan Jude. FreeBSD Mastery: ZFS. Tilted Windmill Press, 21 May 2015.

[109]“bsdinstall.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=bsdinstall&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[110]Ibid.

[111]“bsdinstall.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=bsdinstall&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html

[112]“bsdinstall.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=bsdinstall&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html

[113]“ssh-Keygen.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=ssh-keygen&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[114]“camcontrol.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=camcontrol&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[115]“gpart(8).” FreeBSD.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026

[116]Ibid.

[117]“newfs.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=newfs&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[118]“Mkdir.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=mkdir&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[119]“Mount.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=mount&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[120]“cd.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=cd&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[121]“umount.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=umount&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[122]“rm.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=rm&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[123]“Mkdir.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=mkdir&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[124]“Mount.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=mount&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[125]“ls.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=ls&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html

tml. Accessed 10 June 2026.

[126]“Mkdir.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=mkdir&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[127]“ssh-Keygen.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=ssh-keygen&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[128]“gpart(8).” FreeBSD.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[129]“gpart(8).” FreeBSD.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[130]Ibid.

[131]Ibid.

[132]Ibid.

[133]Ibid.

[134]Ibid.

[135]Ibid.

[136]Ibid.

[137]“zpool.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=zpool&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[138]Ibid.

[139]Ibid.

[140]“Mkdir.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=mkdir&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[141]“mount.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=mount&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[142]“gpart(8).” FreeBSD.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[143]Ibid.

[144]Ibid.

[145]Ibid.

[146]Ibid.

[147]Ibid.

[148]Ibid.

[149]Ibid.

[150]Ibid.

[151]Ibid.

[152]Ibid.

[153]Ibid.

[154]Ibid.

[155]Ibid.

[156]Ibid.

[157]Ibid.

[158]Ibid.

[159]Ibid.

[160]Ibid.

[161]Ibid.

[162]“Geli(8).” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=geli&sektion=8&manpath=FreeBSD+10.3-RELEASE. Accessed 10 June 2026.

[163]Ibid.

[164]Ibid.

[165]Ibid.

[166]Ibid.

[167]Ibid.

[168]Ibid.

[169]Ibid.

[170]Ibid.

[171]Ibid.

[172]Ibid.

[173]Ibid.

[174]Ibid.

[175]Ibid.

[176]Ibid.

[177]Ibid.

[178]Ibid.

[179]Ibid.

[180]Ibid.

[181]Ibid.

[182]Ibid.

[183]Ibid.

[184]Ibid.

[185]Ibid.

[186]“cp.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=cp&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[187]Ibid.

[188]Ibid.

[189]Ibid.

[190]Ibid.

[191]Ibid.

[192]Ibid.

[193]Ibid.

[194]Ibid.

[195]Ibid.

[196]Ibid.

[197]Ibid.

[198]“gpart(8).” FreeBSD.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[199]Ibid.

[200]Ibid.

[201]Ibid.

[202]“geli(8).” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=geli&sektion=8&manpath=FreeBSD+10.3-RELEASE. Accessed 10 June 2026.

[203]“swapon.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=swapon&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[204]Ibid.

[205]“gpart(8).” FreeBSD.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[206]“gpart(8).” FreeBSD.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[207]“gpart(8).” FreeBSD.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[208]“geli(8).” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=geli&sektion=8&manpath=FreeBSD+10.3-RELEASE.

ektion=8&manpath=FreeBSD+10.3-RELEASE. Accessed 10 June 2026.

[209]“gpart(8).” FreeBSD.org, 2026, man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=8&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[210]Ibid.

[211]Ibid.

[212]Ibid.

[213]Ibid.

[214]“geli(8).” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=geli&sektion=8&manpath=FreeBSD+10.3-RELEASE. Accessed 10 June 2026.

[215]Ibid.

[216]Ibid.

[217]Ibid.

[218]Ibid.

[219]Ibid.

[220]Ibid.

[221]Ibid.

[222]Ibid.

[223]Ibid.

[224]“swapon.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=swapon&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[225]Ibid.

[226]Ibid.

[227]“swapon.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=swapon&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

[228]Ibid.

[229]Ibid.

[230]Ibid.

[231]Ibid.

[232]“mkdir.” FreeBSD.org, 2025, man.freebsd.org/cgi/man.cgi?query=mkdir&apropos=0&sektion=0&manpath=FreeBSD+10.3-RELEASE&arch=default&format=html. Accessed 10 June 2026.

3 Login Procedures for Disconnected Systems

This outline will help us to log into a laptop that is set up to be a disconnected, air-grapped machine. We cover what items are needed, and how to attach and to decrypt the disks. The operating system is provided through immutable, read-only, optical media. Some key values were encoded onto magstripe cards. Others were recorded in a paper notebook. The machine now has a refined set of startup procedures that are incompatible with normal laptop use. A general outline of the machine's login procedures are listed here.

3.1 Introduction

We wanted to establish an air-gapped machine for off-network use. To protect critical data and programs, we wanted to have a recoverable immutable operating system with encrypted storage. To inhibit networking, we permanently disabled the wired and wireless systems. We prepared on-machine and peripheral encrypted storage.

Our intention is to use the laptop as a general-purpose air-grapped machine. We want to be able to generate keys and certificates, to access and to edit secrets, and to develop small scripts offline.

The login procedure for this disconnected laptop is similar to a procedure used for disconnected rack servers. Due to the portability of the laptop, and the frequent use of some of the authentication challenges, the laptop has some magstripe additions.

3.2 Methodology

Booting this machine requires a few phases:

1. Physical access.
2. POST and BIOS.
3. Disk discovery and attachment.
4. Disk decryption.
5. Dataset attachment.

Powering off the machine requires a similar reversed sequence:

1. Dataset detachment.
2. Encrypted partition detachment.
3. Disk detachment.
4. Poweroff.
5. Physical security of related parts.

Of these, discovering and attaching the disks for use may be the biggest stumbling block for the uninitiated. Manually decrypting the disks is a close second. Attaching a dataset is very similar to normal ZFS use. Most of these tasks are done automatically by operating systems. In this system, the steps have been disconnected. This allows us to swap out storage and provide a measure of procedural

security to the system.

3.3 Results

3.3.1 Required Or Specific Equipment

We used a Dell XFR laptop that was purchased from a police auction. We replaced the main hard drive. We disassembled the machine and prepared it for air-grapped use. The Ethernet connection jack was jammed with epoxy putty. The camera and microphone assemblies were removed. The wifi card and antennas were removed. A privacy screen of polarized vinyl was installed over the display. USB ports were temporarily blocked with plugs that can be removed with a specialized tool. The laptop has been fitted with a bluetooth tracking device and a tinted luggage tag.

Some key values are stored on encrypted USB drives that are equipped with a read-only physical switch. If this switch is not moved into the "write" position, then the disk will not successfully decrypt. The drives were encrypted with Camelia using geli in a ZFS partition set up with gpart. The USB drives are labelled with color-coded tags and inventory stickers to identify the classification of data held on them and the drives' individuality.

For convenience, some key values have been written to magstripe cards. This is nearly equivalent to writing the passwords down in plain text. If the card reader is connected, when the card is swiped, it will reveal its values wherever the cursor is available. Inputting text from a magstripe card is not much different from using a keyboard. To get the magstripe to read properly, character sets and delimiting characters have to be used to construct the password values. The specific magstripe cards and a magstripe reader are needed if the passphrases are not input manually.

For paper backups, some key values have been written in UV-readable "invisible" ink in a notebook. To use this notebook, a UV penlight is kept on hand. To update that notebook, UV ink is loaded into refillable cartridges of a fountain pen.

3.3.2 Code Notes for Power Up

1. Assemble the needed components:
 - The laptop
 - Power for the laptop
 - USB software-encrypted storage with read-only disk
 - USB hardware encrypted disk (if needed) with software encrypted storage dataset
 - Codebook with UV lights and inks (if needed)
 - Magstripe reader
 - Any other multifactor devices needed for specific systems (biometric readers, TOTP/HOTP authentication devices, certificates, etc.).
2. Attach peripherals and power up the laptop.

USB temporary plugs may need to be removed. Connect the magstripe reader, if needed. Be prepared to connect any USB drives that get used.

3. BIOS password.

BIOS settings are usually tuned to have the boot order boot the system from optical disk. If needed, use the function key to select which disk is needed for a one-time boot. There will only be a few seconds in the startup to press the correct key.

4. Use a recent FreeBSD bootonly.iso disk on optical media.

This will only have the most primitive collections of programs and will not be sufficient for certificate generation due to the libraries that are provided. The operator should be able to hear the disk spin up.

5. At the menu, select LiveCD to get a root prompt in terminal.

6. Attach and discover disks.

If the disks are hardware encrypted, then provide the PIN according to the manufacturer's directions. Enter the PIN carefully, as there may be administrative reset or disk-wiping functions available. With the disk hardware decrypted and attached, a message should be visible on the console describing the detection of the device.

`geom disk list` - should show the disks recognized by the system.

`gpart show` - should provide an indicator of partition numbers

7. Attach and decrypt partitions `geli attach [DISK_NAMEpPARTITION_NUMB`

If a passphrase was recorded on magstripe, this is the point where the dedicated card will need to be swiped. If the card does not work, then this is the point where the paper UV ink backup notes may be used.

8. Discover and attach zpools and zfs datasets. `zpool import POOL_NAME_ON_AT`

`zpool import -af` to forcefully attach all available zpools `zpool status`

If a MAC kernel mod like `mac_biba` is used on the file system, then the system may be a UFS file system on a ZFS Volume. These are often mounted with mount from a `/dev` device node or a GEOM label. [Advanced ZFS]

9. Observe datasets. Notes should tell us where to go to see where the datasets have automatically mounted. Or, we can use `zfs` commands to set a mount-point to a desired location. In the read-only LiveCD media, our most likely attachment point may be `/tmp`.

10. Use the laptop to interact with files on the storage.

11. Decrypt individual files with `openssl`.

3.3.3 Code Notes for Poweroff

The poweroff procedure is similar to a reverse of the poweron, but there are fewer steps. If the ZFS elements are not properly exported, then future imports may require a `-f` force attribute on the commands. Notice also if there are automount directories associated with a ZFS dataset, then these will not be destroyed upon dismount. Instead, they will appear empty. Hardware drives will generally re-encrypt once disconnected from the machine.

With a LiveCD or El Torrito in FreeBSD, it is very common for the system to reboot after a shutdown command. Watch your system carefully to avoid spending laptop battery power after giving a poweroff command. Notice also that the laptop will

not go into a suspend or hibernate mode if the laptop display is closed. Those are advanced gui and system functions which will not be covered in El Torrito.

1. Dispose of decrypted copies of any files that are in the plain. Ensure that an encrypted copy continues to live on the storage drives. Re-encrypt if necessary.

2. Dismount media. `zfs export [DATASET_NAME] geli detach [DRIVE.eli] geom disk list`

In order to dismount the media, do not have a terminal command line open on any directories associated with that media. To confirm a directory is empty after dismount, use `ls`.

3.4 Analysis

3.4.1 Quality

We have some fragile areas of the system.

We can swipe a card with the password in an environment where reading a password from a book might be uncomfortable. The speed of the magstripe's use can be a blessing during development and testing or other times when the challenges may be frequently encountered. However, the password will need to be stored in plain text on the magnetic stripe. This means that magstripe cards used for passwords will need physical access control safeguards.

BIOS is used instead of UEFI to keep the boot process simple and uniform with other machines.

USB detachable storage has been a well-known security weak point for over a decade. We have chosen USB port blockers; but, those frequently come with proprietary plastic keys to insert or extract them. It's obvious that those port blockers are an inconvenience device; they don't provide full access controls; they're usefulness is limited to slowing down the surreptitious attachment of USB devices.

3.4.2 Tests

Disk metadata backups. `geli` is frequently used in automatic installations of FreeBSD systems using `bsdinstall`. However, those automatic installs don't prompt an admin for saving a copy of the disk metadata. If that metadata file is not saved someplace where its contents can be carefully preserved, then any difficulty with decrypting the disk may be scuttled. The recovery commands for `geli` will often require or prompt for a path to the metadata file.

Not only should the metadata be saved, but use of it should be periodically rehearsed. Since it is needed for disk recovery, and period since the last recovery rehearsal should be considered a time of unconfirmed disk storage. That data is in jeopardy of being lost to a disk decryption problem. Rehearse the recovery of disks with the metadata files. Without them, the only option in the event of a disk decryption problem will be to start over with a `geli init` to basically reformat the encrypted drive partition.

3.5 Discussion

3.5.1 Summary of Usefulness

We believe that this disposition of resources will position us well to intervene on attempts at root-level persistence. So many machines these days are configured to boot into an operating system on power-up that a disconnected system might not be anticipated by an attacker.

The disconnected system has also been useful for swapping out storage drives on a machine. Many machines are being built and sold with on-motherboard RAM and immovable SSDs. While this supports thinner designs for single-board laptops, it doesn't suit our experimentation methods on salvaged equipment.

3.5.2 Lessons Learned

This type of system requires some practice for routine use. When using disconnected systems or live-disc systems, the configurations may not persist between boots. A lack of rehearsals or familiarity with the boot and power-up procedure may cause delays as the operator teaches themselves the pattern or troubleshoots omitted steps.

3.6 References

3.6.1 Books

Lucas, Michael W. and Jude, Allan. *FreeBSD Mastery: ZFS*. 2015. ISBN-13: 978-1-64235-000-5.

We found this book to be an excellent guide to ZFS, overall. We also adopted naming suggestions that aligned exterior drive serial numbers with disk labelling. Chapter 2 featured a helpful guide on planning RAIDZ configurations with notes on efficiency. Advice on snapshots, cloning, and block devices for non-ZFS file systems were all helpful.

3.6.2 MAN pages

`openssl enc` **FreeBSD MAN pages**, <https://man.freebsd.org/cgi/man.cgi?query=enc&apropos=0&sektion=1&manpath=freebsd-ports&format=html>

`zfs` **Freebsd MAN pages**, <https://man.freebsd.org/cgi/man.cgi?query=zfs&apropos=0&sektion=0&manpath=FreeBSD+14.1-RELEASE+and+Ports&arch=default&format=html>

`zpool` **FreeBSD MAN pages**, <https://man.freebsd.org/cgi/man.cgi?query=zpool&apropos=0&sektion=0&manpath=FreeBSD+14.1-RELEASE+and+Ports&arch=default&format=html>

`geom` **FreeBSD MAN pages**, <https://man.freebsd.org/cgi/man.cgi?query=geom&apropos=0&sektion=0&manpath=FreeBSD+1>

4.1-RELEASE+and+Ports&arch=default&format=html
geli **FreeBSD MAN pages**, <https://man.freebsd.org/cgi/man.cgi?query=geli&apropos=0&sektion=0&manpath=FreeBSD+14.1-RELEASE+and+Ports&arch=default&format=html>
gpart **FreeBSD MAN pages**, <https://man.freebsd.org/cgi/man.cgi?query=gpart&apropos=0&sektion=0&manpath=FreeBSD+14.1-RELEASE+and+Ports&arch=default&format=html>
dd **FreeBSD MAN pages**, <https://man.freebsd.org/cgi/man.cgi?query=dd&apropos=0&sektion=0&manpath=FreeBSD+14.1-RELEASE+and+Ports&arch=default&format=html>

3.6.3 URLs

FreeBSD Handbook, ZFS, <https://docs.freebsd.org/en/books/handbook/zfs/>

FreeBSD Handbook, Storage, <https://docs.freebsd.org/en/books/handbook/disks/>

Text with[1] inline references. More text[2]

Endnotes

[1]First note.

[2]Second note.

4 Basic Tape Operations with FreeBSD

We explored the planning and use of LTO tape as a resource for storing backups. We describe common commands, patterns of MT and TAR commands. We recommend some techniques for testing, rehearsing, and using tape archives.

4.1 Introduction

We wanted to see if it would be possible for us to make use of an LTO tape machine that was on one of our salvaged computers. We'd often heard of the performance of using tape for backups. We'd seen some hints about the bravery needed for working with tape in modifying old mainFRAME programs. We rarely saw any strong tutorials or comprehensive directions for tape operations.

The average person has almost never used tapes as a part of personal computing these days. Businesses which do use tapes often do so as part of larger, commercial data center operations. For many of us, the closest we've come to tape operations was with using cassette tapes for storage on personal machines in the 1980s. LTO tapes are often praised but infrequently used. We wanted to break through this mystery.

4.2 Methodology

Our plan is to write a file to tape, eject the tape, and be able to read the file back from the tape again. Once there, we will want to do a simple sequence of file writes and reads without damaging the files on tape.

4.3 Results

We used a Dell T610 tower computer with an LT03 single deck tape machine on board. We have some LT03 tapes that can be used with it. Our tape drivers and common commands are built into FreeBSD.

Warning: We want to use the nsa driver. There is an sa driver, but it has some limitations. When we tried using sa, we were not able to properly advance down the tape through multiple file markers. Use nsa for the the driver.

4.3.1 Code Notes

1. Place files in a directory that you control. Isolating the files to be copied to tape is safer than copying them directly from where they are.

2. `mt -f /dev/nsa0 load`

This will load the tape onto the machine.

3. `mt -f /dev/nas0 rewind`

This will spool the tape to the beginning.

4. `mt -f /dev/nsa0 status`

To check to see where we are on the tape. Assuming this is the first use of the tape, we could start writing immediately.

5. If there are files on the tape, we need to either scan ahead and log the files, or we need to consult our notes to find where on the tape we should go. We could easily overwrite a file and damage the sequence. Use the write persistent notch to protect the tape when possible.

6. `mt -f /dev/nsa0 com or eod`

To go to the end of the records.

7. `tar cvf /dev/nsa0 [FILE_TO_ARCHIVE]`

Once at the proper spot on the tape, give the command to archive the files.

8. `mt -f /dev/nsa0 weof1`

Write an end-of-file marker.

9. `tar -t`

To see the archive on the tape.

`tar xf /dev/nsa0`

To get the archive from the tape.

10. Write notes. Log and record what was put on the tape.

11. For the next record, just rewind and advance through the markers to get to the next blank space for writing a record.

Sample Files: test.txt

The quick brown fox jumped over the lazy dogs.

Sample Files: test2.txt

The other dog is still lazy, too.

Sample Files: test3.txt

The fox is just really fast.

Sample Files: test4.txt

Yet some more records.

Sample Files: test5.txt

And another record.

Sample Script: scriptedDemo.sh

```
#!/usr/bin/env sh
clear
echo "scriptedDemo"
echo "Press ENTER to continue."
```

```
read INPUT
## Check tape
echo "Check if tape is staged in machine."
echo "Press ENTER to continue."
read INPUT
clear
## Load the tape into the machine
echo "Here we go."
echo
echo "Loading tape into machine."
echo "mt -f /dev/nsa0 load"
mt -f /dev/nsa0 load
## Rewind tape
echo "Rewinding tape"
echo "mt -f /dev/nsa0 rewind"
mt -f /dev/nsa0 rewind
echo "Press ENTER to continue."
read INPUT
clear
echo "Reading status from tape."
echo "mt -f /dev/nsa0 status"
mt -f /dev/nsa0 status
echo
echo "Press ENTER to continue."
read INPUT
clear
echo "Looking for file 0 on the tape."
echo "We should be at the beginning."
echo "So, no mt commands this time."
echo "tar t -f /dev/nsa0"
tar t -f /dev/nsa0
echo
echo "Press ENTER to continue."
read INPUT
clear
echo "Looking for file 1 on tape."
echo "Rewind to the beginning."
mt -f /dev/nsa0 rewind
echo "Go forward space count 1 file."
echo "mt -f /dev/nsa0 fsf 1"
mt -f /dev/nsa0 fsf 1
echo "tar t -f /dev/nsa0"
tar t -f /dev/nsa0
echo "Press ENTER to continue."
read INPUT
```

```
clear
echo "Looking for file 2 on tape."
echo "Back up to 0 and go forward space count 2 files."
echo "mt -f /dev/nsa0 rewind"
mt -f /dev/nsa0 rewind
echo "mt -f /dev/nsa0 fsf 2"
mt -f /dev/nsa0 fsf 2
echo "Show where we are with status."
echo "mt -f /dev/nsa0 status"
mt -f /dev/nsa0 status
echo
echo "Look in that spot with tar."
echo "tar t -f /dev/nsa0"
tar t -f /dev/nsa0
echo "Press ENTER to continue."
read INPUT
clear
echo "Looking for third archive on tape."
echo "Back up to 0 and go forward space count 3 files."
echo "mt -f /dev/nsa0 rewind"
mt -f /dev/nsa0 rewind
echo "mt -f /dev/nsa0 fsf 3"
mt -f /dev/nsa0 fsf 3
echo "See where we are with status."
echo "mt -f /dev/nsa0 status"
mt -f /dev/nsa0 status
echo
echo "See what is here with tar."
echo "tar t -f /dev/nsa0"
tar t -f /dev/nsa0
echo "Press ENTER to continue."
read INPUT
clear
echo "Take the tape offline."
echo "Rewind tape."
echo "mt -f /dev/nsa0 rewind"
mt -f /dev/nsa0 rewind
echo "mt -f /dev/nsa0 offline"
mt -f /dev/nsa0 offline
exit 0
```

4.4 Analysis

4.4.1 Quality

1. We found there were significant weaknesses in tape sequencing. Unlike random access memory, overwriting can damage end of file markers which are only navigational delimiters readily usable with the tape. Simple practice showed it was very easy to accidentally overwrite a tape marker. All subsequent files on the tape might be inaccessible as a result.

2. Logging. Since there may be many files on these long tapes, logging support and file navigation are essential. The usual lapses in notation can make frequent use of the tapes more hazardous with each use.

3. Security. Unlike geli-encrypted hard drives, the main file protection scheme is through whatever encryption we apply to the files themselves. Tar has some compression algorithms, but encrypting files is another step altogether. Since the files may be in storage for a long time, having the backups encrypted on tape can be a critical step. This encryption would need to be applied before IV.B.7. tar or archiving the files to tape.

4.4.2 Tests

Writing to tape should be rehearsed. Checking status and reading files to confirm our location on the tape is a good idea.

Any write operation should be couched on a good, rehearsed read script. Isolate the files to be written to their own directory. Add an encryption step if necessary. Rehearse the tar tape archive commands. Compartmentalize the steps of the tape operations plan to reduce catastrophic failures and a loss of data.

4.5 Discussion

Tape operations have been long recommended as the preferred form of backup. Off-site backup offers strong advantages to an on-premises system operator. We can't count the number of times we've seen backups recommended; yet we find very few practical tutorials or directions.

Tape backups and hard drive backups might be easily and securely routed to an off site location through the US mail. They could be mailed to yourself at a personal mailbox, remote office, P.O. Box, or to a trusted person. Notice that any person or entity entrusted to possess the data may also be at risk or some sort of liability.

4.6 References

A. Books – none. 2023 versions of the FreeBSD handbook don't cover tape operations.

B. man pages – `mt`, `tar` man pages.

C. URLs – FreeBSD man pages for above. `man.freebsd.org/cgi/man.cgi?query=mt+tar`

Text with^[1] inline references. More text^[2]

Endnotes

[1]First note.

[2]Second note.

Glossary

amnesiac The Oxford English Dictionary (OED) described amnesiac as (1913-), "One who is afflicted with amnesia." [1] In this context, an amnesiac system is one that will forget recent changes; usually, the system has an immutable operating system as a defense against attacks.

BEC Business Email Compromise

BSD Berkeley Software Distribution, a Unix-derived operating system and its variants (FreeBSD, OpenBSD, NetBSD).

cache The OED described it as, "3. 1968- Computing. A small high-speed memory in some computers into which are placed the most frequently accessed contents of the slower main memory or secondary storage. Also cache memory." [2]

CCSP Certified Cloud Security Professional

CERT Computer Emergency Response Team

CISSP Certified Information Systems Security Professional

coding The OED described coding as (1946-), "3. Computing. The conversion of information into code usable by a computer or other machine; the writing or editing of code for a computer program, application, etc. Also: computer code." [3]

configuration The OED described configuration as (1962), "8. Computing. The way the constituent parts of a computer system are chosen or interconnected in order to suit it for a particular task or use; the units or devices required for this." [4]

CSSLP Certified Secure Software Lifecycle Professional

dialog OED(1) says, "4.b. 1984- Chiefly in form dialog. = dialogue box n." [5] OED(2) says, "Computing. 1984- A window in a graphical user interface which asks the user for input in response to some given information, such as a choice of command in answer to a question." [6]

encrypt The OED described it as, "transitive. To convert (data, a message, etc.) into cipher or code, esp. in order to prevent unauthorized access; to conceal in something by this means." [7]

EU European Union

FBI Federal Bureau of Investigation

GDPR General Data Protection Regulation

GPU Graphics Processing Unit

hard immutability A system whose unchangeable nature is so constrained by technical mechanisms that alteration is practically infeasible. [8]

IC3 Internet Crime Complaint Center

immutable system The OED described immutable as (1621), "1.b. technical. Not subject to variation in different cases; invariable: used e.g. of markings which are the same in all the individuals of a species." [9] An immutable system is one that cannot be changed. In these computing systems, the intent of using an immutable system is to allow an operator to restore a system to its original state by power cycling it.

IPR Intellectual Property Rights

jail A FreeBSD OS-level virtualisation mechanism that partitions the operating system into isolated environments.

mac biba A mandatory access control scheme, similar to military multilevel security classifications, but with an emphasis on file integrity. `mac_biba` allows for write down and read up; this is the opposite direction from mandatory access control schemes like military security classifications which can write up and read down.

memory stick The OED described it as, "(Originally) a type of memory card for use in digital cameras and other devices; (now chiefly) a USB flash drive, esp. a small one in the shape of a long and relatively flat rectangular prism. A proprietary name." [10]

metadata The OED described it as, "Data whose purpose is to describe and give information about other data." [11]

mirror OED described it as (1993-), "4. transitive. Computing. To write (data) on to two separate devices (esp. two hard disks) simultaneously, to protect against the possible failure of one; to create (a duplicate disk) in this manner. Also: to copy (a website) on to a different server (cf. mirror site n.)." [12]

motherboard The OED described it as (1965-), "Electronics. A printed circuit board on which the principal components of a microcomputer or other electronic device are mounted, and to which other boards (daughterboards) may be connected." [13]

NIC Network Interface Card

NIST National Institute of Standards and Technology

OED Oxford English Dictionary

operating system The OED described it as (1961-), "Computing. The low-level (low-level adj. 4b) software that supports a computer's basic functions, such as scheduling tasks, controlling peripherals, and allocating storage." [14]

operational immutability A system that restricts changes by requiring a specific technology. [15]

OS Operating System

PII Personally Identifiable Information

pipe The OED had a couple relevant descriptions for it. "III.26.b. 1979- A physical or notional data channel or route." [16] Also, "III.26.c. 1982- A temporary connection between two processes or commands, so that the output from one command becomes the input for the next." [17]

Poudriere Named after the French word for “powderkeg,” Poudriere is a package building program that will custom-compile programs from ports and configuration files. A FreeBSD operator can then use their own tailored programs built to specifications while obtaining updates from the ports tree.

RAID The OED described it as (1988-), “Computing. Redundant array of inexpensive disks (or drives), a data storage system which combines multiple hard drives to form a system functioning as single drive.” [18]

RAM Random Access Memory

RtbF Right to be Forgotten

SAS Serial Attached SCSI

SATA Serial AT Attachment

shell The OED described it as (1974-), “b. In some operating systems (originally Multics and Unix): a program that translates commands keyed by the user into commands that the operating system can act on, thereby providing a high-level interface with the user. Also (more fully shell window): a window in which such commands can be invoked.” [19]

soft immutability A system that limits changeability through technically proscribed permissions. [20]

SSD Solid State Drive

SSH Secure Shell

thumbdrive OED described it as, “a. A mechanism that is operated by the thumb; b. Computing (a proprietary name for) a USB flash drive, esp. a small one in the shape of a long and relatively flat rectangular prism; cf. memory stick n.” [21]

US United States

VNET Virtual Network

Endnotes

- [1] "Amnesiac, N." Oxford English Dictionary, Oxford UP, December 2024, <https://doi.org/10.1093/OED/9207200444>.
- [2] "Cache, N. (2), Sense 3." Oxford English Dictionary, Oxford UP, September 2025, <https://doi.org/10.1093/OED/1117661132>.
- [3] "Coding, N., Sense 3." Oxford English Dictionary, Oxford UP, June 2025, <https://doi.org/10.1093/OED/4701717734>.
- [4] "Configuration, N., Sense 8." Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/1065280211>.
- [5] "Dialogue | Dialog, N., Sense 4.b." Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/4999880636>.
- [6] "Dialogue Box | Dialog Box, N." Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/3367209004>.
- [7] "Encrypt, V." Oxford English Dictionary, Oxford UP, December 2025, <https://doi.org/10.1093/OED/1124748007>.
- [8] Vppalapati, Mallikarjun. "Immutability as an Operational Constraint rather than a Security Feature." *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176-184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.
- [9] "Immutable, Adj., Sense 1.b." Oxford English Dictionary, Oxford UP, December 2025, <https://doi.org/10.1093/OED/1176087402>.
- [10] "Memory Stick, N." Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/1531282927>.
- [11] "Metadata, N." Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/7968104326>.
- [12] "Mirror, V., Sense 4." Oxford English Dictionary, Oxford UP, December 2025, <https://doi.org/10.1093/OED/8366938443>.
- [13] "Motherboard, N." Oxford English Dictionary, Oxford UP, July 2023, <https://doi.org/10.1093/OED/1154882806>.
- [14] "Operating System, N." Oxford English Dictionary, Oxford UP, July 2023, <https://doi.org/10.1093/OED/4828064025>.
- [15] Vppalapati, Mallikarjun. "Immutability as an Operational Constraint rather than a Security Feature." *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176-184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.
- [16] "Pipe, N. (1), Sense III.26.b." Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/5943533372>.
- [17] "Pipe, N. (1), Sense III.26.c." Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/8044200378>.
- [18] "RAID, N." Oxford English Dictionary, Oxford UP, June 2026, <https://doi.org/10.1093/OED/4981410541>.
- [19] "Shell, N., Additional sense." Oxford English Dictionary, Oxford UP, March 2026, <https://doi.org/10.1093/OED/4563192747>.
- [20] Vppalapati, Mallikarjun. "Immutability as an Operational Constraint rather than a Security Feature." *International Journal of Artificial Intelligence, Data Science, and Machine Learning*, vol. 3, no. 2, 30 June 2022, pp. 176-184, <https://doi.org/10.63282/3050-9262.ijaidsm1-v3i2p119>. Accessed 21 June 2026.
- [21] "Thumb Drive, N." Oxford English Dictionary, Oxford UP, March 2026, <https://doi.org/10.1093/OED/9979951645>.

Index

- 2FA, 39
- amensiac, 21, 37
- amnesiac, 21
- bsdinstall, 37, 38
- cache, 44, 51
- camcontrol
 - devlist, 40
- cd, 41
- coding, 1, 21, 35
- configuration, 21
- cp, 48, 49
- dd, 33
- dialog, 41, 43
- encrypt, 43, 45, 47, 50, 75
- FreeBSD, 21, 33, 35, 43, 71
- FreeBSD Handbook, 40, 42, 76
- FreeBSD Mastery: ZFS, 35
- GDPR
 - Right to be Forgotten, 30, 31
- geli, 34, 47
 - attach, 47, 48, 50
 - init, 47, 48, 50
 - status, 49
- gpart, 35, 37, 41, 44
 - add, 40, 42, 45, 46, 50
 - create, 40, 42, 45, 46
 - modify, 49
 - recover, 50
 - resize, 50
 - show, 49
 - status, 50
- immutability
 - hard, 30
 - operational, 30
 - soft, 30
- jails, 39
- live CD, 21
- ls, 41
- LTO III tape, 33
- mac
 - biba, 32
 - mkdir, 40, 41, 45
 - mount, 41, 45
- newfs, 40
- NIST 800-88
 - Purge, 33
- operating system, 21, 35, 38, 43, 49
- RAIDZ-2, 33-35, 37, 41, 42
- rm, 41
- ssh-keygen, 40, 41
- su, 39
- sudo, 39
- swapinfo, 50, 51
- swapoff, 51
- swapon, 42, 50, 51
- TOTP, 39
- umount, 41
- USB
 - drive, 39
- zpool, 49, 51
 - add, 43
 - comment, 36
 - create, 42