

Previous Deliverable Revision – Tony, Hashir and Dean

Aside from dividing our original formatting.css file into sub-files (Data_Page.css, Main_Page.css and Sample_Query.css) as well as creating a blank Results.html file, we did the following:

Across all pages

Navigation bar changes:

- “Home” renamed to “Restaurants in Mississauga”

```
<li><a href="Main_Page.html">Home</a></li> →  
<li style="float:left"><a href = "Main_Page.html">Restaurants in Mississauga</a></li>
```

- Logo commented out and Login removed

```
<!-- <li style="float:right"><img src = 'images/logo.png' height = "50" width = "65"/></li> -->
```

Gradient replaced with background image and an opaque white overlay for each section

```
section {  
    background-color: rgb(255,255,255,0.8);  
    width:80%;  
    margin:80px auto;  
}
```

in body{} of each .css file, which is duplicated throughout our .css files.

```
background-image: url("images/Mississauga.jpg");
```

Data_Page.html

Uses a Data_Page.css style sheet

```
<link rel="stylesheet" href="formatting.css"> →  
<link rel="stylesheet" href="Data_Page.css">
```

Double lines on the border of the webpage removed

```
in body{}, deleted    border-left:10px double #101010;  
                      border-right:10px double #101010;
```

We elaborate extensively on the contents of our original six JSON files, add *Terms of Service*, *Purpose and Changes*, rewrite *Licensing*, and formalize the language of *Modifications we made on the data*.

Main_Page.html

The central map of Mississauga is removed because we did not end up using it.

Deleted

```
.mapBox{
  border:10px groove #8B0000;
  text-align: center;
  margin: 0 auto;
  margin-left: 25vw;
  margin-right: 25vw;
  height: 27vw;
  width: 48vw;
}
```

As well as the image, which was generated by

```
<section>
  <p class = "mapBox">
    <img src = "images/yea.png">
  </p>
</section>
```

And replaced this with a Yelp logo.

```

```

Our div .css method does the same thing as the previously mentioned section method.

```
div{
  padding: 50px;
  margin: 10px;
  background-color:rgb(255,255,255,0.8) ;
  width:80%;
  margin: 80px auto;
}
```

We therefore nest them together as such to get two nested (overlapping) boxes for each section

```
<div class="whyyouhere">
  <h1>Restaurant Reviews </h1>
  <hr>
  <section>
    <p class="opening">
      Here you can...
    </p>
    <p>
      Gaining valuable insights...
    </p>
    
  </section>
</div>
```

Added three side-by-side audience types – Consumer, Restaurant Owners and Food Critics/Researchers

Instead of the search box with associated css as follows

```
<input type = 'text' placeholder = 'Search for your favorite restaurant' id = 'searchBox' />
<div id = 'magnifyingGlass'>
  <img src = 'images/magnifyingGlass.jpg' />
</div>

#searchBox{
  border: #a0a0a0;
  border-radius: 25px;
  float: left;
  width: 30vw;
  height: 25px;
  font-size: 1em;
  padding: .6em 0 .4em 3em;
  box-shadow: 2px 2px 2px 2px #808080;
  margin-left: 31.5vw;
```

```

    }

    #magnifyingGlass{
        text-align: center;
        width: 30px;
        float: left;
        text-indent: -65vw;
        padding: .6em 0 0 0;
    }

    #magnifyingGlass img{
        width: 20px;
    }

```

We moved the search box to the bottom half of the page and modified its characteristics, redirecting to our static “Results” page

```

<form action="/results" method="post">
    <label for="fname">Explore a restaurant</label>
    <input type="text" name="query" placeholder="Search for specific name"></input>
    <input type="submit" value="Submit">
</form>

```

Removed index.html which was a very early version of the main page.

Sample_Query.html

Changed title “Restaurant Reviews” to “Search Results”

Brightened the color of the query box

From

```

.queryBox{
    border: 10px ridge #8B0000;
    background-color: #FFC72C;
    padding: .5rem;
    display: flex;
    justify-content: center;
    width: 70vw;
    margin-left: 15vw;
    margin-right: 15vw;
}

```

```

.queryBox img{
    float: right;
    border-radius: 8px;
    max-width: 50%;
    height: auto;
}

```

To

```

.queryBox{
    border: 10px ridge #8B0000;
    background-color: rgb(255,255,153,0.8);
    padding: .5rem;
    display: flex;
    justify-content: center;
    width: 80%;
    /* margin-left: 15vw;
    margin-right: 15vw; */
}

```

```

.queryBox img{
    float: right;
    border-radius: 8px;
    max-width: 50%;
    height: auto;
}

```

Note that the image settings remain unchanged, while the image+text have been enclosed in a smaller white section.

Our filters

```
<h3>Filters</h3>
```

```
<input type = "datetime-local" style = "float: left; float: inline-grid;">Open/Close Time </input>
</br>
</br>
<input type = "range" style = "float: left; float: inline-grid;"> Rating </input>
</br>
Your search retrieved 23000 results.
<hr>
```

And search box

```
<input type = 'text' placeholder = 'Search for your favorite restaurant' id = 'searchBox' />
<div id = 'magnifyingGlass'>
  <img src = 'images/magnifyingGlass.jpg' />
```

Have also been removed. We added a new search box with a minimum star filter.

```
<section>
  <form action="/results" method="post">
    <input type="text" name="query"></input>
    <input type="submit" value="Search"></input>
    <label for="stars">Minimum stars (between 0 and 5):</label>
    <input type="range" id="stars" name="stars" min="0" max="5">
  </form>
</section>
```