

The Distributed Firing Squad Problem: A Review of Temporal Inconsistencies Between Computation and Physics

Varun Datta, Dean Gladdish, Dugan Hammock, David Johnston, Sahas Mulamala + [Claude Sonnet 4](#)

June 26, 2025

This review examines the distributed firing squad problem as a lens for understanding fundamental tensions between computational notions of simultaneity and physical concepts of time. We trace the evolution from classical synchronization problems through logical timestamp mechanisms to the breakdown of causal ordering in realistic network topologies. The analysis reveals how Lamport’s definite causal ordering conflicts with relativistic physics and demonstrates systematic violations of logical simultaneity assumptions in unreliable networks. Through examination of high-stakes applications including financial transactions and nuclear safety systems, we argue for domain-aware consistency models that embrace rather than eliminate causal uncertainty.

Introduction

The distributed firing squad problem represents more than a classical synchronization challenge—it serves as a window into fundamental questions about the nature of time, causality, and coordination in distributed systems.¹ At its core lies a deceptively simple question: how can spatially separated processes coordinate to act “simultaneously” when they can only communicate through message passing?

This question immediately exposes tensions between computational requirements and physical reality. Computer science seeks definite, reproducible ordering of events to enable consistent reasoning about system states. Physics, particularly relativity theory, tells us that simultaneity is observer-dependent and that no universal “now” exists.²

The implications extend far beyond theoretical interest. Modern distributed systems—from financial trading platforms executing million-dollar transactions to nuclear safety systems preventing catastrophic failures—rely on coordination mechanisms that assume properties of time and causality that may be fundamentally incompatible with physical reality.

¹ Leslie Lamport. Time, clocks, and the ordering of events in a distributed system. *Communications of the ACM*, 21 (7):558–565, 1978

The classical firing squad problem involves soldiers in a line who must all fire at the same moment after receiving a command from their general. The distributed variant generalizes this to arbitrary network topologies.

² Albert Einstein. Zur elektrodynamik bewegter körper. *Annalen der physik*, 17 (10):891–921, 1905

Historical Context and Classical Solutions

The Original Firing Squad Problem

The firing squad synchronization problem, introduced by Moore in 1964,³ concerns n finite automata arranged in a line. The general at one end must synchronize all soldiers to fire simultaneously in minimal time. The challenge lies in propagating the firing command while ensuring perfect coordination despite the discrete, step-wise nature of the communication.

The classical solution employs a carefully orchestrated sequence of signal propagations. Signals travel from the general toward the far end while simultaneously signals are reflected back, creating a pattern of wave fronts that converge at precisely the moment when all soldiers must fire.

³ Edward F Moore. The firing squad synchronization problem. *Sequential machines: selected papers*, pages 213–214, 1964

Moore’s original problem required solving synchronization in exactly $2n - 2$ time steps, which was proven optimal for the line topology.

Extension to Distributed Systems

The distributed variant generalizes this challenge to arbitrary network topologies where processes must coordinate actions despite communication delays, network failures, and lack of global clocks.⁴ Unlike the classical version with its discrete time steps and perfect reliability, distributed systems face fundamental uncertainties about message delivery times and causal relationships between events.

This generalization forces us to confront basic questions about temporal ordering in distributed systems:

- What does “simultaneous” mean when processes are spatially separated?
- How can we establish causal relationships between events without global time?
- What happens when the infrastructure itself affects the coordination protocol?

⁴ Nancy A Lynch. *Distributed algorithms*. Morgan Kaufmann, 1996

Logical Time and the Illusion of Definite Causality

Lamport’s Logical Clocks

Lamport’s seminal 1978 paper introduced logical clocks as a solution to temporal ordering in distributed systems.⁵ The key insight was to abandon physical time in favor of causal relationships captured by the happens-before relation $\rightarrow$.

For events a and b , we say $a \rightarrow b$ if:

1. a and b occur on the same process and a occurs before b

⁵ Leslie Lamport. Time, clocks, and the ordering of events in a distributed system. *Communications of the ACM*, 21 (7):558–565, 1978

The happens-before relation creates a partial order on events based on causal dependencies rather than physical time.

2. a is the sending of a message and b is the receipt of that message
3. There exists an event c such that $a \rightarrow c$ and $c \rightarrow b$ (transitivity)

Logical timestamps provide a mechanism to totally order events while respecting causal dependencies. If $a \rightarrow b$, then the logical timestamp of a must be less than that of b .

Properties of Definite Causal Order

Lamport's approach assumes several crucial properties:

Irreversibility: Once we establish that event A happened before event B , this relationship is permanent and globally consistent.

Monotonicity: Logical timestamps always increase, never decrease or fluctuate.

Transitivity: If $A \rightarrow B$ and $B \rightarrow C$, then definitively $A \rightarrow C$.

These properties serve computation well by providing stable foundations for distributed algorithms. Processes can make decisions based on causal histories without worrying about retroactive invalidation.

These properties enable consistent reasoning about system states and support conflict resolution in distributed protocols.

Vector Clocks and Multidimensional Causality

Vector clocks, developed independently by Fidge⁶ and Mattern,⁷ extend logical timestamps to capture the multidimensional nature of causality. Each process maintains a vector of logical timestamps, one per process in the system.

Vector clocks can determine whether events are causally related or concurrent, addressing limitations of scalar logical timestamps. However, they still assume definite local orderings and globally consistent causal relationships.

⁶ Colin J Fidge. Timestamps in message-passing systems that preserve the partial ordering. *Australian Computer Science Communications*, 10(1):56–66, 1988

⁷ Friedemann Mattern. Virtual time and global states of distributed systems. *Parallel and Distributed Algorithms*, 1(23): 215–226, 1988

Physical Reality: Relativistic Challenges to Simultaneity

Special Relativity and Observer-Dependent Time

Einstein's special relativity fundamentally challenges computational notions of simultaneity.⁸ The theory reveals that simultaneity is not absolute but depends on the observer's reference frame. Events that appear simultaneous to one observer may be sequential to another observer in relative motion.

This creates three fundamental categories of event relationships:

Timelike separation: Events have definite causal order—one event can influence the other through signals traveling at or below light speed.

⁸ Albert Einstein. Zur elektrodynamik bewegter körper. *Annalen der physik*, 17 (10):891–921, 1905

The speed of light creates an absolute limit on information propagation, making true physical simultaneity across spatial separation impossible.

Lightlike separation: Events are marginally causally connected through signals traveling exactly at light speed.

Spacelike separation: Events have no definite temporal ordering—they are simultaneous in some reference frame.

Indefinite Causal Order in Physics

Recent developments in quantum mechanics reveal even more exotic possibilities. Quantum superposition can extend to causal structures themselves, creating scenarios with indefinite causal order.⁹

In these quantum scenarios, the sequence $A \rightarrow B \rightarrow C$ can exist in superposition with $B \rightarrow A \rightarrow C$. The causal order itself becomes a quantum mechanical property that remains indefinite until measurement.

This represents a profound departure from classical notions of definite causal sequence and raises questions about whether distributed systems should embrace rather than eliminate causal uncertainty.

Network Topology and Infrastructure Effects

The p -Valency Graph Model

Real distributed systems operate on complex network topologies that significantly affect coordination protocols. Consider a system modeled as a graph $G = (V, E)$ where each node has valency $p \in \{4, 5, 6, 7, 8\}$, representing servers with packet forwarding capabilities from any port to any other port.

Members of the firing squad are arbitrarily distributed among these nodes, connected by variable-length links that introduce non-uniform delays. This topology creates several challenges absent from idealized models:

Path Dependency: Multiple routes exist between firing squad members. A coordination message from member A to member C might travel path $A \rightarrow B \rightarrow C$ or path $A \rightarrow D \rightarrow E \rightarrow C$. Different path lengths create different apparent logical timestamps for the same causal event.

Causality Dilution: Intermediate forwarding nodes become unintended participants in the causal chain. When node B forwards A 's message to C , B 's logical clock updates, creating artificial causal dependencies not present in the original firing squad protocol.

Network Diameter Effects: The maximum shortest path between firing squad members varies dramatically. Achieving logical simultaneity requires waiting for the slowest path to complete, but identifying that critical path requires global knowledge that violates distributed system principles.

⁹ Ognjan Oreshkov, Fabio Costa, and Časlav Brukner. Quantum correlations with no causal order. *Nature communications*, 3(1):1092, 2012; and Giulio Chiribella, Giacomo Mauro D'Ariano, Paolo Perinotti, and Benoît Valiron. Quantum computation with indefinite causal order. *Physical Review A*, 88(2):022318, 2013
Quantum indefinite causal order suggests that causal uncertainty may be fundamental rather than merely a limitation of current systems.

High-valency graphs create multiple paths between any two nodes, leading to path-dependent causality.

Reliable Networks: Path-Dependent Causality

Even under perfect reliability, network topology fundamentally affects causal relationships. The same logical coordination event can manifest at different logical times depending on the communication path taken.

Consider firing squad member A broadcasting a coordination decision to all other members. In a simple ring topology, the message propagates in a predictable sequence. In a high-valency graph, the message may reach different members through paths of varying lengths, creating the illusion that A 's decision occurred at multiple different logical times.

This path dependency reveals that network infrastructure is not neutral—it actively participates in shaping causal relationships. The firing squad protocol becomes dependent on topology-specific timing properties rather than purely logical coordination.

Infrastructure timing becomes entangled with application-level causality, contaminating the logical simultaneity protocol.

Unreliable Networks: Systematic Violations of Definite Causal Order

Message Reordering and Temporal Inversion

Network unreliability systematically violates the assumptions underlying Lamport's definite causal ordering. Consider firing squad member A sending sequence messages M_1, M_2 to member B through different paths due to load balancing or routing changes.

If M_2 arrives before M_1 due to path delay differences, recipient B faces a fundamental causality paradox. Processing M_2 first causes B 's logical clock to advance based on M_2 's timestamp. When M_1 arrives later with an "earlier" logical timestamp, the system must choose between:

- Violating monotonicity by retroactively adjusting B 's logical time
- Accepting that causal order is not definite
- Buffering messages indefinitely to preserve ordering

Each option violates fundamental assumptions of logical timestamp systems, revealing the brittleness of definite causal order.

Duplication-Induced Causal Multiplication

Message duplication across multiple network paths creates multiple versions of the same causal event, each potentially carrying different logical timestamps due to varying path delays.

When firing squad member B receives multiple copies of the same coordination message from member A , which timestamp represents

the “real” causal relationship? The first arrival? The last arrival? The timestamp with the earliest value?

Each duplicate creates a different version of causal history. If different firing squad members see different duplicates, they develop inconsistent views of the coordination sequence. The single, definite causal order assumed by logical timestamp systems fragments into multiple incompatible histories.

Dropped Messages and Causal Phantoms

Message loss creates even more subtle violations of causal consistency. When coordination messages are dropped, firing squad members may operate under the assumption of causal dependencies that never actually existed.

Member *A* might believe it has established a causal dependency on member *B*’s decision, while *B* never sent that decision due to a dropped message. *A* operates under a causal order that exists only as a phantom—a logical relationship without physical foundation.

These causal phantoms can propagate through the system as members forward information based on their incomplete views of the causal graph. The result is a coordination protocol operating on partially fictional causal relationships.

Causal phantoms reveal that logical causality can become divorced from actual communication events.

Partition-Induced Causal Divergence

Network partitions represent the most severe challenge to definite causal order. When firing squad members become separated into disconnected subgroups, each partition develops its own independent causal history.

During the partition, subgroup S_1 might conclude that coordination should proceed, while subgroup S_2 simultaneously concludes that coordination should abort. Each decision is logically consistent within its partition’s causal context.

When the partition heals, the system faces two equally valid but contradictory causal orders. Lamport’s framework provides no mechanism for resolving this fundamental ambiguity—it assumes a single, globally consistent causal order that simply does not exist.

High-Stakes Applications: When Causal Uncertainty Becomes Critical

Financial Transaction Systems: Million-Dollar Coordination

In financial systems executing high-value atomic transfers, the firing squad represents distributed transaction coordinators ensuring

atomic commitment—all nodes must “fire” (commit) or none should fire at all.

Causal uncertainty in this context creates specific, quantifiable risks:

Double-spend scenarios: Network partitions causing divergent causal histories enable the same \$1 million to appear simultaneously spent and unspent in different parts of the system. Attackers might exploit this temporal window to execute multiple transfers of the same funds.

Temporal arbitrage: Unreliable logical timestamps create opportunities for malicious actors to exploit causal ambiguity. Carefully crafted transaction sequences could appear to occur in different orders to different validators, enabling profitable arbitrage based on information that technically exists in multiple temporal states.

Regulatory compliance failure: Financial audits require definitive proof that transaction *A* occurred before transaction *B*. Under causal uncertainty, this proof becomes probabilistic rather than definitive, potentially violating regulatory requirements for auditable transaction histories.

Cascading liquidation risks: In margin trading systems, the temporal ordering of price updates and position liquidations becomes critical. Causal uncertainty could cause liquidation decisions based on stale or inconsistent price information, leading to systemic financial risks.

For financial systems, “good enough” coordination might mean accepting *probabilistic consistency* with bounded economic exposure. The system tolerates some causal ambiguity but ensures that monetary damage from coordination failures remains quantifiable and insurable.

Financial regulations often require auditable proof of transaction ordering, which becomes impossible under causal uncertainty.

Nuclear Safety Systems: Catastrophic Failure Modes

Nuclear weapons testing scenarios present far more severe challenges because the firing squad represents distributed safety interlocks that must unanimously agree before allowing irreversible actions.

Causal uncertainty creates existential risks:

False positive coordination: Message duplication might cause safety systems to incorrectly conclude that other nodes have approved the test when critical safety checks never actually occurred. The system achieves “logical simultaneity” for weapon activation based on phantom causal relationships.

Causal masking of safety violations: Network delays could cause abort signals to arrive after the coordination decision, with logical timestamps incorrectly suggesting that “all systems were go” when

Unlike financial transactions, nuclear actions cannot be “rolled back” if coordination fails.

critical safety violations were actually occurring.

Split-brain authorization: Network partitions could create scenarios where different safety system subgroups reach contradictory conclusions about test authorization. Unlike financial systems with reversible transactions, nuclear detonations cannot be undone.

Byzantine safety failures: If some safety nodes are compromised and send false coordination messages, causal uncertainty makes it significantly harder to distinguish between legitimate coordination and malicious manipulation of the coordination protocol.

In nuclear safety contexts, “good enough” coordination is essentially never acceptable. The system requires either:

- Deterministic causal proof with cryptographic evidence chains
- Conservative failure modes where any causal uncertainty triggers automatic abort
- Physical air-gaps that eliminate network-induced causal uncertainty entirely

Theoretical Implications: Beyond Definite Causal Order

The Semantic Safety Problem

The analysis reveals that logical simultaneity is not merely a technical challenge but fundamentally a problem of *semantic safety* under causal uncertainty. The distributed firing squad problem becomes: how do we make coordinated decisions when we cannot reliably determine what other nodes decided and when they decided it?

Different application domains exhibit vastly different tolerance for causal uncertainty:

Financial systems can tolerate bounded causal ambiguity because money has quantifiable risk, reversibility mechanisms, and insurance frameworks.

Safety-critical systems cannot tolerate any causal ambiguity because consequences are unquantifiable and irreversible.

Social media systems may actually benefit from causal uncertainty, as approximate ordering of posts and comments often reflects the natural ambiguity of human conversation timing.

This suggests we need *domain-aware consistency models* that understand the semantic consequences of coordination failures rather than pursuing universal logical timestamp solutions.

Domain-specific semantics, rather than universal logical properties, should drive coordination protocol design.

Probabilistic Causal Reasoning

Rather than maintaining the fiction of definite causal order, distributed systems might embrace probabilistic causal reasoning. Instead of asserting that $A \rightarrow B$, systems would maintain probability distributions over possible causal relationships.

Coordination decisions would be based on confidence intervals rather than absolute certainties. The firing squad would “fire” when the probability of successful coordination exceeds domain-specific thresholds rather than when definite logical simultaneity is achieved.

This approach acknowledges that causal uncertainty is fundamental rather than a problem to be solved. Just as quantum mechanics abandoned deterministic particle trajectories while still enabling useful predictions, distributed systems might abandon definite logical simultaneity while still providing appropriate coordination guarantees.

Probabilistic causality mirrors quantum mechanics’ abandonment of deterministic trajectories while still enabling useful predictions.

Bounded Causal Uncertainty

An alternative approach focuses on bounding rather than eliminating causal uncertainty. Systems would be designed to ensure that the semantic consequences of causal ambiguity remain within acceptable limits.

For financial systems, this might mean ensuring that the maximum potential financial loss from causal uncertainty remains below a specified threshold. For safety systems, it might mean guaranteeing that causal uncertainty never enables unsafe actions, even if it occasionally prevents safe ones.

Connections to Quantum Mechanics

The indefinite causal order observed in quantum mechanics¹⁰ provides a natural model for distributed systems operating under causal uncertainty. Quantum superposition of causal structures suggests that causal indefiniteness may be fundamental rather than merely a limitation of current distributed computing paradigms.

Quantum-inspired distributed protocols might explicitly embrace causal superposition, making decisions based on quantum-like probabilistic reasoning about causal relationships. Such systems would naturally accommodate the causal uncertainty inherent in realistic network environments.

¹⁰ Ognyan Oreshkov, Fabio Costa, and Časlav Brukner. Quantum correlations with no causal order. *Nature communications*, 3(1):1092, 2012

Future Research Directions

Causal Uncertainty Metrics

Developing quantitative measures of causal uncertainty would enable systematic analysis of distributed system reliability. Proposed metrics might include:

Causal confidence: The probability that an observed causal relationship reflects actual causality rather than infrastructure artifacts.

Temporal stability: The likelihood that causal ordering remains consistent across different observation points in the network.

Coordination robustness: The degree to which coordination protocols maintain semantic correctness despite causal uncertainty.

Formal metrics would enable empirical comparison of different approaches to handling causal uncertainty.

Domain-Specific Consistency Models

Future work should develop consistency models tailored to specific application domains rather than pursuing universal solutions. Financial systems, safety-critical systems, social networks, and scientific computing applications each have distinct tolerance profiles for causal uncertainty.

Hybrid Physical-Logical Approaches

Research might explore hybrid approaches that combine logical timestamps with physical constraints from relativity theory. Such systems would respect both computational requirements for consistent ordering and physical limits on simultaneity.

Conclusion

The distributed firing squad problem serves as more than a classical synchronization challenge—it reveals fundamental tensions between computational assumptions and physical reality that permeate modern distributed systems.

Our analysis demonstrates that Lamport’s definite causal ordering, while computationally convenient, systematically conflicts with both relativistic physics and practical network constraints. Realistic network topologies and failure modes violate the basic assumptions underlying logical timestamp protocols in ways that cannot be easily repaired.

Rather than viewing causal uncertainty as a problem to be solved, we argue it should be embraced as a fundamental property of distributed systems. The path forward lies not in more sophisticated logical timestamp mechanisms but in developing domain-aware

The physics analogy proves instructive: quantum mechanics succeeded by embracing rather than fighting fundamental uncertainties.

protocols that provide appropriate semantic guarantees despite underlying causal indefiniteness.

The physics analogy proves instructive. Just as quantum mechanics abandoned the classical ideal of deterministic, observable particle trajectories while still enabling extraordinarily useful predictions, distributed systems may need to abandon the ideal of definite logical simultaneity while still providing domain-appropriate safety and liveness guarantees.

The distributed firing squad problem, viewed through this lens, becomes less about achieving perfect coordination and more about understanding the fundamental limits of coordination in a universe where simultaneity itself is observer-dependent and causality may be indefinite.

Future distributed systems will likely succeed not by eliminating causal uncertainty but by embracing it as a fundamental aspect of computation in physical reality. The firing squad will learn to coordinate effectively even when they cannot determine exactly when—or even whether—their comrades have decided to fire.

References

- Giulio Chiribella, Giacomo Mauro D’Ariano, Paolo Perinotti, and Benoît Valiron. Quantum computation with indefinite causal order. *Physical Review A*, 88(2):022318, 2013.
- Albert Einstein. Zur elektrodynamik bewegter körper. *Annalen der physik*, 17(10):891–921, 1905.
- Colin J Fidge. Timestamps in message-passing systems that preserve the partial ordering. *Australian Computer Science Communications*, 10(1):56–66, 1988.
- Leslie Lamport. Time, clocks, and the ordering of events in a distributed system. *Communications of the ACM*, 21(7):558–565, 1978.
- Nancy A Lynch. *Distributed algorithms*. Morgan Kaufmann, 1996.
- Friedemann Mattern. Virtual time and global states of distributed systems. *Parallel and Distributed Algorithms*, 1(23):215–226, 1988.
- Edward F Moore. The firing squad synchronization problem. *Sequential machines: selected papers*, pages 213–214, 1964.
- Ognyan Oreshkov, Fabio Costa, and Časlav Brukner. Quantum correlations with no causal order. *Nature communications*, 3(1):1092, 2012.