



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/20/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
05330	HSS STEP DRILL BIT 9MM x 36MM	TF SAFE:CON 01	19	0	19
DD-4MSW	EXTENSION CORD, MULTI-SOCKET	TF SAFE:CON 03	494	0	494
DHSDS41	3/8-INCH CARBIDE-TIPPED SDS-PLUS ROTARY HAMMER DRILL BIT FOR CONCRETE, PACK OF 6	TF SAFE:CON 03	1	0	1
DS-CSK-4.2X20-100	4.2 x 20MM COUNTERSUNK DRILL SCREWS BZP (PACK OF 100)	TF SAFE:CON 03	1	0	1
GX-HS ARBR1	SMALL ARBOR 14-30MM HOLES AW	TF SAFE:CON 03	2	0	2
HB835B	M8x35MM HEX HEAD SET SCREW 100EA/PK	TF SAFE:CON 03	2	0	2
HEX825 + HEXM8	BZP HEX SET SCREW M8x25MM (HEX825) + BZP HEX NUT M8 (HEXM8)	TF SAFE:CON 03	1	0	1
HEY3998	KNOCKOUT SEAL, GREY, 3/4"	TF SAFE:CON 03	100	0	100
HTB3-C-M	UNDERGROUND HAZARD TAPE, YELLOW - "CAUTION"	TF SAFE:CON 03	1	0	1
LN50L	STEEL LOCKNUT, FOR RIGID & IMC, 1/2"	TF SAFE:CON 03	200	0	200
LN75L	STEEL LOCKNUT, FOR RIGID & IMC, 3/4"	TF SAFE:CON 03	100	0	100
OPS00135	FIRE EXTINGUISHER PULL PINS	TF SAFE:CON 03	900	0	900
PACG40CW	40MM CW ARMoured CABLE GLAND PACK	TF SAFE:CON 03	1	0	1
SPW08-5B40	M8 SQUARE PLATE WASHER BZP 40x40x5MM 100EA/BX	TF SAFE:CON 03	2	0	2
T30101	HSS MULTI-STEP DRILL 6-20MM	TF SAFE:CON 03	2	0	2
TCWK	CATENARY WIRE KIT 30M COIL & FIXTURES	TF SAFE:CON 03	1	0	1
X000YIU6XF	OUTLET PLUG ADAPTER, EURO TO US TYPE B	TF SAFE:CON 03	986	0	986
660020	HYDRAULIC CRIMPING TOOL, 10-400MM	TF SAFE:CON 04	1	0	1
GA4530R	ELECTRIC ANGLE GRINDER, 240V 4-1/2" (115MM)	TF SAFE:CON 04	1	0	1
GCL2-50G	PROFESSIONAL COMBI LASER	TF SAFE:CON 04	1	0	1
HK6022SETL	HAND-OPERATED HYDRAULIC CRIMPING TOOL 6-300MM WITH 95MM DIES	TF SAFE:CON 04	1	0	1
K09	SYNCHRO CRIMPING TOOL FOR DIN COMPRESSION CABLE LUGS & CONNECTORS 25-150MM	TF SAFE:CON 04	1	0	1
K354	CRIMPING TOOL FOR LUGS WITH INTERCHANGEABLE DIES, 6-150MM	TF SAFE:CON 04	1	0	1
0004-4146-PK	PVC SWA CABLE CLEATS, 25.3 TO 27.7MM NO.11 100EA/PK	TF SAFE:CON 05	2	0	2
117407	ELECTRICAL PVC PIPE, 1/2IN x 3M	TF SAFE:CON 05	50	0	50
13930-0001	SWITCH, 1-GANG 1 WAY 10A	TF SAFE:CON 05	20	0	20
13940	BLANKING PLATE, SET OF 10 x 5 MODULES (3PK/BOX)	TF SAFE:CON 05	4	0	4
13977	MODULAR MINI ENCLOSURE, 1 x 6 MODULES, IP65	TF SAFE:CON 05	1	0	1
14965-PK	TERMINAL BLOCK, 125A 14 HOLES, 20EA/PK	TF SAFE:CON 05	1	0	1
20MMO	GROMMET, PUSH IN RUBBER, 20MM	TF SAFE:CON 05	51	0	51
D013G5	2x2 HOLE RIGHT ANGLE 89x104MM (TYPE P1325) HOT DIP GALVANIZED	TF SAFE:CON 03	8	0	8
216-355-075	BRASS FULL NUT, 4MM, 100EA/PK	TF SAFE:CON 05	20	0	20
CNL8	M8 LONG SPRING CHANNEL NUTS BZP 100EA/BX	TF SAFE:CON 03	2	0	2
C16F3 + C163TM160	CIRCUIT BREAKER BASIC FRAME, COMPACT NSX160F, 36kA AT 415VAC 160A 3P (C16F3) + 3P3D TM160D TRIP UNIT (C163TM160)	TF SAFE:CON 03	1	0	1
SEA9BPN18	TYPE B PON DISTRIBUTION BOARD, 3P+N 250A 18WAYS 230/415V ACTI9 ISOBAR P	TF SAFE:CON 02	1	0	1
TEKHW1234	SCREW, HEX WASHER HEAD SELF DRILLING, 12 x 3/4", 100EA/BOX	TF SAFE:CON 02	207	0	207
U26660.016.0100	SCREW, TAPPING, AB PAN PHILLIPS, #8 x 1, 1LY63, 100EA/BOX	TF SAFE:CON 02	65	0	65
VT1108SG	SOCKET, METALCLAD RCD PROTECTED SINGLE SWITCHED	TF SAFE:CON 02	210	0	210
VT1208SG	SOCKET, METALCLAD RCD PROTECTED TWIN SWITCHED	TF SAFE:CON 02	202	0	202
WD8	NYLON WALL DRILLER ANCHORS, 100EA/BOX	TF SAFE:CON 02	9	0	9
WDK8N	#8 ANCHOR KIT WALL DRILLER KIT	TF SAFE:CON 02	6	0	6
WMZS3B40	CIRCUIT BREAKER, MINIATURE, 40A 5kA	TF SAFE:CON 02	1	0	1



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/20/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
085-180-030	M6x25MM ROOFING BOLTS & NUTS BZP (PACK OF 200)	TF SAFE:CON 03	1	0	1
10-6TQ	COPPER TUBE TERMINAL 10-6MM	TF SAFE:CON 03	20	0	20
200-124-090	4.2x13MM WAFER HEAD SELF DRILLING SCREWS ZP (PACK OF 200)	TF SAFE:CON 03	5	0	5
2-69-264	HEX KEY METRIC FOLDING SET 8-PC	TF SAFE:CON 03	1	0	1
30260 WA-B7	UNIVERSAL ADAPTER	TF SAFE:CON 03	1,687	0	1,687
440	STRAIGHT JAW TONGUE & GROOVE PLIERS 12"	TF SAFE:CON 03	2	0	2
58206-C14	POWER STRIP, 2P 3 WIRE, 6-OUTLET, 13A 250V	TF SAFE:CON 03	1,987	0	1,987
613-9328	INSULATED RING TERMINAL, M6 STUD SIZE, 1.5-2.5MM WIRE SIZE, BLUE	TF SAFE:CON 03	1	0	1
630705	COPPER LUGS 10MM HOLE FOR 25MM CABLE	TF SAFE:CON 03	6	0	6
630805	COPPER LUGS 10MM HOLE FOR 35MM CABLE	TF SAFE:CON 03	18	0	18
6BSL	BUTT SPLICE YELLOW 4-6MM 100EA/PK	TF SAFE:CON 03	1	0	1
A2XBK0015-100	SINGLE CABLE, 1.5MM, BLACK, 100M	TF SAFE:CON 03	186	0	186
A2XBK0025-100	SINGLE CABLE, 2.5MM, BLACK, 100M	TF SAFE:CON 03	195	0	195
A2XGR0015-100	SINGLE CABLE, 1.5MM, GREY, 100M	TF SAFE:CON 03	185	0	185
A2XGR0025-100	SINGLE CABLE, 2.5MM, GREY, 100M	TF SAFE:CON 03	196	0	196
A2XGY0025-100	SINGLE CABLE, 2.5MM, GREEN YELLOW, 100M	TF SAFE:CON 03	6	0	6
A9D31820	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+Ns-B20A-30mA 230/240V TYPE A	TF SAFE:CON 03	2	0	2
A9N18469	CIRCUIT BREAKER, MINIATURE, 100A 3P, 375V DC 440V AC TYPE C	TF SAFE:CON 03	2	0	2
AL600LS52K3	CIRCUIT BREAKER MECHANICAL LUG KIT, 400-600A 3P	TF SAFE:CON 03	3	0	3
AV07020	COMBINATION SPANNER SET 10-PIECE	TF SAFE:CON 03	1	0	1
C10F3	BASIC FRAME NSX100F 36kA 415VAC 3P 100A	TF SAFE:CON 03	2	0	2
C25F3TM200C	CIRCUIT BREAKER COMPACT NSX250F 36kA AT 415VAC, TMD TRIP UNIT 200A, 50 DEG C 3P 3D	TF SAFE:CON 03	1	0	1
SD633SW	SWITCH DISCONNECTOR (WITHOUT FUSE) 63A TRIPLE POLE AND NEUTRAL	TF SAFE:CON 02	46	0	46
216-355-080	BRASS WASHERS, 4MM, 500EA/PK	TF SAFE:CON 05	19	0	19
235439	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 40A 30mA 4P A-TYPE	TF SAFE:CON 05	10	0	10
DFA2	PVC FEMALE ADAPTORS WITH BUSH, 20MM, BLACK	TF SAFE:CON 05	360	0	360
DNC2	PVC HEAVY GAUGE COUPLING, 20MM, BLACK	TF SAFE:CON 05	1,149	0	1,149
DT100SG	GROUNDING KIT, HEAVY DUTY SAFETY SWITCH, 200A TYPE 82,000	TF SAFE:CON 05	1	0	1
EAM402H	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 40A DP 30mA TYPE AC	TF SAFE:CON 05	30	0	30
EL1068	DANGER 400 VOLTS, SAFETY LABELS, 50 x 25MM, 50EA/PK	TF SAFE:CON 05	42	0	42
EX132	TWIN SOCKET, 13A 250V	TF SAFE:CON 05	5	0	5
EXW132	TWIN SOCKET, 13A	TF SAFE:CON 05	7	0	7
FAZ-B40/3	OVER CURRENT SWITCH, 40A 3P B	TF SAFE:CON 05	10	0	10
FENW38114	FENDER WASHERS ZINC PLATED, 3/8 x 1-1/4", 100EA/BOX	TF SAFE:CON 05	11	0	11
FFCC19	PVC STRIP CONNECTOR, 12-WAY, 240V RATED, 30A	TF SAFE:CON 05	708	0	708
GALV0136	M4 BRASS EARTH TERMINAL FOR METAL CONDUIT BOXES, 10EA/PK	TF SAFE:CON 05	20	0	20
GR15072	SURFACE ENCLOSURE,6-8 MODULES IP65 GRAY, 13W 400V, 170 x 170 x 98MM	TF SAFE:CON 05	14	0	14
GW50428	FLEXIBLE POLYMER CABLE GLAND - MOUNTING HOLE 19 - FOR EXTERNAL CONDUITS MAX 16MM - GREY RAL 7035	TF SAFE:CON 05	800	0	800
HSLED15BH/WP	LED CIRCULAR POLYCARBONATE FITTING, 15W IP65, WHITE 240V	TF SAFE:CON 05	18	0	18
K182WHI + K5830SAWHI	2 MODULE EURO FRAME 1G (K182WHI) + UK SOCKET 2 MODULE 1G 13A 250V (K5830SAWHI)	TF SAFE:CON 05	50	0	50
K2140WHI	SURFACE MOULDED BOX, 1-GANG 30MM	TF SAFE:CON 05	64	0	64



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/20/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
K2142WHI	SURFACE MOULDED BOX, 2-GANG 30MM	TF SAFE:CON 05	63	0	63
K4872WHI	PLATE SWITCH, 10A 2G SP 2 WAY	TF SAFE:CON 05	71	0	71
M4x30MM PHILLIPS	M4x30MM PHILLIPS PAN HEAD MACHINE SCREWS, BRASS, METRIC, FULL THREAD, RIGHT HAND, 50EA/PK	TF SAFE:CON 05	8	0	8
MCT100	100x50MM PVC CABLE TRUNKING C/W LID, 3M	TF SAFE:CON 05	8	0	8
MV781WHI	TWIN SOCKET, 13A 2GANG UNSWITCHED	TF SAFE:CON 05	48	0	48
OM1LS1	SWITCH, 1-GANG 1 WAY, PVC	TF SAFE:CON 05	79	0	79
RC1	ROD COUPLINGS ZINC PLATED, 1/4-20 x 7/8", 100EA/BOX	TF SAFE:CON 05	11	0	11
RC10-10	RING TERMINAL CONNECTOR, #10, 12-10 AWG, 50EA/BT	TF SAFE:CON 05	277	0	277
RC10-10F	PRESSURE TERMINAL CONNECTOR, FORK TERMINAL, #10, 12-10 AWG CU, YELLOW, 100EA/BT	TF SAFE:CON 05	230	0	230
SUPER 33+	TAPE, VINYL ELECTRICAL COLOR CODING, SUPER 33+ BLACK, 3/4" x 66'	TF SAFE:CON 05	45	0	45
TEMFLEX 1500 YELLOW/GREEN	TAPE, VINYL ELECTRICAL, TEMFLEX YELLOW/GREEN 3/4" x 30' x .005", 3M	TF SAFE:CON 05	60	0	60
U24540.013.0150	SCREW, MACHINE FLAT COUNTERSUNK SLOT, #6-32 x 1-1/2, 2FE13, 100EA/PK	TF SAFE:CON 05	98	0	98
VT1108	SOCKET, RCD PROTECTED SINGLE SWITCHED	TF SAFE:CON 05	67	0	67
D3833SZ125	ELECTRICAL KNOCKOUT HOLE PLUGS, 1"	TF SAFE:CON 05	232	0	232
235410	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 40A 30mA 4P A-TYPE AC-TYPE	TF SAFE:CON 05	31	0	31
D3683SZ200	ELECTRICAL KNOCKOUT HOLE PLUGS, 1/2"	TF SAFE:CON 05	415	0	415
CT-ED-SS-14-25	STAINLESS STEEL CABLE TIES, 14"	TF SAFE:CON 05	100	0	100
30-342	WIRE CONNECTOR, TWISTER, 18-6 AWG, GRAY, 50EA/BOX	TF SAFE:CON 05	102	0	102
30-451	WIRE CONNECTOR, WING-NUT, 18-10 AWG, YELLOW, 100EA/BOX	TF SAFE:CON 05	57	0	57
30-452	WIRE CONNECTOR, WING-NUT, 18-8 AWG, RED, 100EA/BOX	TF SAFE:CON 05	83	0	83
35 BLUE	TAPE, VINYL ELECTRICAL COLOR CODING, BLUE, 3/4" x 66'	TF SAFE:CON 05	73	0	73
35 BROWN	TAPE, VINYL ELECTRICAL COLOR CODING, BROWN, 3/4" x 66'	TF SAFE:CON 05	82	0	82
35 GRAY	TAPE, VINYL ELECTRICAL COLOR CODING, GRAY, 3/4" x 66'	TF SAFE:CON 05	89	0	89
44N4	M4 BRASS FULL NUT SELF COLOUR, 100EA/PK	TF SAFE:CON 05	16	0	16
5 PACK	METAL BACK BOX CLIPS	TF SAFE:CON 05	200	0	200
54936	CHOCBOX CONNECTOR BOX	TF SAFE:CON 05	6	0	6
8036H	ELECTRICAL SCREWS M3.5 x 50MM, 50EA/PK	TF SAFE:CON 05	28	0	28
85073	TWIN SOCKET, 13A 2GANG UNSWITCHED	TF SAFE:CON 05	15	0	15
911401836285	SMART PANEL LIGHT LED 34S/865 PSU W60L60 GM 40W 220-240V	TF SAFE:CON 05	45	0	45
A9D14806	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+Ns-C6A-30mA 230/240V TYPE A	TF SAFE:CON 05	10	0	10
A9D14845	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+Ns-C45A-30mA 240V TYPE A	TF SAFE:CON 05	16	0	16
A9F44325	CIRCUIT BREAKER, MINIATURE, 25A 3P C, 400V	TF SAFE:CON 05	16	0	16
A9F53106	CIRCUIT BREAKER, MINIATURE, 6A 1P B, 10kA	TF SAFE:CON 05	1	0	1
A9F53116	CIRCUIT BREAKER, MINIATURE, 16A 1P B, 230/400V	TF SAFE:CON 05	115	0	115
A9F53132	CIRCUIT BREAKER, MINIATURE, 32A 1P C, 230/400V	TF SAFE:CON 05	57	0	57
A9R11480	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 4P-80A-30mA-AC 415V	TF SAFE:CON 05	28	0	28
A9R11491	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 100A 30mA 4P AC, 400V/415V	TF SAFE:CON 05	17	0	17
A9R21491	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 100A 30mA 4P TYPE A 400V/415V	TF SAFE:CON 05	8	0	8
A9R71440	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 40A 30mA 4P AC, 400V	TF SAFE:CON 05	20	0	20
A9R71463	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 4P-63A-30mA-AC 415V	TF SAFE:CON 05	9	0	9



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/20/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
A9S66492	SWITCH DISCONNECTOR, ACTI9, 415V AC 125A 50/60Hz, 5kA, 4P	TF SAFE:CON 05	3	0	3
CF-BPIN25	BRASS PINS M4 x 25MM, 100EA/PK	TF SAFE:CON 05	39	0	39
CL011	SWITCH, 1-GANG 2 WAY, 10AX, METAL	TF SAFE:CON 05	238	0	238
CL012	SWITCH, 2-GANG 2 WAY, 10AX, METAL	TF SAFE:CON 05	230	0	230
CL035	SWITCH SOCKET OUTLET, 13A 1-GANG DP, METAL	TF SAFE:CON 05	260	0	260
CS056	M4 TRUSS HEAD SCREWS ASSORTMENT KIT, STAINLESS, 150PC, ASSORTED SIZES 8-16MM	TF SAFE:CON 05	4	0	4
CWP1JU	WATER PIPE GROUND CLAMP, 10-2 AWG, 1/2" - 1"	TF SAFE:CON 05	403	0	403
RB14-8F	FORK TERMINAL NYLON INSULATED, PRESSURE TERMINAL CONNECTOR, #8 BOLT, 18-14 AWG, 100EA/BTL	TF SAFE:CON 02	183	0	183
PWM825	M8x25MM PENNY WASHER BZP 100EA/PK	TF SAFE:CON 03	2	0	2
QO320L125GRB	LOAD CENTER, QO 3P 20 SPACES 20 CIRCUITS 125A FIXED MAIN LUGS, GND BAR	TF SAFE:CON 02	1	0	1
F4PPROSDS12.0X160	PRO SDS DRILL 12x160MM	TF SAFE:CON 01	1	0	1
G51PA	GROMMET STRIP	TF SAFE:CON 01	20	0	20
GW70435P	ISOLATOR INSULATION BOX EMERGENCY TYPE, 32A 3P 415V IP66/67/69	TF SAFE:CON 01	2	0	2
GX-DL41	DANGER 400 VOLTS, SAFETY LABELS, 75 x 25MM, 50EA/PK	TF SAFE:CON 01	99	0	99
HA25CW	25CW PVC SWA GLAND PACK, OUTDOOR	TF SAFE:CON 01	18	0	18
HA40CW	40CW PVC SWA GLAND PACK, OUTDOOR	TF SAFE:CON 01	2	0	2
HSLED15BH/WP	LED CIRCULAR POLYCARBONATE FITTING, 15W IP65, WHITE 240V	TF SAFE:CON 01	147	0	147
HSS/15/BL/100M	15MM + - HEAT SHRINK SLEEVE BLUE	TF SAFE:CON 01	100	0	100
HSS/15/BLK/100M	15MM + - HEAT SHRINK SLEEVE BLACK	TF SAFE:CON 01	97	0	97
HSS/15/BR/100M	15MM + - HEAT SHRINK SLEEVE BROWN	TF SAFE:CON 01	100	0	100
HSS/15/GRY/100M	15MM + - HEAT SHRINK SLEEVE GREY	TF SAFE:CON 01	100	0	100
HSS/15/GY/100M	15MM + - HEAT SHRINK SLEEVE GREEN/YELLOW	TF SAFE:CON 01	100	0	100
IS5810SA-10	CAUTION MIXED CABLE LABEL, BS7671, 130 x 60MM, 10 LABELS/PK	TF SAFE:CON 01	99	0	99
K4871WHI	PLATE SWITCH, 10A 1G SP 2 WAY	TF SAFE:CON 01	12	0	12
K4872WHI	PLATE SWITCH, 10A 2G SP 2 WAY	TF SAFE:CON 01	50	0	50
M20GB	COMPRESSION GLAND WITH LOCK NUT, BLACK, CABLE RANGE 6-12MM, IP68, M20 x 1.5, 10EA/PK	TF SAFE:CON 01	1	0	1
M20GW	M20 x 1.5 COMPRESSION GLAND, WHITE, 6-12MM, IP68, 10EA/PK	TF SAFE:CON 01	56	0	56
M2203	ROTARY ISOLATOR SWITCH, 20A 3P, IP67	TF SAFE:CON 01	4	0	4
M8X50	M8 x 50MM BRASS HEX HEAD BOLT, NUT & WASHER SET, 100EA/PK	TF SAFE:CON 01	27	0	27
MA20/W	MALE ADAPTOR, WHITE, 20MM	TF SAFE:CON 01	213	0	213
MBSH2	BENDING SPRING, 20MM HG	TF SAFE:CON 01	3	0	3
MCL1WH	PVC CONDUIT CIRCULAR BOX LID, WHITE	TF SAFE:CON 01	16	0	16
MHS315	50MM BI-METAL HOLE SAW	TF SAFE:CON 01	2	0	2
MMT2SFWH	PVC SELF ADHESIVE MINI TRUNKING, WHITE, 3 METERS, 25 x 16MM	TF SAFE:CON 01	32	0	32
NFFP15	FILLER PLATES	TF SAFE:CON 01	33	0	33
OBX-HD-5.5X20-200	5.5 x 20MM WAFER HEAD DRILL SCREWS (PACK OF 200)	TF SAFE:CON 01	4	0	4
P1031HG	4-HOLE FLAT T-SHAPED FITTING, HOT DIP GALVANIZED	TF SAFE:CON 01	8	0	8
P2072AHG	1-CHANNEL, HOT DIP GALVANIZED, STEEL, CENTERED, OFFSET, U POST, SQUARE BASE, CHANNEL POST BASE, 3-1/2" POST, 6" x 6" PAD, 9/16" HOLE	TF SAFE:CON 01	2	0	2
PACG50CW	50MM CW ARMoured CABLE GLAND PACK	TF SAFE:CON 01	1	0	1
EXVX1010	SWITCH, 1-GANG 1 WAY 10AX	TF SAFE:CON 01	164	0	164



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/20/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
PFBA20	FEMALE BUSH ADAPTOR, 20MM, BLACK	TF SAFE:CON 01	80	0	80
EDB14030	CIRCUIT BREAKER, 30A 1P 277V	TF SAFE:CON 01	12	0	12
DS-CSK-4.2X20-100	4.2 x 20MM COUNTERSUNK DRILL SCREWS BZP (PACK OF 100)	TF SAFE:CON 01	4	0	4
085-180-020	ROOFING BOLTS AND NUTS, M6 x 16MM	TF SAFE:CON 01	6	0	6
085-196-215	M10 PLAIN CHANNEL NUT BZP	TF SAFE:CON 01	2	0	2
088-183-030	M10 x 30MM HIGH TENS HEXAGON HEAD SET SCREW BZP	TF SAFE:CON 01	2	0	2
14965	TERMINAL STRIP, 124A 14 HOLES	TF SAFE:CON 01	11	0	11
20 CRB 2W	PVC CONDUIT TERMINAL BOX, WHITE, 20MM	TF SAFE:CON 01	150	0	150
20MMB-100	CLOSED RUBBER GROMMETS, 20MM, 100EA/PK	TF SAFE:CON 01	467	0	467
25CW2RA	M25 CW CABLE GLAND PACK	TF SAFE:CON 01	1	0	1
25MMB-100	CLOSED RUBBER GROMMETS, 25MM, 100EA/PK	TF SAFE:CON 01	476	0	476
293-6816-PK	M6 BRASS NUT, 100EA/PK	TF SAFE:CON 01	72	0	72
2MRB4WH	PVC CONDUIT ANGLE BOXES, 20MM, WHITE	TF SAFE:CON 01	235	0	235
2S/20	THROUGH BOX, 2-WAY, WHITE, 20MM	TF SAFE:CON 01	477	0	477
35-8TQ	COPPER TUBE TERMINAL 35-8MM	TF SAFE:CON 01	12	0	12
483-2384-PK	BRASS HEX BOLT, M6 x 25MM, 100EA/PK	TF SAFE:CON 01	62	0	62
5CORE X 6MM	6MM 5 CORE XLPE/LSZH/SWA/LSZH ARMoured CABLE	TF SAFE:CON 01	45	0	45
630605	COPPER LUGS 10MM HOLE FOR 16MM CABLE	TF SAFE:CON 01	10	0	10
631005-PK	COPPER LUGS 10MM HOLE FOR 70MM CABLE 100EA/PK	TF SAFE:CON 01	1	0	1
A9D11810	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+Ns-C10A-30mA TYPE A 240V	TF SAFE:CON 01	143	0	143
RB14-10	RING TERMINAL NYLON INSULATED, PRESSURE TERMINAL CONNECTOR, #10, 18-14 AWG CU, 50EA/BT	TF SAFE:CON 02	78	0	78
A9F84232	CIRCUIT BREAKER, MINIATURE, 32A 2P C, 400V	TF SAFE:CON 01	24	0	24
A9R24225	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 25A 300mA 2P TYPE A	TF SAFE:CON 01	52	0	52
A9R55225	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 25A 30mA 2P TYPE AC 230V	TF SAFE:CON 01	50	0	50
A9R56225	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 25A 300mA 2P TYPE AC	TF SAFE:CON 01	30	0	30
A9XPH124	COMB BUSBAR, ACTI 9, 100A 1P 24MOD	TF SAFE:CON 01	17	0	17
CHD32-64HEX	HEXAGON SHANK DRIVE ARBOR, 13MM	TF SAFE:CON 01	2	0	2
CLH2510S	TINNED CU CABLE LUGS, TUBULAR, 25-10	TF SAFE:CON 01	40	0	40
CLH5010S	TINNED CU CABLE LUGS, TUBULAR, 50-10	TF SAFE:CON 01	4,712	0	4,712
CLH68S	TINNED CU CABLE LUGS, TUBULAR, 6-8	TF SAFE:CON 01	9,389	0	9,389
CM1+C	STRAIGHT RESIN JOINT KIT FOR CABLES UP TO 16MM 4 CORE	TF SAFE:CON 01	2	0	2
CMA20W	PVC MALE ADAPTOR WITH LOCKRING, 20MM, WHITE	TF SAFE:CON 01	44	0	44
DT100SG	GROUNDING KIT, HEAVY DUTY SAFETY SWITCH, 200A TYPE 82,000	TF SAFE:CON 01	3	0	3
PK3MB	QO 3 PHASE MAIN BREAKER LOCK OFF RETAINING KIT	TF SAFE:CON 01	1	0	1
A9DA2620	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N C20 30mA-AC 230V	TF SAFE:CON 01	42	0	42
QO3100	PLUG-ON CIRCUIT BREAKER, 100A 3P 240V	TF SAFE:CON 01	1	0	1
EXW131	SOCKET, 13A UNSWITCHED SINGLE	TF SAFE:CON 02	1	0	1
EXW132SDP	TWIN SWITCHED SOCKET, 13A DP	TF SAFE:CON 02	2	0	2
EXW1GBP	BLANKING PLATE, 1-GANG	TF SAFE:CON 02	11	0	11
EXW2GBP	BLANKING PLATE 2-GANG	TF SAFE:CON 02	114	0	114
GMC131SS	SURFACE METALCLAD, 13A 1-GANG	TF SAFE:CON 02	273	0	273
H05VV-F	POWER CABLE, 3G1.5MM	TF SAFE:CON 02	166	0	166



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/20/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
H600SN	NEUTRAL ASSEMBLY, INSULATED GROUNDABLE, HEAVY DUTY SAFETY SWITCH, 400/600A	TF SAFE:CON 02	125	0	125
HA8	8 WAY CONSUMER UNIT C/W DOOR, DIN RAIL, EARTH & NEUTRAL BARS, BLANKS, RATING LABELS IP65	TF SAFE:CON 02	39	0	39
HAM40G	COMPRESSION GLAND, GREY 40MM IP68 10EA/PK	TF SAFE:CON 02	4	0	4
HBL2620	TWIST LOCK RECEPTACLE, 30A 250VAC 2P 3-WIRE GROUNDING	TF SAFE:CON 02	600	0	600
K2031WHI	SURFACE BOX, 40MM, 1-GANG, WHITE	TF SAFE:CON 02	891	0	891
K4873WHI	PLATE SWITCH, 10A 3G SP 2 WAY	TF SAFE:CON 02	175	0	175
K5230ALM	DP SURFACE METAL SWITCH WITH NEON, 50A	TF SAFE:CON 02	425	0	425
K56402GRY	SWITCH, 10A 2G SP 1 WAY IP66	TF SAFE:CON 02	9	0	9
K56481WHI	UNSWITCHED SOCKET, IP66, 13A 2G 250V	TF SAFE:CON 02	63	0	63
K9033BLU	COMMANDO PLUG, BLUE, 32A 250V	TF SAFE:CON 02	739	0	739
K9215RED	COMMANDO SOCKET, RED IP44, 16A 415V 5PIN	TF SAFE:CON 02	750	0	750
K9241RED	COMMANDO SOCKET, RED IP44, 32A 415V	TF SAFE:CON 02	730	0	730
LB1004P	ROTARY ISOLATOR SWITCH, 100A 4P (1P65)	TF SAFE:CON 02	102	0	102
M50G	COMPRESSION GLAND WITH LOCK NUT, GREY 50MM IP68 10EA/PK	TF SAFE:CON 02	41	0	41
MAB7	ADAPTABLE BOX, BLACK, 150x150x75MM	TF SAFE:CON 02	21	0	21
MHS25	BI-METAL MHS HOLES AW, 40MM	TF SAFE:CON 02	2	0	2
MU110A	CIRCUIT BREAKER, MINIATURE, 10A 1P C, 6kA	TF SAFE:CON 02	6	0	6
MU116A	CIRCUIT BREAKER, MINIATURE, 16A 1P C, 6kA	TF SAFE:CON 02	24	0	24
MU132A	CIRCUIT BREAKER, MINIATURE, 32A 1P C, 6kA	TF SAFE:CON 02	12	0	12
MXMC230	METALCLAD SWITCHED SOCKET, 13A 1-GANG 2P	TF SAFE:CON 02	5	0	5
NL8385/125	1-GANG PATTERESS BOX, 25MM	TF SAFE:CON 02	85	0	85
QO120	PLUG-ON CIRCUIT BREAKER, 20A 1P, 120/240V	TF SAFE:CON 02	363	0	363
PW625	M6 x 25MM PENNY WASHER BZP	TF SAFE:CON 01	7	0	7
EXSL45SN	SWITCH, SQUARE NEON, 45A DP	TF SAFE:CON 02	99	0	99
EXSC1GBP	BLANK PLATE, 1-GANG	TF SAFE:CON 02	90	0	90
LB634P	ROTARY ISOLATOR SWITCH, 63A 4P (1P65)	TF SAFE:CON 02	195	0	195
EX2GBP	BLANK PLATE, 2-GANG	TF SAFE:CON 02	26	0	26
QWS8-15	TWIN THREAD COUNTER SUNK POZI BZP 8x1.5", 200EA/BX	TF SAFE:CON 01	8	0	8
EXDP20	SWITCH, 20A 2P	TF SAFE:CON 02	153	0	153
SB 8/20W	2 GANG 32MM PVC SURFACE BOX ROUND CORNERS WITH 20MM KO, WHITE	TF SAFE:CON 01	10	0	10
SMI20-3	ROTARY ISOLATOR SWITCH, SURFACE MOUNTED, 20A 3P IP65	TF SAFE:CON 01	99	0	99
SRFL100G	SWIFTS 100MM HOT DIPPED GALVANIZED RETURN FLANGE HEAVY DUTY CABLE TRAY, 3 METER	TF SAFE:CON 01	14	0	14
SSBS20W	STEEL SPACER BAR SADDLE 20MM	TF SAFE:CON 01	360	0	360
STXH-2000	HEAT SHRINK GUN, 2000W	TF SAFE:CON 01	12	0	12
T3100 06	HSS DRILL BIT, 6MM SPLIT POINT	TF SAFE:CON 01	5	0	5
TB161	3-HOLE FLAT BEND PLATE FOR STRUT, 14MM HOLE	TF SAFE:CON 01	12	0	12
VX1307	PLUG TOP, 13A 3 PIN FUSED 250V	TF SAFE:CON 01	272	0	272
10060580	PVC ADAPTABLE BOX, COMBI 308/5, BLACK, IP66/67, 85x85x51MM	TF SAFE:CON 02	311	0	311
13982	MODULAR ENCLOSURE, KAEDRA, 1 x 18 MODULES, 1 TB IP65	TF SAFE:CON 02	11	0	11
1C X 25MM	25MM 1 CORE GREEN/YELLOW CABLE	TF SAFE:CON 02	25	0	25
1CX2.5MM-BL	2.5MM 1 CORE BLUE CABLE 100M	TF SAFE:CON 02	2	0	2
549210	THREADED BUSBAR, 25x4MM x 1M, M6 THREAD, 4EA/PK	TF SAFE:CON 02	1	0	1



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/20/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
STO4	100MM STAND OFF BRACKET FOR CABLE TRAY	TF SAFE:CON 01	52	0	52
902	SURFACE BOX SQUARE EDGE 2G 32MM WHITE	TF SAFE:CON 02	177	0	177
650011	CABLE TIE, BLACK, 4.8x300MM 100EA/PK	TF SAFE:CON 02	40	0	40
EX11S	SWITCH, 10A 1-GANG 1 WAY	TF SAFE:CON 02	1	0	1
EDB14040	CIRCUIT BREAKER, 40A 1P 277V	TF SAFE:CON 02	3	0	3
EDB14030	CIRCUIT BREAKER, 30A 1P 277V	TF SAFE:CON 02	15	0	15
EDB14060	CIRCUIT BREAKER, 60A 1P 277V	TF SAFE:CON 02	3	0	3
E324P	ROTARY ISOLATOR, SURFACE MOUNTING, 32A 4P	TF SAFE:CON 02	136	0	136
DT465UDK	DOUBLE THROW SAFETY SWITCH 400A 600V 4P 4 WIRE NON-FUSED NEMA 12	TF SAFE:CON 02	1	0	1
EDB14020	CIRCUIT BREAKER, 20A 1P 277V	TF SAFE:CON 02	2	0	2
CEDS20	SWITCH, 20 AX, DOUBLE POLE	TF SAFE:CON 02	119	0	119
B29	BLANK PLATE, 2-GANG, B29	TF SAFE:CON 02	130	0	130
B11U	SOCKET, TWIN UNSWITCHED	TF SAFE:CON 02	18	0	18
A9D14820	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N-20A-30mA-AC 240V TYPE A	TF SAFE:CON 02	269	0	269
CMA 25W	25MM MALE ADAPTOR WITH LOCKRING, WHITE	TF SAFE:CON 02	80	0	80

Audit Date: 11/21/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
DCCDSO	1-GANG DUPLEX RECEPTACLE COVER, STAY OPEN LID, HORIZONTAL DEVICE MOUNT, SILVER	TF SAFE:CON 07	500	0	500
CHF260	CIRCUIT BREAKER, 60A 2P, 120/240V	TF SAFE:CON 07	124	0	124
DPL2	20MM PVC FLEXIBLE CONDUIT, 50M BLACK	TF SAFE:CON 07	6	0	6
EAM1004H	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 100A 4P 30mA TYPE AC	TF SAFE:CON 07	2	0	2
CHF250	CIRCUIT BREAKER, 50A 2P, 120/240V	TF SAFE:CON 07	125	0	125
EAM804H	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 80A 4P 30mA TYPE AC	TF SAFE:CON 07	6	0	6
EMCH220	CIRCUIT BREAKER, MINIATURE, 20A 10kA	TF SAFE:CON 07	2	0	2
EMCH225	CIRCUIT BREAKER, MINIATURE, 25A 10kA	TF SAFE:CON 07	3	0	3
EMCH232	CIRCUIT BREAKER, MINIATURE, 32A 10kA	TF SAFE:CON 07	3	0	3
GMCINT	EXCLUSIVE SURFACE METALCLAD INTERMEDIATE PLATE SWITCH, GREY, 1-GANG	TF SAFE:CON 07	492	0	492
EXWDP20	SWITCH, 1-GANG 20A 250V	TF SAFE:CON 07	7	0	7
EZ9D16820	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N _s B20 30mA-A 230V TYPE A	TF SAFE:CON 07	19	0	19
GMC1012	PLATE SWITCH, EXCLUSIVE, 10AX 1-GANG 2 WAY	TF SAFE:CON 07	327	0	327
GMC20S	SURFACE METALCLAD CONTROL SWITCH, GREY, 20AX DP	TF SAFE:CON 07	998	0	998
GW52047	PVC COMPRESSION GLAND, M40x1.5 IP68 10EA/PK	TF SAFE:CON 07	1	0	1
GW70415P	ROTARY ISOLATOR SWITCH, 40A 4P IP66/67/69	TF SAFE:CON 07	34	0	34
GW94617	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 25A 2P 230V TYPE AC	TF SAFE:CON 07	8	0	8
CHF240	CIRCUIT BREAKER, 40A 2P, 120/240V	TF SAFE:CON 07	125	0	125
H23CS8X138	SCREW, HEX CAP, 3/8-16 x 1-3/4IN GR 8, 600EA/BOX	TF SAFE:CON 07	7	0	7
H2CS38X134	SCREW, HEX CAP, 3/8-16 x 1-3/4IN, 100EA/BOX	TF SAFE:CON 07	59	0	59
EMCH316	CIRCUIT BREAKER, MINIATURE, 16A 10kA	TF SAFE:CON 07	2	0	2
CHF230	CIRCUIT BREAKER, 30A 2P, 120/240V	TF SAFE:CON 07	125	0	125
A9D11816	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N _s -C16A-30mA 240V TYPE A	TF SAFE:CON 07	1	0	1
CHF130	CIRCUIT BREAKER, 30A 1P, 120/240V	TF SAFE:CON 07	125	0	125
35 GREEN	TAPE, VINYL ELECTRICAL COLOR CODING, GREEN, 3/4" x 66'	TF SAFE:CON 07	241	0	241



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/21/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
LWP1622	10A 2 GANG 2 WAY WEATHERPROOF SWITCH IP55	TF SAFE:CON 07	6	0	6
35 ORANGE	TAPE, VINYL ELECTRICAL COLOR CODING, ORANGE, 3/4" x 66'	TF SAFE:CON 07	200	0	200
35 RED	TAPE, VINYL ELECTRICAL COLOR CODING, RED, 3/4" x 66'	TF SAFE:CON 07	195	0	195
35 WHITE	TAPE, VINYL ELECTRICAL COLOR CODING, WHITE, 3/4" x 66'	TF SAFE:CON 07	185	0	185
35 YELLOW	TAPE, VINYL ELECTRICAL COLOR CODING, YELLOW, 3/4" x 66'	TF SAFE:CON 07	246	0	246
3939	TAPE, HEAVY DUTY DUCT, 48MM x 54.8M	TF SAFE:CON 07	35	0	35
84012	SCREW, CONICAL ANCHOR KIT, #10 x 1"	TF SAFE:CON 07	15	0	15
871150026464040	TL-D ECO 32W/865 SLV/25 1200MM	TF SAFE:CON 07	16	0	16
CHF220	CIRCUIT BREAKER, 20A 2P, 120/240V	TF SAFE:CON 07	125	0	125
A9F89232	CIRCUIT BREAKER, MINIATURE, 32A 2P C, 400V	TF SAFE:CON 07	184	0	184
A9R71225	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 25A 30mA 2P AC TYPE	TF SAFE:CON 07	23	0	23
A9R74225	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 25A 300mA 2P AC TYPE	TF SAFE:CON 07	33	0	33
A9S65263	SWITCH DISCONNECTOR, 63A 2P 415A	TF SAFE:CON 07	35	0	35
AO37262	POWER SUPPLY CORD 3x1.5MM	TF SAFE:CON 07	215	0	215
B7562	M4 BRASS WASHERS, 100EA/PK	TF SAFE:CON 07	40	0	40
B8016	M4 BRASS FULL NUTS, 100EA/PK	TF SAFE:CON 07	48	0	48
CD484U	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 100A 30mA 4P AC	TF SAFE:CON 07	125	0	125
CHB120GF	CIRCUIT BREAKER, 20A 1P, 120V	TF SAFE:CON 07	32	0	32
CHF120	CIRCUIT BREAKER, 20A 1P, 120/240V	TF SAFE:CON 07	115	0	115
A9F89332	CIRCUIT BREAKER, MINIATURE, 32A 3P C, 400V	TF SAFE:CON 07	43	0	43
M9F21440	CIRCUIT BREAKER, MINIATURE, 40A 4P B 277V MULTI 9 C60SP	TF SAFE:CON 07	18	0	18
K56480WHI	SOCKET 1-GANG UNSWITCHED IP66, WHITE, 13A	TF SAFE:CON 10	163	0	163
OV75301CWB	BACKLIT LED PANEL 30W 595x595MM 220-240V	TF SAFE:CON 07	20	0	20
4N	BRASS FULL NUT, 4MM, 100EA/BOX	TF SAFE:CON 10	1	0	1
500-SC	BEAM CLAMPS, GALVANIZED MALLEABLE IRON, 1/4"-20	TF SAFE:CON 10	43	0	43
89-512	TERMINAL STRIP, 12 CIRCUIT, 22-6 AWG, 60A 600V	TF SAFE:CON 10	399	0	399
GW70437	ROTARY ISOLATOR SWITCH, 63A 3P	TF SAFE:CON 10	732	0	732
K9001BLU	COMMANDO PLUG, BLUE, 16A 250V	TF SAFE:CON 10	629	0	629
K9015RED	COMMANDO PLUG, RED IP44, 16A 415V	TF SAFE:CON 10	750	0	750
K9045RED	COMMANDO PLUG, RED, 32A 415V	TF SAFE:CON 10	742	0	742
K9201BLU	COMMANDO SOCKET, BLUE, 16A 250V	TF SAFE:CON 10	620	0	620
K9233BLU	COMMANDO SOCKET, BLUE, 32A 250V	TF SAFE:CON 10	748	0	748
4902M	RCD SOCKET, 1-GANG LATCHING DP METAL CLAD, 13A	TF SAFE:CON 10	250	0	250
TL11	UNIVERSAL ADAPTER, TL11	TF SAFE:CON 10	241	0	241
A2XBL016-50	SINGLE CABLE, 16MM, BLUE, 50M	TF SAFE:CON 12	46	0	46
A5G03010-50	BUTYL HEAT RESISTANT CABLE, 3-CORE 1MM, BLACK SHEATH, 50M	TF SAFE:CON 12	57	0	57
A5G03040-50	CABLE, 4MM 3-CORE, BLACK, 50M, H07RN-F	TF SAFE:CON 13	14	0	14
GW70432	ROTARY ISOLATOR SWITCH, 16A 3P	TF SAFE:CON 17	535	0	535
GW70433	ROTARY ISOLATOR SWITCH, 16A 4P	TF SAFE:CON 17	652	0	652
GW70434	ROTARY ISOLATOR SWITCH, 32A 2P	TF SAFE:CON 17	573	0	573
GW70435	ROTARY ISOLATOR SWITCH, 32A 3P	TF SAFE:CON 17	455	0	455
GW70436	ROTARY ISOLATOR SWITCH, 32A 4P	TF SAFE:CON 17	115	0	115
33219	FENDER WASHER, 3/8 x 1.25IN, 25EA/PK	TF SAFE:CON 07	137	0	137



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/21/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
WHENE2514	EMT CONDUIT, 1/2" x 10FT	TF SAFE:CON 11	400	0	400
4900M	METALCLAD TWIN LATCHING, 2G 13A	TF SAFE:CON 10	2	0	2
48-01-6187	SAW METAL BLADE, SAWZALL BLADE, 9"	TF SAFE:CON 10	920	0	920
48-00-5794	SAW BLADE, 14 TPI, 12"	TF SAFE:CON 10	165	0	165
239	JUNIOR HACKSAW, 150MM STEEL BLADE	TF SAFE:CON 07 - SHARURAH	1	0	1
424042	REPLACEMENT HSS PILOT DRILL, 102MM	TF SAFE:CON 07 - SHARURAH	2	0	2
A1	QUICK HITCH ARBOR FOR 14-30MM HOLE SAW WITH HSS PILOT DRILL	TF SAFE:CON 07 - SHARURAH	1	0	1
DL4061	10A WALL MOUNTED ELECTRONIC PHOTOCELL KIT IP65	TF SAFE:CON 07 - SHARURAH	1	0	1
1CX16MM-G/Y	16MM 1 CORE GREEN/YELLOW CABLE	TF SAFE:CON 08	200	0	200
3C X 1.5MM	CABLE, BUTYL HEAT RESISTANT, BLACK SHEATH, 3-CORE 1.5MM, 50M	TF SAFE:CON 08	5	0	5
4CX10MM	10MM 4 CORE CU/XLPE/SWA/PVC ARMoured CABLE	TF SAFE:CON 08	20	0	20
4CX120MM	120MM 4 CORE CU/XLPE/SWA/PVC ARMoured CABLE	TF SAFE:CON 08	6	0	6
4CX25MM	25MM 4 CORE CU/XLPE/SWA/LSZH ARMoured CABLE	TF SAFE:CON 08	13	0	13
A2XBK0040-100	SINGLE CABLE, 4MM, BLACK, 100M	TF SAFE:CON 08	211	0	211
A2XGR0040-100	SINGLE CABLE, 4MM, GREY, 100M	TF SAFE:CON 08	199	0	199
A2XGY0040-100	SINGLE CABLE, 4MM, GREEN YELLOW, 100M	TF SAFE:CON 08	43	0	43
A2XBL0060-100	SINGLE CABLE, 6MM, BLUE, 100M	TF SAFE:CON 09	125	0	125
A2XBR0060-100	SINGLE CABLE, 6MM, BROWN, 100M	TF SAFE:CON 09	274	0	274
A2XGR0060-100	SINGLE CABLE, 6MM, GREY, 100M	TF SAFE:CON 09	185	0	185
A2XGY0060-100	SINGLE CABLE, 6MM, GREEN YELLOW, 100M	TF SAFE:CON 09	163	0	163
3EA98C	EXTENSION CORD, 16 GAUGE 13A 1625W, 25FT	TF SAFE:CON 10	22	0	22
3MRL5	GROMMET, PUSH IN RUBBER, 10EA/PK	TF SAFE:CON 10	186	0	186
44S4010	SCREW, SLOTTED PAN HEAD BRASS M/C, 4 x 10MM, 100EA/PK	TF SAFE:CON 10	4	0	4
48-00-5184	SAW BLADE, 18 TPI, 6"	TF SAFE:CON 10	180	0	180
48-00-5189	SAW BLADE, 18 TPI, 12"	TF SAFE:CON 10	195	0	195
OV74301CWB	BACKLIT LED PANEL 30W 600x600MM 4000K 220-240V	TF SAFE:CON 07	43	0	43
30-641	WIRE CONNECTOR, WINGED TWISTER, 22-8 AWG, TAN, 500E/PK	TF SAFE:CON 07	30	0	30
HBL8315C	PLUG, INSULGIP, HOSPITAL GRADE, 20A 2P, 125V, 3 WIRE GROUNDING	TF SAFE:CON 07	400	0	400
30-3594	SCREW, GROUNDING, COMBINATION, 100EA/BT	TF SAFE:CON 07	28	0	28
661RT	EMT COMPRESSION COUPLING, RAIN TIGHT, CONCRETE TIGHT, STEEL, 3/4"	TF SAFE:CON 06	1,275	0	1,275
936	PLASTIC INSULATED BUSHING, THREADED, 2"	TF SAFE:CON 06	200	0	200
A9D31825	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N _s -B25A-30mA 240V TYPE A	TF SAFE:CON 06	3	0	3
A9D31832	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N _s -B32A-30mA 240V TYPE A	TF SAFE:CON 06	1	0	1
A9F54140	CIRCUIT BREAKER, MINIATURE, 40A 1P C	TF SAFE:CON 06	5	0	5
A9F78140	CIRCUIT BREAKER, MINIATURE, 40A 1P B, 230/400V	TF SAFE:CON 06	58	0	58
A9F79116	CIRCUIT BREAKER, MINIATURE, 20A 1P B, 230/400V	TF SAFE:CON 06	9	0	9
A9F79125	CIRCUIT BREAKER, MINIATURE, 25A 1P C, 230/400V	TF SAFE:CON 06	138	0	138
A9F79140	CIRCUIT BREAKER, MINIATURE, 40A 1P C, 400V	TF SAFE:CON 06	142	0	142
660RT	EMT COMPRESSION COUPLING, RAIN TIGHT, CONCRETE TIGHT, STEEL, 1/2"	TF SAFE:CON 06	850	0	850



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/21/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
A9F79220	CIRCUIT BREAKER, MINIATURE, 20A 2P C	TF SAFE:CON 06	178	0	178
A9F79240	CIRCUIT BREAKER, MINIATURE, 40A 2P C, 400V	TF SAFE:CON 06	131	0	131
A9F79250	CIRCUIT BREAKER, MINIATURE, 50A 2P C	TF SAFE:CON 06	141	0	141
A9F79263	CIRCUIT BREAKER, MINIATURE, 63A 2P C, 400V	TF SAFE:CON 06	62	0	62
A9F79310	CIRCUIT BREAKER, MINIATURE, 10A 3P C, 400V	TF SAFE:CON 06	204	0	204
A9F79316	CIRCUIT BREAKER, MINIATURE, 16A 3P C, 400V	TF SAFE:CON 06	78	0	78
A9F79320	CIRCUIT BREAKER, MINIATURE, 20A 3P C, 400V	TF SAFE:CON 06	81	0	81
A9F79325	CIRCUIT BREAKER, MINIATURE, 25A 3P C, 400V	TF SAFE:CON 06	42	0	42
A9F79340	CIRCUIT BREAKER, MINIATURE, 40A 3P C	TF SAFE:CON 06	77	0	77
A9F79350	CIRCUIT BREAKER, MINIATURE, 50A 3P C, 400V	TF SAFE:CON 06	97	0	97
A9F79225	CIRCUIT BREAKER, MINIATURE, 25A 2P C, 400V	TF SAFE:CON 06	246	0	246
651RT	EMT COMPRESSION CONNECTOR, RAIN TIGHT, CONCRETE TIGHT, STEEL, 3/4"	TF SAFE:CON 06	1,300	0	1,300
650S	EMT COMPRESSION CONNECTOR FOR THINWALL CONDUIT, STEEL, 1/2"	TF SAFE:CON 06	1,000	0	1,000
650RT	EMT COMPRESSION CONNECTOR, RAIN TIGHT, CONCRETE TIGHT, STEEL, 1/2"	TF SAFE:CON 06	900	0	900
30-454	WIRE CONNECTOR, WING-NUT, 6-14 AWG, BLUE, 25EA/BOX	TF SAFE:CON 07	1,172	0	1,172
0004-4146-50	PVC SWA CABLE CLEATS, 25.3 TO 27.7MM NO.11 50EA/PK	TF SAFE:CON 05 - 46 L2 GV	1	0	1
A9F53106	CIRCUIT BREAKER, MINIATURE, 6A 1P B, 10kA	TF SAFE:CON 05 - 46 L2 GV	3	0	3
A9S66492	SWITCH DISCONNECTOR, ACTI9, 415V AC 125A 50/60Hz, 5kA, 4P	TF SAFE:CON 05 - 46 L2 GV	4	0	4
CMA20W-BX	PVC MALE ADAPTOR WITH LOCKRING, 20MM, WHITE	TF SAFE:CON 05 - 46 L2 GV	2	0	2
PP2G35R	32MM 2G SOCKET BOX RADIUS EDGE	TF SAFE:CON 05 - 46 L2 GV	28	0	28
SEA9BPW6HDGK	HEAVY DUTY DISTRIBUTION BOARD ACTI9 ISOBAR P B 3P 125A 6 WAYS IP55 230/400V	TF SAFE:CON 05 - 46 L2 GV	1	0	1
WUB1	PVC ADAPTABLE BOX, 100x100x 55MM, GREY, IP65	TF SAFE:CON 05 - 46 L2 GV	2	0	2
1132163	#8-15 x 3" PHILLIPS BUGLE HEAD #2 DRIVE SIZE FINE THREAD GRAY PHOSPHATE SHARP POINT DRYWALL SCREW	TF SAFE:CON 06	3	0	3
201	EMT CONDUIT ONE HOLE STRAP, 3/4", HEAVY GAUGE,	TF SAFE:CON 06	200	0	200
20ET	EARTH TAG, 20MM	TF SAFE:CON 06	4	0	4
279209	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 80A 300mA 4P TYPE AC	TF SAFE:CON 06	33	0	33
32172	#6-9 x 1-5/8" PHILLIPS BUGLE HEAD #2 DRIVE SIZE COARSE THREAD GRAY PHOSPHATE SHARP POINT DRYWALL SCREW, 5000EA/BOX	TF SAFE:CON 06	1	0	1
5461-I	RECEPTACLE, SINGLE POLE, 20A 250V 2POLE 3WIRE	TF SAFE:CON 06	100	0	100
5SV3311-6	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 16A 30mA 2P 230V TYPE A	TF SAFE:CON 06	250	0	250
5SV3312-6	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 25A 30mA 2P 230V TYPE A	TF SAFE:CON 06	245	0	245
5SV3314-6	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 40A 30mA 2P 230V TYPE A	TF SAFE:CON 06	190	0	190
5SV3316-6	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 63A 30mA 2P 230V TYPE A	TF SAFE:CON 06	189	0	189
5SV3344-6	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 40A 30mA 4P 400V TYPE A	TF SAFE:CON 06	239	0	239
5SV3346-6	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 63A 30mA 4P 400V TYPE A	TF SAFE:CON 06	234	0	234
5SV3347-6	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 80A 30mA 4P 400V TYPE A	TF SAFE:CON 06	171	0	171
A9S65291	SWITCH DISCONNECTOR, 100A 2P, 415A	TF SAFE:CON 06	45	0	45
A9S65363	SWITCH DISCONNECTOR, 63A 3P, 415A	TF SAFE:CON 06	41	0	41
SEA9BPW16HDGR	"HEAVY DUTY DISTRIBUTION BOARD ACTI9 ISOBAR P B 125A 16 WAYS IP55 230/415V"	TF SAFE:CON 05 - 46 L2 GV	1	0	1
A9S65491	SWITCH DISCONNECTOR, ACTI 9 iSW, 100A 4P, 415V	TF SAFE:CON 06	24	0	24
16258	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 4P-63A-30mA-AC 415V	TF SAFE:CON 07	8	0	8



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/21/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
2202000A	CABLE CLIPS, WHITE, 5-7MM, 100EA/BOX	TF SAFE:CON 07	285	0	285
2202005A	CABLE CLIPS, BLACK, 5-7MM, 100EA/BOX	TF SAFE:CON 07	240	0	240
220300A	CABLE CLIPS, BLACK, 7-10MM, 100EA/BOX	TF SAFE:CON 07	148	0	148
23047	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 4P 63A 30mA TYPE AC	TF SAFE:CON 07	17	0	17
235418	RESIDUAL CURRENT CIRCUIT BREAKER (RCCB), 80A 30mA 4P AC TYPE	TF SAFE:CON 07	143	0	143
242407	CIRCUIT BREAKER, MINIATURE, 25A 2P C, 10kA	TF SAFE:CON 07	9	0	9
24404	CIRCUIT BREAKER, MINIATURE, 20A 1P C	TF SAFE:CON 07	2	0	2
24433	C60 MINIATURE SUPPLEMENTARY PROTECTOR, 1P C 13A 277V	TF SAFE:CON 07	12	0	12
15-631	HACKSAW BLADE, BI-METAL, 12" x 24 TPI	TF SAFE:CON 07	60	0	60
26857	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N-6A-30mA-AC 240V	TF SAFE:CON 07	4	0	4
26861BK	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N-32A-30mA-AC 240V	TF SAFE:CON 07	65	0	65
26863BK	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N-45A-30mA-AC 240V	TF SAFE:CON 07	4	0	4
2IH3-1	OUTLET BOX, 1/2", 2-GANG, 3-OUTLETS, 1 IN EACH END, 1 IN BACK	TF SAFE:CON 07	295	0	295
2IH5-1	OUTLET BOX, 1/2", 2-GANG, 5-OUTLETS, 2 IN EACH END, 1 IN BACK WITH ACCESSORIES	TF SAFE:CON 07	318	0	318
2IH5-2	OUTLET BOX, 3/4", 2-GANG, 5-OUTLETS, 2 IN EACH END, 1 IN BACK WITH ACCESSORIES	TF SAFE:CON 07	397	0	397
2IH7S2-2	OUTLET BOX, 3/4", 2-GANG, 7-OUTLETS, 2 HOLES IN EACH END, 1 EACH SIDE	TF SAFE:CON 07	400	0	400
2KGF1	POWER STRIP, WITH GFCI PLUG, 6-OUTLETS, RUGGED METAL CASE, 9FT	TF SAFE:CON 07	28	0	28
2S/25	THROUGH BOX, WHITE, 25MM	TF SAFE:CON 07	36	0	36
A9S65463	SWITCH, ACTI 9, 63A 4P 415V	TF SAFE:CON 06	56	0	56
26857BK	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N-6A-30mA-AC 240V TYPE AC	TF SAFE:CON 07	1	0	1
14892	2P COMB BUSBAR 2x48 POLES	TF SAFE:CON 07	100	0	100
2IH7S2-1	OUTLET BOX, 1/2", 2-GANG, 7-OUTLETS, 2 SIDE HOLES	TF SAFE:CON 07	400	0	400
WP3100C	PLASTIC-IN-USE WEATHERPROOF COVER, 1 GANG, SINGLE VERTICAL/HORIZONTAL, 2.75" CLEAR	TF SAFE:CON 06	50	0	50
14811	COMB BUSBAR 1P 27MM L432 - 125A	TF SAFE:CON 07	28	0	28
BC1880	BATTERY CHARGER, 18V LI-ION, 120V	TF SAFE:CON 06	15	0	15
BU504	PLASTIC INSULATED BUSHING, THREADED, 1-1/4"	TF SAFE:CON 06	100	0	100
CG-225250	2-1/2" ALUMINUM CORD CONNECTORS STRAIGHT LIQUID TIGHT STRAIN RELIEF CORD CONNECTOR, CABLE RANGE 2.250-2.500	TF SAFE:CON 06	10	0	10
CT18125C0	CABLE TIE, 6", 18LB UV NYLON, 100EA/PK	TF SAFE:CON 06	3	0	3
DW5470	SDS PLUS BITS SET, ROCK CARBIDE TIP, 5PC	TF SAFE:CON 06	4	0	4
E986D	TYPE LB CONDUIT BODY, 1/2", NON-METALLIC	TF SAFE:CON 06	150	0	150
HS1912	1" x 18" FLAT CHISEL SDS-MAX HAMMER STEEL	TF SAFE:CON 06	1	0	1
HS1922	4-1/2" x 17" CLAY SPADE SDS-MAX HAMMER STEEL	TF SAFE:CON 06	1	0	1
JTEKD2	8x3/4" IND HEX WASHER 1/4 HEAD, SELF-DRILLING SCREW, STEEL ZINC, 100EA/BT	TF SAFE:CON 06	6	0	6
30-073	WIRE CONNECTOR, WIRE-NUT, 20-16 AWG, ORANGE, 100EA/BOX	TF SAFE:CON 07	176	0	176
K56402GRY	SWITCH, 10A 2G SP 1 WAY IP66	TF SAFE:CON 06	1	0	1
JWW80	FLAT WASHER, 1/4", STEEL ZINC	TF SAFE:CON 06	8	0	8
TS101	EMT CONDUIT STRAP, 1-HOLE, SNAP ON, ZINC PLATED STEEL 1/2"	TF SAFE:CON 06	1,600	0	1,600
TP514	4" SQUARE SURFACE COVER, 20A SINGLE RECEPTACLE, STEEL, RAISED 1/2", 1-13/32"	TF SAFE:CON 06	100	0	100
TIAS100WH	100x100MM INTERNAL FABRICATED BEND 90 DEGREE WHITE	TF SAFE:CON 06	10	0	10
TP510	4" SQUARE SURFACE COVER, TWO DUPLEX RECEPTACLE, STEEL, RAISED 1/2"	TF SAFE:CON 06	200	0	200
TC111A	1/2" COMPRESSION CONNECTOR FOR EMT CONDUIT, ZINC PLATED STEEL CONCRETE TIGHT	TF SAFE:CON 06	1,000	0	1,000
LB25-CGN	ALUMINUM LB THREADED CONDUIT BODY WITH COVER AND GASKET, 3/4"	TF SAFE:CON 06	302	0	302



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/21/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
LB15-CGN	ALUMINUM LB THREADED CONDUIT BODY WITH COVER AND GASKET, 1/2"	TF SAFE:CON 06	299	0	299
L-11-40-0-D	CABLE TIE, 11.3", UV NYLON, 500EA/PK	TF SAFE:CON 06	1	0	1
U31810.021.0075	#12 x 3/4" HARDENED STEEL SELF DRILLING SCREWS, HEX WASHER HEAD TYPE	TF SAFE:CON 06	15	0	15

Audit Date: 11/22/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
613003	6MM YELLOW RING CRIMP LUGS FOR 6MM CABLES	TF SAFE:CON 23	200	0	200
670304	SCREW, COUNTERSUNK HEAD PZ, 4.5x50MM (2")	TF SAFE:CON 23	3	0	3
630905	COPPER LUGS 10MM HOLE FOR 50MM CABLE	TF SAFE:CON 23	6	0	6
631005	COPPER LUGS 10MM HOLE FOR 70MM CABLE	TF SAFE:CON 23	6	0	6
631205	COPPER LUGS 10MM HOLE FOR 120MM CABLE	TF SAFE:CON 23	12	0	12
669-4676	BLACK NYLON CABLE GLAND, M25 THREAD, 13MM MIN, 18MM MAX, IP68	TF SAFE:CON 23	9	0	9
50108	NYLON WALLPLUG, 40MM LENGTH, 8MM HOLE DIAMETER	TF SAFE:CON 23	3	0	3
A9SWA4025LSZH	2.5MM 4 CORE XLPE LSZH SWA LSZH 0.6/1kV	TF SAFE:CON 23	180	0	180
A9D31810	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+Ns-B10A-30MA 230/240V TYPE A	TF SAFE:CON 23	4	0	4
A9D31816	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+Ns-B16A-30mA 240V TYPE A	TF SAFE:CON 23	2	0	2
A9SWA3025LSZH	2.5MM 3 CORE XLPE LSZH SWA LSZH 0.6/1kV	TF SAFE:CON 23	30	0	30
501/453/UNIV/O/M20	BRASS CABLE GLAND M20 THREAD 6.5-11.4MM	TF SAFE:CON 23	30	0	30
CIB2-18	1.5-2.5MM BLUE 18MM PVC INSULATED BLADE TERMINALS, 50EA/PK	TF SAFE:CON 23	3	0	3
CIR3-5	4-6MM YELLOW M5 PVC INSULATED PRE-INSULATED RING TERMINALS, 50EA/PK	TF SAFE:CON 23	4	0	4
CIR3-6	4-6MM YELLOW M6 PVC INSULATED PRE-INSULATED RING TERMINALS, 50EA/PK	TF SAFE:CON 23	4	0	4
CLE-SIFX-NO09C-PVC	PVC SWA CABLE CLEATS, 20.2 TO 22.8MM NO.9	TF SAFE:CON 23	50	0	50
CLH106S	TINNED CU CABLE LUGS, TUBULAR, 10-6	TF SAFE:CON 23	4	0	4
A9D11210	RCCB WITH OVERCURRENT PROTECTION (RCBO), 2P-C10A-30mA 240V TYPE A	TF SAFE:CON 23	1	0	1
501/453/UNIV/A/M20	BRASS CABLE GLAND M20 THREAD 8.4-14.3MM	TF SAFE:CON 23	30	0	30
1Cx70MM	70MM PVC SINGLE CORE GREEN / YELLOW	TF SAFE:CON 23	10	0	10
SEA9NEK1	EARTH BAR 14 HOLES ACTI9 ISOBAR B	TF SAFE:CON 22	1	0	1
SEA9PQCB2504	NSX MCCB INCOMER, ACTI9 ISOBAR P, 250A, 4P WITH EXTENSION ENCLOSURE FOR B BOARD	TF SAFE:CON 22	1	0	1
CLH66S	TUBULAR CABLE LUG HEAVY DUTY, 6-6 100EA/PK	TF SAFE:CON 23	20	0	20
SEA9TB1001	100A TERMINAL BLOCK 1P	TF SAFE:CON 22	6	0	6
TN6LS	M6 LONG SPRING CHANNEL NUT	TF SAFE:CON 22	40	0	40
0004-4146	PVC SWA CABLE CLEATS, 25.3 TO 27.7MM NO.11	TF SAFE:CON 23	20	0	20
0004-4182	PVC SWA CABLE CLEATS, 12.6 TO 15.2MM NO.6	TF SAFE:CON 23	100	0	100
0004-4185	PVC SWA CABLE CLEATS, 15.1 TO 17.8MM NO.7	TF SAFE:CON 23	70	0	70
085-180-020	ROOFING BOLTS AND NUTS, M6 x 16MM	TF SAFE:CON 23	1	0	1
487/M20/NP	DOME HEAD STOPPING PLUG, 20MM	TF SAFE:CON 23	24	0	24
085-195-020	WASHER, M10 REPAIR MUDGUARD, ZINC PLATED	TF SAFE:CON 23	1	0	1
089-188-005	M6 BRASS HEXAGON NUTS	TF SAFE:CON 23	30	0	30
089-189-005	M6 BRASS WASHERS	TF SAFE:CON 23	30	0	30
1131	K-TYPE 12 DIGIT CARRIER STRIPS, MARKER LENGTH 96MM	TF SAFE:CON 23	1	0	1
13441	MODULAR MINI ENCLOSURE, 4 MODULES, 2 TERMINAL BLOCKS, IP65	TF SAFE:CON 23	1	0	1
1Cx50MM	50MM PVC SINGLE CORE GREEN / YELLOW	TF SAFE:CON 23	10	0	10



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/22/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
20488312	#8, THHN, STR CU SIM 500SP 600V BLACK	TF SAFE:CON 23	30	0	30
20ET	EARTH TAG, 20MM	TF SAFE:CON 23	34	0	34
277-604	ROOFING BOLTS AND NUTS, M6 x 12MM	TF SAFE:CON 23	100	0	100
085-196-040	NUT, M10 HEXAGON BZP, 100EA/BX	TF SAFE:CON 23	1	0	1
089-187-010	M6 X 16MM BRASS HEX SCREW SET	TF SAFE:CON 23	30	0	30
M20GW	M20 x 1.5 COMPRESSION GLAND, WHITE, 6-12MM, IP68, 10EA/PK	TF SAFE:CON 23	25	0	25
ESB9.5 BLUE	BLUE BOXED HEAT SHRINK SLEEVING 9.5MM ID - 2:1 RATIO	TF SAFE:CON 23	1	0	1
P2072AHG	1-CHANNEL, HOT DIP GALVANIZED, STEEL, CENTERED, OFFSET, U POST, SQUARE BASE, CHANNEL POST BASE, 3-1/2" POST, 6" x 6" PAD, 9/16" HOLE	TF SAFE:CON 23	2	0	2
PACG20CW	20MM CW ARMoured CABLE GLAND PACK (PACK OF 2)	TF SAFE:CON 23	22	0	22
S08.0X160	SDS HAMMER DRILLBIT, 8x160MM	TF SAFE:CON 23	1	0	1
SB2SCWH	UNIVERSAL BOX, 2 GANG 32MM, SQUARE CORNER, WHITE	TF SAFE:CON 23	6	0	6
SEA91253N	SWITCH DISCONNECTOR, 3P+N 125A	TF SAFE:CON 23	1	0	1
SEA9BPW6HDGR	HEAVY DUTY DISTRIBUTION BOARD STEEL DOOR, 3P 125A 6 WAYS ACTI9 ISOBAR IP55	TF SAFE:CON 23	1	0	1
SMI20-3	ROTARY ISOLATOR SWITCH, SURFACE MOUNTED, 20A 3P IP65	TF SAFE:CON 23	10	0	10
SPX-BKT-CM	LINEAR CEILING MOUNT KIT STAINLESS STEEL	TF SAFE:CON 23	11	0	11
NYLONWASHER/M20	M20 NYLON WASHER	TF SAFE:CON 23	34	0	34
0					
SPX-WL84	LINEAR 80 LED WHITE LIGHT ZONE 1 HAZARDOUS AREA	TF SAFE:CON 23	6	0	6
SW20	SERRATED WASHER, 20MM, 100EA/PK	TF SAFE:CON 23	6	0	6
VX1307BK	PLUG, 13A 3 PIN FUSED, BLACK	TF SAFE:CON 23	10	0	10
61885	2x4 35W LED FLAT PANEL, 120-277V, PANELF3B035UNVD8SC724GWH, INDOOR	TF SAFE:CON 24	300	0	300
DMW 2 32 MVOLT	FLUORESCENT VAPOR TIGHT FIXTURE, WRAPAROUND LIGHT, T8, 48 x 8-1/8"	TF SAFE:CON 24	90	0	90
GEB10IS WWGR					
LT8G4C22W24-01	LED LINEAR TUBE, FLUORESCENT T8, 24W 2400LM, 4FT	TF SAFE:CON 24	163	0	163
SB232MV	INDOOR FLUORESCENT FIXTURE, SQUARE-BASKET WRAPAROUND, 120-277V 32W 4-LAMPS, T8	TF SAFE:CON 24	17	0	17
SEA9BPW6HDGR + SEA91253N	HEAVY DUTY DISTRIBUTION BOARD STEEL DOOR, 3P 125A 6 WAYS ACTI9 ISOBAR IP55 (SEA9BPW6HDGR) + SWITCH DISCONNECTOR, 3P+N 125A (SEA91253N)	TF SAFE:CON 22	6	0	6
TRLED25D	TWIN LED NON-CORROSIVE BATTEN 6000K, 50W 230V IP65, LENGTH 5FT	TF SAFE:CON 24	1	0	1
SPX-WL84-EMX25	LINEAR 80 LED WHITE LIGHT ZONE 1 HAZARDOUS AREA, 2FT	TF SAFE:CON 23	5	0	5
DCE530N	18V XR CORDLESS HEAT GUN, BODY ONLY	TF SAFE:CON 23	1	0	1
M6x6MM	M6x6MM BOLT, NUT & WASHER	TF SAFE:CON 23	100	0	100
K65 B/Y W	LETTER W, BLACK ON YELLOW K-TYPE CABLE MARKER ON REELS 4.2-7.0MM DIA	TF SAFE:CON 23	1	0	1
ESB9.5 BROWN	BROWN BOXED HEAT SHRINK SLEEVING 9.5MM ID - 2:1 RATIO	TF SAFE:CON 23	1	0	1
ESB9.5 GN YW	GREEN/YELLOW BOXED HEAT SHRINK SLEEVING 9.5MM ID - 2:1 RATIO	TF SAFE:CON 23	1	0	1
GHG2732000R0003	LIGHT SWITCH 16A FOR ZONE 1/21 2P, 2 x M20	TF SAFE:CON 23	1	0	1
H6943XL10LSF	10MM 3 CORE LSOH SWA XLPE ARMoured CABLE	TF SAFE:CON 23	115	0	115
H6943XL4.0LSF	4MM 3 CORE SWA/LSOH XLPE ARMoured CABLE	TF SAFE:CON 23	260	0	260
H6944XL25LSF	25MM 4 CORE SWA/LSOH XLPE ARMoured CABLE	TF SAFE:CON 23	100	0	100
ICG/653/UNIV/A/M20	BRASS CABLE GLAND M20 THREAD 12.5-20.5MM	TF SAFE:CON 23	4	0	4
ICG/653/UNIV/O/M20	BRASS CABLE GLAND M20 THREAD 9.5-16MM	TF SAFE:CON 23	4	0	4
LSF32CW	32CW LSF SWA GLAND PACK OUTDOOR	TF SAFE:CON 23	2	0	2



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/22/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
JAB/10060CS	COUNTERSUNK HEAD ANKERBOLTS BZP, M8 10x60MM	TF SAFE:CON 23	140	0	140
K65 B/Y -	MINUS SIGN, BLACK ON YELLOW K-TYPE CABLE MARKER ON REELS 4.2-7.0MM DIA	TF SAFE:CON 23	1	0	1
K65 B/Y 0	NUMBER 0-9, BLACK ON YELLOW K-TYPE CABLE MARKER ON REELS 4.2-7.0MM DIA	TF SAFE:CON 23	1	0	1
K65 B/Y A	LETTER A, BLACK ON YELLOW K-TYPE CABLE MARKER ON REELS 4.2-7.0MM DIA	TF SAFE:CON 23	1	0	1
K65 B/Y BLANK	BLANK, YELLOW K-TYPE CABLE MARKERS ON REELS 4.2-7.0MM DIA	TF SAFE:CON 23	1	0	1
K65 B/Y C	LETTER C, BLACK ON YELLOW K-TYPE CABLE MARKER ON REELS 4.2-7.0MM DIA	TF SAFE:CON 23	1	0	1
K65 B/Y L	LETTER L, BLACK ON YELLOW K-TYPE CABLE MARKER ON REELS 4.2-7.0MM DIA	TF SAFE:CON 23	1	0	1
K65 B/Y N	LETTER N, BLACK ON YELLOW K-TYPE CABLE MARKER ON REELS 4.2-7.0MM DIA	TF SAFE:CON 23	1	0	1
K65 B/Y S	LETTER S, BLACK ON YELLOW K-TYPE CABLE MARKER ON REELS 4.2-7.0MM DIA	TF SAFE:CON 23	1	0	1
K56402GRY	SWITCH, 10A 2G SP 1 WAY IP66	TF SAFE:CON 23	1	0	1
SEA9BPW6HDGR	HEAVY DUTY DISTRIBUTION BOARD STEEL DOOR, 3P 125A 6 WAYS ACTI9 ISOBAR IP55	TF SAFE:CON 22	2	0	2
D219200602	ANTI-CORROSIVE JOINTING COMPOUND	TF SAFE:CON 23	2	0	2
SEA9BPN24	TYPE B PON DISTRIBUTION BOARD, 3P+N 250A 24WAYS 230/415V ACTI9 ISOBAR P	TF SAFE:CON 22	1	0	1
1CX35MM-GR/YL	35MM 1 CORE GREEN/YELLOW CABLE	TF SAFE:CON 22	5	0	5
2608831033	12x150x210MM HAMMER DRILL BIT SDS PLUS 3"	TF SAFE:CON 22	2	0	2
26305	PZ DOUBLE-COUNTERSUNK SELF-TAPPING SCREWS 5MM x100MM (PACK OF 100)	TF SAFE:CON 22	1	0	1
35UP	UNINSULATED REDUCING PIN 35MM	TF SAFE:CON 22	12	0	12
3C X 1.5MM	CABLE, BUTYL HEAT RESISTANT, BLACK SHEATH, 3-CORE 1.5MM, 50M	TF SAFE:CON 22	1	0	1
424016	HSS BI-METAL HOLES AW, 51MM	TF SAFE:CON 22	1	0	1
60234	RAWLBOLTS M6 x 70MM (PACK OF 5)	TF SAFE:CON 22	10	0	10
612019	BLUE THROUGH CRIMP LUGS FOR 2.5MM CABLES (PACK OF 100)	TF SAFE:CON 22	3	0	3
1CX35MM-BLK	35MM 1 CORE BLACK CABLE	TF SAFE:CON 22	5	0	5
630605	COPPER LUGS 10MM HOLE FOR 16MM CABLE	TF SAFE:CON 22	10	0	10
811-1672	CABLE TIE, 610MM x 9MM BLACK 100EA/PK	TF SAFE:CON 22	2	0	2
8701400SB	COBRA XL WATER PUMP PLIER 400MM	TF SAFE:CON 22	2	0	2
908-6952	CARBON STEEL ANCHOR BOLT M8 x 65MM 8MM FIXING HOLE	TF SAFE:CON 22	20	0	20
95 32 320	CABLE CUTTER, 3 STAGE DRIVE RATCHET	TF SAFE:CON 22	1	0	1
A17-38	LOCKING ARBOR WITH HSS PILOT DRILL DIA 38-210MM	TF SAFE:CON 22	1	0	1
A2TBR035L	TRI-RATED SINGLE CORE 35MM PVC CABLE, BROWN	TF SAFE:CON 22	5	0	5
A2TGR035	TRI-RATED SINGLE CORE 35MM PVC CABLE, GREY	TF SAFE:CON 22	5	0	5
A9D11816	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N5-C16A-30mA 240V TYPE A	TF SAFE:CON 22	14	0	14
6BSL-EA	BUTT SPLICE YELLOW 4-6MM CABLE	TF SAFE:CON 22	300	0	300
A9D31825	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+N5-B25A-30mA 240V TYPE A	TF SAFE:CON 22	1	0	1
13983	MODULAR ENCLOSURE, KAEDRA, 2 x 12 MODULES, 1+1 TERMINAL BLOCK IP65	TF SAFE:CON 22	2	0	2
10060580	PVC ADAPTABLE BOX, COMBI 308/5, BLACK, IP66/67, 85x85x51MM	TF SAFE:CON 22	119	0	119
SEA9BPN8	TYPE B PON DISTRIBUTION BOARD, 3P+N 250A 8WAYS 230/400V ACTI9 ISOBAR P	TF SAFE:CON 22	3	0	3
CMXT 22W	MAXI TRUNKING, 50MMx50MM x 3M, PVC WHITE	TF SAFE:CON 18	4	0	4
CMXT 32W	MAXI TRUNKING, 75MMx50MM x 3M, PVC WHITE	TF SAFE:CON 18	80	0	80
A2XBL010-100	SINGLE CABLE, 10MM, BLUE, 100M, H07V-R (6491X)	TF SAFE:CON 20	263	0	263
A2XGY010-100	SINGLE CABLE, 10MM, GREEN YELLOW, 100M	TF SAFE:CON 20	135	0	135
A2XBR010-100	SINGLE CABLE, 10MM, BROWN, 100M	TF SAFE:CON 21	252	0	252
A5Y030075HRWH	PVC HEAT RESISTANT CABLE, WHITE SHEATH, 3-CORE 0.75MM, 100M	TF SAFE:CON 21	12	0	12



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/22/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
A5Y040075HRWH	PVC HEAT RESISTANT CABLE, WHITE, 4-CORE 0.75MM, 100M	TF SAFE:CON 21	34	0	34
120-10TQ	COPPER TUBE TERMINAL 120-10MM	TF SAFE:CON 22	12	0	12
MCT100	100x50MM PVC CABLE TRUNKING C/W LID, 3M	TF SAFE:CON 21	75	0	75
0004-4143-PK	25.4MM NO.10 PVC SWA CABLE CLEATS 100EA/PK	TF SAFE:CON 22	1	0	1
0004-4146-PK	PVC SWA CABLE CLEATS, 25.3 TO 27.7MM NO.11 100EA/PK	TF SAFE:CON 22	2	0	2
0004-4161	PVC SWA CABLE CLEATS, 45.6 TO 50.8MM NO.20	TF SAFE:CON 22	20	0	20
085-180-020	ROOFING BOLTS AND NUTS, M6 x 16MM	TF SAFE:CON 22	3	0	3
085-185-020	M8 x 25 ROOFING NUTS & BOLTS (PACK OF 100)	TF SAFE:CON 22	1	0	1
085-195-020	WASHER, M10 REPAIR MUDGUARD, ZINC PLATED	TF SAFE:CON 22	1	0	1
085-196-215	M10 PLAIN CHANNEL NUT BZP	TF SAFE:CON 22	3	0	3
088-183-030	M10 x 30MM HIGH TENS HEXAGON HEAD SET SCREW BZP	TF SAFE:CON 22	1	0	1
TS41S-3	41MMx41MMx2.5MM SLOTTED CHANNEL STRUT 3M	TF SAFE:CON 21	8	0	8
A9F54163	CIRCUIT BREAKER, MINIATURE, 63A 1P C 10kA	TF SAFE:CON 22	9	0	9
1CX35MM-BLU	35MM 1 CORE BLUE CABLE	TF SAFE:CON 22	5	0	5
A9S66492	SWITCH DISCONNECTOR, ACTI9, 415V AC 125A 50/60Hz, 5kA, 4P	TF SAFE:CON 22	7	0	7
M20GW	M20 x 1.5 COMPRESSION GLAND, WHITE, 6-12MM, IP68, 10EA/PK	TF SAFE:CON 22	53	0	53
M32G	COMPRESSION GLAND WITH LOCK NUT, GREY, 32MM, IP68, 10EA/PK	TF SAFE:CON 22	1	0	1
M50G	COMPRESSION GLAND WITH LOCK NUT, GREY 50MM IP68 10EA/PK	TF SAFE:CON 22	2	0	2
MHS40	BI-METAL MHS HOLES AW 2-1/2" 64MM	TF SAFE:CON 22	2	0	2
MMT2SFWH	PVC SELF ADHESIVE MINI TRUNKING, WHITE, 3 METERS, 25 x 16MM	TF SAFE:CON 22	1	0	1
MTRS100WH	100 x 100MM PVC TRUNKING, 3M, WHITE	TF SAFE:CON 22	1	0	1
NVT ESG4W	4 INCH "NO RESIST" BACK DRAUGHT GRILLE, WHITE	TF SAFE:CON 22	26	0	26
OABP406018G	MOUNTING ENCLOSURE ABS 400 x 600 x 187MM IP66/67	TF SAFE:CON 22	2	0	2
M20G	M20 x 1.5 COMPRESSION GLAND, GREY, 6-12MM, IP68, 10EA/PK	TF SAFE:CON 22	2	0	2
OBX-HD-5.5X20-200	5.5 x 20MM WAFER HEAD DRILL SCREWS (PACK OF 200)	TF SAFE:CON 22	2	0	2
PK12GTA	EQUIPMENT GROUNDING BAR KIT, 12 TERMINALS, QO LOAD CENTER ACCESSORY	TF SAFE:CON 22	3	0	3
QMG8-25	MUDGUARD WASHER M8 x 25MM (PACK OF 100)	TF SAFE:CON 22	100	0	100
QWS8-15	TWIN THREAD COUNTER SUNK POZI BZP 8x1.5", 200EA/BX	TF SAFE:CON 22	4	0	4
RNB616	ROOFING BOLTS AND NUTS, 6 x 16MM	TF SAFE:CON 22	2	0	2
S08.0X160	SDS HAMMER DRILLBIT, 8x160MM	TF SAFE:CON 22	1	0	1
SEA9BNEX034N	TYPE B MOD EXTENSION BOX 13 WAYS ACTI9 ISOBAR	TF SAFE:CON 22	1	0	1
A9N18469	CIRCUIT BREAKER, MINIATURE, 100A 3P, 375V DC 440V AC TYPE C	TF SAFE:CON 22	1	0	1
SEA9BPN18	TYPE B PON DISTRIBUTION BOARD, 3P+N 250A 18WAYS 230/415V ACTI9 ISOBAR P	TF SAFE:CON 22	1	0	1
PACG25CW	25MM CW ARMoured CABLE GLAND PACK (PACK OF 2)	TF SAFE:CON 22	4	0	4
K4871WHI	PLATE SWITCH, 10A 1G SP 2 WAY	TF SAFE:CON 22	7	0	7
NFFP15	FILLER PLATES	TF SAFE:CON 22	70	0	70
HEX825 + TF047	M8x25MM HEX SET SCREW BZP + M8 HEX NUT	TF SAFE:CON 22	2	0	2
A9XPH124	COMB BUSBAR, ACTI 9, 100A 1P 24MOD	TF SAFE:CON 22	7	0	7
HSLED15BH/WP	LED CIRCULAR POLYCARBONATE FITTING, 15W IP65, WHITE 240V	TF SAFE:CON 22	70	0	70
B07NPGV7G2	LEVER WIRE CONNECTORS, WIRE CONNECTOR ASSORTMENT PACK COMPACT SPLICING CONNECTOR, 75PC	TF SAFE:CON 22	2	0	2
CF-FBUSH63	FEMALE BRASS BUSH, 63MM	TF SAFE:CON 22	4	0	4
CF-LNUTG63	LOCKNUT, GALVANIZED, 63MM	TF SAFE:CON 22	4	0	4



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/22/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
CFMBS63	MALE BRASS BUSH, SHORT, 63MM	TF SAFE:CON 22	4	0	4
CMA060	1 GANG BLANK PLATE WHITE	TF SAFE:CON 22	19	0	19
CNL8-EA	M8 LONG SPRING CHANNEL NUTS BZP	TF SAFE:CON 22	25	0	25
DCS382	18V XR BRUSHLESS RECIPROCATING SAW - TFS019 SN NA007584	TF SAFE:CON 22	1	0	1
DT100SG	GROUNDING KIT, HEAVY DUTY SAFETY SWITCH, 200A TYPE 82,000	TF SAFE:CON 22	5	0	5
A9XPH324	COMB BUSBAR, ACTI 9, 100A 3P 24MOD	TF SAFE:CON 22	10	0	10
F4P32152AR	ARBOR FOR 32-152MM HOLES AW	TF SAFE:CON 22	1	0	1
FAISDS6310	SDS DRILL BIT 6 x 250 x 310MM	TF SAFE:CON 22	1	0	1
FB121	4 HOLE FLAT TEE BRACKET	TF SAFE:CON 22	16	0	16
FCH068M-G	BI-METAL HOLE SAW, FAST CUT, 68MM	TF SAFE:CON 22	3	0	3
FNCF5HO	48W 5FT IP65 4000K LED SENSOR NON-CORROSIVE FITTING	TF SAFE:CON 22	26	0	26
HA25CW	25CW PVC SWA GLAND PACK, OUTDOOR	TF SAFE:CON 22	6	0	6
HA63CW	63CW PVC SWA GLAND PACK, OUTDOOR	TF SAFE:CON 22	2	0	2
EFHT2S-230V	FILTERLESS EXTRACT FAN	TF SAFE:CON 22	21	0	21

Audit Date: 11/24/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
K56401GRY	SWITCH, 10A 1 GANG SP 2 WAY	TF SAFE:CON 25	4	0	4
K56402GRY	SWITCH, 10A 2G SP 1 WAY IP66	TF SAFE:CON 25	1	0	1
K56410GRY	SWITCHED FUSED CONNECTION UNIT, 13A, WEATHERPROOF	TF SAFE:CON 25	3	0	3
K56420GRY + 56882 BLK	1 GANG SWITCH ENCLOSURE 2 WAY IP66 + 10A SP 2 WAY SWITCH	TF SAFE:CON 25	2	0	2
K56422GRY	SWITCH ENCLOSURE 2 WAY 2G IP66	TF SAFE:CON 25	2	0	2
KNYG32/M32	MALE CONDUIT GLAND, M32 IP66 10EA/PK	TF SAFE:CON 25	2	0	2
LR2	MILLED EDGE LOCKRING BZP, 25MM	TF SAFE:CON 25	20	0	20
LRS20G	MILLED EDGE LOCKRING, 20MM	TF SAFE:CON 25	40	0	40
MBB6	2IN LONG MALE BRASS BUSH	TF SAFE:CON 25	8	0	8
LRS6G	MILLED EDGE LOCKRING BZP, 2IN	TF SAFE:CON 25	4	0	4
MBB5	1.5IN LONG MALE BRASS BUSH	TF SAFE:CON 25	20	0	20
MCL1WH	PVC CONDUIT CIRCULAR BOX LID, WHITE	TF SAFE:CON 25	100	0	100
MTAB100AWH	PVC MOULDED ENCLOSURE ADAPTABLE BOX 106x106x67MM WHITE	TF SAFE:CON 25	5	0	5
MMT2SFWH	PVC SELF ADHESIVE MINI TRUNKING, WHITE, 3 METERS, 25 x 16MM	TF SAFE:CON 25	50	0	50
MMT4WH	MINI TRUNKING, 38MMx25MM x 3M, PVC WHITE	TF SAFE:CON 25	84	0	84
MSSB73WH	1 GANG 44MM UNIVERSAL ROUND CORNERS BOX KO WHITE	TF SAFE:CON 25	30	0	30
K4981WHI	SWITCH, 10A DP 1 WAY GRID	TF SAFE:CON 25	1	0	1
LRS5G	MILLED EDGE LOCKRING, 1.5IN	TF SAFE:CON 25	20	0	20
JC050008	COMMERCIAL LED FLOODLIGHT 200W 4000K IP65 BLACK	TF SAFE:CON 25	14	0	14
DS-CSK-4.2X38-100	4.2 X 38 COUNTERSUNK DRILL SCREWS (PACK OF 100)	TF SAFE:CON 25	5	0	5
H6945XL16 - 30	16MM 5 CORE PVC SWA XLPE ARMoured CABLE	TF SAFE:CON 25	30	0	30
OBX-GP-4.8X35-200	4.8 X 35 WAFER HEAD GENERAL PURPOSE DRILL SCREWS (PACK OF 200)	TF SAFE:CON 25	3	0	3
DT40325	FEMALE BUSH BRASS, 25MM	TF SAFE:CON 25	10	0	10
DTGM20S	M20x1.5 DOME COMPRESSION GLAND GREY	TF SAFE:CON 25	6	0	6
E66634	COMBI SET 308/5 POLE TERMINAL JUNCTION BOX & SILICONE GEL IP68	TF SAFE:CON 25	15	0	15



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/24/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
EC58	EARTH ROD EXTERNAL COUPLER 5/8IN	TF SAFE:CON 25	4	0	4
F3	3A BS1362 MINI CERAMIC FUSE, 10EA/PK	TF SAFE:CON 25	4	0	4
F4PRPTW	PLUG TOP, 13AMP 250V WHITE	TF SAFE:CON 25	20	0	20
FCC32	P CLIP CONDUIT FITTING PVC LINER 32MM	TF SAFE:CON 25	10	0	10
FLP5	1.5IN FEMALE BRASS BUSH	TF SAFE:CON 25	20	0	20
FLP6	2IN FEMALE BRASS BUSH	TF SAFE:CON 25	8	0	8
FPL-CP20W	20MM FLEXIBLE CONDUIT WHITE CONTRACTOR PACK 10M C/W M20 FITTINGS	TF SAFE:CON 25	6	0	6
GW40402	TERMINAL BLOCK FOR ENCLOSURE (3x35) + (10x10)	TF SAFE:CON 25	2	0	2
GW44206	JUNCTION BOX (IP56), GREY, 150x110x70MM	TF SAFE:CON 25	1	0	1
GW44210	JUNCTION BOX (IP56), GREY, 3800x300x120MM	TF SAFE:CON 25	13	0	13
GW70436P	ROTARY ISOLATOR SWITCH, 32A 4P	TF SAFE:CON 25	9	0	9
GX01107	8MM ROUND CABLE CLIPS WHITE, 100EA/BX	TF SAFE:CON 25	2	0	2
GX01108	9MM ROUND CABLE CLIPS WHITE, 100EA/BX	TF SAFE:CON 25	2	0	2
GX01109	10MM ROUND CABLE CLIPS WHITE, 100EA/BX	TF SAFE:CON 25	2	0	2
H3185Y2.5W050	2.5MM PVC ROUND FLEXIBLE CABLE WHITE, 50M/RL	TF SAFE:CON 25	1	0	1
HDPT13B	13A HEAVY DUTY PLUG, BLACK	TF SAFE:CON 25	90	0	90
OBX-HD-5.5X40-100	5.5MM X 40MM WAFER HEAD DRILL SCREWS (PACK OF 100)	TF SAFE:CON 25	5	0	5
1CX70MM-G/Y	70MM 1 CORE GREEN/YELLOW CABLE	TF SAFE:CRATE 04	6	0	6
PP40.25M	FLEXIBLE CONDUIT 40MM x 25M BLACK	TF SAFE:CON 25	1	0	1
1CX25MM-G/Y	25MM 1 CORE GREEN/YELLOW CABLE	TF SAFE:CON 27	155	0	155
1CX70MM-G/Y	70MM 1 CORE GREEN/YELLOW CABLE	TF SAFE:CON 27	25	0	25
3CORE X 16MM	16MM 3 CORE CLASS 5 COPPER CONDUCTOR FLEXIBLE CABLE	TF SAFE:CON 27	60	0	60
3CX2.5-WHT	CABLE, WHITE, 3-CORE 2.5MM, 100 YARDS	TF SAFE:CON 27	3	0	3
4CX120MM	120MM 4 CORE CU/XLPE/SWA/PVC ARMOURED CABLE	TF SAFE:CON 27	25	0	25
4CX35MM	35MM 4 CORE CU/XLPE/SWA/LSZH ARMOURED CABLE	TF SAFE:CON 27	75	0	75
5CX10MM	10MM 5 CORE CU/XLPE/SWA/PVC ARMOURED CABLE	TF SAFE:CON 27	80	0	80
5Cx16MM	BUTYL HEAT RESISTANT CABLE, 5-CORE 16MM BLACK TYPE H07RN-F	TF SAFE:CON 27	80	0	80
5Cx6MM	BUTYL HEAT RESISTANT CABLE, 5-CORE 6MM BLACK TYPE H07RN-F	TF SAFE:CON 26	120	0	120
5CX2.5MM	2.5MM 5 CORE FLEXIBLE CABLE EPR PCP	TF SAFE:CON 27	300	0	300
4CX35MM	35MM 4 CORE CU/XLPE/SWA/LSZH ARMOURED CABLE	TF SAFE:CRATE 01	50	0	50
3CX10MM	10MM 3 CORE CU/XLPE/SWA/PVC ARMOURED CABLE	TF SAFE:CRATE 02	590	0	590
3CX16MM	16MM 3 CORE CU/XLPE/SWA/PVC ARMOURED CABLE	TF SAFE:CRATE 02	60	0	60
4CX35MM	35MM 4 CORE CU/XLPE/SWA/LSZH ARMOURED CABLE	TF SAFE:CRATE 03	20	0	20
4CX70MM	70MM 4 CORE CU/XLPE/SWA/PVC ARMOURED CABLE	TF SAFE:CRATE 03	90	0	90
1CX35MM-G/Y	35MM 1 CORE GREEN/YELLOW CABLE	TF SAFE:CRATE 04	90	0	90
DS-CSK-4.2X38	4.2 x 38MM COUNTERSUNK DRILL SCREWS 100EA/BX	TF SAFE:CON 25	3	0	3
4CX16MM	16MM 4 CORE CU/XLPE/SWA/LSZH ARMOURED CABLE	TF SAFE:CRATE 04	430	0	430
1CX16MM-G/Y	16MM 1 CORE GREEN/YELLOW CABLE	TF SAFE:CRATE 01	125	0	125
5Cx16MM	BUTYL HEAT RESISTANT CABLE, 5-CORE 16MM BLACK TYPE H07RN-F	TF SAFE:CON 26	6	0	6
YM0800L	8MM HSS DRILL BIT 10EA/PK	TF SAFE:CON 25	1	0	1
XCBER458	COPPER BONDED EARTH ROD, 5/8IN x 4FT	TF SAFE:CON 25	8	0	8
RG66	RUBBER GASKET 150MM x 150MM	TF SAFE:CON 25	2	0	2
SB 8/20W	2 GANG 32MM PVC SURFACE BOX ROUND CORNERS WITH 20MM KO, WHITE	TF SAFE:CON 25	2	0	2



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/24/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
SEA9APN10	DISTRIBUTION BOARD SP+N TYPE A 1P 125A 10 WAYS 230V	TF SAFE:CON 25	1	0	1
SEA9BP25N	BLANKING PLATES	TF SAFE:CON 25	3	0	3
SEA9BPN4	DISTRIBUTION BOARD 3P+N TYPE B 250A 4 WAYS ACTI9 230/400V	TF SAFE:CON 25	5	0	5
SEA9BPN6	DISTRIBUTION BOARD 3P+N TYPE B 250A 6 WAYS ACTI9 230/400V	TF SAFE:CON 25	4	0	4
SEA9BPW6HDGR	HEAVY DUTY DISTRIBUTION BOARD STEEL DOOR, 3P 125A 6 WAYS ACTI9 ISOBAR IP55	TF SAFE:CON 25	6	0	6
SLA22RGB9W81	SMART LED GLS 9W DIMMABLE LAMP	TF SAFE:CON 25	2	0	2
SLA22RGB9W81-01	LED GLS RGB 9W DIMMABLE BULB	TF SAFE:CON 25	11	0	11
SLBLU3R	3.0MM PVC BLUE SLEEVING 100M/RL	TF SAFE:CON 25	1	0	1
SLBRN3R	3.0MM PVC BROWN SLEEVING 100M/RL	TF SAFE:CON 25	1	0	1
SLGY3R	3.0MM PVC GREEN / YELLOW SLEEVING 100M/RL	TF SAFE:CON 25	1	0	1
SSH7PCSET	STEEL HOLES AW SET, 7 PIECE	TF SAFE:CON 25	1	0	1
TEB2WH	EXTERNAL BEND 25x16MM WHITE	TF SAFE:CON 25	60	0	60
TFB2WH	FLAT BEND 25x16MM WHITE	TF SAFE:CON 25	60	0	60
TIB2WH	INTERNAL BEND 25x16MM WHITE	TF SAFE:CON 25	60	0	60
TS35S	SLOTTED DIN RAIL, 2M x 35MM x 7.5MM	TF SAFE:CON 25	10	0	10
UB300C-B	CABLE TIES 300x4.6MM BLACK 100EA/PK	TF SAFE:CON 25	46	0	46
WRCHL37/BK	LSF COATED SINGLE FIXING P CLIP 37 BLACK (PACK OF 50)	TF SAFE:CON 25	10	0	10
OBX-STD-4.8X16-200	4.8 x 16 STANDARD SELF DRILLING SCREWS BNP (PACK OF 200)	TF SAFE:CON 25	1	0	1
DS-CSK-4.2X20-100	4.2 x 20MM COUNTERSUNK DRILL SCREWS BZP (PACK OF 100)	TF SAFE:CON 25	3	0	3
4306/D	13A DP 2 GANG SWITCHED SOCKET, WHITE	TF SAFE:CON 25	6	0	6
CW25PK-LSF	LSF PACK BRASS CABLE GLAND 22-26.5MM RANGE	TF SAFE:CON 25	1	0	1
16-6TQ	COPPER TUBE TERMINAL 16-6MM	TF SAFE:CON 25	20	0	20
16-8TQ	COPPER TUBE TERMINAL 16-8MM	TF SAFE:CON 25	20	0	20
1776015	TRADE TUB 500 RED WALL PLUGS & 8-1/2IN SCREWS	TF SAFE:CON 25	1	0	1
20MBBL	20MM LONG MALE BRASS BUSH	TF SAFE:CON 25	20	0	20
221-412	COMPACT CABLE SPLICING CONNECTOR, 2 WAY 4MM, 100EA/BX	TF SAFE:CON 25	14	0	14
221-413	COMPACT CABLE SPLICING CONNECTOR, 3 WAY 4MM, 50EA/BX	TF SAFE:CON 25	7	0	7
221-415	COMPACT CABLE SPLICING CONNECTOR, 5 WAY 4MM, 25EA/BX	TF SAFE:CON 25	4	0	4
242-222-010	RED PLASTIC WALL PLUGS & CSK POZI 8x1-1/2IN SCREWS	TF SAFE:CON 25	2	0	2
13450	TERMINAL BLOCK, 32 HOLES FOR ENCLOSURE 18 MODULES, BLUE	TF SAFE:CON 25	6	0	6
242-222-020	BROWN PLASTIC WALL PLUGS & CSK POZI 10x2IN SCREWS	TF SAFE:CON 25	3	0	3
25MBBL	25MM LONG MALE BRASS BUSH	TF SAFE:CON 25	10	0	10
2MRB2WH	PVC CONDUIT TERMINAL BOX, 20MM, WHITE	TF SAFE:CON 25	60	0	60
2MRB4WH	PVC CONDUIT ANGLE BOXES, 20MM, WHITE	TF SAFE:CON 25	60	0	60
2MRB5WH	PVC CONDUIT TEE BOX WHITE, 20MM, WHITE	TF SAFE:CON 25	60	0	60
32BW	M32 LSF PVC SWA ARMoured CABLE GLAND PACK	TF SAFE:CON 25	1	0	1
CWK30	CATENARY WIRE KIT 30Mx3MM	TF SAFE:CON 25	1	0	1
4.2x20MM	SCREW, CSK SELF DRILLING 4.2x20MM (#8x3/4"), 1000EA/BX	TF SAFE:CON 25	4	0	4
4016	45A DP 1 GANG SWITCH, WHITE	TF SAFE:CON 25	4	0	4
25BW	M25 LSF PVC SWA ARMoured CABLE GLAND PACK	TF SAFE:CON 25	1	0	1
424008	HSS BI-METAL HOLE SAW, 32MM (1-1/4IN)	TF SAFE:CON 25	1	0	1
10110873	JUNCTION BOX COMBI 607/221 GREY IP66/67 110x110x66MM RAL9001	TF SAFE:CON 25	10	0	10



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/24/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
10109674	JUNCTION BOX COMBI 407, 95MM X 95MM X 60MM IP66/67	TF SAFE:CON 25	12	0	12
0004-4143	PVC SWA CABLE CLEATS, 22.7 TO 25.4MM NO.10	TF SAFE:CON 25	50	0	50
0004-4146	PVC SWA CABLE CLEATS, 25.3 TO 27.7MM NO.11	TF SAFE:CON 25	20	0	20
004834	DISTRIBUTION BLOCK 13 WAY 100A 400V AC GREEN	TF SAFE:CON 25	5	0	5
004844	DISTRIBUTION BLOCK 13 WAY 100A 400V AC BLUE	TF SAFE:CON 25	5	0	5
01LERPB	EARTH ROD PRO BIT CARBIDE TIP 5/8IN, 10EA/PK	TF SAFE:CON 25	8	0	8
01LERPM	EARTH ROD PRO DRIVER SDS MAX 5/8IN	TF SAFE:CON 25	2	0	2
037162	6MM CONNECTION TERMINAL BLOCK, GREY	TF SAFE:CON 25	150	0	150
037510	END STOPS FOR DIN RAIL	TF SAFE:CON 25	30	0	30
10110871	JUNCTION BOX COMBI 607/221 GREY IP66/67 110x110x66MM RAL7035	TF SAFE:CON 25	5	0	5
05627	16W PRO LED NON DIMMABLE OPAL GLS 4000K 220-240V	TF SAFE:CON 25	3	0	3
089-188-010	M8 BRASS HEXAGON NUTS, 50EA/PK	TF SAFE:CON 25	2	0	2
089-189-010	M8 BRASS FORM A FLAT WASHERS	TF SAFE:CON 25	100	0	100
10066413	CABLE GLAND POLYAMIDE, M25 RAL 7035 IP68	TF SAFE:CON 25	10	0	10
10100611	COMPRESSION GLAND WITH LOCK NUT, GLP20 20MM IP68, WHITE 10EA/PK	TF SAFE:CON 25	8	0	8
10100613	COMPRESSION GLAND WITH LOCKNUT, GREY, 20MM, IP68, 10PC/PK	TF SAFE:CON 25	20	0	20
10100824	COMPRESSION GLAND WITH LOCK NUT ESKV20 GREY IP69 10EA/PK	TF SAFE:CON 25	8	0	8
10101459	JUNCTION BOX COMBI 1210 LG GREY IP66/67 160x140x82MM	TF SAFE:CON 25	1	0	1
10101462	JUNCTION BOX COMBI 1210/5 LG, 160MM X 140MM X 82MM IP66/67	TF SAFE:CON 25	5	0	5
07.311.0255.0	END PLATE AP 6 /V0	TF SAFE:CON 25	30	0	30
424010	HSS BI-METAL HOLE SAW, 38MM (1-1/2IN)	TF SAFE:CON 25	1	0	1
38167	16MM PVC TRI RATED GREEN / YELLOW CABLE 600/1000V	TF SAFE:CON 25	1	0	1
424020	HSS BI-METAL HOLE SAW, 64MM (2-1/2IN)	TF SAFE:CON 25	1	0	1
A9S66292	SWITCH DISCONNECTOR, ACTI9 415V 125A 50/60Hz 2P	TF SAFE:CON 25	1	0	1
A9S66492	SWITCH DISCONNECTOR, ACTI9, 415V AC 125A 50/60Hz, 5kA, 4P	TF SAFE:CON 25	11	0	11
424016	HSS BI-METAL HOLES AW, 51MM	TF SAFE:CON 25	1	0	1
A9XPH324	COMB BUSBAR, ACTI 9, 100A 3P 24MOD	TF SAFE:CON 25	3	0	3
AB/BP100P	ANTI-VANDAL BULKHEAD FLASHGUARD BLACK PRISMATIC PIR 100W IP65	TF SAFE:CON 25	2	0	2
AB/BP4LED600	ANTI-VANDAL BULKHEAD BLACK PRISMATIC 4000K LED 600 IP65	TF SAFE:CON 25	4	0	4
ABG663	GALVANISED ADAPTABLE BOX WITH KO 150x150x75MM	TF SAFE:CON 25	2	0	2
CFP-20B-10M-CP	20MM BLACK FLEXIBLE CONDUIT C/W CLIP ON GLANDS	TF SAFE:CON 25	1	0	1
A9F53440	CIRCUIT BREAKER, MINIATURE, 40A 4P B 415V	TF SAFE:CON 25	4	0	4
CFP-25B-10M-CP	25 MM BLACK FLEXIBLE CONDUIT C/W CLIP ON GLANDS	TF SAFE:CON 25	1	0	1
CG/LNM20SG	POLYAMIDE CABLE GLAND 20MM GREY, M20x1.5 6-12MM IP68	TF SAFE:CON 25	80	0	80
CG/LNM-25G	POLYAMIDE CABLE GLAND 25MM GREY, M25x1.5 13-18MM IP68	TF SAFE:CON 25	60	0	60
CG/LNM-50G	POLYAMIDE CABLE GLAND 50MM GREY, M50x1.5 30-38MM IP68	TF SAFE:CON 25	35	0	35
CLUB16-2	EARTH CLAMP, ROD TO TAPE BOLT DOUBLE PLATE, 16MM	TF SAFE:CON 25	8	0	8
CMXT 42	MAXI TRUNKING, 100x50MM x 3M, PVC WHITE	TF SAFE:CON 25	10	0	10
CRAD78B	CABLE TIE CRADLE 9.0MM BLACK 100EA/PK	TF SAFE:CON 25	18	0	18
CTB21W	SOCKET MOUNTING BOX, 1 GANG 35MM WHITE	TF SAFE:CON 25	10	0	10
CTBSS	CABLE TIE MOUNT STAINLESS STEEL	TF SAFE:CON 25	2	0	2
CFP-25W-10M-CP	25MM WHITE FLEXIBLE CONDUIT C/W CLIP ON GLANDS	TF SAFE:CON 25	1	0	1



NOVEMBER 2025 - MONTHLY AUDIT



Audit History By Date Report

TASK FORCE SAFE / UFC

Audit Date: 11/24/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
A9F53432	CIRCUIT BREAKER, MINIATURE, 32A 4P B 415V	TF SAFE:CON 25	16	0	16
A9XPH312	COMB BUSBAR, ACTI 9, 100A 3P 12MOD	TF SAFE:CON 25	11	0	11
A9D31816	RCCB WITH OVERCURRENT PROTECTION (RCBO), 1P+Ns-B16A-30mA 240V TYPE A	TF SAFE:CON 25	51	0	51
424039	QUICK RELEASE ARBOR WITH 11MM SHAFT FOR 32-152MM HOLE SAW	TF SAFE:CON 25	1	0	1
4304	13A 1 GANG SINGLE SWITCHED SOCKET OUTLET	TF SAFE:CON 25	1	0	1
4304/D	13A DP 1 GANG SWITCHED SOCKET, WHITE	TF SAFE:CON 25	3	0	3
4306/C	SWITCHED SOCKET 13A 2G 1P BRASS TERMINAL	TF SAFE:CON 25	1	0	1
A9F53340	CIRCUIT BREAKER, MINIATURE, 40A 3P B, 415V	TF SAFE:CON 25	1	0	1
483-2429	BRASS HEX BOLT, M8 x 25MM	TF SAFE:CON 25	25	0	25
483-2520	BRASS HEX NUT, M6 x 25MM	TF SAFE:CON 25	2	0	2
55347	6MM 5 CORE H07RN-F RUBBER FLEXIBLE CABLE	TF SAFE:CON 25	20	0	20
55513	4MM 5 CORE H07RN-F RUBBER FLEXIBLE CABLE	TF SAFE:CON 25	30	0	30
4827	13A SWITCHED FUSED SPUR, WHITE	TF SAFE:CON 25	13	0	13
630605	COPPER LUGS 10MM HOLE FOR 16MM CABLE	TF SAFE:CON 25	30	0	30
640008	16MM BOOTLACE FERRULES GREEN	TF SAFE:CON 25	1	0	1
88168304	JUNCTION BOX, 2.5MM 400V IP55, 75x75x37MM	TF SAFE:CON 25	50	0	50
9290022994	LED BULB 9W E27 6500K 220-240V	TF SAFE:CON 25	6	0	6
99217	6 WAY B TERMINAL BAR EARTH/NEUTRAL 20 HOLE 200A 183MM	TF SAFE:CON 25	1	0	1
A100POLY	ALL POLYCARBONATE BULKHEAD BLACK, 60W 230V 50Hz IP65	TF SAFE:CON 25	21	0	21
A2-M6	COPPER TUBE CRIMP LUG 10MM M6 STUD	TF SAFE:CON 25	93	0	93
A9D17332	RCCB WITH OVERCURRENT PROTECTION (RCBO), 3P 32A 30mA-C-A 230V TYPE A	TF SAFE:CON 25	1	0	1
625RWZX	M6x25MM PENNY WASHER BZP, 100EA/BX	TF SAFE:CON 25	4	0	4

Audit Date: 11/25/2025

Username: Alexis, de Vera

Item Number	Item Description	Original Location	Expected	Discrepancy	Reconcile
GBH36VF-LIP 24	DRILL, SDS-PLUS HAMMER 2-36V-4AH LI-ION BATTERIES	TF SAFE:NLZ	1	0	1
DCS334	JIG SAW, CORDLESS XR, 18V	TF SAFE:ERBIL	1	0	1
021016	HAND HYDRAULIC PUNCH DRIVER SET	TF SAFE:ERBIL	1	0	1
WHLU5942613	SHIPPING CONTAINER, 40FT	TF SAFE:EBOM YARD	1	0	1
EMCU9173560	SHIPPING CONTAINER, 40FT	TF SAFE:EBOM YARD	1	0	1
MSCU9724929	SHIPPING CONTAINER, 40FT	TF SAFE:EBOM YARD	1	0	1
EMCU9182984	SHIPPING CONTAINER, 40FT	TF SAFE:EBOM YARD	1	0	1
DCG412	ANGLE GRINDER, CORDLESS XR, 18V	TF SAFE:NLZ	1	0	1
MSCU9955511	SHIPPING CONTAINER, 40FT	TF SAFE:EBOM YARD	1	0	1
DCH253	DRILL, CORDLESS XR SDS PLUS HAMMER, 18V	TF SAFE:NLZ	1	0	1