

The Issue

glennswest@neuralcloudcomputing.com


Test environment

```
create mode 100644 contents/sidebars.css
create mode 100644 contents/sidebars.js
delete mode 100644 contents/work.html
delete mode 100644 index.html
delete mode 100644 index.html.1
delete mode 100644 index.html.2
[gwest@gwest@redhat I2CGateHa % git status ]
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

nothing to commit, working tree clean
[gwest@gwest@redhat I2CGateHa % git push ]
Enumerating objects: 18, done.
Counting objects: 100% (18/18), done.
Delta compression using up to 12 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (12/12), 159.65 KiB | 3.55 MiB/s, done.
Total 12 (delta 5), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (5/5), completed with 5 local objects.
To github.com:glennswest/i2cgateha.git
d0f5ead..b5336a7 main -> main
[gwest@gwest@redhat I2CGateHa % node testserver.js ]
```

- Code is at:
 - <https://github.com/glennswest/i2cgateha>
 - In contents directory
 - To Test:
 - Node testserver.js

Issue One



- Should display overview.html (a table) on initial opening.
- Wrong behavior:
 - Have to Click overview
 - Menu's disappeared

Issue Two

| Name | Value |
|------------|--------------|
| DeviceName | i2cgate1 |
| IpAddress | 192.168.1.90 |

- The table should be in a container – ie the bar is too long.
- Nice to have a way of stacking multiple tables in multiple containers (A future overview, could have multiple tables)

Things to check

- Can switch between two tables