



2024 HIV/AIDS Knowledge, Attitudes and Behaviour Survey, Jamaica

- Report of Findings from HIV/AIDS Knowledge Attitudes and Behavior Survey, Jamaica 2024

Prepared by: Hope Caribbean Co. Ltd.;

Prepared June 2025

TABLE OF CONTENTS

INTRODUCTION.....5

EXECUTIVE SUMMARY6

METHODOLOGY10

DETAILED FINDINGS.....15

 CHAPTER 1: REVIEW OF SPECIFIC RISK BEHAVIOUR 15

 CHAPTER 2: BEHAVIOUR BY MARITAL STATUS 34

 CHAPTER 3: ACCESS AND ATTITUDES TO CONDOMS 42

 CHAPTER 4: KNOWLEDGE..... 49

 CHAPTER 5: STIGMA AND DISCRIMINATION 53

 CHAPTER 6: ADVERTISING MESSAGE RECALL AND IMPACT 60

 CHAPTER 7: WORKPLACE INTERVENTION 65

 CHAPTER 8: INTIMATE PARTNER VIOLENCE..... 66

 CHAPTER 9: EMOTIONAL HEALTH..... 72

 CHAPTER 10: GENERAL ATTITUDES 74

 CHAPTER 11: PRE-EXPOSURE PROPHYLAXIS 77

 CHAPTER 12: HIV SELF-TESTING..... 79

 CHAPTER 13: RESULTS OF PROGRAMME INDICATORS..... 80

APPENDIX 1:89

 EMOTIONAL HEALTH DETAILED TABLES 89

LIST OF TABLES

TABLE 1: AGE OF SEXUAL INITIATION 2024	15
TABLE 2: SEXUAL ACTIVITY 2024 VS 2017	16
TABLE 3: MARRIED/COHABITING STATUS BY AGE & GENDER YR 2024 VS 2017	17
TABLE 4: VISITING/CASUAL RELATIONSHIP STATUS BY AGE & GENDER YR 2024 VS 2017	17
TABLE 5: MULTIPLE PARTNERSHIPS BY RELATIONSHIP STATUS - YR 2024 VS YR 2017	18
TABLE 6: MEAN NUMBER OF MULTIPLE PARTNERS & FREQUENCY OF CONDOM USE AMONG PERSONS IN MULTIPLE PARTNERSHIPS (YR 2024 VS. YR 2017)	20
TABLE 7: PERCEPTION OF PERSONS WITH MULTIPLE PARTNERS VERSUS THOSE WITH MULTIPLE PARTNERS THAT DID NOT USE A CONDOM (CONDOM NON-USER) (YR 2024 VS. YR 2017)	21
TABLE 8: RISK PERCEPTION OF PERSONS WITH MULTIPLE PARTNERS ANALYSED BY SOMETIMES AND MOST TIMES CONDOM USER (YR 2024 VS. YR 2017)	22
TABLE 9: TRANSACTIONAL SEX BY SOCIO-DEMOGRAPHIC VARIABLES YR 2024 VS YR 2017	23
TABLE 10: FREQUENCY OF CONDOM USE AMONG PERSONS REPORTING TRANSACTIONAL SEX (YR 2024 VS. YR 2017)	24
TABLE 11: LIKELIHOOD OF CONDOM USE NEXT TIME SEX HAD BY PERSONS REPORTING TRANSACTIONAL SEX IN LAST 12 MONTHS	24
TABLE 12: COERCIVE INTERCOURSE (PAST 12 MONTHS) BY SOCIO-DEMOGRAPHIC VARIABLES	25
TABLE 13: CASUAL PARTNERSHIPS BY SOCIO-DEMOGRAPHIC VARIABLES (YR 2024 vs. YR 2017)	26
TABLE 14: SAME SEX INTERCOURSE BY SOCIO-DEMOGRAPHIC VARIABLES YR 2024 VS YR 2017	27
TABLE 15: MALES STI INCIDENCE 2024 VS YR 2017 VS. YR 2012	28
TABLE 16: FEMALES STI INCIDENCE 2024 VS YR 2017 VS. YR 2012	28
TABLE 17: RISKY PARTNERSHIPS REPORTED BY PERSONS REPORTING AN STI (YR 2024 VS. YR 2017)	29
TABLE 18: HAD AN HIV TEST IN PAST YEAR	29
TABLE 19: HIV TESTING BY CONDOM USAGE OF THOSE ENGAGING IN MULTIPLE PARTNERSHIPS IN LAST YEAR YR 2024 VS. YR 2017 IN PAST YEAR	30
TABLE 20: REASON FOR DOING HIV TEST BY AGE, SEX, AND SEXUAL ACTIVITY	30
TABLE 21: KNOW RESULT OF HIV TEST DONE IN PAST YEAR	31
TABLE 22: REASON FOR NOT DOING HIV TEST	32
TABLE 23: PARTICIPATED IN WORKSHOP ON HIV/AIDS IN PAST YEAR	33
TABLE 24: WHERE PARTICIPATED IN WORKSHOP ON HIV/AIDS IN PAST YEAR	33
TABLE 25: LENGTH OF TIME LIVING WITH MARRIED/COHABITING PARTNER BY AGE & GENDER	34
TABLE 26: FREQUENCY OF CONDOM USE WITH MARRIED/COHABITING PARTNER BY AGE & GENDER	35
TABLE 27: CONDOM USED AT LAST SEX WITH MARRIED/COHABITING PARTNER BY AGE & GENDER (YR 2024 VS YR 2017)	35
TABLE 28: MULTIPLE PARTNERSHIPS WITHIN MARRIED/COHABITING UNIONS BY AGE & GENDER (YR 2024 VS YR 2017)	36
TABLE 29: CONDOM USE EVERY TIME & LAST TIME WITH MAIN PARTNER WHERE MULTIPLE PARTNERS EXIST BY AGE & GENDER (YR 2024 VS YR 2017)	36
TABLE 30: CONDOM USE WITH MULTIPLE PARTNERS OTHER THAN MARRIED/COHABITING BY AGE & GENDER (YR 2024 VS YR 2017)	37

TABLE 31: SEXUALLY ACTIVE VISITING/CASUAL/NON-COHABITING BY AGE & GENDER (YR 2024 VS YR 2017)	38
TABLE 32: SEXUALLY ACTIVE HAVING A MAIN PARTNER BY AGE & GENDER (YR 2024 VS YR 2017)	38
TABLE 33: CONDOM USE AT LAST SEX WITH MAIN PARTNER BY AGE & GENDER (YR 2024 VS YR 2017)	39
TABLE 34: FREQUENCY OF CONDOM USE WITH MAIN PARTNER BY AGE & GENDER	39
TABLE 35: INCIDENCE OF MULTIPLE PARTNERSHIPS (WITH OR WITHOUT MAIN PARTNER) BY AGE & GENDER (YR 2024 VS YR 2017)	40
TABLE 36: INCIDENCE OF CONDOM USE AT LAST SEX IN MULTIPLE PARTNERSHIPS	40
TABLE 37: MEAN NUMBER OF PARTNERS IN VISITING/CASUAL RELATIONSHIPS IN THE PAST 12 MONTHS AGE & GENDER (YR 2024 VS YR 2017)	41
TABLE 38: WHERE CONDOMS ARE BOUGHT BY AGE YR 2024 vs 2017	43
TABLE 39: WHERE CONDOMS ARE BOUGHT BY GENDER YR 2024 vs 2017	43
TABLE 40: EXTENT TO WHICH PERSONS GENERALLY HAVE A CONDOM BY GENDER YR 2024 vs 2017	44
TABLE 41: EXTENT TO WHICH PERSONS GENERALLY HAVE A CONDOM BY AGE YR 2024 vs 2017	45
TABLE 42: REASONS FOR NOT USING CONDOMS ALL OF THE LAST 10 TIMES SEX HAD BY AGE YR 2024 vs 2017	46
TABLE 43: GENERAL ATTITUDES TO CONDOMS AND CONTRACEPTIVES (TTB) BY GENDER YR 2024 vs 2017	47
TABLE 44: GENERAL ATTITUDES TO CONDOMS AND CONTRACEPTIVES (TTB) BY AGE YR 2024 vs 2017	48
TABLE 45: CORRECTIVE FACTORS AND MYTHS BY AGE AND GENDER YR 2024 vs 2017	50
TABLE 46: WHERE OBTAINED INFORMATION ON HIV/ AIDS BY AGE YR 2024 vs 2017	51
TABLE 47: WHERE OBTAINED INFORMATION ON HIV/ AIDS BY GENDER YR 2024 vs 2017	51
TABLE 48: SPOKEN ABOUT AIDS AND SAFE SEX BY AGE YR 2024 vs 2017	52
TABLE 49: SPOKEN ABOUT AIDS AND SAFE SEX BY GENDER YR 2024 vs 2017	52
TABLE 50: (TTB) ATTITUDES TO PEOPLE LIVING WITH HIV/AIDS BY GENDER YR 2024 vs 2017	53
TABLE 51: (TTB) ATTITUDES TO PEOPLE LIVING WITH HIV/AIDS BY AGE YR 2024 vs 2017	55
TABLE 52: KNOWLEDGE OF A PERSON LIVING/DYING FROM HIV/ AIDS BY AGE AND GENDER YR 2024 vs 2017	56
TABLE 53: KNOWLEDGE OF A PERSON LIVING/DYING FROM HIV/ AIDS BY AGE YR 2024 vs 2017	56
TABLE 54: ATTITUDE TO PERSONS WITH HIV (TTB) BY GENDER YR 2024 vs 2017	57
TABLE 55: ATTITUDE TO PERSONS WITH HIV (TTB) BY AGE YR 2024 vs 2017	57
TABLE 56: ATTITUDE TO PERSONS WITH HIV (TTB) BY GENDER YR 2024 vs 2017	59
TABLE 57: ATTITUDE TO PERSONS WITH HIV (TTB) BY AGE YR 2024 vs 2017	59
TABLE 58: ADVERTISING MESSAGE RECALL (UNPROMPTED) YR 2024	60
TABLE 59: SPECIFIC MESSAGE RECALLED (PROMPTED) YR 2024 -TOP 12 RESPONSES.....	61
TABLE 60: BEHAVIOUR CHANGE AS A RESULT OF MASS MEDIA CAMPAIGN YR 2024	62
TABLE 61: PROFILING PERSONS IMPACTED BY MESSAGE YR 2024.....	63
TABLE 62: PERCENTAGE WHO HAVE DISCUSSED MESSAGE OF CAMPAIGN WITH SEX PARTNER AND FRIENDS YR 2024	64
TABLE 63: THE WORKPLACE AS A POINT FOR DISSEMINATING INFORMATION ON HIV/AIDS YR 2024 vs 2017	65
TABLE 64: TYPES OF VIOLENCE EXPERIENCED BY FEMALES IN PAST 12 MONTHS: YR 2024	67
TABLE 65: TYPES OF VIOLENCE EXPERIENCED BY MALES IN PAST 12 MONTHS: YR 2024	68
TABLE 66: SEX OF AGGRESSOR (FEMALES)	68
TABLE 67: SEX OF AGGRESSOR (MALES)	68
TABLE 68: PERSON WHO COMMITTED VIOLENT ACTS YR 2024 (FEMALES).....	69
TABLE 69: PERSON WHO COMMITTED VIOLENT ACTS YR 2024 (MALES).....	69
TABLE 70: CONSIDER THEMSELVES (FEMALES) A VICTIM OF PHYSICAL VIOLENCE BY AGE GROUP & GENDER	70
TABLE 71: CONSIDER THEMSELVES (MALES) A VICTIM OF PHYSICAL VIOLENCE BY AGE GROUP & GENDER	70
TABLE 72: DO YOU (FEMALES) FEEL YOU DESERVE IT?	71

TABLE 73: DO YOU (MALES) FEEL YOU DESERVE IT?	71
TABLE 74: RESPONDENT (FEMALES) COMMITTING VIOLENT ACTS	71
TABLE 75: RESPONDENT (MALES) COMMITTING VIOLENT ACTS.....	71
TABLE 76: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 vs 2017	73
TABLE 77: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE YR 2024 vs 2017	75
TABLE 78: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY GENDER YR 2024 vs 2017	76
TABLE 79: KNOWLEDGE OF AND WILLINGNESS TO TAKE PREP YR 2024 vs 2017	77
TABLE 80: REASONS FOR UNWILLINGNESS TO TAKE PREP YR 2024 vs 2017	78
TABLE 81: REASONS FOR WILLINGNESS TO TAKE PREP YR 2024 vs 2017	78
TABLE 82: KNOWLEDGE OF HIV SELF TESTS YR 2024 vs 2017	79
TABLE 83: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 vs 2017	89
TABLE 84: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 vs 2017	90
TABLE 85: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 vs 2017	91
TABLE 86: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 vs 2017	92
TABLE 87: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 vs 2017	93

LIST OF FIGURES

FIGURE 1. PERCENTAGE ABLE TO OBTAIN CONDOMS ALMOST IMMEDIATELY YR 2024 VS 2017	42
FIGURE 2. ATTITUDE TO PERSONS WITH HIV YR 2024 VS 2017	58
FIGURE 3: IPV EXPERIENCE (EVER AND PAST 12 MONTHS).....	66

INTRODUCTION

The UNAID's 2024 factsheets estimate that there are approximately 28,000 individuals aged 15 and over living with HIV, with similar prevalence rates among male and females aged 15 to 49 (1.1%).

According to the Economic and Social Survey Jamaica (ESSJ) 2024, 90% of all PLHIV knew their status, with 75% being linked to receiving care, 62% retaining said care, and 58% being retained on ARVs. Prevalence was highest in Kingston, St. Andrew, St. Catherine and St. James.

The HIV epidemic in Jamaica is characterised as being a mixed epidemic as it shows features of being both generalized in the population and concentrated among those who are most at risk. The highest proportion of new cases was identified among key and vulnerable populations in 2024. Currently, of the vulnerable groups living with HIV in Jamaica, MSMs (27,000) and Sex Workers (16,900) account for the highest proportion.

The National HIV/STI Programme (NHP) since 1991 has conducted KABP studies in Jamaica in an effort to understand the knowledge, attitudes, behaviour and practice of the general population towards HIV/AIDS, and also among concentrated populations who practice high risk behaviour. The findings will assist in directing the Programme's prevention treatment and enabling of resources to key areas in tackling HIV/AIDS.

Key findings from the 2017 KABP survey indicate a need to scale up HIV prevention interventions and continue monitoring efforts. Among the cohort of persons 15-24 years, only 32.9% were able to correctly identify both ways of preventing transmission and rejecting major misconceptions. High risk behaviours such as multiple sex partnerships increased marginally, with 45% of males and 16% of females reporting more than one sex partners in the last 12 months. There was a general decline in condom use, with the main reason for non-use being loving and trusting their partner (51%).

EXECUTIVE SUMMARY

i. Conclusions

Sexual Initiation:

- Median age of 1st sexual contact increased for males, from 14 years in 2017 to 15 years in 2024. Median age at first sexual encounter for females meanwhile remains the same at 17 years old over the period.

Percentage ever having sex and sexually active in the last 12 months:

- Significantly fewer males reported ever having had sex and being sexually active in the last 12 months in comparison to the previous wave irrespective of age group.
- Females 15-19 years old were more likely to have become sexually active and to have been sexually active in the last 12 months in 2024 compared to 2017.

Percentage of young adults, 15-19 years old who have never had sex increases:

- In comparison to the previous wave, more 15-19y males reported abstaining from sexual activity. This suggests an improvement in early sexual debut in males.

2024 15-19y	Male 33.0%	Female 51.4%	Total 40.8%
2017 15-19y	Male 29.7%	Female 54.1%	Total 38.1%

Correct Knowledge of HIV transmission declined in 2024 versus 2017

The HIV knowledge indicators review the percentage of young women and men aged 15–24 who correctly identify ways of preventing the sexual transmission of HIV (100% condom use and one faithful partner) and who reject major misconceptions about HIV transmission (sharing food, healthy looking person and mosquito bites). Among 15-24 years old, 27.3% were able to correctly answer all five HIV knowledge questions. This represents a decline in correct knowledge over 2017 among both males and females but more so among females.

2024 15-24y	Male 25.0%	Female 30.5%	Total 27.3%
2017 15-24y	Male 31.1%	Female 36.0%	Total 32.9%

Risky Behaviour

- Multiple partners in past 12 months decreased marginally

The “multiple partners in past 12 months” indicator reviews the percentage of adults aged 15–49 who have had sexual intercourse with more than one partner in the past 12 months.

Multiple partner relationships decreased in 2024 compared to 2017. A deeper analysis of the data further reveals that multiple partnerships decreased among married/cohabiting females but increased among single but sexually active in the last 12 months.

- Condom Use at last sex among persons reporting multiple partners in the past 12 months is maintained over the period

This indicator measures the percentage of adults aged 15–49 who had more than one sexual partner in the past 12 months and reported using a condom during their last intercourse. The results show an overall maintenance in the percentage of high-risk 15–49-year old’s who protected themselves at their last sex act, with a decrease among males and increase among females.

2024 Total: 15-49:	Male 60.0%	Female 53.1%	Total 58.7%
2017 Total: 15-49:	Male 63.7%	Female 40.9%	Total 58.7%

There was a significant decline in “every time and most times” condom use and in “condom use at last time sex” over the period. There was also a significant reported increase in non-use of condoms in these high-risk, multiple partner relationships. This decline in condom use is also evident in the significant reduction in condom use within visiting or casual relationships.

- Percentage of adults aged 15–49 reporting transactional sex

The percentage of persons reporting transactional sex over the period remained virtually unchanged (30.7% in 2024 versus 31.0% in 2017)

Changes were however noted by gender. Specifically, the percentage of males reporting transactional sex declined notably from 45.4% to 40.9%, while the percentage of females increased from 16.5% to 20.4%. Changes by age group showed marginal decline among the 15–24-year-olds (33.6% in 2017 to 30.6% in 2024) and marginal increase among the 25–49-year-olds (28.6% in 2017 to 30.7% in 2024).

Of concern is the notable reduction in practicing safe sex within these transactional encounters. Specifically, in 2024 it was 33.3% who reported never using condoms in these encounters which is an increase from the 21% in 2017. Further underscoring this point of increased high-risk behaviour, we see that 31.3% report using a condom every time or most times in 2024, compared to 47.1% in 2017. (See Table 9 & Table 10)

- **The Heart continues to prevail against condom usage knowledge**

Against the general decline in condom use we note that the fact of loving or trusting their partner (52.1%) was the main reason for not using condoms during all of the last 10 times sex was had. These numbers show a decrease compared to the 2017 results (56.0%). *(Table 42)*.

The proportion indicating they do not like using a condom, also increased in 2024 to 25.1% from 20.0% in 2017. This was primarily so among the 15-19 years cohort (52.1% compared to 34.1%). *(Table 42)*

- **Majority know the results of HIV tests done**

This indicator reviews the percentage of women and men aged 15-49 who did an HIV test in the past 12 months and know their results. Among the total sample it is 55% who had done an HIV test in the past year and the vast majority (97.5%) report knowing the results of the test. *(Table 18)*

Among the high-risk cohort of inconsistent condom users with multiple partners (condom non-users and sometimes users), it is 43.9% and 39.7% respectively who both did an HIV test and returned for the results *(Table 19)*.

- **Proportion of persons, 15-49 years, expressing accepting attitudes towards people with HIV/AIDS slightly increases**

This indicator is evaluated based on responses to three statements as indicated:

- If I knew that a shopkeeper or food seller has HIV, I would definitely still buy food or fresh vegetables from them (Strongly Agree and Agree)
- If a teacher has HIV but is not sick, he/she should be allowed to continue teaching in school (Strongly Agree and Agree)
- Would want family member to keep being infected with HIV a secret (Strongly Disagree and Disagree)

Accepting attitudes towards persons living with AIDS (PLWAs) remains low but slightly increases in 2024 (13.3%) versus 2017 (11.6%). The majority of persons are sceptical of food handling by a PLWHIV and as such a willingness to purchase fresh vegetables from a vendor known to be HIV+ remains the main area of concern. *(Table 50)*.

Just over a third of the sample (36.3%) reported knowing someone who is living with or has died from AIDS—most often a close relative or friend. As AIDS becomes more personal through the increasing proximity of those affected, this highlights the urgent need to foster more accepting attitudes toward people living with AIDS (PLWA) to support them and help them cope *(Table 52)*.

- **Intimate partner violence among women, 15-49 years, in partnered relationships declined marginally**

This indicator reviews “ever married” or “partnered” women 15-49 years who experienced physical or sexual violence from a male intimate partner in the previous 12-month period. Intimate partner violence against married or partnered women, 15-49 years, reported small decline to 14.1% in 2024 versus 14.8% in 2017.

Most prevalent violent acts experienced were ‘Pushed or Shoved you’ (12.5%), ‘Slapped you/ Threw something that could hurt you’ (11.1%) and ‘Hit you with a fist/ Something that could hurt you’ (8.2%). Higher reports of these specific violent acts occurred among the younger age cohort; 16-24 years old. (Table 65)

METHODOLOGY

A cross-sectional, household-based survey among a randomly selected sample of 2000 persons island wide, was conducted to provide data for this study. The target group included in the study were persons aged 16-49yrs. The younger group, those 16-24years, were over sampled to facilitate a more robust sample of sexually active persons in this age cohort. This approach was necessary as this was the most sexually active subgroup as also the subgroup with the most unstable relationships. The sample was nationally representative, with population gender and age breakdown, as well as PSU/ ED data being sourced from the 2011 National census conducted by the Statistical Institute of Jamaica (STATIN).

i Sample Design and Selection

The sample design reflected the following multi-staged approach:

1. The island was stratified into 14 parishes with Kingston and St. Andrew treated as two parishes to ensure that the inner-city areas of Kingston in particular, were fully represented in the sample.
2. Each parish was further stratified into constituencies.
3. Each constituency was stratified into two areas, namely:
 - a. Parish capitals and main towns
 - b. Rural areas
4. Each of the two areas comprising the constituencies was then divided into primary sampling units (PSUs) or Enumeration Districts (EDs).
5. A random sample of PSUs was then selected with probability proportional to size (PPS). This statistical technique was designed to ensure that the larger PSUs were selected with a greater probability while at the same time, each household was selected with equal probability irrespective of the PSU from which it came. Kingston Metropolitan Region (KMR) and St. James were purposively selected.
6. 72 EDs were selected as follows:
 - 23 EDs in KMR and Montego Bay
 - 25 EDs in other urban areas
 - 24 EDs in rural areas
7. Approximately Twenty-eight households were then systematically selected from each ED and one person identified within each household as the person to be interviewed. Interviewers identifying the households included used a map of the area, a random starting point and a pre-determined sampling interval. Within the household one (1) respondent was randomly selected to participate using the Kish card method.
8. The sample was quota controlled for age and gender.

The sample size enabled results projectible +/- 5% at a 95% confidence level.

ii. Data Collection:

Data was collected in face-to-face confidential interviews conducted by trained interviewers. Responses to sensitive questions on sexual behaviour were not given orally but were instead completed by the respondent on separate cards provided for that purpose. These cards were then placed by the respondent into a large, sealed, reinforced envelope. Each interviewer carried such an envelope during the interviews.

The instrument was pretested for flow and comprehension and to identify areas that needed specific attention in administering. Pre-test results were used to refine the instrument. Trained interviewers travelled to each enumeration district, selected the household and the person to be interviewed then administered the questionnaire to available and consenting persons.

The data collection instrument utilized indicator measures and definitions consistent with United Nations General Assembly Special Session (**UNGASS**). Where appropriate, existing indicators (similar to those used in YR 2017) were used to ensure comparability with previous surveys.

Data was collected using Computer-Assisted Personal Interviewing (CAPI). Specifically, interviews were conducted using mobile handheld devices such as tablets. The questionnaire was scripted and configured using CAPI software and loaded onto the device. The interviewer read the question and input the responses from the interviewee directly into the device. CAPI data collection allowed for faster turnaround times by eliminating the need for post-interview data entry and facilitating immediate data retrieval.

Based on previous experiences it was estimated that approximately 70% of initially selected respondents would complete the interview and that refusals would range between 10-15%. Also, to maximize opportunities of finding respondents at home, data collection focused on afternoons, evenings and weekend visits.

Informed consent

Respondents who were at home at the time of the survey and consented to be interviewed, were only interviewed after being read the informed consent form and after indicating their agreement with same.

Handling persons selected but not at home:

In urban areas where the selected respondent was not at home at the time of the survey, interviewers requested information on a suggested time when they could be interviewed. Based on suggested return time a second visit to the urban ED was made.

If the respondent was still unavailable at the time of the second visit they were removed from the sample and a new respondent selected from the ED. This substitute person must, however, fit the same age and gender demographic profile as the person being replaced.

The interviewer substituted the household with the household to the *right* of the “non-response” household (provided this household had not already been included in the survey)^[1]. Only one call/attempt

was made to a substitute household. The interviewer continued the substitution until a qualifying interview was found.

In rural areas, due to time and cost constraints, no call backs were made to respondents who were not at home at time of first visit. Instead, substitutions in the ED were made, until a qualifying interview was found.

Interviewer training and supervision

Interviewers were high school graduates selected from Hope Caribbean's team, who were experienced in conducting interviews on sensitive and personal topics, as required for the KABP study.

Interviewers were rigorously trained over a five-day period with two days devoted to field practice. The interviewers were primarily female, as it has been found that males are more comfortable discussing sexual behaviour with female interviewers, often citing concerns related to homophobia.

Interviewers were trained on how to handle all respondents with respect and dignity, communicating to each one, irrespective of age, gender or socio-economic group or literacy that their participation was important and valued. All interviews conformed to the ethical standards and interviewers assured participants that the process was anonymous and confidential. No identifiers (name, address, etc.) were included on the questionnaires.

¹Due to the fact that no names or other contact information was collected, all validation was done on site. This was in the form of onsite supervision. As a result, interviewers worked in teams of four (4) persons each, with each team being accompanied in field by a supervisor for the purpose of on-site validation.

QUESTIONNAIRE DESIGN:

Key Indicators that were included in the 2023 KABP survey were detailed in the RFP

1. Percentage of young women and men aged 16–24 who correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission
2. Percentage of young women and men aged 16-24 who have had sexual intercourse before the age of 16
3. Percentage of adults aged 16–49 who have had sexual intercourse with more than one partner in the past 12 months
4. Percentage of adults aged 16-49 who report the use of a condom during their last 10 sexual intercourse
5. Percentage of adults aged 16–49 who had more than one sexual partner in the past 12 months and who report the use of a condom during their last intercourse*
6. Percentage of women and men aged 16-49 who received an HIV test in the past 12 months and know their results
7. Proportion of ever-married or partnered women aged 16-49 who experienced physical or sexual violence from a male intimate partner in the past 12 months
8. Percentage of young adults, 16 to 19 years old, who have never had sex
9. Percentage of young women and men aged 16-24 reporting the use of a condom the last time they have sex with a regular or non-regular partner
10. Percentage of men and women aged 16-49 who received HIV testing in the last 12 months and who know their results
11. Percentage of men and women aged 16-49 who engage in transactional sex

The questionnaire was designed to accommodate both face-to-face interviewing and respondent completed sections. Logistically, this was handled in the following manner:

Protocol to support anonymity and truthful self-reporting of sensitive data

Each questionnaire was given a unique identifier number which was also recorded on the self-administered cards for each questionnaire. For the self-administered portion, respondents were given Card A if they were married/cohabiting and Card B if they were sexually active in the last year but were neither married nor cohabiting. The questions were read by the interviewer and the respondent asked to fill in the appropriate response on the card without the interviewer seeing. Upon completion, the respondent was asked to fold the card and drop it into a large sealed and reinforced envelope carried by the interviewer. This served as the receptacle carried by each interviewer into which all cards collected for the day were dropped. Envelopes were brought back to the office where they were opened and the cards attached to the correct questionnaire based on the assigned identification number.

Sample Demographics

Table ii: Socio-Demographic Characteristics of Sample by Age and Gender

Socio-Demographic Characteristics		15-19yrs (%)			20-24yrs (%)			25-49yrs (%)			Total (%)		
Base	M (321)	F (218)	Total (538)	M (264)	F (195)	Total (459)	M (415)	F (587)	Total (1002)	M (1000)	F (1000)	Total (2000)	
LOCATION													
Urban	69.8	70.2	69.9	69.7	68.7	69.3	61.4	66.4	64.4	66.3	67.7	67.0	
Rural	30.2	29.8	30.1	30.3	31.3	30.7	38.6	33.6	35.6	33.7	32.3	33.0	
SES GROUP													
Upper/middle income (ABC1)	4.7	5.5	5.0	4.9	7.7	6.1	8.4	8.2	8.3	6.3	7.5	6.9	
Working class (C2)	19.9	20.6	20.2	23.1	40.5	30.5	25.8	28.8	27.5	23.2	29.3	26.3	
Lower income (DE)	75.4	73.9	74.8	72.0	51.8	63.4	65.8	63.0	64.2	70.5	63.2	66.9	
EDUCATION													
No schooling	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.1	
Primary/All-Age	3.1	3.2	3.2	1.9	1.5	1.7	8.7	5.5	6.8	5.1	4.2	4.7	
Secondary Level/ Vocational	90.3	87.6	89.1	89.7	85.7	88.1	79.0	82.6	80.1	85.5	84.3	85.7	
Teacher College	1.9	2.3	2.0	0.0	1.0	0.4	0.0	1.0	0.6	0.6	1.3	1.0	
College/ associate degree	1.6	2.3	1.9	3.8	6.7	5.0	5.8	4.6	5.1	3.9	4.5	4.2	
University Undergraduate	2.5	4.1	3.2	3.8	5.1	4.4	5.3	5.6	5.5	4.0	5.2	4.6	
University Graduate	0.6	0.5	0.6	0.4	0.0	0.2	1.2	0.7	0.9	0.8	0.5	0.7	
EMPLOYMENT STATUS													
Employed full time	8.4	9.6	8.9	48.1	39.0	44.2	67.0	51.4	57.9	43.2	39.9	41.6	
Employed part time	10.0	2.8	7.1	17.4	9.7	14.2	21.4	16.7	18.7	16.7	12.3	14.5	
Unemployed	34.0	29.8	32.3	27.3	37.4	31.6	11.6	30.2	22.5	22.9	31.5	27.2	
Student	47.7	57.8	51.8	7.2	13.8	10.0	0.0	1.7	1.0	17.2	16.3	16.8	
MARITAL STATUS													
Married/Cohabiting	1.2	3.7	2.2	9.1	22.6	14.8	30.6	40.4	36.3	15.5	28.9	22.2	
Visiting /Casual	47.7	33.0	41.7	63.6	47.2	56.6	50.6	37.3	42.8	53.1	38.3	45.7	
SEXUAL ACTIVITY													
Not S.A. in last 12 months	18.1	11.9	15.6	14.4	13.8	14.2	14.2	19.6	17.4	15.5	16.8	16.2	
"Who raised you"													
Biological Mother	84.7	93.1	88.1	82.2	85.6	83.7	76.4	76.0	76.1	80.6	81.6	81.1	
Biological Father	45.8	48.6	46.9	38.6	42.1	40.1	39.0	41.9	40.7	41.1	43.4	42.3	
Adopted Parent(s)	0.3	0.0	0.2	1.1	2.6	1.7	1.2	1.2	1.2	0.9	1.2	1.1	
Grandparents or relatives	24.9	26.6	25.6	27.3	24.6	26.1	31.6	26.7	28.7	28.3	26.3	27.3	
Family friends/ Non-Relatives	1.9	1.4	1.7	0.4	1.5	0.9	1.2	2.2	1.8	1.2	1.9	1.6	
The State	0.0	0.0	0.0	0.4	0.0	0.2	0.2	1.0	0.7	0.2	0.6	0.4	
Siblings	2.5	5.0	3.5	3.4	3.1	3.3	2.9	1.9	2.3	2.9	2.8	2.9	
Other	0.9	0.9	0.9	0.8	4.1	2.2	2.9	2.9	2.9	1.7	2.7	2.2	

DETAILED FINDINGS

CHAPTER 1: REVIEW OF SPECIFIC RISK BEHAVIOUR

Among males the median age of first sex increased from 14yrs in 2017 to 15yrs in 2024. This change suggests that males are delaying engaging in sexual activity. This change was evident among males 20-24yrs old where, when compared to 2017 results, there was an increase in males reporting first sexual activity between ages 13-19yrs and a decline in the proportion reporting first sex when they were 12yrs or younger. The median age for females remained steady at 17 years (*Table 1*)

TABLE 1: AGE OF SEXUAL INITIATION 2024

	MALES 2024 %	MALES 2017 %	FEMALES 2024 %	FEMALES 2017 %
<u>Median Age of First Sex</u>	15yrs	14yrs	17yrs	17yrs
<u>Age: 15-19</u>	(n=152)	(n=191)	(n=78)	(n=68)
≤12yrs.	26.3	26.1	5.1	2.9
13-19 yrs.	73.7	73.8	94.9	97.1
<u>Age: 20-24</u>	(n=187)	(n=196)	(n=130)	(n=140)
≤12 yrs.	16.6	27.6	3.1	5.0
13-19 yrs.	81.3	69.4	90.0	90.7
20-24 yrs.	2.1	3.1	7.0	4.3
<u>Age 25-49</u>	(n=317)	(n=274)	(n=431)	(n=457)
≤12 yrs.	23.0	22.3	3.0	3.7
13-19 yrs.	72.9	73.0	88.2	85.8
20-24 yrs.	3.8	3.6	8.6	9.0
25-33 yrs.	0.3	1.1	0.2	1.5
<u>Total</u>	(n=656)	(n=661)	(n=639)	(n=665)
≤12 yrs.	22.0	25.0	3.3	3.9
13-19 yrs.	75.5	72.2	89.5	88.0
20-24 yrs.	2.4	2.4	7.0	7.1
25-33 yrs.	0.2	0.5	0.3	1.1

- Base= persons sexually active in the past 12 months

Increased abstinence was also noted among both males and females. Among males in the total sample, fewer reported ever having had sex in 2024 (84.1%) compared to 2017 (87.5%). Similarly, fewer reported being sexually active in the past 12 months in 2024 (68.6%) than in 2017 (76.1%). This decline was consistent across all three age groups: 15–19 years, 20–24 years, and 25–49 years. (Table 2) Among the females, the same was true for the total sample with 84.0% in 2024 versus 87.6% in 2017, reporting having ever been sexually active. Similarly, in 2024 it was 67.1% of females versus 72.5% in 2017 who reported having been sexually active in the previous 12 months. However, the reverse was true for the youngest age group of 15–19-year-old females where sexual activity was slightly higher in 2024 versus 2017. Specifically, in 2024 it was 48.6% who reported ever having had sex versus 45.9% in 2017. Similarly, those who had been sexually active in the previous 12 months were marginally more in 2024 (36.7%) versus 35.5% in 2017. (Table 2)

Males aged 15–19 were significantly more likely than females in the same age group to have ever been sexually active and to have been sexually active in the past 12 months. (Table 2)

TABLE 2: SEXUAL ACTIVITY 2024 VS 2017

	MALE		% Points change	FEMALE		% Points change
	2024	2017		2024	2017	
Age: 15-19	(n=321)	(n=370)		(n=218)	(n= 194)	
Ever sexually active	67.0***	70.3	-3.3	48.6	45.9	2.7
Sexually active in last 12 months	48.9***	55.9	-7.0	36.7	35.5	1.2
Age: 20-24	(n=264)	(n=258)		(n=195)	(n=178)	
Ever sexually active	87.1	97.3	-10.2	83.6	93.3	-9.7
Sexually active in last 12 months	72.7	86.8	-14.1	69.7	83.1	-13.4
Age: 25-49	(n=415)	(n=380)		(n=587)	(n=620)	
Ever sexually active	95.4	97.6	-2.2	97.3	99.0	-1.7
Sexually active in last 12 months	81.2	88.4	-7.2	77.5	80.9	-3.4
Total Sample	(n=1000)	(n=1008)		(n=1000)	(n=992)	
Ever sexually active	84.1	87.5*	-3.4	84.0	87.6	-3.6
Sexually active in last 12 months	68.6	76.1*	-7.5	67.1	72.5	-5.4

*p<.05, **p<.005, ***p=.000

Overall, more males and females reported abstaining from sexual activity, with almost a third of either gender reporting no sexual activity in the past 12 months. Increased abstinence was thus accompanied by a decrease in persons reporting being married/cohabiting or in visiting / casual relationships. Specifically, fewer males and females were in the more stable married or cohabiting relationships in 2024 versus 2017. The situation was more so for females (28.9% in 2024 versus 36.3% in 2017) and for persons 25-49 years (36.3% in 2024 versus 43.6% in 2017) Females (28.9%), 25-49-year olds (36.3%) and

males (30.6%) and females (40.4%) aged 25-49 years were significantly more likely to be married or cohabiting. (Table 3)

TABLE 3: MARRIED/COHABITING STATUS BY AGE & GENDER YR 2024 VS 2017

	Married/cohabiting		% Points change	Not sexually active in last 12mths		% Points change
	2024	2017		2024	2017	
Male (n=1000)	15.5	17.6*	-2.1	31.4	23.6	+7.8
Female (n=1000)	28.9***	36.3*	-7.4	32.8	27.5	+5.3
15-24yrs (n=998)	8.0	10.1	-2.1	43.4	34.8	+8.6
25-49yrs (n=1002)	36.3***	43.6	-7.3	20.9	16.3	+4.6
Male (15-24yrs); (n=585)	4.8	5.4	-0.6	40.3	30.9	+9.4
Female (15-24y); (n=372)	12.6	18.0	-5.4	47.7	41.4	+6.3
Male (25-49yrs); (n=379)	30.6***	37.7	-7.1	18.8	11.6	+7.2
Female (25-49); (n=620)	40.4***	47.3	-6.9	22.3	19.2	+ 3.1

*p<.05, **p<.005, ***p=.000

Interestingly, while a reduction in the more stable married/cohabiting relationships is reported, a reduction is also being reported in visiting and casual relationships for men (53.1% in 2024 versus 58.8% in 2017). This however is not the case for females where a marginal increase in visiting/casual relationships is recorded for females 25-49 years (37.3% in 2024 versus 33.5% in 2017). Reports from the younger age group of females, 15-24 years show a very marginal decline in visiting or casual relationships over the period (39.7% in 2024 versus 40.6% n 2017). (Table 4)

TABLE 4: VISITING/CASUAL RELATIONSHIP STATUS BY AGE & GENDER YR 2024 VS 2017

	Visiting or casual relationships		% Points change
	2024 %	2017 %	
Male (n=1000)	53.1***	58.8	-5.4
Female (n=1000)	38.3	36.2	2.1
15-24yrs (n=998)	48.6	55.1	-6.5
25-49yrs (n=1002)	42.8	40.0	2.8
Male (15-24yrs); (n=585)	54.9	63.8	-8.9
Female (15-24y); (n=372)	39.7	40.6*	-0.9
Male (25-49yrs); (n=379)	50.6	50.7	-0.1
Female (25-49); (n=620)	37.3	33.5	3.8

*p<.05, **p<.005, ***p=.000

MULTIPLE PARTNERSHIPS

In 2024, among males in multiple partnerships, there was a reported 5.2% decrease in those with a married/cohabiting status with a corresponding increase in reports of being single but sexually active in the last 12 months. Similarly, among females there was a 6.7% decrease among married/cohabiting relationships with a corresponding increase among persons reporting being single but sexually active in the last 12 months. Interestingly relationships among men were more long term (>12 months, 8.7 percentage points increase versus <12 months. On the other hand, this was the reverse for females with relationships >12 months decreasing by 3.6 percentage points in preference for relationships <12 months. (Table 5)

TABLE 5: MULTIPLE PARTNERSHIPS BY RELATIONSHIP STATUS - YR 2024 vs YR 2017

	Male		% Points Change	Female		% Points Change
	2024 %	2017 %		2024 %	2017 %	
TOTAL SAMPLE	(n=455)	(n=491)		(n=185)	(n=137)	
Married/cohabiting	9.5	14.7	-5.2	23.2	29.9	-6.7
Single & Sexually active in last 12 months	90.5	85.3	+5.2	76.8	70.1	+6.7
Main relationship length	(n=405)	(n=332)		(n=143)	(n=136)	
Main relationship >12 months	61.7	53.0	+8.7	54.5	58.1	-3.6
Main relationship ≤ 12 months	38.3	47.0	-8.7	45.5	41.9	+3.6

TABLE 5 (CONT'D): MULTIPLE PARTNERSHIPS BY RELATIONSHIP STATUS - YR 2024 VS YR 2017 (CONT'D)

	Male		% Points Change	Female		% Points Change
<u>Age: 15-19</u>	(n=130)	(n=163)		(n=33)	(n=24)	
Married/cohabiting	1.5	1.8	-0.3	6.1	16.7	-10.6
Single & Sexually active in last 12 months	98.5	98.2	+0.3	93.9	83.3	+10.6
<u>Main relationship length</u>	(n=117)	(n=103)		(n=27)	(n=19)	
Main relationship >12 months	45.3	79.6	-34.2	48.1	5.3	+42.8
Main relationship ≤ 12 months	54.7	20.4	+34.2	51.9	94.7	-42.8
<u>Age: 20-24</u>	(n=145)	(n=155)		(n=41)	(n=43)	
Married/cohabiting	9.0	8.4	+0.6	22.0	14.0	+8.0
Single & Sexually active in last 12 months	91.0	91.6	-0.6	78.0	86.0	-8.0
<u>Main relationship length</u>	(n=131)	(n=105)		(n=32)	(n=38)	
Main relationship >12 months	61.1	59.0	+2.1	53.1	47.4	+5.7
Main relationship ≤ 12 months	38.9	41.0	-2.1	46.9	52.6	-5.7
<u>Age: 25-49</u>	(n=180)	(n=173)		(n=111)	(n=70)	
Married/cohabiting	15.6	32.4	-16.8	28.8	44.3	-15.5
Single & Sexually active in last 12 months	84.4	67.6	+16.8	71.2	55.7	+15.5
<u>Main relationship length</u>	(n=157)	(n=124)		(n=77)	(n=63)	
Main relationship >12 months	74.5	74.2	+0.3	63.6	73.0	-9.4
Main relationship ≤ 12 months	25.5	25.8	-0.3	36.4	27.0	+9.4
Married/cohabiting	9.5	14.7	-5.2	23.2	29.9	-6.7
Single & Sexually active in last 12 months	90.5	85.3	+5.2	76.8	70.1	+6.7
Main relationship length	(n=405)	(n=332)		(n=143)	(n=136)	
Main relationship >12 months	61.7	53.0	+8.7	54.5	58.1	-3.6
Main relationship ≤ 12 months	38.3	47.0	-8.7	45.5	41.9	+3.6

Base=Respondents who have multiple partners. (Not applicable and No Answers are excluded from the Relationship Length.)

Among persons with multiple partners there was a significant decline in “every time and most times” condom use in 2024 versus 2017 (34.5% in 2024 versus 50.5% in 2017) as well as in “condom use last time sex had” (44.9% in 2024 versus 56.2% in 2017). There was also an increase in non-use of condoms in these high-risk, multiple partner relationships (25.4% in 2024 versus 17.1% in 2017). This worrying decline in condom use is also reflected in a significant decline in condom use in visiting/casual relationships. Here there is a significant decline in condoms being used last time, declining from 61.8% in 2017 to 47.9% in 2024. (Table 6)

TABLE 6: MEAN NUMBER OF MULTIPLE PARTNERS & FREQUENCY OF CONDOM USE AMONG PERSONS IN MULTIPLE PARTNERSHIPS (YR 2024 VS. YR 2017)

	YR 2024 %	YR 2017 %
Mean number of partners had in last 12 months		
• Males with multiple partners	5.71 (SD 5.88)	5.52 (SD6.49)
• Females with multiple partners	2.88 (SD 2.20)	2.31 (SD1.45)
• Total persons in multiple partnerships	5.00 (SD 28.12)	4.82 (SD5.93)
Frequency of condom use last 10 times sex had:	(n=531)	(n=627)
• Never (0 times)	25.4	17.1 *
• Sometimes (1-7 times)	40.1	32.4
• Most times (8 times)	11.5	11.6
• Every time (10 times)	23.0 34.5%	38.9 50.5%
Condom used last time sex had:	44.9 (n=541)	56.2 * (n=658)
Condom used last time sex had by relationship status		
• Married and used condom	23.9 (n=67)	31.4 (n=121)
• Visiting/casual and used a condom	47.9 (n=474)	61.8 (n=537)

Base=Respondents who have multiple partners. (Not applicable and No Answers are excluded)

RISK PERCEPTION

The risk perception of persons in multiple partner relationships who never use a condom continues to demonstrate that they are operating with a false sense of security as 76.4% of them in 2024 compared to 73% in 2017 perceive that they have little or no chance of HIV infection despite their current sexual practices. (Table 7). In fact 31% who perceive they have no risk of infection state that this assessment is because they have sex with their partner only. We need to better understand if they see themselves as having many “main” partners, (Table 7)

TABLE 7: PERCEPTION OF PERSONS WITH MULTIPLE PARTNERS VERSUS THOSE WITH MULTIPLE PARTNERS THAT DID NOT USE A CONDOM (CONDOM NON-USER) (YR 2024 vs. YR 2017)

Persons with multiple partners				
	Base= persons with multiple partners		Base= persons with multiple partners who did not use condom last 10 times	
	YR 2024 Total (N=531) %	YR 2017 Total (N=630) %	YR 2024 No Condom used (n=135) %	YR 2017 No condom used (n=107) %
No chance	49.7	42.0	45.2	33.6
Little chance	26.7	31.0	28.9	31.8
Moderate chance	10.5	10.5	12.6	15.9
Good chance	4.3	6.0	4.4	11.2
Unsure	7.5	10.5	8.1	7.5
No response	1.1	-	-	-
Reasons for <u>little or no</u> chance:	(n=406)	(n=459)	(n=100)	(n=70)
- Use a condom all the time	26.8	39.4	8.0	2.9
- Use a condom sometimes	26.3	31.5	14.0	25.7
- Have sex with spouse/ partner only	5.3	9.8	31.0	21.4
- Trust partner/partners are clean	1.9	7.4	3.0	18.6
- Partner may be unfaithful/ No trust in partner	2.9	4.6	9.0	10.0
- Get check-ups regularly	4.1	3.3	4.0	2.9
- Condom can burst, not 100% safe	1.0	2.2		4.3
- No blood transfusions	0.5	0.7	1.0	1.4
- Use condom with all new partners/ other sexual partners other than main partner	0.5	-	2.0	-
- Selective with my sexual partners/ I'm very picky with sexual partners	2.7	-	6.0	-
- Not using condoms/ am having unprotected sex	1.5	-	7.0	-
- Not sexually active	1.0	-	2.0	-
- Know my partner status	1.0	-	2.0	-
- Don't have sex often	1.0	-	-	-

TABLE 8: RISK PERCEPTION OF PERSONS WITH MULTIPLE PARTNERS ANALYSED BY SOMETIMES AND MOST TIMES CONDOM USER (YR 2024 vs. YR 2017)

	YR 2024 Sometimes User (n=213) %	YR 2024 Most Times User (n=61) %	YR 2024 Total (N=531) %	YR 2017 Sometimes User (n=203) %	YR 2017 Most Times User (n=73) %	YR 2017 Total (N=630) %
No chance	46.0	45.9	49.7	28.6	38.4	41.9
Little chance	27.2	32.8	26.7	33.5	31.5	31.0
Moderate chance	11.3	6.6	10.5	12.8	12.3	10.5
Good chance	6.6	4.9	4.3	7.9	9.6	6.0
Unsure	7.5	8.2	7.5	17.3	8.2	10.5
No response	1.4	1.6	1.1	-	-	-
Reasons for little or no chance:	(n=156)	(n=48)	(n=406)	(n=126)	(n=51)	(n=459)
Use a condom all the time	13.5	33.3	26.8	7.9	21.6	39.4
Use a condom sometimes	39.1	43.8	26.3	55.6	49.0	29.8
Have sex with spouse only	19.1	-	5.3	13.5	11.8	9.8
Trust partner/partners are clean	3.8	2.0	1.9	-	-	-
Partner may be unfaithful / No trust of partner	2.5	6.3	2.9	-	-	-
Get check-ups regularly	4.4	2.0	4.1	5.6	3.9	3.3
Condom can burst, not 100% safe		2.0	1.0	0.8	0.0	2.2
No blood transfusions	-	-	0.5	-	-	-
Use condom with all new partners/ other sexual partners other than main partner	1.9	-	0.5	-	-	-
Selective with my sexual partners/ I'm very picky with sexual partners	1.9	4.1	2.7	-	-	-
Not using condoms/ having unprotected sex	2.5	-	1.5	-	-	-
Not sexually active	1.9	-	1.0	-	-	-
Know partner status	4.4	2.0	1.0	-	-	-
Don't have sex often	1.9	2.0	1.0	-	-	-

TRANSACTIONAL SEX:

Percentage of persons reporting transactional sex over the period remains virtually unchanged (30.7% in 2024 versus 31% in 2017). Within this group however, while the percentage of males declined significantly from 45.4% to 40.9%, the percentage of females increased from 16.5% to 20.4%. Changes by age group showed marginal decline among the 15–24-year-olds (33.6% in 2017 to 30.6% in 2024) and marginal increase among the 25–49-year-olds (28.6% in 2017 to 30.7% in 2024). (Table 9)

In respect of practicing safe sex by using condoms in these fairly high-risk encounters, however, the situation has worsened. Now it is 33.3% who reported never using condoms in these situations. This compares to 21% in 2017. Further underscoring this point of increased high risk behaviour, we see that 31.3% report using a condom every time or most times in 2024, compared to 47.1% condoms used every time or most times in 2017. (Table 10)

The intention to use a condom the next time sex had is reported at 45.9% among persons reporting transactional sex in the last 12 months and is very similar to the percentage reporting having used a condom the last time sex was had (45.8%) by persons identifying as a cohort that practices transactional sex. The fact that those proportions are similar gives credibility to the stated intention. (Table 11).

TABLE 9: TRANSACTIONAL SEX BY SOCIO-DEMOGRAPHIC VARIABLES YR 2024 vs YR 2017

		YR 2024	YR 2017	
	(n)	%	(n)	%
TOTAL	2000	30.7	2000	31.0
Male	1000	40.9	1008	45.4
Female	1000	20.4	992	16.5
15-24yrs	998	30.6	1000	33.6
25-49yrs	1002	30.7	1000	28.6
Married/Cohabiting	444	25.7	537	26.4
Visiting or Casual in last 12 months but not married	914	54.6	952	50.4
Length of Relationship (whether married or not)				
A year or less	405	55.8	244	57.4
More than a year	689	32.2	1756	27.4

TABLE 10: FREQUENCY OF CONDOM USE AMONG PERSONS REPORTING TRANSACTIONAL SEX (YR 2024 VS. YR 2017)

	YR 2024 %	YR 2017 %
Average number of times condom used, of last 10 times sex had		
- Had transactional sex	4.29 (SD4.0)	6.41 (SD8.3)
- Had no transactional sex	3.70 (SD4.2)	5.68 (SD12.5)
Frequency of condom use last 10 times sex had:	<i>(n=601)</i>	<i>(n=618)</i>
- Never (0 times)	33.3	21.0
- Sometimes (1-7 times)	35.4	31.9
- Most times (8-9 times)	9.8	12.0
- Every time (10 times)	21.5	35.1
Condom used last time sex had	40.1 <i>(n=613)</i>	55.8 <i>(n=622)</i>

TABLE 11: LIKELIHOOD OF CONDOM USE NEXT TIME SEX HAD BY PERSONS REPORTING TRANSACTIONAL SEX IN LAST 12 MONTHS

YEAR 2024		
	Transactional sex had (n=610)	No transactional sex (n=1068)
Very likely	45.9	44.8
Somewhat Likely	17.5	13.7
Neither likely nor unlikely	2.1	2.2
Unlikely	11.6	11.7
Not at all likely	16.9	22.2
Unsure	5.9	5.5

COERCIVE INTERCOURSE:

There is a marginal reduction in the proportion who reported having been forced to have sexual intercourse in 2024 (5.7%) versus 2017 (6.7%). There was also an impressive reduction in those reporting being the aggressor declining from 10.6% in 2017 to 2.4% in 2024. Declines were recorded by both gender and age groups. (Table 12)

TABLE 12: COERCIVE INTERCOURSE (PAST 12 MONTHS) BY SOCIO-DEMOGRAPHIC VARIABLES
YR 2024 vs YR 2017

	BEEN FORCED		FORCED/AGGRESOR	
	%		%	
	YR 2024	YR 2017	YR 2024	YR 2017
Total	5.7 (n=1358)	6.7 * (n=1486)	2.4 (N=1358)	10.6 (n=1486)
Male	7.2 (n=686)	7.7 * (n=767)	3.1 (n=686)	13.4 (n=767)
Female	4.1 (n=672)	5.6 (n=719)	1.6 (n=672)	7.5 (n=719)
15-19yrs	5.5 (n=233)	6.9 (n=276)	1.3 (n=233)	4.0 (n=276)
20-24yrs	5.1 (n=334)	5.4 (n=372)	3.0 (n=334)	7.0 (n=372)
25-49yrs	6.0 (n=791)	6.7 (n=838)	2.4 (n=791)	5.3 (n=838)

*p<0.05;

CASUAL PARTNERSHIPS

In 2024, it was 29.7% of those who reported being sexually active in the preceding 12 months who reported having had casual relationships¹. This was a very marginal increase from 29.0% reported in 2017. This was most likely to be reported by males (47.1% versus females 12.1%), by the younger age cohort (15-24 years, 39.5% versus 25-49 years, 22.8%) and persons who were not in married or cohabiting relationships (38.8%). Where they were married or cohabiting, reports of engaging in casual relationships declined to 11.1%. These casual relationships are perceived as relationships where partners should practice safe sex, it was 62.4% which reported using a condom on the last such sexual encounter. (Table 13)

Condom use in these relationships also remained static at 62.4%. (Table 13)

TABLE 13: CASUAL PARTNERSHIPS BY SOCIO-DEMOGRAPHIC VARIABLES (YR 2024 vs. YR 2017)

		YR 2024	YR 2017	
	(n)	%	(n)	%
Total	1358	29.7	1486	29.0
Male	686	47.1 ↑	767	46.2
Female	672	12.1 ↑	719	10.7
15-24yrs	567	39.5	648	43.1
25-49yrs	791	22.8	838	18.1
Married/cohabiting:	444	11.0	537	12.5
Visiting/casual: Sexually active in last 12 months	914	38.8	948	38.4
Condom used last time sex had with casual partner	404	62.4	431	62.2

¹ Casual partnerships consist of those who reported having sex with a person met at a bar, club or on the street; of a person sex had with once

SAME SEX INTERCOURSE

There was a marginal increase in reports of same sex intercourse in 2024 versus 2017 (3.5% in 2024 versus 3% in 2017). As in 2017, reports of same sex intercourse was higher among females (4.8%) than males (2.3%). While this was similar to the pattern in 2017 there was a reversal in the age cohort. In 2024 persons 25-49 years comprised 55.9% of persons reporting same sex intercourse while in 2017 they were 48.9%. The younger age cohort meanwhile was 44.1% of this sub group in 2024 compared to 51.1% in 2017. (Table 14).

TABLE 14: SAME SEX INTERCOURSE BY SOCIO-DEMOGRAPHIC VARIABLES YR 2024 vs YR 2017

	YR 2024 Had Same Sex Intercourse (n=1681) %	YR 2017 Had Same Sex Intercourse (n=1489) %
Total	3.5	3.0
Male	2.3	2.0
Female	4.8	4.0
Profiling Same Sex Relationships		
	(n=59)	(n=45)
Male	32.2	35.6
Female	67.8**	64.4
15-24yrs	44.1	51.1
25-49yrs	55.9	48.9
Married/cohabiting	28.8	44.4
Sexually active in last 12 months but not married	71.2	55.6
Frequency of condom use last 10 times sex had:		
Never (0 times)	46.2*	37.8
Sometimes (1-7 times)	28.8	28.9
Most times (8 times)	15.4	11.1
Every time (10 times)	9.6	22.2
Condom used last time sex had	33.9	40.0

*p<0.05, **p<0.005, ***p<0.000

STI INCIDENCE

The incidence of STIs decreased among males and younger females, while it remained unchanged among older females. In contrast, the incidence of genital discharge increased among younger males and females but remained stable in the older age cohort. (Table 15 & Table 16)

TABLE 15: MALES STI INCIDENCE 2024 VS YR 2017 VS. YR 2012

	MALES 15-24 YRS			MALES 25-49 YRS		
	YR 2024 (n=447) %	YR 2017 (n=512) %	YR 2012 (n=377) %	YR 2024 (n=394) %	YR 2017 (n=370) %	YR 2012 (n=442) %
Ever had an STI	8.9 ↓	10.5	6.6	12.2	17.3	16.5
Had genital discharge in past 3 months	3.6 ↑	3.1	4.8	2.0	1.4	4.1
Had genital discharge in last 12 months	8.1 ↑	5.3	9.8	3.6	4.1	9.1
Had genital ulcer in last 12 months	1.3 ↓	1.8	2.1	1.3	2.2	3.2

TABLE 16: FEMALES STI INCIDENCE 2024 VS YR 2017 VS. YR 2012

	FEMALES 15-24 YRS			FEMALES 25-49 YRS		
	YR 2024 (n=270) %	YR 2017 (n=255) %	YR 2012 (n=315) %	YR 2024 (n=570) %	YR 2017 (n=614) %	YR 2012 (n=477) %
Ever had an STI	6.7 ↓	8.2	10.5	10.7	10.9	12.2
Had genital discharge in past 3 months	11.1 ↑	8.6	12.7	7.2	7.2	7.8
Had genital discharge in last 12 months	15.2 ↑	12.2	25.7	7.5	7.0	17.7
Had genital ulcer in last 12 months	1.1 ↓	2.7	2.5	1.9	1.5	1.5

Base is only of those who answered questions C601, C602, C603 (2025 Age Group starts from 16-24.)

In 2024, self-reported incidence of STIs decreased marginally from 2017 levels, among those engaged in risky partnerships. (Table 17)

TABLE 17: RISKY PARTNERSHIPS REPORTED BY PERSONS REPORTING AN STI (YR 2024 vs. YR 2017)

	(n)	YR 2024 %	YR 2017 %
Had multiple partners in last 12 months	541	14.0	17.3
No multiple partners	1140	8.0	9.7
Had transactional sex in last 12 months	192	17.7	18.8
No transactional sex	1489	8.9	7.94
Had casual partners in last 12 months	501	12.8	15.7
No casual partners	857	10.4	10.5

KNOWING ONE’S HIV STATUS

Overall, 62.4% of persons reported ever having done an HIV test. It was more than half (55.4%) of those persons who have ever done an HIV test who reported having done one in the past year. Incidence of having done an HIV test in the past year was higher among people 15-24yrs (65.3%) compared to those 25-49yrs. (50.8%). (Table 18)

TABLE 18: HAD AN HIV TEST IN PAST YEAR

	Total (n=1248) %	15-24yrs (n=403)%	25-49yrs (n=845) %	Male (n=527)%	Female (n=721) %	Sexually Active (n=1182) %	Not Sexually Active (n=66) %
Yes	55.4	65.3	50.8	54.3	56.3	55.3	57.6
No	44.6	34.7	49.2	45.7	43.7	44.7	42.4

*Base=Persons who have ever done an HIV test

Among persons with multiple sexual partners reported incidence of ever having done an HIV test increased between 2017 and 2024 among condom users and remained the same among non-condom users. Similarly, there was an increase between 2017 and 2024 of “multiple partnership condom users” having done an HIV test in the past 12 months. In contrast slightly fewer non-users reported having done an HIV test within the past 12 months. (Table 19)

The vast majority of those who had had an HIV test done in the past 12 months knew the result of that test (97.5%). (Table 21)

TABLE 19: HIV TESTING BY CONDOM USAGE OF THOSE ENGAGING IN MULTIPLE PARTNERSHIPS IN LAST YEAR YR 2024 vs. YR 2017 IN PAST YEAR

	YR 2024 (n=135) %	YR 2017 (n=107) %	YR 2024 (n=213) %	YR 2017 (n=203) %	YR 2024 (n=61) %	YR 2017 (n=73) %
Ever had an HIV test done	69.6	69.2	63.8	57.1	60.7	52.1
HIV test done in last year and know the results	43.9	46.7	39.7	28.6	39.2	30.1

TABLE 20: REASON FOR DOING HIV TEST BY AGE, SEX, AND SEXUAL ACTIVITY

	Total (n=1248) %	15-24yrs (n=403) %	25-49yrs (n=845) %	Male (n=527) %	Female (n=721) %	Sexually Active (n=1182) %	Not Sexually Active (n=66) %
Personal Decision	67.9	75.4	64.3	77.6	60.7	67.6	72.7
Was/Currently Pregnant	13.7	9.9	15.5	-	23.3	14.5	0.0
Medical Reasons	9.8	9.7	9.8	10.2	9.4	9.6	13.6
Doctor's Orders	5.0	4.5	5.2	3.6	6.0	5.2	1.5
Employment	3.7	2.5	4.3	6.3	1.8	3.5	7.6
In hospital	1.4	0.7	1.8	1.1	1.7	1.4	3.0
Immigration/Travel	1.0	0.5	1.2	1.9	0.3	0.9	1.5
For insurance	0.9	0.2	1.2	1.1	0.7	0.8	1.5
Donate Blood	0.5	0.0	0.7	0.8	0.3	0.5	0.0
Other	1.5	2.5	1.1	2.3	1.0	1.4	4.5
No Answer	0.3	0.0	0.3	0.4	0.1	0.3	0.0

*Base=Persons who have ever done an HIV test

TABLE 21: KNOW RESULT OF HIV TEST DONE IN PAST YEAR

	Total (n=1248) %	15-24yrs (n=403) %	25-49yrs (n=845) %	Male (n=527) %	Female (n=721) %	Sexually Active (n=1182) %	Not Sexually Active (n=66) %
Yes	97.5	96.5	98.0	97.9	97.2	97.7	93.9
No	2.5	3.5	2.0	2.1	2.8	2.3	6.1

*Base=Persons who have ever done an HIV test

Respondents cited a range of reasons for choosing not to undergo HIV testing. These reasons were grouped into seven main categories, namely: (Table 22)

- 1) **Perceived Low or No Risk:** Respondents believed they were safe due to their own or their partner's behaviour. This included reasons such as having only one partner, using condoms during sex, practicing abstinence, or having a partner who tested negative for HIV.
- 2) **Psychological or Emotional Factors:** Fear, anxiety or reluctance to get tested. These factors also included a fear of doctors, needles, hospitals etc.
- 3) **Lack of Understanding, Awareness or Information:** Respondents did not comprehend the necessity of HIV testing or how it operates. This category also included specific beliefs that if there were no symptoms present, there was no need to be tested for HIV.
- 4) **Practical or Logistical Barriers:** Respondents mentioned challenges such as time constraints, lack of opportunities, or difficulties in accessing a test.
- 5) **No Specific Reasons:** Respondents were unable to identify a specific reason for not having undergone HIV testing.
- 6) **Underage / Parental Influence:** These responses reflected mention of age such as being too young and parental influence or control.
- 7) **Other Reasons:** Respondents mentioned reasons that were less specific and did not fit into the above categories.

TABLE 22: REASON FOR NOT DOING HIV TEST

	Total (n=630) %	15-24yrs (n=500) %	25-49yrs (n=130) %	Male (n=380) %	Female (n=250) %	Sexually Active (n=387) %	Not Sexually Active (n=243) %
Perceived Low or No Risk	54.8	56.2	49.2	50.5	61.2	37.7	81.9
Lack of Understanding, Awareness or Information	17.9	19.6	11.5	21.1	13.2	22.7	10.3
No specific Reasons	16.7	16.2	18.5	15.3	18.8	22.7	7.0
Psychological or Emotional Factors	9.8	3.0	3.8	11.8	6.8	13.7	3.7
Practical or Logistical Barriers	3.2	3.0	3.8	3.9	2.0	4.9	0.4
Underage/Parental Influence	1.3	1.6	0.0	1.1	1.6	0.8	2.1
Other	2.7	2.8	2.3	3.2	2.0	3.6	1.2

*Base=Persons who have never done an HIV test (Percentages may exceed 100% due to multiple response)

WORKSHOP ON HIV/AIDS IN PREVIOUS 12 MONTHS

It was approximately a fifth (21%) who reported attending an HIV/AIDS workshop within the last 12 months. Attendance at a workshop was higher among females, persons 15-24yrs and those not sexually active.

Specifically, females (**23.4%**) were significantly more likely to have attended a workshop on HIV/AIDS compared to males (**18.6%**). Similarly, respondents aged 16-24yrs (**23.7%**) were significantly more likely to have attended a workshop on HIV/AIDS compared to older 25-49yrs respondents (**18.3%**). Interestingly, respondents who self-reported not being sexually active (**27.6%**) were significantly more likely to have attended a workshop on HIV/AIDS compared to those who self-reported engaging in sexual activity (**19.8%**)². (Table 23)

The workshop attended in the past year was most likely accessed at school (44.8%), at a clinic (20%) or at work (14.8%) or in the community (12.6%). The younger cohort accessed workshop primarily through

² We conducted a Chi-Square test to examine the relationship between gender and respondent's participation in a workshop on HIV/AIDS. The results revealed a statistically significant association, $\chi^2 (1, N = 2000) = 6.944, p = .008$. The continuity correction for 2x2 tables, $\chi^2 (1, N = 2000) = 6.658, p = .010$, and the likelihood ratio, $\chi^2 (1, N = 2000) = 6.956, p = .008$, both confirmed this finding. Additionally, Fisher's exact test further supported the significance with p-values of .010 (2-sided) and .005 (1-sided). These results indicate that there is a significant relationship between gender and respondent's participation in a workshop on HIV/AIDS.

school (66.2%), while those 25-49yrs accessed workshops through the clinic (31.7%), work (21.3%) or their community (19.1%). (Table 24)

TABLE 23: PARTICIPATED IN WORKSHOP ON HIV/AIDS IN PAST YEAR

	Total (N=2000) %	15-24yrs (n=998) %	25-49yrs (n=1002) %	Male (n=1000) %	Female (n=1000)%	Sexually Active (n=1681) %	Not Sexually Active (n=319) %
Yes	21.0	23.7	18.3	18.6	23.4	19.8	27.6
No	79.0	76.3	81.7	81.4	76.6	80.2	72.4
<i>P value</i>		0.003		0.008		0.002	

TABLE 24: WHERE PARTICIPATED IN WORKSHOP ON HIV/AIDS IN PAST YEAR

	Total (n=420) %	15-24yrs (n=237) %	25-49yrs (n=183) %	Male (n=186) %	Female (n=234)%	Sexually Active (n=1681) %	Not Sexually Active (n=319) %
School	44.8	66.2	16.9	45.2	44.4	32.8	89.8
Clinic	20.0	11.0	31.7	11.3	26.9	24.4	3.4
In my community	12.6	7.6	19.1	14.5	11.1	15.4	2.3
On the job / Work	14.8	9.7	21.3	18.8	11.5	17.2	5.7
Church	4.3	3.0	6.0	3.8	4.7	4.2	4.5
Youth Club	2.6	3.0	2.2	4.8	0.9	2.7	2.3
Hospital	1.7	1.3	2.2	0.5	2.6	2.1	0.0
Private Doctor	1.4	0.4	2.7	1.1	1.7	1.8	0.0
Health Fair	1.0	0.4	1.6	0.5	1.3	1.2	0.0
Hotel	0.7	0.8	0.5	1.1	0.4	0.9	0.0
Sports Club	0.5	0.8	0.0	1.1w	0.0	0.3	1.1
Other	8.1	7.6	8.7	10.2	6.4	9.0	4.5

**Base=Persons who have participated in a workshop/talk/discussion on HIV/AIDS/STD (Percentages may exceed 100% due to multiple response)*

CHAPTER 2: BEHAVIOUR BY MARITAL STATUS

Overall, most (64.5%) people cohabiting with their partner had been living together for two (2) or more years with a quarter reporting cohabiting for nine (9) and more years. It was 11% of males and 9% of females who reported cohabiting for less than a year. (Table 25)

Fewer males reported living with their partner for <1 year compared to 2017, while more females reported living together for less than a year (Table 25).

TABLE 25: LENGTH OF TIME LIVING WITH MARRIED/COHABITING PARTNER BY AGE & GENDER

	(n)	YR 2017 %	YR 2024 %				
		<1yr.	<1yr.	1yr.	2 – 4 yrs.	5 – 9 yrs.	9+ yrs
Male	155	15.3	11.0↓	7.1	20.0	21.3	23.2
Female	289	7.5	9.0↑	4.8	18.7	18.7	26.0
<i>P=0.000</i>							
15-24yrs	78	21.8	23.1↑	15.4	26.9	11.5	0.0
25-49yrs	366	7.3	6.8↓	3.6	17.5	21.3	30.3
Male (15-24yrs)	28	35.3	32.1↓	21.4	25.0	3.6	0.0
Female (15-24yrs)	17	14.9	18.0↑	12.0	28.0	16.0	0.0
Male (25-49yrs)	127	10.5	6.3↓	3.9	18.9	25.2	28.3
Female (25-49yrs)	239	5.8	7.1↑	3.3	16.7	19.2	31.4
TOTAL	444	22.8	9.7↓	5.6	19.1	19.6	25.0

(Percentages may not equal 100% due to No Answer)

There appears to be less condom use occurring within marriage and cohabiting relationships. This was evident in the increase in incidence of never using a condom in married or living together relationships observed over the period (Table 26).

This was also supported by the incidence of last time condom use which declined among all groups except males, 25-49 years (Table 27).

TABLE 26: FREQUENCY OF CONDOM USE WITH MARRIED/COHABITING PARTNER BY AGE & GENDER

		YR 2024 %				YR 2017 %
	(n)	Every time	Most times	Occasionally	Never	Never
Male	155	4.5	11.0	22.6	58.1↑	42.4
Female	289	7.6	12.8	26.6	49.8↑	38.3
15-24yrs	78	6.4	9.0	33.3	48.7↑	35.6
25-49yrs	366	6.6	12.8	23.5	53.6↑	40.6
Male (15-24yrs)	28	0.0	10.7	42.9	46.4↑	44.1
Female (15-24yrs)	17	10.0	8.0	28.0	50.0↑	31.3
Male (25-49yrs)	127	5.5	11.0	18.1	60.6↑	42.0
Female (25-49yrs)	239	7.1	13.8	26.4	49.8↑	39.9

(Percentages may not equal 100% due to No Answer)

TABLE 27: CONDOM USED AT LAST SEX WITH MARRIED/COHABITING PARTNER BY AGE & GENDER (YR 2024 VS YR 2017)

		YR 2024	YR 2017	
	(n)	%	(n)	%
Male	155	16.8↑	177	15.3
Female	289	20.4↓	360	22.5
15-24yrs	78	15.4↓	101	22.8
25-49yrs	366	19.9↑	436	19.5
Male (15-24yrs)	28	14.3↓	34	20.6
Female (15-24yrs)	17	16.0↓	67	23.9
Male (25-49yrs)	127	17.3↑	143	14.0
Female (25-49yrs)	239	21.3↓	293	22.2

Another type of sexual practice that contributes to risk in a married/cohabiting relationship is the practice of having other partners simultaneously. Multiple partnerships declined among men and increased among women overall in the 2024 survey (Table 28).

TABLE 28: MULTIPLE PARTNERSHIPS WITHIN MARRIED/COHABITING UNIONS BY AGE & GENDER (YR 2024 VS YR 2017)

		YR 2024	YR 2017	
	(n)	%	(n)	%
Male ***	155	16.8↓	177	35.5
Female	289	7.6↑	359	5.5
Male (15-24yrs)	28	25.0↓	34	31.8
Female (15-24yrs)	17	8.0↑	67	5.0
Male (25-49yrs)	127	15.0↓	143	35.9
Female (25-49yrs)	239	7.5↑	293	5.6

*** p< .000

Among males married/cohabiting and with multiple partners last time condom use with main partner increased while every time condom use decreased over the period. Among cohabiting/married females with multiple partners both last time and every time condom use with main partner decreased notably. (Table 29)

TABLE 29: CONDOM USE EVERY TIME & LAST TIME WITH MAIN PARTNER WHERE MULTIPLE PARTNERS EXIST BY AGE & GENDER (YR 2024 VS YR 2017)

	Incidence of Condom Use Every time				Incidence of Condom Use Last Time			
	(n)	YR 2024 %	(n)	YR 2017 %	(n)	YR 2024 %	(n)	YR 2017 %
Male	26	3.8	72	5.6	26	23.1	72	18.1
Female	22	4.5	41	9.8	22	13.6	41	31.7
15-24yrs	11	0.0	26	3.8	11	9.1	26	23.1
25-49yrs	37	5.4	87	8.0	37	21.6	87	23.0

TABLE 30: CONDOM USE WITH MULTIPLE PARTNERS OTHER THAN MARRIED/COHABITING BY AGE & GENDER
(YR 2024 VS YR 2017)

		YR 2024	YR 2017	
	(n)	%	(n)	%
Male	26	65.4	72	65.3
Female	22	40.9	41	41.5
15-24yrs	11	54.5	26	61.5
25-49yrs	37	54.1	87	55.2
Male (15-24yrs)	7	71.4	16	81.2
Female (15-24yrs)	4	25.0	10	30.0
Male (25-49yrs)	19	63.2	56	60.7
Female (25-49yrs)	18	44.4	31	45.2

Behaviour among those not married/ cohabiting:

Overall, among those who were unmarried/non-cohabiting, sexual activity in the previous 12 months declined among men and increased among women. The 15–24-year-old age group also saw a decrease and the 25–49-year-old age group experienced an increase. (Table 31)

TABLE 31: SEXUALLY ACTIVE VISITING/CASUAL/NON-CO-HABITING BY AGE & GENDER (YR 2024 VS YR 2017)

		YR 2024	YR 2017	
	<i>P=0.000</i>	(n) %	(n) %	
Male		1000 53.1	1008 58.8	
Female		1000 38.3	992 36.2	
	<i>P=0.000</i>			
15-24yrs		998 49.0	1000 55.1	
25-49yrs		1002 42.4	1000 40.0	
	<i>P=0.000</i>			
Male (15-24yrs)		585 55.2	629 63.8	
Female (15-24yrs)		413 40.2	372 40.6	
	<i>P=0.000</i>			
Male (25-49yrs)		415 50.1	379 50.7	
Female (25-49yrs)		587 37.0	620 33.5	

The incidence of persons who were not married or co-habiting but who had a main partner, declined among males and females overall. (Table 32)

TABLE 32: SEXUALLY ACTIVE HAVING A MAIN PARTNER BY AGE & GENDER (YR 2024 VS YR 2017)

		YR 2024	YR 2017	
	<i>P=0.000</i>	(n) %	(n) %	
Male		531 54.4	593 62.7	
Female		384 79.4	359 85.2	
	<i>P=0.000</i>			
15-24yrs		490 59.2	552 69.0	
25-49yrs		425 71.5	400 74.2	
	<i>P=0.000</i>			
Male (15-24yrs)		323 50.5	401 63.8	
Female (15-24yrs)		167 76.0	151 82.8	
	<i>P=0.000</i>			
Male (25-49yrs)		208 60.6	192 60.4	
Female (25-49yrs)		217 82.0	208 87.0	

Among those who had a main partner, condom use at last sex declined notably (*Table 33*).

Additionally, when compared with 2017, more respondents reported never using a condom with main partner. (*Table 34*).

TABLE 33: CONDOM USE AT LAST SEX WITH MAIN PARTNER BY AGE & GENDER (YR 2024 VS YR 2017)

		YR 2024	YR 2017	
	(n)	%	(n)	%
Male	289	33.2	395	59.5
Female	305	31.1	315	37.5
15-24yrs	290	33.8	399	57.4
25-49yrs	304	30.6	311	39.9
Male (15-24yrs)	163	35.0	269	63.2
Female (15-24yrs)	127	32.3	130	45.4
Male (25-49yrs)	126	31.0	126	51.6
Female (25-49yrs)	178	30.3	185	31.9

TABLE 34: FREQUENCY OF CONDOM USE WITH MAIN PARTNER BY AGE & GENDER

		YR 2024				YR 2017
	(n)	%				%
		Every time	Most times	Occasionally	Never	Never
Male	289	11.8	22.8	23.9	37.0	32.4
Female	305	17.4	18.7	28.5	29.2	19.7
15-24yrs	290	14.5	24.8	25.9	30.3	29.3
25-49yrs	304	14.8	16.8	26.6	35.5	23.6
Male (15-24yrs)	163	10.4	27.0	24.5	33.7	33.0
Female (15-24yrs)	127	19.7	22.0	27.6	26.0	21.6
Male (25-49yrs)	126	13.5	17.5	23.0	41.3	31.2
Female (25-49yrs)	178	15.7	16.3	29.2	31.5	18.5

Base=Persons with a main partner (Percentages may not equal 100% due to No Answer)

There was a general increase in multiple partnerships among males and females. There was also a noticeable increase in reported incidence of multiple partners among those 25-49yrs. (Table 35).

TABLE 35: INCIDENCE OF MULTIPLE PARTNERSHIPS (WITH OR WITHOUT MAIN PARTNER) BY AGE & GENDER (YR 2024 VS YR 2017)

		YR 2024 No main partner		YR 2024 Had multiple partners	YR 2017 Had multiple partners	
	(n)	%	(n)	%	(n)	%
Male	397	48.6	531	74.8↑	593	71.0
Female	130	31.5	384	33.9↑	359	26.7
15-24yrs	311	47.3	490	63.5↓	551	65.3
25-49yrs	216	40.3	425	50.8↑	401	39.2
Male (15-24yrs)	252	50.4	323	78.0↑	400	75.8
Female (15-24yrs)	59	33.9	167	35.3↓	151	37.3
Male (25-49yrs)	145	45.6	208	69.7↑	193	61.1
Female (25-49yrs)	71	29.6	217	32.7↑	208	18.8

Generally, there was a decrease in the use of condoms at last sex for respondents who reported having a main partner, except for Females aged 25-49, where there was an increase in condom usage. (Table 36).

TABLE 36: INCIDENCE OF CONDOM USE AT LAST SEX IN MULTIPLE PARTNERSHIPS

		YR 2024	YR 2017			YR 2024	YR 2017	
	Have main partner				No main Partner			
	(n)	%	(n)	%	(n)	%	(n)	%
Male	204	41.2↓	258	63.3	177	57.6↓	163	77.9
Female	89	43.8	76	43.4	23	65.2↑	20	40.0
15-24yrs	164	37.2↓	239	62.8	130	54.6↓	121	71.1
25-49yrs	129	48.1↓	95	49.5	70	65.7↓	62	79.0
Male (15-24yrs)	125	34.4↓	194	66.5	115	52.2↓	109	75.2
Female (15-24yrs)	39	46.2	45	46.7	15	73.3↑	12	33.3
Male (25-49yrs)	79	51.9↓	64	54.7	62	67.7↓	54	83.3
Female (25-49yrs)	50	42.0↑	31	38.7	8	50.0↑	8	50.0

The mean number of partners decreased among males and females 15-24yrs and increased among males and females 25-49yrs (*Table 37*)

TABLE 37: MEAN NUMBER OF PARTNERS IN VISITING/CASUAL RELATIONSHIPS IN THE PAST 12 MONTHS AGE & GENDER (YR 2024 VS YR 2017)

		YR 2024		YR 2017
	(n)	Mean	(n)	Mean
Male	368	5.69 ↑	592	5.50
Female	106	2.92 ↓	359	3.37
15-24yrs	290	5.18 ↓	551	5.87
25-49yrs	184	4.91 ↑	440	3.07
Male (15-24yrs)	238	5.73 ↓	400	6.46
Female (15-24yrs)	52	2.65 ↓	151	4.32
Male (25-49yrs)	130	5.62 ↑	192	3.49
Female (25-49yrs)	54	3.19 ↑	208	2.67

CHAPTER 3: ACCESS AND ATTITUDES TO CONDOMS

Most persons had no problems accessing condoms readily. Access to condoms was higher among the male population. (Figure 1).




FIGURE 1. PERCENTAGE ABLE TO OBTAIN CONDOMS ALMOST IMMEDIATELY YR 2024 VS 2017

Overall, small shop (27.2%), clinics (21.7%) and pharmacies (15.2%) emerged as the main points of condom access. There were however noted changes in the points of condom access between 2017 and 2024. Specifically, there was a noted decrease in the proportion of those 15-24yrs accessing condoms from the small shop, an increase in partner being the source and the emergence of family and friends as a source for this group (8.6%). (Table 38)

TABLE 38: WHERE CONDOMS ARE BOUGHT BY AGE YR 2024 VS 2017

	TOTAL		15-24 YRS		25-49 YRS	
	YR 2024 (n=1594) %	YR 2017 (n=1713) %	YR 2024 (n=660) %	YR 2017 (n=746) %	YR 2024 (n=934) %	YR 2017 (n=967) %
Shop	27.2	33.3	29.8	41.2	25.3	27.3
Pharmacy	15.2	17.9	12.4	12.7	17.2	21.9
Clinic/don't buy	21.7	14.0	15.2	15	26.3	13.2
Partner provides it	9.2	9.2	13.0	9.5	6.4	9.0
Supermarket	14.2	13.7	11.4	9.1	16.3	17.2
Family/ Friends	3.8	-	8.6	-	0.4	-
Gas Station/ Convenience Store	3.6	4.6	3.9	4.4	3.4	4.8
Wholesale	0.6	3.3	0.8	3.5	0.5	3.1
Bar	0.8	1.6	1.2	1.9	0.5	1.3
Anywhere/ Other	1.8	0.1	2.0	0.1	1.7	0.1
Vendor	0.1	0.5	0.0	0.5	0.1	0.5

Changes were also noted by gender. Specifically, the proportion of males accessing from the supermarket increased and family and friends emerged as a source. Among females the proportion accessing from clinics more than doubled; partner as the source increased notably and access from shops, pharmacies and supermarkets declined. (Table 39)

TABLE 39: WHERE CONDOMS ARE BOUGHT BY GENDER YR 2024 VS 2017

	TOTAL		MALE		FEMALE	
	YR 2024 (n=1594) %	YR 2017 (n=1713) %	YR 2024 (n=793) %	YR 2017 (n=746) %	YR 2024 (n=801) %	YR 2017 (n=967) %
Shop	27.2	33.3	39.2	41.2	15.2	27.3
Pharmacy	15.2	17.9	12.7	12.7	17.7	21.9
Clinic/don't buy	21.7	14.0	12.0	15.0	31.3	13.2
Partner provides it	9.2	9.2	1.1	9.5	17.1	9.0
Supermarket	14.2	13.7	16.4	9.1	12.1	17.2
Family/ Friends	3.8	-	6.9	-	0.7	-
Gas Station/ Convenience Store	3.6	4.6	5.4	4.4	1.9	4.8
Wholesale	0.6	3.3	0.9	3.5	0.4	3.1
Bar	0.8	1.6	1.1	1.9	0.5	1.3
Anywhere/ Other	1.8	0.1	1.9	0.1	1.7	0.1
Vendor	0.1	0.5	0.1	0.5	0.0	0.5

Overall, fewer persons reported having a condom on them “every time” in 2024 (19.5%) when compared to 2017 (22.9%). This change was noted across both males and females and among those 15-24yrs and 25-49yrs. Additionally, the proportion never having a condom with them increased among males and those 15-24yrs but decreased among the older cohort. (Table 40 & Table 41)

TABLE 40: EXTENT TO WHICH PERSONS GENERALLY HAVE A CONDOM BY GENDER YR 2024 vs 2017

	TOTAL		MALE		FEMALE	
	YR 2024 (n=1594) %	YR 2017 (n=1714) %	YR 2024 (n=793) %	YR 2017 (n=868) %	YR 2024 (n=801) %	YR 2017 (n=846) %
Extent to which usually have a condom <u>on you</u>						
Every time	19.5	22.9	26.2	30.6	12.9	14.9
Most times	13.0	13.7	18.8	18.3	7.4	8.9
Sometimes	16.0	14.6	20.1	19.6	12.0	9.5
Rarely	12.6	10.3	12.6	10.6	12.6	10.0
Never	38.7	38.6	22.2	20.9	55.1	56.7
Don't Know	0.1	-	0.1	-	0.1	-
Extent to which usually have a condom <u>in the house</u>						
Every time	50.4	55.4	57.5	65.0	43.3	45.5
Most times	12.6	12.1	14.2	12.4	11.0	11.7
Sometimes	11.2	10.3	10.2	8.8	12.1	11.8
Rarely	7.2	5.3	6.3	4.1	8.1	6.4
Never	18.2	16.9	11.6	9.6	24.7	24.5
Don't Know	0.4	55.4	0.1	65.0	0.7	45.5

p≤0.000

TABLE 41: EXTENT TO WHICH PERSONS GENERALLY HAVE A CONDOM BY AGE YR 2024 vs 2017

	TOTAL		15-24 YRS		25-49 YRS	
	YR 2024 (n=1594) %	YR 2017 (n=1714) %	YR 2024 (n=660) %	YR 2017 (n=747) %	YR 2024 (n=934) %	YR 2017 (n=967) %
Extent to which usually have a condom <u>on you</u>						
Every time	19.5	22.9	19.2	24.4	19.7	21.7
Most times	13.0	13.7	15.3	17.9	11.5	10.3
Sometimes	16.0	14.6	19.2	19.5	13.7	10.8
Rarely	12.6	10.3	13.5	9.1	12.0	11.3
Never	38.7	38.6	32.6	29.0	43.0***	45.9
Don't Know	0.1	-	0.2	-	0.1	-
Extent to which usually have a condom <u>in the house</u>						
Every time	50.4	55.7	48.8	57.4	51.5	53.8
Most times	12.6	12.1	13.9	12.4	11.7	11.8
Sometimes	11.2	10.3	10.2	10.3	11.9	10.2
Rarely	7.2	5.3	8.2	4.4	6.5	5.9
Never	18.2	16.9	18.3	15.1	18.1	18.3
Don't Know	0.4	-	0.6	-	0.3	-

p≤0.000

Main barriers to condom use, as indicated by reasons given for not using a condom, remained love and trust in partner (52.1%), a general dislike for using condoms (25.1%) and being allergic to condoms (10.7%). (Table 42)

While the main reasons remained the same over the period, changes within age groups were noted. Specifically, between 2017 and 2024 love and trust in partner as a barrier for condom use among those 15-19yr old declined while disliking condoms increased. Among those 20-24yrs old the proportion citing love and trust in partner remained the same, while those citing a dislike for condoms increased. (Table 42)

TABLE 42: REASONS FOR NOT USING CONDOMS ALL OF THE LAST 10 TIMES SEX HAD BY AGE YR 2024 vs 2017

	TOTAL		15-19 YRS		20-24 YRS		25-49 YRS	
	YR 2024 (n=676) %	YR 2017 (n=601) %	YR 2024 (n=73) %	YR 2017 (n=44) %	YR 2024 (n=152) %	YR 2017 (n=124) %	YR 2024 (n=451) %	YR 2017 (n=433) %
Love/trust partner/ one partner	52.1	56.0	15.1	34.1	45.4	45.9	60.3	60.0
Don't like using condom	25.1	20.0	52.1	34.1	28.9	19.4	19.5	18.7
Allergic to condoms/Partner allergic to condoms	10.7	10.3	8.2	-	11.2	10.5	10.9	11.3
No specific reason/No reason to	6.2	4.7	11.0	6.8	4.6	6.5	6.0	3.0
Partner does not like using condom	4.1	11.8	1.4	2.3	3.3	9.7	4.9	13.4
Get regular check-ups; no STIs/Always do tests	4.0	1.3	4.1	0.0	3.9	1.6	4.0	1.4
Trying to have a child	3.4	3.7	1.4	2.3	3.9	4.0	3.5	3.7
Did not have one on me	2.7	1.5	9.6	2.3	5.9	4.0	0.4	0.2
Partner/self on other form of contraceptive	0.9	0.3	0.0	-	0.7	0.8	1.1	0.2
Same sex relationship	0.7	-	0.0	-	1.3	-	0.7	-
Pressured/Coerced by partner not to use one	0.4	0.5	0.0	-	0.0	-	0.7	0.7
Don't know how to use a condom	0.3	0.2	0.0	-	1.3	0.8	0.0	-
Did HIV test/Get check-up before having sex	-	0.8	-	4.5	-	0.8	-	0.5
Partner gets regular check-ups	-	0.7	-	-	-	0.8	-	0.7
Now pregnant/Didn't need to use; was pregnant	-	0.7	-	-	-	0.8	-	0.7
Can't get pregnant again	-	0.2	-	-	-	-	-	0.2
Partner will think I am unfaithful	-	0.2	-	-	-	0.8	-	-
No money to buy	-	0.2	-	2.3	-	-	-	-
Other	2.5	3.0	2.8	6.8	2.6	4.0	2.5	2.3
No answer	0.3	2.5	0.0	6.8	0.0	2.4	0.4	2.1

Changes in attitude towards condoms was also noted. In 2024, more persons were more likely to endorse condoms as disrupting pleasure when compared to the previous period 2017. Increases were noted in the proportion endorsing the following:

- A condom reduces the quality of sex so much that it is better not to use it at all
- Contraceptives ruin the spontaneity and heat of sexual intercourse
- It is not necessary to use condoms if you trust the person

A decrease in the proportion endorsing that it was possible to enjoy sex when using a condom was also noted. Increased endorsement of condoms as negatively impacting pleasure was noted among both

males and females and both age groups. Reduced endorsement of it being possible to enjoy sex when using a condom was noted primarily among males. (Table 43 & Table 44)

TABLE 43: GENERAL ATTITUDES TO CONDOMS AND CONTRACEPTIVES (TTB) BY GENDER YR 2024 vs 2017

	TOTAL		MALE		FEMALE	
	YR 2024 (n=1678) %	YR 2017 (n=1751) %	YR 2024 (n=839) %	YR 2017 (n=1008) %	YR 2024 (n=839) %	YR 2017 (n=846) %
Strongly Agree/ Agree						
<u>ATTITUDE TO CONDOM USE</u>						
It is possible to enjoy sex when you use a condom	65.1	69.9	59.2	69.5	71.0	70.4
A condom reduces the quality of sex so much that it is better not to use it at all	43.4	36.2	53.5	43.7	33.4	28.6
Contraceptives ruin the spontaneity and heat of sexual intercourse	44.4	32.7	53.2	38.0	35.6	27.3
It is not necessary to use condoms if you trust the person	44.2	35.9	53.0	38.8	35.3	33
<u>ACCESS TO CONDOMS</u>						
I can get a condom around here easily during the day	83.1	87.2	90.6	93.3	75.6	81.1
Shops nearby here always have condoms for sale	73.1	79.7	81.2	85.8	65.0	73.4
I can get a condom around here easily during the night	66.0	87.2	74.9	79.7	57.1	64.4
Free condoms distributed by the Ministry of Health are easy to get when I need them	57.8	57	55.4	52.1	60.2	61.8
<u>CONDOM BRANDS AND QUALITY</u>						
Some condoms are better than others	77.5	77.7	84.6	85.1	70.3	70.2
Condoms you get for free are just as good as the ones available in the shops	49.9	50.8	47.7	46.1	52.2	55.6
The brand of condom really does not matter to me	44.5	43.6	44.7	43.1	44.2	44.1

TABLE 44: GENERAL ATTITUDES TO CONDOMS AND CONTRACEPTIVES (TTB) BY AGE YR 2024 VS 2017

	TOTAL		15-24 YRS		25-49 YRS	
	YR 2024 (n=1678) %	YR 2017 (n=1714) %	YR 2024 (n=714) %	YR 2017 (n=747) %	YR 2024 (n=964) %	YR 2017 (n=967) %
Strongly Agree/ Agree						
ATTITUDE TO CONDOM USE						
It is possible to enjoy sex when you use a condom	65.1	69.9	60.9	71.6	68.3	68.7
Contraceptives ruin the spontaneity and heat of sexual intercourse	44.4	32.7	45.9	32.3	43.3	32.9
It is not necessary to use condoms if you trust the person	44.2	35.9	46.2	33.9	42.6	37.5
A condom reduces the quality of sex so much that it is better not to use it at all	43.4	36.2	47.1	40.3	40.8	32.9
ACCESS TO CONDOMS						
I can get a condom around here easily during the day	83.1	87.2	81.9	87.4	83.9	87.2
Shops nearby here always have condoms for sale	73.1	79.7	71.1	80.0	74.5	79.4
I can get a condom around here easily during the night	66.0	87.2	63.9	72.2	67.5	72
Free condoms distributed by the Ministry of Health are easy to get when I need them	57.8	57	50.6	52.5	63.2	60.4
CONDOM BRANDS AND QUALITY						
Some condoms are better than others	77.5	77.7	75.9	77.7	78.6	77.7
Condoms you get for free are just as good as the ones available in the shops	49.9	50.8	43.8	42.6	54.5	57.1
The brand of condom really does not matter to me	44.5	43.6	43.1	42.1	45.4	44.8

CHAPTER 4: KNOWLEDGE

Approximately a third (34.3%) of respondents were able to answer all corrective factors and myth questions correctly. This represented a decline from 40% who displayed full correct knowledge (endorsing all preventive measures and rejecting all misconceptions) in 2017. *(Table 45)*

Generally, most respondents were able to correctly endorse measures such as always using a condom (85.0%) or having a main partner (78.7%) in order to reduce the risk of getting HIV. Rejection of misconceptions regarding the transmission of HIV was also quite high with at least six in ten respondents agreeing HIV cannot be spread through a mosquito bite (61.2%) or sharing food with an infected person (66.5%). Rejection of sharing food as a means of transmission was the knowledge measure that showed the greatest decrease. *(Table 45)*

Full correct knowledge was highest among females 25-49yrs old and lowest among males 15-19yrs and 20-24yrs old. *(Table 45)*

TABLE 45: CORRECTIVE FACTORS AND MYTHS BY AGE AND GENDER YR 2024 vs 2017

			Correctly Endorsing preventive measures		Rejecting misconceptions about transmission			
		<i>n</i>	100% condom use %	One faithful partner %	A healthy-looking person %	Mosquito Bites %	Sharing food %	Correctly answering all 5 %
2024	Total	1994	85.0	78.7	94.7	61.2	66.5	34.3
2017	Total	2000	85.4	81.6	97.2	63.7	76.4	40.2
2024	Male	996	83.8	76.3	93.5	54.6	62.3	28.3
2017	Male	1008	86.4	81.0	96.9	58.8	70.8	35.5
2024	Female	998	86.1	81.2	96.0	67.7	70.6	40.2
2017	Female	992	84.4	82.2	97.4	68.6	82.1	45.0
2024	Males 15-19	314	81.8	74.8	89.8	51.6	60.5	24.8
2017	Males 15-19	370	82.7	74.1	94.1	57.0	66.5	28.1
2024	Females 15-19	215	81.9	75.3	93.5	62.8	64.7	28.8
2017	Females 15-19	194	74.2	73.2	95.9	63.4	76.3	29.4
2024	Males 20-24	269	84.0	73.2	95.2	55.8	58.0	24.9
2017	Males 20-24	258	88.0	83.7	98.8	58.9	70.5	35.3
2024	Females 20-24	197	84.8	80.2	96.4	58.9	62.4	32.4
2017	Females 20-24	178	82.0	82.6	96.6	68.5	79.8	43.3
2024	Males 25-49	413	85.2	79.4	95.2	56.2	66.6	33.1
2017	Males 25-49	380	88.9	85.8	98.4	60.5	75.3	42.9
2024	Females 25-49	586	88.1	83.6	96.8	72.5	75.6	47.0
2017	Females 25-49	620	88.2	84.8	98.1	70.3	84.5	50.3

Obtaining information on HIV/AIDS was primarily done through social media (71.7%) and the internet (67.4%). The prominence of social media and internet highlighted a continued trend toward digital platforms as dominant sources of information, especially among younger demographics and females. (Table 46 & Table 47)

TABLE 46: WHERE OBTAINED INFORMATION ON HIV/ AIDS BY AGE YR 2024 VS 2017

	TOTAL		15-24 YRS		25-49 YRS	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=995) %	YR 2017 (n=1000) %	YR 2024 (n=999) %	YR 2017 (n=1000) %
Social Media	71.7	-	74.0	-	69.4	-
Internet	67.4	45.6	68.4	48.4	66.3	42.9
Media	61.4	65.1	63.0	61.8	59.8	68.4
TV/ Radio	54.5	-	48.0	-	60.9	-
Friends	32.1	26.7	37.6	28.1	26.7	25.3
Doctor/Clinic	31.7	34.2	26.6	28.3	36.8	40.2
Home/Family	30.5	24.4	35.6	28.5	25.4	20.4
School	30.4	22.6	43.7	38.5	17.2	6.6
Community	29.0	21.8	30.3	22.5	27.7	21
Outreach Worker	14.4	-	13.1	-	15.7	-
Workplace	13.5	8.7	9.9	5.5	17.0	11.9
Church	10.2	9.4	8.9	8.7	11.4	10
Other	5.0	5.8	4.2	4.2	5.7	7.1

TABLE 47: WHERE OBTAINED INFORMATION ON HIV/ AIDS BY GENDER YR 2024 VS 2017

	TOTAL		MALE		FEMALE	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=996) %	YR 2017 (n=1008) %	YR 2024 (n=998) %	YR 2017 (n=992) %
Strongly Agree/ Agree						
Media	61.4	65.1	58.0	61.7	64.7	68.5
TV/ Radio	54.5	-	50.3	-	58.6	-
Social Media	71.7	-	67.5	-	75.9	-
Internet	67.4	45.6	63.5	43.2	71.2	48.2
Doctor/Clinic	31.7	34.2	23.3	23.1	40.2	45.6
Friends	32.1	26.7	37.3	26.2	27.0	27.2
Home/Family	30.5	24.4	30.5	22.5	30.5	26.4
School	30.4	22.6	28.8	23.4	32.1	21.7
Community	29.0	21.8	32.3	25	25.7	18.4
Church	10.2	9.4	8.3	7.3	12.0	11.4
Outreach Worker	14.4	-	15.3	-	13.5	-
Workplace	13.5	8.7	13.8	10.4	13.2	7.0
Other	5.0	5.8	5.1	0.0	4.9	13.6

When asked who they had discussed AIDS and safe sex with, most respondents mentioned friends (54.9%) and their most recent partners (47.2%) as the top two groups. The younger cohort (54.1%) and males (56.2%) were more likely to discuss AIDS and safe sex with friends. (Table 48 & Table 49)

TABLE 48: SPOKEN ABOUT AIDS AND SAFE SEX BY AGE YR 2024 VS 2017

	TOTAL		15-24 YRS		25-49 YRS	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=995) %	YR 2017 (n=1000) %	YR 2024 (n=999) %	YR 2017 (n=1000) %
Most Recent Partner	47.2	56.6	37.5	42.7	57.0	70.6
The Previous Partner	42.5	46.2	32.7	36.8	52.3	55.6
Family Members	43.0	51.2	39.3	45.3	46.7	57.2
Friends	54.9	61.6	54.1	56.6	55.7	66.6
Someone at church	12.4	18.0	7.6	12.5	17.1	23.6

TABLE 49: SPOKEN ABOUT AIDS AND SAFE SEX BY GENDER YR 2024 VS 2017

	TOTAL		MALE		FEMALE	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=996) %	YR 2017 (n=1008) %	YR 2024 (n=998) %	YR 2017 (n=992) %
Strongly Agree/ Agree						
Most Recent Partner	47.2	56.6	44.0	49.9	50.5	63.4
The Previous Partner	42.5	46.2	41.6	45.1	43.4	47.2
Family Members	43.0	51.2	39.1	44.5	47.0	58.0
Friends	54.9	61.6	56.2	60.8	53.5	62.4
Someone at church	12.4	18.0	10.9	14.4	13.8	21.8

CHAPTER 5: STIGMA AND DISCRIMINATION

Generally, one in ten respondents showed correct knowledge of accepting attitudes to PLWA, with females (15.3%) and the older cohort (17.4%) being more likely to do same. Respondents would be most willing to care for a family member who has contracted AIDS (80.6%) and least likely to purchase food from a vendor who was HIV positive (30.9%). (Table 50)

Among the individuals to whom an HIV-positive person’s status could be disclosed, respondents believed that the partners (79.8%) and parents (79.3%) of the infected individuals were the most important to inform. (Table 50)

A small improvement in accepting attitudes to PLWA was noted with 13.3% showing correct knowledge of all three components in 2024, representing an increase from 11.6% in 2017. (Table 51)

TABLE 50: (TTB) ATTITUDES TO PEOPLE LIVING WITH HIV/AIDS BY GENDER YR 2024 VS 2017

	TOTAL		MALE		FEMALE	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=996) %	YR 2017 (n=1000) %	YR 2024 (n=998) %	YR 2017 (n=1000) %
Accepting attitudes to PLWA (Correct knowledge of all 3 components)						
• I would definitely purchase food/veg. from a shopkeeper who have HIV						
• Should a teacher who have HIV but not sick be allowed to continue teaching in school?	13.3	11.6	11.3	10.3	15.3	12.9
• Would want family member to keep being infected with HIV a secret						
Top 2 Box: Strongly Agree & Agree						
Willing to care for a family member who becomes sick with the AIDS virus	80.6	78.8	80.0	79.2	81.2	78.5
Willing to buy fresh vegetables from a vendor whom they knew was HIV+	30.9	23.7	26.1	21.3	35.8	26.2

Agree that a teacher who is HIV+ but not sick should be allowed to continue teaching in school	70.7	72.8	64.0	68.0	77.4	78.0
Agree that they would not want to keep the HIV status of a family member a secret	52.8	31.1	56.5	29.2	49.1	33.0
Persons who get AIDS have gotten what they deserve	5.7	7.1	8.9	9.9	2.5	4.1
When a person contracts AIDS, they let their family down	19.4	20.5	24.6	24.3	14.1	16.5
<u>Attitudes to disclosure of HIV status:</u>						
– Status should be disclosed to best friend	36.1	41.8	42.2	47.8	30.0	35.6
– Status should be disclosed to partner	79.8	81.3	79.8	78.5	79.9	84.2
– Status should be disclosed to parent	79.3	84.6	81.6	83.5	77.0	85.6
– Status should be disclosed to church member	23.1	37.6	28.2	41.6	17.9	33.6
– Status should be disclosed to co-workers	21.5	32.1	27.9	36.3	15.1	27.8
– Status should be disclosed the employer/boss	27.7	43.2	33.5	46.3	21.9	40

TABLE 51: (TTB) ATTITUDES TO PEOPLE LIVING WITH HIV/AIDS BY AGE YR 2024 VS 2017

	TOTAL		15-24 YRS		25-49 YRS	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=995) %	YR 2017 (n=1000) %	YR 2024 (n=999) %	YR 2017 (n=1000) %
Strongly Agree/ Agree						
Accepting attitudes to PLWA (Correct knowledge of all 3 components)						
- I would definitely purchase food/veg. from a shopkeeper who has HIV - Should a teacher who has HIV but is not sick be allowed to continue teaching in school? - Would want family member to keep being infected with HIV a secret	13.3	11.6	9.2	8.7	17.4	14.5
Top 2 Box: Strongly Agree & Agree						
Willing to care for a family member who becomes sick with the AIDS virus	80.6	78.8	78.6	78.2	82.6	79.5
Willing to buy fresh vegetables from a vendor whom they knew was HIV+	30.9	23.7	23.4	18.9	38.4	28.4
Agree that a teacher who is HIV+ but not sick should be allowed to continue teaching in school	70.7	72.8	62.7	65.2	78.6	80.6
Agree that they would not want to keep the HIV status of a family member a secret	52.8	31.1	53.6	32.9	51.9	29.3
Persons who get AIDS have gotten what they deserve	5.7	7.1	6.6	9.8	4.8	4.3
When a person contracts AIDS, they let their family down	19.4	20.5	22.4	26.2	16.3	14.7
Attitudes to disclosure of HIV status:						
– Status should be disclosed to best friend	36.1	41.8	36.8	40.9	35.3	42.6
– Status should be disclosed to partner	79.8	81.3	81.0	78.6	78.7	84.0
– Status should be disclosed to parent	79.3	84.6	81.7	84.8	76.9	84.3
– Status should be disclosed to church member	23.1	37.6	20.1	34.1	26.0	41.1

– Status should be disclosed to co-workers	21.5	32.1	18.4	29.1	24.6	35.1
– Status should be disclosed the employer/boss	27.7	43.2	24.9	39.3	30.5	47.1

While most respondents (62.6%) did not personally know anyone who was HIV positive, those who did reported knowing either a family member or friend (16%) or someone outside their close circle (20.3%). (Table 52)

TABLE 52: KNOWLEDGE OF A PERSON LIVING/DYING FROM HIV/ AIDS BY AGE AND GENDER YR 2024 vs 2017

	TOTAL		MALE		FEMALE	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=995) %	YR 2017 (n=1008) %	YR 2024 (n=998) %	YR 2017 (n=992) %
Yes, a close relative or friend	16.0	23.1	12.7	19.8	19.3	26.4
Yes, but not a close relative or friend	20.3	24.8	22.0	26.2	18.5	23.5
No, I don't know anyone	62.6	48.9	63.3	50.7	61.9	47.1
Not sure/can't recall	1.7	3.0	2.6	3.0	0.8	2.9
Yes, a close relative or friend	-	0.2	-	0.3	-	0.1

TABLE 53: KNOWLEDGE OF A PERSON LIVING/DYING FROM HIV/ AIDS BY AGE YR 2024 vs 2017

	TOTAL		15-24 YRS		25-49 YRS	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=995) %	YR 2017 (n=1000) %	YR 2024 (n=999) %	YR 2017 (n=1000) %
Yes, a close relative or friend	16.0	23.1	9.3	15.6	22.6	30.6
Yes, but not a close relative or friend	20.3	24.8	15.8	20.5	24.7	29.2
No, I don't know anyone	62.6	48.9	73.4	60.6	51.9	37.1
Not sure/can't recall	1.7	3.0	1.6	3.0	1.8	2.9
No Answer	-	0.2	-	0.3		0.1

While most respondents did not believe that people living with AIDS should face stigma or rejection due to their status, three in ten expressed some concern about PLWA working with children (38.5%). In 2024, fewer endorsed certain limitations placed on their freedom (35.7% in 2024 vs 45.5% in 2017). (Table 54)

TABLE 54: ATTITUDE TO PERSONS WITH HIV (TTB) BY GENDER YR 2024 vs 2017

	TOTAL		MALE		FEMALE	
<i>Strongly Agree/ Agree</i>	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=996) %	YR 2017 (n=1008) %	YR 2024 (n=998) %	YR 2017 (n=992) %
It is not safe for People who have AIDS to work with children	38.5	33.5	35.6	33.1	41.4	34
People who have AIDS must expect some restriction on freedom	35.7	45.5	40.9	49.5	30.6	41.4
People who have AIDS are dirty	12.0	12.0	17.0	15.7	7.1	8.3
People who have AIDS should be ashamed	10.7	11.8	14.7	16	6.7	7.7
People who have AIDS have done something wrong and deserve to be punished	6.8	8.3	9.6	11.4	4.0	5.0
People who have AIDS are cursed	4.2	5.3	6.7	7.6	1.7	2.9

TABLE 55: ATTITUDE TO PERSONS WITH HIV (TTB) BY AGE YR 2024 vs 2017

	TOTAL		15-24 YRS		25-49 YRS	
<i>Strongly Agree/ Agree</i>	YR 2024 (n=1994) %	YR 2017 (n=1751) %	YR 2024 (n=995) %	YR 2017 (n=1000) %	YR 2024 (n=999) %	YR 2017 (n=1000) %
It is not safe for People who have AIDS to work with children	38.5	33.5	36.3	30.9	40.7	36.1
People who have AIDS must expect some restriction on freedom	35.7	45.5	39.6	49.6	31.8	41.4
People who have AIDS are dirty	12.0	12.0	14.4	15.3	9.7	8.7
People who have AIDS should be ashamed	10.7	11.8	13.9	16.6	7.5	7.1
People who have AIDS have done something wrong and deserve to be punished	6.8	8.3	9.3	10.9	4.3	5.6
People who have AIDS are cursed	4.2	5.3	5.4	6.9	3.0	3.6

Over the period, there was an increase in respondents endorsing issues such as an HIV+ male can seek to have children (YR 2024: 39% vs YR 2017: 26%) , an HIV+ female can seek to have children (YR 2024: 39% vs YR 2017: 28%) and getting married (YR 2024: 54% vs YR 2017: 42%). (Figure 2, Table 56 & Table 57).

Support for these views increased across all areas between 2017 and 2024.

FIGURE 2. ATTITUDE TO PERSONS WITH HIV YR 2024 VS 2017




TABLE 56: ATTITUDE TO PERSONS WITH HIV (TTB) BY GENDER YR 2024 VS 2017

	TOTAL		MALE		FEMALE	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=996) %	YR 2017 (n=1008) %	YR 2024 (n=998) %	YR 2017 (n=992) %
Strongly Agree/ Agree						
It is NOT a waste of money to train or give a promotion to someone with HIV/AIDS	86.8	85.0	83.9	83.0	89.6	87.3
A woman who has HIV should not seek to have children	46.5	63.0	48.8	61.9	44.2	64.8
A man who has HIV should not seek to have children	46.2	64.0	48.4	61.8	44.1	66.0
A person would be foolish to marry a person who is living with HIV/AIDS	29.7	41.0	36.7	46.5	22.7	36.0

TABLE 57: ATTITUDE TO PERSONS WITH HIV (TTB) BY AGE YR 2024 VS 2017

	TOTAL		15-24 YRS		25-49 YRS	
	YR 2024 (n=1994) %	YR 2017 (n=2000) %	YR 2024 (n=995) %	YR 2017 (n=1000) %	YR 2024 (n=999) %	YR 2017 (n=1000) %
Strongly Agree/ Agree						
It is NOT a waste of money to train or give a promotion to someone with HIV/AIDS	86.8	85.0	84.2	83.8	89.3	86.5
A woman who has HIV should not seek to have children	46.5	63.0	48.1	60.5	44.8	66.1
A man who has HIV should not seek to have children	46.2	64.0	47.6	61.2	44.8	66.5
A person would be foolish to marry a person who is living with HIV/AIDS	29.7	41.0	32.6	43.4	26.9	39.1

CHAPTER 6: ADVERTISING MESSAGE RECALL AND IMPACT

More than half of respondents (59.7%) reported having seen or heard advertisements related to condom use, multiple partnerships, or HIV testing. Similarly, 55.7% indicated exposure to advertisements addressing human rights or HIV. The primary medium for these messages was television, cited by 56.1% of respondents (Table 58).

Despite this level of exposure, message recall did not consistently lead to changes in behaviour. Just under one-third (30.1%) of respondents said that what they saw or heard made them think or behave differently (Table 60).

Among those who did report behaviour changes, the most common responses were: “Use protection when having sex” (32.6%) and “Use a condom every time” (31.6%). Notably, slightly more males than females reported these changes. For example, 33.8% of males versus 31.3% of females said they were more likely to use protection during sex, while 36.6% of males compared to 26.0% of females reported increased condom use every time (Table 60).

TABLE 58: ADVERTISING MESSAGE RECALL (UNPROMPTED) YR 2024

	(N=2000) %
Recall seeing or hearing messages or advertising on condom use, multiple partners or HIV testing	59.7
Recall seeing or hearing messages or advertising on human rights or HIV	55.7
Where advertisement heard/seen	(n= 1348)
▪ TV	56.1
▪ Radio	28.6
▪ Posters/Flyers	10.8
▪ Super boards/Billboards	6.5
▪ JUTC bus	2.7
▪ Town Crier	2.5
▪ Word of Mouth (Outreach Worker, Clinic Worker, Social Workers)	1.9
▪ Health Centres/Clinics/Hospital/Health Fair	1.6
▪ Other buses (HIV/MOH/Campaign)	1.4
▪ School	0.9
▪ Cinema	0.7
▪ Work	0.4
▪ Newspaper	0.4
▪ Church	0.2

Main messages recalled were 'Use a condom every time' (80.9%) and 'Update yuh status, get tested for HIV' (66.5%). Messages with the least recall were 'Condom connect' (44.1%), 'Real men nu ride without condom' (44.1%) and 'Human Rights' (40.5%) (*Table 59*)

TABLE 59: SPECIFIC MESSAGE RECALLED (PROMPTED) YR 2024 -TOP 12 RESPONSES

	(N=2000) %
Use a condom every time	80.9
Update yuh status, get tested for HIV	66.5
Pinch, leave an inch and roll	66.2
Know your partner's status	59.6
Dweet fi yuh best life	57.4
Get on your meds and get on wid life	55.2
Everybody have rights	53.0
Update yu status	52.8
Get back on track, get back to life	52.7
Condom connect	44.1
Real men nu ride without condom	44.1
Human Rights	40.5

Just under a third of persons reported having changed their behaviour because of the messaging and for 64% of these persons, the change was to practice safe sex and use condoms (*Table 60*).

TABLE 60: BEHAVIOUR CHANGE AS A RESULT OF MASS MEDIA CAMPAIGN YR 2024

	Total (n=1348) %	15-24yrs (n=641) %	25-49yrs (n=707) %	Male (n=643) %	Female (n=705) %
Q. Did any of the things you saw or heard make you think or behave differently					
Yes	30.1	29.0	31.1	33.3	27.2
Q. In what way did you think or behave differently?	Total (n=405) %	15-24yrs (n=185) %	25-49yrs (n=220) %	Male (n=213)%	Female (n=192) %
Use protection when having sex	32.6	37.8	28.2	33.8	31.3
Use a condom every time	31.6	35.1	28.6	36.6	26.0
Build awareness & knowledge about HIV/AIDS, partner status & educate kids	10.4	11.9	9.1	7.0	14.1
Become more responsible & thoughtful (e.g. act more mature, behave less recklessly)	10.4	7.6	12.7	9.9	10.9
Get an HIV test	10.1	6.5	13.2	8.5	12.0
Reduce risky sexual behaviour (i.e. "Stick to one partner")	9.6	3.2	15.0	8.9	10.4
Abstain from having sex	5.4	7.6	3.6	3.3	7.8
Become fearful or nervous about contracting HIV	4.0	4.3	3.6	5.2	2.6
Engage in other safe practices (e.g. protect myself more, be more careful in sex life)	3.5	2.2	4.5	3.8	3.1
Use condom and a contraceptive method every time	2.5	3.2	1.8	1.4	3.6
Ask partner to get an HIV test	2.2	2.7	1.8	1.4	3.1
Become more empathetic, supportive and less discriminatory	1.7	0.5	2.7	1.9	1.6
Get check-ups	0.5	0.0	0.9	0.5	0.5

Persons who reported being impacted by the messages were more likely to be male (33.3% vs 27.2%, females) and older (31.1% of persons 25-49 years vs 29.0% among those 15-24 years). Reported impact was highest among persons practicing risky behaviour. These were persons with multiple partners in the last 12 months (36.9%) and persons with high-risk partnerships (35.2%). (Table 61).

TABLE 61: PROFILING PERSONS IMPACTED BY MESSAGE YR 2024

Demographic and Behavioural Profile	(n)	% of respondents who report being impacted by message (YR 2024)
Total (sexually active respondents)	<i>1348</i>	30.1
Age Group		
15 – 24 yrs.	<i>641</i>	29.0
25 – 49 yrs.	<i>707</i>	31.1
Gender		
Male	<i>643</i>	33.3
Female	<i>705</i>	27.2
Sexual Status		
Sexually active in past 12 months	<i>928</i>	31.5
Not sexually active in past 12 months	<i>205</i>	30.2
Marital Status		
Married/Cohabiting	<i>305</i>	27.5
Not married but sexually active	<i>624</i>	33.3
Partner status:		
Multiple partners in last 12 months	<i>369</i>	36.9
High Risk Partners (new partner, one night stand, someone met at bar or club)	<i>347</i>	35.2

The Mass Media campaign seems to have resonated most with the older cohort. This was deemed to be so as the older age group were more likely to discuss the message of the campaigns with their friends and partner. Females were more likely to discuss the message with their partners, while males were more likely to discuss the message with their friends (*Table 62*).

Those in high risk and multiple partnerships were more likely to discuss the campaign message with friends than with any of their partners (*Table 62*).

TABLE 62: PERCENTAGE WHO HAVE DISCUSSED MESSAGE OF CAMPAIGN WITH SEX PARTNER AND FRIENDS YR 2024

	(n)	Discussed message with partner (%)	Discussed message with friends (%)
Total	1348	28.1	40.7
15 – 24 yrs.	641	20.0	39.2
25 – 49 yrs.	707	35.5	42.0
Male	643	24.6	44.0
Female	705	31.3	37.6
Ever Had Sex	928	35.1	44.0
Never Had Sex	205	23.9	41.5
Married/Cohabiting	305	37.7	42.3
Not married but sexually active	624	34.0	44.9
Multiple partners in last 12 months	369	30.4	45.8
High Risk Partners (new partner, one night stand, someone met at bar or club)	347	30.0	44.4

CHAPTER 7: WORKPLACE INTERVENTION

In 2024, 20.8% of individuals employed full-time and 15.5% of those employed part-time reported receiving information on HIV/AIDS at their workplace. Among those who received information, 13.0% of full-time employees and 11.3% of part-time employees indicated that they had participated in a related workshop. (Table 63).

TABLE 63: THE WORKPLACE AS A POINT FOR DISSEMINATING INFORMATION ON HIV/AIDS YR 2024 VS 2017

	Employed Full Time		Employed Part Time	
	YR 2024 (n=826) %	YR 2017 (n=674) %	YR 2024 (n=290) %	YR 2017 (n=278) %
Gotten information on HIV at Workplace	20.8	18.1	15.5	6.8
	YR 2024 (n=154) %	YR 2017 (n=140) %	YR 2024 (n=62) %	YR 2017 (n=53) %
Participated in workshop/ discussions on HIV/AIDS/STD on the Job	13.0	26.4	11.3	7.5

CHAPTER 8: INTIMATE PARTNER VIOLENCE

An overall measure of Intimate Partner Violence was created based on respondents' positive response to having experienced any of the following in the past 12 months or prior to the past 12 months:


- Slapped you or threw something at you that could hurt you
- Pushed you or shoved you (Aggressively)
- Hit you with a fist or something else that could hurt
- Kicked, dragged, or beat you up
- Choked or burnt you
- Threatened you with, or actually used a gun, knife or other weapon against you
- Forced you to do something you found degrading or humiliating

Persons who were sexually active within the past 12 months but not married report the highest incidence of intimate partner violence (IPV), both ever (24.6%) and in the past 12 months (17.0%). Unmarried individuals experience IPV at noticeably higher rates than their married counterparts. (Figure 3)

Younger individuals aged 15–24 also showed a higher incidence of IPV compared to older age groups, highlighting a concerning trend among younger age groups. Males were also more likely than females to report having experienced IPV in the past 12 months and longer than 12 months ago (Figure 3).

These findings collectively emphasize the importance of considering multiple demographic factors in addressing IPV.

FIGURE 3: IPV EXPERIENCE (EVER AND PAST 12 MONTHS)



Overall, 17.4% of females reported ever having experienced IPV and 8.5% had experienced this within the past 12 months. (Figure 3)

The most prevalent violent acts experienced were 'Pushed or Shoved you' (7.1%), 'Slapped you/ Threw something that could hurt you' (6.7%) and 'Hit you with a fist/ Something that could hurt you' (4.6%).

For the most part, these violent acts were experienced to the same extent despite age differences.
(Table 64)

TABLE 64: TYPES OF VIOLENCE EXPERIENCED BY FEMALES IN PAST 12 MONTHS: YR 2024

	Total (n=672) %	16-24yrs (n=216) %	25-49yrs (n=456) %
Pushed you or shoved you (Aggressively)	7.1	8.8	6.4
Slapped you or threw something at you that could hurt you	6.7	6.5	6.8
Hit you with a fist or something else that could hurt	4.6	4.6	4.6
Threatened you with, or actually used a gun, knife or other weapon against you	2.7	2.8	2.6
Kicked, dragged, or beat you up	2.8	3.2	2.6
Choked or burnt you	2.8	3.7	2.4
Made you afraid of what they would do if you did not have sexual intercourse with them	0.9	0.9	0.9
Forced you to do something you found degrading or humiliating	1.2	0.9	1.3

Base= Female Respondents -Married or Has live-in Sexual partner and Female Respondents-Sexually active in past 12 months

Overall, 20.5% of males reported ever having experienced IPV and 13.9% had experienced this within the past 12 months. (Figure 3)

Most prevalent violent acts experienced were ‘Pushed or Shoved you’ (12.5%), ‘Slapped you/ Threw something that could hurt you’ (11.1%) and ‘Hit you with a fist/ Something that could hurt you’ (8.2%). For the most part, these violent acts were experienced by more males 16-24yrs than those older 25-49yrs. (Table 65)

TABLE 65: TYPES OF VIOLENCE EXPERIENCED BY MALES IN PAST 12 MONTHS: YR 2024

	Total (n=686) %	16-24yrs (n=351) %	25-49yrs (n=335) %
Pushed you or shoved you (Aggressively)	12.5	16.5	8.4
Slapped you or threw something at you that could hurt you	11.1	13.4	8.7
Hit you with a fist or something else that could hurt	8.2	10.0	6.3
Threatened you with, or actually used a gun, knife or other weapon against you	5.4	7.4	3.3
Kicked, dragged, or beat you up	2.6	3.4	1.8
Choked or burnt you	2.9	4.3	1.5
Made you afraid of what they would do if you did not have sexual intercourse with them	0.9	1.4	0.3
Forced you to do something you found degrading or humiliating	0.6	0.9	0.3

Base= Male Respondents -Married or Has live-in Sexual partner and Male Respondents-Sexually active in past 12 months

For female victims of IPV, in 88% of cases, the aggressor was a male. (Table 66).

TABLE 66: SEX OF AGGRESSOR (FEMALES)

	Total (n=109) %	16-24yrs (n=34) %	25-49yrs (n=75) %
Male	88.1	79.4	92.0
Female	11.0	17.6	8.0
Both Male and Female	0.9	2.9	-

Base= Female Respondents -Married or Has live-in Sexual partner and Female Respondents-Sexually active in past 12 months.
(Not Applicable & No Violence responses were excluded)

For male victims of IPV, in almost all cases, the aggressor was a female. (Table 67).

TABLE 67: SEX OF AGGRESSOR (MALES)

	Total (n=123) %	16-24yrs (n=76) %	25-49yrs (n=47) %
Male	0.8	1.3	-
Female	99.2	98.7	100.0

Base= Female Respondents -Married or Has live-in Sexual partner and Female Respondents-Sexually active in past 12 months.
(Not Applicable & No Violence responses were excluded)

For the females who experienced IPV, most violent acts were committed by a partner (61.3%) of the victim. (Table 68)

TABLE 68: PERSON WHO COMMITTED VIOLENT ACTS YR 2024 (FEMALES)

	Total (n=) %	16-24yrs (n=35) %	25-49yrs (n=71) %
Boyfriend/Girlfriend	61.3	57.1	63.4
Social Acquaintance	6.6	5.7	7.0
Family/Relatives	1.9	-	2.8
Police	0.9	-	1.4
Friend	0.9	-	1.4
Enemy	0.9	2.9	-
Baby father	0.9	-	1.4
Ex-Boyfriend	0.9	2.9	-
Neighbour	0.9	-	1.4
Do not know this person	2.8	5.7	1.4
Decline to answer	21.7	25.7	19.7

Base= Female Respondents -Married or Has live-in Sexual partner and Female Respondents-Sexually active in past 12 months.
(Not Applicable responses were excluded)

For the males who experienced IPV, most violent acts were committed by a partner (67.0%) of the victim. (Table 69)

TABLE 69: PERSON WHO COMMITTED VIOLENT ACTS YR 2024 (MALES)

	Total (n=97) %	16-24yrs (n=57) %	25-49yrs (n=40) %
Boyfriend/Girlfriend	67.0	70.2	62.5
Social Acquaintance	5.2	1.8	10.0
Police	5.2	3.5	7.5
Family/Relatives	1.0	1.8	-
Other	2.1	3.5	-
Decline to answer	19.6	19.3	20.0

Base= Male Respondents -Married or Has live-in Sexual partner and Male Respondents-Sexually active in past 12 months
(Not Applicable responses were excluded)

Approximately 1 in 10 (12.3%) females who were either married or been in a partnership and experienced intimate partner violence considered themselves as victims of physical violence. (Table 70)

Majority of these female respondents (85.3%) noted that they themselves had not committed any violent acts. The 25–49-year-olds were more likely to admit to not committing violent acts themselves (88.2% vs 79.2% for the 15–24-year-olds). (Table 74)

Less than 1 in 10 (4.3%) females who were either married or been in a partnership and experienced intimate partner violence felt they deserved the violence they experienced. (Table 72)

TABLE 70: CONSIDER THEMSELVES (FEMALES) A VICTIM OF PHYSICAL VIOLENCE BY AGE GROUP & GENDER

	Total (n=228) %	16-24yrs (n=72) %	25-49yrs (n=156) %
Yes	12.3	11.1	12.8
No	83.8	81.9	84.6
Declined to Answer	3.9	6.9	2.6

Base= Female Respondents -Married or Has live-in Sexual partner and Female Respondents-Sexually active in past 12 months.
(Not Applicable responses were excluded)

Less than 1 in 10 (4.9%) of males who were either married or been in a partnership and experienced intimate partner violence considered themselves as victims of physical violence. (Table 71)

Majority of these male respondents (89.9%) noted that they themselves had not committed any violent acts. This was similar for both age cohorts. (Table 75)

Strikingly different from the females, a little under a quarter (23.8%) of males who were either married or been in a partnership and experienced intimate partner violence felt they deserved the violence they experienced. (Table 73)

TABLE 71: CONSIDER THEMSELVES (MALES) A VICTIM OF PHYSICAL VIOLENCE BY AGE GROUP & GENDER

	Total (n=224) %	16-24yrs (n=110) %	25-49yrs (n=114) %
Yes	4.9	2.7	7.0
No	93.3	96.4	90.4
Declined to Answer	1.8	0.9	2.6

Base= Male Respondents -Married or Has live-in Sexual partner and Male Respondents-Sexually active in past 12 months
(Not Applicable responses were excluded)

TABLE 72: DO YOU (FEMALES) FEEL YOU DESERVE IT?

	Total (n=141) %	16-24yrs (n=47) %	25-49yrs (n=94) %
Yes	4.3	6.4	3.2
No	89.4	85.1	91.5
Declined to Answer	6.4	8.5	5.3

Base= Female Respondents -Married or Has live-in Sexual partner and Female Respondents-Sexually active in past 12 months.
(Not Applicable responses were excluded)

TABLE 73: DO YOU (MALES) FEEL YOU DESERVE IT?

	Total (n=143) %	16-24yrs (n=80) %	25-49yrs (n=63) %
Yes	23.8	32.5	12.7
No	73.4	66.3	82.5
Declined to Answer	2.8	1.3	4.8

Base= Male Respondents -Married or Has live-in Sexual partner and Male Respondents-Sexually active in past 12 months
(Not Applicable responses were excluded)

TABLE 74: RESPONDENT (FEMALES) COMMITTING VIOLENT ACTS

	Total (n=672) %	16-24yrs (n=216) %	25-49yrs (n=456) %
Yes	8.2	13.0	5.9
No	85.3	79.2	88.2
Declined to Answer	6.5	7.9	5.9

Base= Female Respondents -Married or Has live-in Sexual partner and Female Respondents-Sexually active in past 12 months

TABLE 75: RESPONDENT (MALES) COMMITTING VIOLENT ACTS

	Total (n=686) %	16-24yrs (n=351) %	25-49yrs (n=335) %
Yes	4.5	5.4	3.6
No	89.9	89.5	90.4
Declined to Answer	5.5	5.1	6.0

Base= Male Respondents -Married or Has live-in Sexual partner and Male Respondents-Sexually active in past 12 months

CHAPTER 9: EMOTIONAL HEALTH

Similar to the trends noted in 2017, females in 2024 were much more likely than their male counterparts to report experiencing emotional health challenges.

- Forty-nine percent (49.0%) of females compared to 40.4% of males reported having had little or no interest or pleasure in doing things at some time in the previous two weeks. *(Table 76a)*
- Fifty-five percent (55.0%) of females compared to 42.9% of males, felt down, depressed or hopeless at some time in the previous two weeks. *(Table 76a)*
- Forty-five (45.0%) of females compared to 34.5% of males reported feeling nervous, anxious or on edge, at some time over the previous 2 weeks. *(Table 76a)*
- Nearly a half (47.8%) of females compared to a third (33.2%) of males indicated they had not been able to stop or control worrying in the previous 2 weeks. *(Table 76a)*
- Females were nearly twice as likely as males to report having thoughts of being better off dead or of self-harm in the past 12 months. Specifically, 16.2% of females reported these thoughts, compared to 8.9% of males. *(Table 76b)*

TABLE 76A: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 VS 2017

Over the past weeks how often have you.....	YEAR	Gender	Base	Frequency of occurrence			
				Not at all	Several days	More than half the days	Nearly every day
<i>Had Little Interest or Pleasure In Doing</i>	2024	Male	(n=996)	59.5	21.5	6.8	12.1
	2017	Male	(n=1008)	61.7	22.9	7.8	7.3
	2024	Female	(n=992)	51	27.4	8.4	13.2
	2017	Female	(n=992)	53.3	26.6	10.2	9.8
<i>Felt Down, Depressed or Hopeless</i>	2024	Male	(n=993)	57.2	24	9	9.9
	2017	Male	(n=1008)	60.8	25	8.7	5.3
	2024	Female	(n=992)	45.1	31.7	11	12.3
	2017	Female	(n=992)	45.7	32.1	11.6	10.6
<i>Felt Nervous, Anxious or On Edge</i>	2024	Male	(n=997)	65.5	20.2	7.6	6.7
	2017	Male	(n=1008)	69.9	19.3	7.2	3.3
	2024	Female	(n=991)	55	26.6	9.5	8.9
	2017	Female	(n=992)	64.7	20.5	9.3	5.2
<i>Not Been Able To Stop Or Control Worrying</i>	2024	Male	(n=994)	67	17.5	6.5	9.2
	2017	Male	(n=1008)	71.8	18.4	6.1	3.6
	2024	Female	(n=993)	52.3	25.6	7.9	14.3
	2017	Female	(n=992)	55.8	24.2	8.8	10.9

TABLE 76B: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER (CONT'D)

	YEAR	Gender	Base	Frequency of occurrence		
				Not at all	Yes, occasionally	Yes, very often
	2024	Male	(n=991)	91.1	6.2	2.7
	2017	Male	(n=1008)	92.5	5.6	1.8
	2024	Female	(n=993)	83.8	10.4	5.8
	2017	Female	(n=992)	86.7	9.9	3.4

CHAPTER 10: GENERAL ATTITUDES

There was strong support for policies ensuring access to HIV prevention resources for sexually active adolescents aged 10–16, with 85.5% supporting access to HIV testing and 73.7% supporting access to condoms. In contrast, only 16.8% supported the decriminalization of anal sex. (Table 77)

Overall, the majority of respondents expressed strong stigma toward men who have sex with men (MSM). Most viewed MSM as "dirty" (75.0%), believed they should be ashamed (75.6%), and considered it unsafe for them to work with children (75.5%). Additionally, 60.4% felt that MSM are doing something wrong and deserve punishment, while 57.5% believed they are cursed. Most respondents also held stigmatizing views toward transgender individuals, with many considering them confused (75.4%), unsafe around children (70.1%), ashamed (65.2%), and dirty (63.2%). Over half (53.8%) believed they deserve punishment. (Table 77)

However, it is to be noted that agreement with these negative statements on MSM and Transgender persons declined between 2017 and 2024. This meant that in 2024 fewer persons now agree with discriminatory or stigmatizing views toward these groups. (Table 77 & Table 78)

TABLE 77: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE YR 2024 vs 2017

	TOTAL		15-24 YRS		25-49 YRS	
Strongly Agree/ Agree	YR 2024 (n=1678) %	YR 2017 (n=2000) %	YR 2024 (n=714) %	YR 2017 (n=1000) %	YR 2024 (n=964) %	YR 2017 (n=1000) %
Attitudes to Policies regarding HIV, Access to Condom and Anal Sex						
Develop a policy to guarantee access to HIV testing for sexually active adolescents between ages 10-16	85.5	91.4	85.7	90.5	85.2	92.3
Develop a policy to guarantee access to condoms to sexually active adolescents aged 10-16	73.7	77.3	73.5	77.7	73.1	76.8
Decriminalize Anal Sex	16.8	11.6	16.2	11.2	17.4	11.8
Attitudes towards Homosexuality						
Men who have sex with men are dirty	75.0	86.6	73.8	87.5	76.1	85.7
Men who have sex with men are cursed	57.5	66.5	53.7	66.2	61.2	66.7
Men who have sex with men should be ashamed	75.6	88.8	73.1	88.6	77.9	89
It is not safe for Men who have sex with men to work with children	75.5	83.2	71.2	80.9	79.7	85.5
Men who have sex with men are doing something wrong and deserve to be punished	60.4	69.4	59.8	73.1	60.9	65.7
Attitudes towards Transgender Identity						
Transgender individuals are dirty	63.2	73.6	60.0	74.6	66.5	72.4
Transgender individuals are cursed	-	61.6	-	60.1	-	62.9
Transgender individuals are confused	75.4	-	72.1	-	78.7	-
Transgender individuals should be ashamed	65.2	78.5	61.0	78.1	69.4	79
It is not safe for Transgender individuals to work with children	70.1	76.8	63.8	73.9	76.3	79.8
Transgender individuals are doing something wrong and deserve to be punished	53.8	59.5	51.8	62.8	55.8	56.1

TABLE 78: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY GENDER YR 2024 VS 2017

	TOTAL		MALE		FEMALE	
	YR 2024 (n=2000) %	YR 2017 (n=2000) %	YR 2024 (n=1000) %	YR 2017 (n=1008) %	YR 2024 (n=1000) %	YR 2017 (n=992) %
Attitudes to Policies regarding HIV, Access to Condom and Anal Sex						
Develop a policy to guarantee access to HIV testing for sexually active adolescents between ages 10-16	85.5	91.4	84.0	90.2	86.9	92.6
Develop a policy to guarantee access to condoms to sexually active adolescents aged 10-16	73.3	77.3	72.8	77.4	73.8	77.2
Decriminalize Anal Sex	16.8	11.6	13.3	9.5	20.3	13.6
Attitudes towards Homosexuality						
Men who have sex with men are dirty	75.0	86.6	86.0	91.9	64.0	81.2
Men who have sex with men are cursed	57.5	66.5	72.0	76.2	42.9	56.6
Men who have sex with men should be ashamed	75.6	88.8	86.3	92.7	64.8	84.7
It is not safe for Men who have sex with men to work with children	75.5	83.2	83.9	85.0	67.0	81.4
Men who have sex with men are doing something wrong and deserve to be punished	60.4	69.4	74.2	78.4	46.5	60.3
Attitudes towards Transgender Identity						
Transgender individuals are dirty	63.2	73.6	78.1	82.5	48.4	64.3
Transgender individuals are cursed	-	61.6	-	70.7	-	52.1
Transgender individuals are confused	75.4	-	82.4	-	68.5	-
Transgender individuals should be ashamed	65.2	78.5	78.0	85.0	52.4	72.1
It is not safe for Transgender individuals to work with children	70.1	76.8	77.3	85.6	62.8	74.2
Transgender individuals are doing something wrong and deserve to be punished	53.8	59.5	66.8	69.2	40.8	49.5

CHAPTER 11: PRE-EXPOSURE PROPHYLAXIS

Just over a fifth (22.2%) of respondents were aware of Pre-exposure Prophylaxis (PrEP), which was an 11.8 percentage point increase from the previous wave. Just under a half of respondents (47.2%) were very or moderately willing to take PrEP. The internet (39.1%), cable TV (21%) and health care provider (19%) were main sources of awareness cited. More than half of respondents (65%) indicated that they would like to get the medication from the health centre. This was followed by HIV Care clinic (29.9%) and NGO or Health Department Outreach Team (29.3%). (Table 79)

TABLE 79: KNOWLEDGE OF AND WILLINGNESS TO TAKE PREP YR 2024 vs 2017

	TOTAL	
	YR 2024 (n=2000) %	YR 2017 (n=2000) %
Knowledge of PrEP	22.2	10.4
Willingness to take PrEP (<i>Very or moderately willing</i>)	47.2	50.4
<i>Q. Where respondent heard about PrEP</i>	YR 2024 (n=443) %	
Internet	39.1	-
Cable TV	21.0	-
Health Provider	19.0	-
Word of mouth	12.0	-
School	6.5	-
Outreach Worker	6.1	-
<i>Q. How would you like to get the medication? Top 6 responses</i>	YR 2024 (n=2000) %	YR 2017 (n=1009) %
Health Centre	65.0	64.0
HIV Care clinic	29.9	-
NGO or Health Department Outreach Team	29.3	14.0
Pharmacy	2.5	12.6
From a Peer in their area	12.7	5.3
Private Doctor	2.2	3.4
Hospital	0.3	1.0
Doesn't matter/ Other places	1.5	0.2

Similar to the previous wave, the main reasons given for unwillingness to take PrEP were concerns about side effects (21.7%) and the belief of not being at risk due to being faithful to one partner (15.8%). Both responses experienced a decrease over the period. Another top response cited in 2024 was don't take pills/ medications (20.3%) which increased from the previous wave. (Table 80)

The main reason cited by the majority for willingness to take PrEP was to reduce chances of getting HIV/Precautionary measures (81.4%). This resulted in a 19.6 percentage point increase from the previous wave. (Table 81)

TABLE 80: REASONS FOR UNWILLINGNESS TO TAKE PrEP YR 2024 vs 2017

Top 6 responses	2024 Total (n=765) %	2017 Total (n=826) %
Concerned about side effects	21.7	41.0
Not at risk (faithful to one partner)	15.8	24.5
Not at risk (abstinent)	14.0	15.7
Don't trust/ not sure that it is effective/Need more information	13.0	6.0
Not at risk (Consistent condom use)	7.2	7.5
Don't take pills/medication	20.3	10.4

TABLE 81: REASONS FOR WILLINGNESS TO TAKE PrEP YR 2024 vs 2017

Top 6 responses	2024 Total (n=943) %	2017 Total (n=1009) %
To reduce chances of getting HIV/Precautionary measures	81.4	61.8
I know/suspect my partner has other partners and does not consistently use condoms	2.3	10.4
I have multiple sex partners and don't consistently use condoms	4.6	10.1
I do not know my partner's HIV status	7.0	9.8
Will not have to use/ do not use condoms	1.6	6.6
I have a partner who migrates for work	0.7	2.1

CHAPTER 12: HIV SELF-TESTING

Awareness of the home HIV self-testing increased over the period. Just under a half of respondents (43.8%) had heard of the home HIV self-testing and approximately 6% reported having used it. . Among those persons who had used a kit, 41.2% had obtained this from a pharmacy while 19.6% obtain the kit from an Outreach worker 19.6%. (Table 82)

Majority of respondents were very/ somewhat likely to use the HIV self-testing kit in the future (56.9%) and give to their partner (63.2%). (Table 82)

TABLE 82: KNOWLEDGE OF HIV SELF TESTS YR 2024 VS 2017

Q. Have you heard of home HIV self-testing?	YR 2024 (N=2000) %		YR 2017 (N=2000) %
Know about HIV Self Tests	43.8		12.8
Q. Have you administered HIV test on yourself?	YR 2024 (n=876) %		YR 2017 (n=256) %
Have administered an HIV test to his/herself (persons aware)	5.8		2.0
Where Self-test kit obtained: (persons who have administered test)	YR 2024 (n=51) %		YR 2017
Pharmacy	41.2		2 persons
Outreach worker	19.6		1 person
Doctor's office/ Clinic	11.8		1 person
Declined to answer	-		1 person
	Likelihood to use HIV self- test in future		Likelihood to give HIV self-test to partner in future
	2024 (N=2000) %	2017 (N=2000) %	2024 (N=2000) %
Very Likely	34.8	49.3	45.7
Somewhat likely	22.1	19.8	17.5
Neutral	11.0	4.4	9.7
Somewhat unlikely	8.0	3.8	5.4
Very Unlikely	18.3	18.0	15.4
Don't Know	5.6	4.2	6.1

CHAPTER 13: RESULTS OF PROGRAMME INDICATORS

List of key GAM Indicators included in KABP survey

1. Percentage of young women and men aged 16–24 who correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission
2. Percentage of young women and men aged 16-24 who have had sexual intercourse before the age of 16
3. Percentage of adults aged 16–49 who have had sexual intercourse with more than one partner in the past 12 months
4. Percentage of adult aged 16-49 who report the use of a condom during their last 10 sexual intercourse
5. Percentage of adults aged 16–49 who had more than one sexual partner in the past 12 months and who report the use of a condom during their last intercourse*
6. Percentage of women and men aged 16-49 who received an HIV test in the past 12 months and know their results
7. Proportion of ever-married or partnered women aged 16-49 who experienced physical or sexual violence from a male intimate partner in the past 12 months
8. Percentage of young adults, 16 to 19 years old, who have never had sex
9. Percentage of young women and men aged 16-24 reporting the use of a condom the last time they have sex with a regular or non-regular partner
10. Percentage of people 16-49 years expressing accepting attitudes towards people with HIV/AIDS
11. Percentage of men and women aged 16-49 who engage in transactional sex

The following is a preliminary presentation of the NHP and GAM HIV/AIDS indicators. The source of the data for the indicators is the 2024 HIV/AIDS KABP Survey.

Indicator	Indicator –NHP Calculation	Male	Female	Total
NHP GAM	1. Percentage of young women and men aged 15–24 who correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission	25.0	30.5	27.3
	Numerator: # of respondents aged 15–24 who gave the correct answer to all five knowledge questions - one partner, 100% condom use, healthy looking person, mosquito bites, sharing food.	146	126	272
	Denominator: #Number of all respondents age 15-24	585	413	998
	15-19 Indicator:	24.6	28.9	26.3
	Numerator:	79	63	142
	Denominator:	321	218	539
	20-24 Indicator:	25.4	32.3	28.3
	Numerator:	67	63	130
	Denominator:	264	195	459
NHP	1.1 Percentage of young women and men aged 15–24 who correctly identify that HIV transmission can be reduced by using a condom every time they have sex	82.6	83.3	82.9
	Numerator: Number of respondents who gave correct answer to question 1	483	344	827
	Denominator: Number of all respondents age 15-24	585	413	998
	15-19 <u>Indicator:</u>	81.9	82.6	82.2
	Numerator:	263	180	443
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	83.3	84.1	83.6
	Numerator:	220	164	384
	Denominator:	264	195	459
NHP	1.2 Percentage of young women and men aged 15–24 who correctly identify that HIV transmission can be reduced by having sex with only one uninfected partner who has no other partners	73.8	77.7	75.4
	Numerator: Number of respondents who gave correct answer to question 2	432	321	753
	Denominator: Number of all respondents age 15-24	585	413	998
	15-19 <u>Indicator:</u>	74.1	75.2	74.6
	Numerator:	238	164	402
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	73.5	80.5	76.4
	Numerator:	194	157	351
	Denominator:	264	195	459

NHP	1.3 Percentage of young women and men aged 15–24 who correctly identify that a healthy-looking person can have HIV	92.1	94.7	93.2
	Numerator: Number of respondents/populations who gave correct answer to question 3	539	391	930
	Denominator: Number of all respondents age 15-24	585	413	998
	15-19 <u>Indicator:</u>	89.7	93.6	91.3
	Numerator:	288	204	492
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	95.1	95.9	95.4
	Numerator:	251	187	438
	Denominator:	264	195	459
NHP	1.4 Percentage of young women and men aged 15–24 who correctly identify that you cannot get HIV from mosquito bites	53.3	60.5	56.3
	Numerator: Number of respondents/populations who gave correct answer to question 4	312	250	562
	Denominator: Number of all respondents age 15-24	585	413	998
	15-19 <u>Indicator:</u>	51.7	63.3	56.4
	Numerator:	166	138	304
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	55.3	57.4	56.2
	Numerator:	146	112	258
	Denominator:	264	195	459
NHP	1.5 Percentage of young women and men aged 15–24 who correctly identify that you cannot get HIV by sharing food with someone who is infected	59.1	62.7	60.6
	Numerator: Number of respondents/populations who gave correct answer to question 5	346	259	605
	Denominator: Number of all respondents age 15-24	585	413	998
	15-19 <u>Indicator:</u>	60.4	64.2	62.0
	Numerator:	194	140	334
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	57.6	61.0	59.0
	Numerator:	152	119	271
	Denominator:	264	195	459

Indicator	Indicator –Calculation	Male	Female	Total
NHP	1.6 Percentage of young women and men aged 15–24 who correctly identify that HIV transmission can be reduced by abstaining completely from all kinds of sex	80.3	79.7	80.1
	Numerator: Number of respondents/populations who gave correct answer to question 6	470	329	799
	Denominator: Number of all respondents age 15-24	585	413	998
	15-19 <u>Indicator:</u>	79.7	78.9	79.4
	Numerator:	256	172	428
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	81.1	80.5	80.8
	Numerator:	214	157	371
	Denominator:	264	195	459
	2. Sex before the age of 15	27.0	6.3	18.4
NHP GAM	Numerator: # of respondents age 15 -24 report the age at which they first had sexual intercourse as under 15	158	26	184
	Denominator: Number of all respondents aged 15-24	585	413	998
	15-19 <u>Indicator:</u>	25.5	4.6	17.1
	Numerator:	82	10	92
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	28.8	8.2	20.0
	Numerator:	76	16	92
	Denominator:	264	195	459
	3. Multiple Sex Partners in past 12 months	27.5	6.4	17.0
NHP GAM	Numerator: # of Respondents aged 15 – 49 who have had sexual intercourse with more than one partner in the last 12 months	275	64	339
	Denominator: # of all respondents aged 15 - 49	1000	1000	2000
	15-19 <u>Indicator:</u>	22.7	4.6	15.4
	Numerator:	73	10	83
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	33.3	6.7	22.0
	Numerator:	88	13	101
	Denominator:	264	195	459
	25-49 <u>Indicator:</u>	27.5	7.0	15.5
	Numerator:	114	41	155
	Denominator:	415	587	1002
	4. Multiple Sex Partners in past 12 months + condom use at last sex	60.0	53.1	58.7

NHP GAM	Numerator: # of respondents (aged 15-49) who reported having had more than one sexual partner in the last 12 months who also reported that a condom was used the last time they had sex	165	34	199
	Denominator: Number of respondents (15-49) who reported having had more than one sexual partner in the last 12 months	275	64	339
	15-19 <u>Indicator:</u>	49.3	70.0	51.8
	Numerator:	36	7	43
	Denominator:	73	10	83
	20-24 <u>Indicator:</u>	59.1	53.8	58.4
	Numerator:	52	7	59
	Denominator:	88	13	101
	25-49 <u>Indicator:</u>	67.5	48.8	62.6
	Numerator:	77	20	97
	Denominator:	114	41	155
NHP GAM	5. Proportion of ever-married or partnered women aged 15 – 49 who experienced physical or sexual violence from a male intimate partner in the past 12 months		14.1	14.1
	Numerator: Ever married or partnered women aged 15-49 include women who have ever been married or had an intimate partner. An intimate partner is defined as a cohabiting partner, whether or not they had been married at the time. These women are asked if they experienced physical or sexual violence from a male intimate partner in the past 12 months. Those reporting at least one incident corresponding to any one of these items in the last 12 months are included in the numerator		95	95
	Denominator: Total women surveyed aged 15-49 who currently have or had an intimate partner.		672	672
	15-19 <u>Indicator:</u>		11.5	11.5
	Numerator:		9	9
	Denominator:		78	78
	20-24 <u>Indicator:</u>		16.7	16.7
	Numerator:		23	23
	Denominator:		138	138
	25-49 <u>Indicator:</u>		13.8	13.8
	Numerator:		63	63
	Denominator:		456	456

NHP	6. Percentage of women and men aged 15–49 who report discriminatory attitudes towards people living with HIV	65.9	54.1	60.0
	Numerator: Number of respondents (aged 15–49) who respond strongly disagree/disagree to either of the two questions - would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV? (Strongly agree, agree, neither, disagree, strongly disagree) and If a teacher has HIV, the virus that causes AIDS but is not sick, he/she should be allowed to continue teaching in school? (Strongly agree, agree, neither, disagree, strongly disagree)	659	541	60
	Denominator: Number of all respondents (aged 15–49) who have heard of HIV.	1000	1000	2000
	15-19 <u>Indicator:</u>	75.1	68.8	72.5
	Numerator:	241	150	391
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	65.9	61.5	64.1
	Numerator:	174	120	294
	Denominator:	264	195	459
	25-49 <u>Indicator:</u>	58.8	46.2	51.4
	Numerator:	244	271	515
	Denominator:	415	587	1002
NHP	6.1 Percentage of women and men aged 15–49 who answered strongly disagree/disagree to the question “Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?”	63.4	51.7	57.6
	Numerator: Number of respondents (aged 15–49) who respond no to question 1	634	517	1151
	Denominator: Number of all respondents (aged 15–49) who have heard of HIV.	1000	1000	2000
	15-19 <u>Indicator:</u>	73.8	66.5	70.9
	Numerator:	237	145	382
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	62.9	58.9	61.2
	Numerator:	166	115	281
	Denominator:	264	195	459
	25-49 <u>Indicator:</u>	55.7	43.8	48.7
	Numerator:	231	257	488
	Denominator:	415	587	1002

NHP	6.2 Percentage of women and men aged 15–49 who answered strongly disagree/ disagree to the question “If a teacher has HIV, the virus that causes AIDS but is not sick, he/she should be allowed to continue teaching in school”	30.0	17.9	23.9
	Numerator: Number of respondents (aged 15–49) who respond no to question 1	300	179	479
	Denominator: Number of all respondents (aged 15–49) who have heard of HIV.	1000	1000	2000
	15-19 <u>Indicator:</u>	35.8	26.1	31.9
	Numerator:	115	57	172
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	29.2	23.1	26.6
	Numerator:	77	45	122
	Denominator:	264	195	459
	25-49 <u>Indicator:</u>	26.1	13.1	18.5
	Numerator:	108	77	185
	Denominator:	415	587	1002

Additional GAM Indicators

Indicator	Indicator –GAM Indicators (<i>Calculation</i>)	Male	Female	Total
GAM	1. Percentage of adult aged 15-49 who report the use of a condom the last 10 times they had sexual intercourse.	25.1	19.4	22.3
	Numerator: # of respondents aged 15–49 who report the use of a condom during their last 10 sexual intercourse.	211	163	374
	Denominator: #Number of respondents age 15-49 who have ever had sex	839	839	1678
	15-19 <u>Indicator:</u>	26.6	32.4	28.5
	Numerator:	57	34	91
	Denominator:	214	105	319
	20-24 <u>Indicator:</u>	23.1	19.0	17.2
	Numerator:	53	31	84
	Denominator:	229	163	392
	25-49 <u>Indicator:</u>	25.5	17.2	20.6
	Numerator:	101	98	199
	Denominator:	396	571	967
GAM	2. Percentage of women and men aged 15-49 who received an HIV test in the past 12 months and know their results	28.2	39.4	33.8
	Numerator: # of respondents age 15-49 who have been tested for HIV during the last 12 months and who know their results	282	394	676
	Denominator: Number of all respondents age 15-49	1000	1000	2000
	15-19 <u>Indicator:</u>	14.6	14.7	14.7
	Numerator:	47	32	79
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	31.8	46.7	38.1
	Numerator:	84	91	175
	Denominator:	264	195	459
	25-49 <u>Indicator:</u>	36.4	46.2	42.1
	Numerator:	151	271	422
	Denominator:	415	587	1002
GAM	3. Percentage of young adults, 15-19 years old, who have never had sex	33.3	51.8	40.8
	Numerator: Number of persons 15-19 years who have never had sex	107	113	220
	Denominator: Number of all respondents age 15-19	321	218	539
GAM	4. Percentage of young women and men aged 15-24 reporting the use of a condom the last time they had sex with a regular or non-regular partner	41.8	32.9	38.4
	Numerator: Number of persons 15-24yrs who used a condom the last time they had sex with a regular or non-regular partner	142	69	211
	Denominator: Number of persons 15-24yrs who had sex with a regular or non-regular partner	340	210	550
	15-19 <u>Indicator:</u>	43.0	40.5	42.1
	Numerator:	64	32	96
	Denominator:	149	79	228
	20-24 <u>Indicator:</u>	40.8	28.2	35.7
	Numerator:	78	37	115
	Denominator:	191	131	322

GAM	5. Percentage of women and men aged 15–49 who report accepting attitudes towards people living with HIV	87.7	91.2	89.5
	Numerator: Number of respondents (aged 15–49) who respond positively to either of the three questions - If I knew that a shopkeeper or food seller has HIV, I would definitely still buy food or fresh vegetables from them (Strongly Agree and Agree) If a teacher has HIV but is not sick, he/she should be allowed to continue to teaching in school (Strongly Agree and Agree) and If a member of family got infected with HIV I would want them to keep it a secret (Strongly Disagree and Agree)	877	912	1789
	Denominator: Number of all respondents (aged 15–49) who have heard of HIV.	1000	1000	2000
	15-19 <u>Indicator:</u>	83.2	85.8	84.2
	Numerator:	267	187	454
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	87.1	91.8	89.1
	Numerator:	230	179	409
	Denominator:	264	195	459
	25-49 <u>Indicator:</u>	91.6	93.0	92.4
	Numerator:	380	546	926
	Denominator:	415	587	1002
	6. Percentage of adults aged 15–49 reporting transactional sex	38.3	20.1	29.2
GAM	Numerator: Number of persons 15–49yrs reporting transactional sex in last 12 months	383	201	584
	Denominator: Number of all respondents age 15-49	1000	1000	2000
	15-19 <u>Indicator:</u>	27.1	15.1	22.3
	Numerator:	87	33	120
	Denominator:	321	218	539
	20-24 <u>Indicator:</u>	43.9	26.7	36.6
	Numerator:	116	52	168
	Denominator:	264	195	459
	25-49 <u>Indicator:</u>	43.4	19.8	29.5
	Numerator:	180	116	296
	Denominator:	415	587	1002

APPENDIX 1:

EMOTIONAL HEALTH DETAILED TABLES

TABLE 83: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 VS 2017

Over the past 2 weeks how often have you: Had Little Interest or Pleasure In Doing Things			Not at all	Several days	More than half the days	Nearly every day
2024	Male	(n=996)	59.5	21.5	6.8	12.1
2017	Male	(n=1008)	61.7	22.9	7.8	7.3
2024	Female	(n=992)	51.0	27.4	8.4	13.2
2017	Female	(n=992)	53.3	26.6	10.2	9.8
2024	Males 15-19	(n=313)	59.1	20.8	7.0	13.1
2017	Males 15-19	(n=370)	59.5	24.1	8.4	8.1
2024	Females 15-19	(n=212)	50.0	27.8	8.5	13.7
2017	Females 15-19	(n=194)	56.7	20.6	7.2	15.5
2024	Males 20-24	(n=271)	61.3	18.8	8.1	11.8
2017	Males 20-24	(n=258)	58.5	20.9	10.9	8.9
2024	Females 20-24	(n=197)	51.8	26.4	7.6	14.2
2017	Females 20-24	(n=178)	50.6	27.0	13.5	9.0
2024	Males 25-49	(n=412)	58.7	23.8	5.8	11.7
2017	Males 25-49	(n=380)	66.1	23.2	5.3	5.5
2024	Females 25-49	(n=583)	51.1	27.6	8.6	12.7
2017	Females 25-49	(n=620)	53.2	28.3	10.2	8.2

TABLE 84: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 VS 2017

<i>Over the past 2 weeks how often have you Felt Down, Depressed or Hopeless</i>			Not at all	Several days	More than half the days	Nearly every day
2024	Male	(n=993)	57.2	24.0	9.0	9.9
2017	Male	(n=1008)	60.8	25.0	8.7	5.3
2024	Female	(n=992)	45.1	31.7	11.0	12.3
2017	Female	(n=992)	45.7	32.1	11.6	10.6
2024	Males 15-19	(n=313)	56.2	22.0	12.1	9.6
2017	Males 15-19	(n=370)	66.5	17.6	7.8	8.1
2024	Females 15-19	(n=213)	39.0	34.3	12.7	14.1
2017	Females 15-19	(n=194)	45.9	28.4	11.9	13.9
2024	Males 20-24	(n=269)	54.3	24.2	8.2	13.4
2017	Males 20-24	(n=258)	58.9	28.7	8.9	3.1
2024	Females 20-24	(n=198)	41.4	29.8	12.6	16.2
2017	Females 20-24	(n=178)	43.8	33.7	11.2	11.2
2024	Males 25-49	(n=411)	59.9	25.3	7.1	7.8
2017	Males 25-49	(n=380)	56.6	29.7	9.5	3.9
2024	Females 25-49	(n=581)	48.5	31.3	9.8	10.3
2017	Females 25-49	(n=620)	46.0	32.8	11.6	9.4

TABLE 85: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 vs 2017

<i>Over the past 2 weeks how often have you Felt Nervous, Anxious or On Edge</i>			Not at all	Several days	More than half the days	Nearly every day
2024	Male	(n=997)	65.5	20.2	7.6	6.7
2017	Male	(n=1008)	69.9	19.3	7.2	3.3
2024	Female	(n=991)	55.	26.6	9.5	8.9
2017	Female	(n=992)	64.7	20.5	9.3	5.2
2024	Males 15-19	(n=313)	61.7	23.0	7.0	8.3
2017	Males 15-19	(n=370)	69.5	18.1	8.6	3.8
2024	Females 15-19	(n=213)	44.1	32.4	10.8	12.7
2017	Females 15-19	(n=194)	59.3	20.1	12.9	7.2
2024	Males 20-24	(n=271)	66.1	16.6	8.1	9.2
2017	Males 20-24	(n=258)	69.8	19.8	6.2	3.9
2024	Females 20-24	(n=198)	50.5	29.8	10.6	9.1
2017	Females 20-24	(n=178)	59.6	24.2	9.6	6.7
2024	Males 25-49	(n=413)	68.0	20.3	7.7	3.9
2017	Males 25-49	(n=380)	70.5	20.3	6.6	2.4
2024	Females 25-49	(n=580)	60.5	23.4	8.6	7.4
2017	Females 25-49	(n=620)	67.9	8.1	4.2	0.3

TABLE 86: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 VS 2017

<i>Over the past 2 weeks how often have you Not Been Able To Stop Or Control Worrying</i>			Not at all	Several days	More than half the days	Nearly every day
2024	Male	(n=994)	67.0	17.5	6.5	9.2
2017	Male	(n=1008)	71.8	18.4	6.1	3.6
2024	Female	(n=993)	52.3	25.6	7.9	14.3
2017	Female	(n=992)	55.8	24.2	8.8	10.9
2024	Males 15-19	(n=312)	67.6	15.1	6.7	10.6
2017	Males 15-19	(n=370)	77.0	14.3	5.1	3.5
2024	Females 15-19	(n=213)	48.8	27.2	8.0	16.0
2017	Females 15-19	(n=194)	54.1	25.8	6.2	13.4
2024	Males 20-24	(n=270)	65.2	18.5	6.3	10.0
2017	Males 20-24	(n=258)	70.2	18.2	7.0	4.3
2024	Females 20-24	(n=198)	48.0	27.3	6.6	18.2
2017	Females 20-24	(n=178)	53.4	23.6	8.4	14.6
2024	Males 25-49	(n=412)	67.7	18.7	6.6	7.0
2017	Males 25-49	(n=380)	67.9	22.4	6.3	3.2
2024	Females 25-49	(n=582)	55.0	24.4	8.2	12.4
2017	Females 25-49	(n=620)	57.2	23.7	9.7	9.0

TABLE 87: STATEMENTS INDICATIVE OF EMOTIONAL HEALTH BY AGE AND GENDER YR 2024 VS 2017

<i>Over the past 12 months, how often did you have thoughts of being better off dead or hurting self in some way</i>			Not at all	Yes, occasionally	Yes, very often
2024	Male	(n=991)	91.1	6.2	2.7
2017	Male	(n=1008)	92.5	5.6	1.8
2024	Female	(n=993)	83.8	10.4	5.8
2017	Female	(n=992)	86.7	9.9	3.4
2024	Males 15-19	(n=310)	89.0	8.1	2.9
2017	Males 15-19	(n=370)	92.4	5.4	2.2
2024	Females 15-19	(n=213)	72.8	15.0	12.2
2017	Females 15-19	(n=194)	72.2	22.2	5.7
2024	Males 20-24	(n=270)	90.7	6.7	2.6
2017	Males 20-24	(n=258)	89.5	8.9	1.2
2024	Females 20-24	(n=198)	82.3	12.6	5.1
2017	Females 20-24	(n=178)	83.1	12.4	4.5
2024	Males 25-49	(n=411)	92.9	4.4	2.7
2017	Males 25-49	(n=380)	94.5	3.4	1.8
2024	Females 25-49	(n=582)	88.3	7.9	3.8
2017	Females 25-49	(n=620)	92.2	5.3	2.4

APPENDIX 2

Questionnaire ID #

--	--	--	--

HIV/AIDS/STD NATIONAL KABP SURVEY (V1) ADULT TARGET GROUPS AGED 16-49 JAMAICA 2023

002 ED# _____ 003PARISH _____

Introduction: "My name is..... of Hope Caribbean Co. Ltd., a research company in Kingston. We're interviewing adults 16-49 years in this area on behalf of the Ministry of Health to learn what they understand about certain illnesses. The information from this survey will help the Ministry in its efforts to control the spread of illnesses in Jamaica." But first I need to select the person to be interviewed. To do this I would like some information about all persons 16 years and over who live in this household.

LIST NAMES OF ALL HOUSEHOLD MEMBERS ON HOUSEHOLD MEMBERS FORM AND IDENTIFY AND SELECT RESPONDENT USING THE KISH CARD SYSTEM.

Ask to speak to the selected respondent and proceed:

Confidentiality and consent: I will need to speak to you confidentially so can we go somewhere where no one can hear us? I am going to ask you some very personal questions that some people find difficult to answer. Your answers are completely confidential. Your name will not be written on this form, and will never be used in connection with any of the information you tell me. You do not have to answer any questions that you do not want to answer, and you may end this interview at any time you want to. However, your honest answers to these questions will help us better understand what people think, say and do about certain kinds of behaviours. We would greatly appreciate your help in responding to this survey. This survey will take about 30 minutes to ask the questions. If it is okay with you, I would like to begin. Thank you...

(Signature of interviewer certifying that informed consent has been given verbally by respondent)

IF RESPONDENT SELECTED IS UNDER 18YRS, READ CHILD ASSENT TEXT BELOW AFTER RECEIVING PARENTAL CONSENT.

Parental consent: I will need to speak to your child/ward confidentially so can she/he and I go somewhere where no one can hear us? I am going to ask your child/ward some very personal questions that some people find difficult to answer. Your child/ward's answers are completely confidential. Your child/ward's name will not be written on this form, and will never be used in connection with any of the information he/she tells me. Your child/ward does not have to answer any questions that he/she does not want to answer, and he/she may end the interview at any time they want to. However, his/her honest answers to these questions will help us better understand what people think, say and do about certain kinds of behaviours. We would greatly appreciate your help in allowing your child/ward to participate in this survey. This survey will take about 30 minutes to ask the questions. If it is okay with you, can I speak to your child/ward. Thank you...

(Signature of interviewer certifying that informed consent has been given verbally by respondent)

Confidentiality and Child Assent: "Your parent has given us permission for you to complete the survey with us. I will need to speak to you confidentially. Let us go somewhere where no one can hear us.

Your answers to the following questions are completely confidential. Your name will not be written on this form and will never be used in connection with any of the information you tell me. You do not have to answer any questions that you do not want to answer, and you may end this interview at any time you want to. However, your honest answers to these questions will help us better understand what people think, say and do about certain kinds of behaviors. We would greatly appreciate your help in responding to this survey. The survey will take about 30 minutes to ask the questions. If it is okay with you, I would like to begin. Thank you...

(Signature of interviewer certifying that child assent has been given verbally by respondent under 18yrs)

(NOTE TO INTERVIEWER: IF PRIVACY IS NOT POSSIBLE, THANK AND RESCHEDULE INTERVIEW).

Interviewer visit

	Visit 1	Visit 2	Visit 3
Date			
Interviewer			
Result	Completed Respondent not at home Respondent not available Refused Partially completed	Completed Respondent not at home Respondent not available Refused Partially completed	Completed Respondent not at home Respondent not available Refused Partially completed
Respondent	Selected respondent Substitute respondent Substitute household	Selected respondent Substitute respondent Substitute household	Selected respondent Substitute respondent Substitute household
Time Begin Hour: Minute			
Time End Hour: Minute			
Total Minutes			

005 INTERVIEWER: Code [____|____] Name_____

006 DATE INTERVIEW: __\ __\ 2023

CHECKED BY SUPERVISOR: Signature _____ Date _____

SECTION 1 BACKGROUND CHARACTERISTICS

No.	Questions and Filters	Coding categories	Skip to
Q101	RECORD SEX OF RESPONDENT	MALE.....1 FEMALE.....2	
Q102a	In what month and year were you born?	MONTH..... DON'T KNOW MONTH..... 98 YEAR..... DON'T KNOW YEAR..... 98	
Q102b	How old were you at your last birthday? (Compare and correct Q102a if needed)	AGE IN COMPLETED YEARS ESTIMATE BEST ANSWER	
Q103a	What was the last school you attended? OR Which school do you now attend? <u>RECORD TYPE OF SCHOOL</u>	NO FORMAL SCH.....1 BASIC/PRIMARY.....2 ALL AGE/SEC. HIGH SCHOOL.....3 COMPLETED UNIVERSITY.....4 OTHER TERTIARY.....5 SKILLS TRAINING.....6 OTHER.....7 (specify) NO ANS.....8	
Q103b	What was the highest level/grade you reached/completed in school?	POST GRADUATE DEGREE.....1 UNDERGRADUATE DEGREE.....2 DIPLOMA.....3 ASSOCIATE DEGREE.....4 GRADE..... OTHER.....	
Q103c	Do you plan to go back to school within the next year or two?	YES.....1 NO.....2 PRESENTLY IN SCHOOL.....3 Not sure.....4	
Q104	Are you employed?	Yes, full time.....1 Yes Part-time.....2 Unemployed.....3 Student.....4	
Q105	IF STUDENT OR UNEMPLOYED, ASK: Who supports you while you are in school or not working?	Parent/family.....1 Partner.....2 Friend.....3 Other.....4	
Q106	How long have you lived in this community?	YEARS..... (IF LESS THAN 1YR ENTER 00 IF SINCE BIRTH, ENTER 98)	
Q107	Generally, how important is it to you to live for another 20 years? Would you say:	Very important.....1 Important.....2 Neither important nor not Important.....3 Not important.....4 Definitely not important.....5	

SECTION 2
SEXUAL DEBUT, MARITAL HISTORY & CURRENT RELATIONSHIP STATUS

No.	Questions and Filters	Coding categories	Skip to
Q201	Have you ever had sexual intercourse? By 'sexual intercourse' I mean vaginal sex, oral sex or anal sex.	YES.....1 NO.....2	2=> GO TO SECTION 7
Q201a	Have you had sex with anyone in the past 12 months, since June 2022? This includes persons you might have sex with regularly as well as a person you might have had sex with just one time. PROBE.	YES.....1 NO.....2	2=> ASK Q202 THEN GO TO Q204 CATEGORY C
Q201b	How many times did you have sex in the past week, that is the past seven days?	Number of times: _____	
Q201c	Is this a typical week? 1 Yes No If No ask: How often would you have sex in a typical week?	Number of times _____	
Q202a	At what age did you first have sex?	YEARS	
Q202b	The first time you had sex, were you physically forced to do so?	YES.....1 NO.....2	
Q203a	Are you currently married or living with a sexual partner? IF A PERSON IS SEPARATED BUT STILL LEGALLY MARRIED, CODE 1 FOR MARRIED.	YES, MARRIED 1 YES, LIVING WITH 2 NEITHER MARRIED OR LIVING WITH 3	1,2=> GO TO Q204 CATEGORY A
Q203b	Do you have a main partner who visits you or whom you visit regularly?	YES 1 NO 2	1=> GO TO Q204 CATEGORY B
Q203c	Is there a person you see occasionally and have sex with?	YES 1 NO 2	1=> GO TO Q204 CATEGORY B
Q204	INTERVIEWER: CONFIRM WHAT CATEGORY THE RESPONDENT IS IN. A Is married or has a live-in partner B Is not married, does not have a live-in partner but has had sex at least once in the past 12 months C Has not had sex in the past 12 months and may not ever have had sex	CATEGORY A Married or Has live-in Sexual Partner 1 B Sexually active past 12 months 2 **C No sex in the past 12 months 3	CATEGORY A=> GO TO SECTION 3 CARD A. CATEGORY B=> GO TO SECTION 3 CARD B. CATEGORY C=> GO TO SECTION 4.

Commented [HC1]: Move this to self-administered section

Please be patient with me as I read each question to you

SECTION 3 SEXUAL PARTNERSHIPS AND CONDOM USE

NOW HAND RESPONDENT THE RELEVANT CARD AND EXPLAIN. WHEN PERSON IS FINISHED, CONFIRM WHETHER RESPONDENT RECORDED ANSWERS ON CARD:	RESPONDENT RECORDED ANSWERS:	YES	NO	NOT ALL
IF NO WHY NOT: _____				

CARD A: FOR PEOPLE WHO ARE MARRIED OR LIVE WITH PARTNER

CARD A FOR PEOPLE WHO ARE MARRIED OR HAVE A LIVE-IN PARTNER. I am going to be asking you a few personal questions. Nobody can link the answers back to you. I will read the questions and you can write down the answers on an answer sheet that I cannot see. When you are finished, you will fold the answer sheet and put it in a sealed envelope. We are asking these questions because they are important for understanding who may be at risk for getting an infection that is transmitted sexually. Some of these questions may or may not apply to you. Please be patient with us as we read each question to you. At the end you will fold the answer sheet and put it into a sealed envelope.

No.	Questions and Filters	Coding categories
A301	Let us call the sexual partner you are married to or living with in this household "Person A". How long have you been living with Person A?	Less than one year.....1 One year.....2 2 to 4 years.....3 5 to 9 years.....4 10 or more years.....5
A302	How long have you been having a sexual relationship with Person A?	4 weeks or less.....1 2-3 Months.....2 4-11 Months.....3 One Year.....4 2 to 4 years.....5 5 to 9 years.....6 10 or more years.....7
A303	When did you last have sex with Person A?	Within last 7 days.....1 Within last 2-4 weeks.....2 Within last 12 months.....3 Longer ago.....4
A304	For that last sexual intercourse, was a condom used?	YES.....1 NO.....2
A305	How often do you use a condom with person A?	Every time.....1 Most times.....2 Occasionally.....3 Never.....4
A306	Do you believe that Person A has had sex with another person in the past 6 months?	Yes.....1 No.....2 Unsure.....3
A307	Does Person A have a job that causes him or her to be away from home for periods of time? If you do not have a main partner, circle "Not applicable".	YES.....1 NO.....2 NOT APPLICABLE.....9

No.	Questions and Filters	Coding categories
A308	Other than Person A, are you having sex with anyone else?	YES.....1 NO.....2
A309	The last time you had sex with a person other than Person A, did you use a condom or not? If you have only had sex with Person A in the past 12 months, circle not applicable.	YES.....1 NO.....2 NOT APPLICABLE.....9
A310	What is the age of the oldest person you have had sex with in the past year, since (DATE 12 MONTHS AGO)? This includes Partner A and any other persons you may have had sex with. Please approximate if necessary. If you have not had sex in the past year, enter 00.	Oldest: _____
A311	What is the age of the youngest person you have had sex with in the past 12 months? Please approximate if necessary. If you have only had sex with Partner A or have not had sex in the past year, circle not applicable.	Youngest: _____ Not Applicable
A312	Including Partner A, how many persons in total have you had sex with in the past 4 weeks? If you have not had sex with anyone in the past 4 weeks, please write zero.	Number of persons: _____
A313	In the past year, since (DATE 12 MONTHS AGO), have you had sex with anyone new, that is someone you had not had sex with previously? This could be a person you met in the past year and still have a relationship with or someone you had sex with only one time. Circle yes or no.	YES.....1 NO.....2
A314	In the past year, have you met a person at a bar, club, social event or on the street and later had sex with the person?	YES.....1 NO.....2
A315	In the past year (since 12 MONTHS AGO) Is there a person that you had sex with just one time?	YES.....1 NO.....2
A316	Did you use a condom with that person? Circle yes or no. If you did not have sex with anyone for just one night, circle not applicable.	YES.....1 NO.....2 NOT APPLICABLE.....9
A317a	Including Person A, how many persons in total have you had sex with in the past year, since June 2022?	Number of Persons: _____
A317b	How many of these did you use a condom with <u>all the time</u> ?	Number of Persons: _____
A317c	How many of these did you use a condom with <u>some times</u> ?	Number of Persons: _____
A317d	How many of these did you use a condom with <u>rarely/never</u> ?	Number of Persons: _____

No.	Questions and Filters	Coding categories
A318	Other than Person A, have you <u>helped</u> a person you had sex with in the past year by giving them money for expenses such as food, clothing, entertainment or bus fare? Circle yes or no.	YES.....1 NO.....2
A319	Other than Person A, have you <u>been helped</u> by a person you have had sex with in the past year with money for expenses such as food, clothing, entertainment or bus fare? Circle yes or no.	YES.....1 NO.....2
A320	Have you <u>ever paid</u> someone to have sex with you, that is, a commercial partner?	YES.....1 NO.....2
A321	In the past 12 months, how many times have you <u>paid</u> for sex, that is, had a commercial partner(s) in the past 12 months? ENTER ZERO IF NO TIMES.	Number of times _____
A322	In the past year since June 2022 have you <u>been paid</u> cash money by any person for sex?	YES.....1 NO.....2
A323	The last time you had sex with someone whom you paid cash money or who paid you cash money for sex, did you use a condom or not? CIRCLE NOT APPLICABLE IF YOU HAVE NEVER HAD SEX WITH SOMEONE WHO YOU PAID OR WHO PAID YOU CASH FOR SEX.	YES.....1 NO.....2 NOT APPLICABLE.....9
A324	Now think about the last time you had sex with any person or partner. When was the last time you had sex? Was it (READ OPTIONS)	Within past 7 days.....1 Within past 2-4 weeks.....2 Within past 2-3 months.....3 Within past 4-12 months.....4 Over a year ago.....5 Over 5 years ago.....6
A325	The last time you had sex did you use a condom?	YES.....1 NO.....2
A326a	Have you ever been pressured by anyone to have sex even though you did not want to have sex?	Yes in the past 12 months.....1 Yes, longer than 12 months.....2 Never.....3
A326b	Have you ever been forced by anyone to have sex even though you did not want to have sex?	Yes in the past 12 months.....1 Yes, longer than 12 months.....2 Never.....3
A326c	Who was the person who last forced you to have sex with them? (NOTE TO INTERVIEWER: DO NOT READ ANSWERS) (NOTE TO RESPONDENT: RECORD ONLY ONE) If you were not forced to have sex with someone, circle not applicable.	Do not know the person.....1 Boyfriend(s)/Girlfriend(s).....2 Social acquaintance.....3 Family/relative.....4 Police.....5 Client.....6 Other(specify)..... Not applicable.....9 Declined to answer.....99

No.	Questions and Filters	Coding categories
A326d	Did you seek medical treatment after this happened? If you were not forced to have sex with someone, circle not applicable.	Yes.....1 No.....2 Not applicable.....9 Declined to answer.....99
A326e	Did you report this incident to the police? If you were not forced to have sex with someone, circle not applicable.	Yes.....1 No.....2 Not applicable.....9 Declined to answer.....99
A327	On the other hand, during the past 12 months, did you force or pressure anyone to have sex when they did not want to have sex?	YES.....1 NO.....2
A328	What types of sex have you had in the past year? Have you had oral sex? Anal sex? Penile vaginal sex?	Oral.....1 Anal.....2 Penis in vagina.....3
A329a	The last time you had anal sex was a condom used?	YES.....1 NO.....2 No anal sex.....3
A329b	The last time you had vaginal sex was a condom used?	YES.....1 NO.....2 No vaginal sex.....3
A330	In the past 12 months have you had sex with only men, only women, or both men and women	ONLY MEN.....1 ONLY WOMEN.....2 BOTH MEN & WOMEN.....3
A331	In the past 12 months, have you used ganja /weed / marijuana or any product containing ganja /weed / marijuana?	YES.....1 NO.....2
A332	In the past 12 months, have you used crack or cocaine?	YES.....1 NO.....2
A333	In the past 12 months, have you injected drugs to get high?	YES.....1 NO.....2
A334	In the past 12 months, have you used ecstasy, molly, lean or edibles?	YES.....1 NO.....2
A334b	During the last 4 weeks how often have you had drinks containing alcohol? Would you say every day, at least once per week, less often or never?	Every day.....1 At least once per week.....2 Less often.....3 Never.....4
A334c	In the past 4 weeks, how often did you have 5 or more drinks containing alcohol in a day?	Every day.....1 Almost every day.....2 3-4 days per week.....3 1-3 days per month.....4 Less often.....5 Never.....6

No.	Questions and Filters	Coding categories
A335	In the past 12 months, have you been homeless (had to sleep on the street or in a shelter)	YES.....1 NO.....2
A336	Have you ever spent time in prison or jail?	Yes in the past 12 months.....1 Yes, longer than 12 months.....2 Never.....3 Declined to answer.....99
A337	In the past 12 months, did you ever cut the size of your meals or skip meals because there wasn't enough money for food?	YES.....1 NO.....2

Please be patient with me as I read each question to you

GO TO SECTION 4

SECTION 3 CARD B SEXUAL PARTNERSHIPS AND CONDOM USE

CARD B FOR PEOPLE WHO ARE NOT MARRIED AND DO NOT HAVE A LIVE-IN PARTNER BUT WHO HAVE HAD SEX IN THE PAST YEAR.

I am going to be asking you a few personal questions. Nobody can link the answers back to you. I will read the questions and you can write down the answers on an answer sheet that I cannot see. When you are finished, you will fold the answer sheet and put it in a sealed envelope. We are asking these questions because they are important for understanding who may be at risk for getting an infection that is transmitted sexually. Some of these questions may or may not apply to you. Please be patient with us as we read each question to you.

No.	Questions and Filters	Coding categories
B301	Do you currently have a main sexual partner with whom you have had sex with in the past 12 months? PLEASE RECORD YOUR ANSWER ON THE CARD. CIRCLE YES OR NO.	YES.....1 NO.....2
B302	If you do have a main sexual partner, I would like to ask you a few questions about your main sexual partner. Let us call this person "Person A". If you do not have a main partner, you will be circling "Not applicable" for the next 6 questions. I will give you specific instructions for each question. How long have you been having a sexual relationship with Person A? If you do not have a main sexual partner, circle "Not applicable".	4 weeks or less.....1 2-3 Months.....2 4-11 Months.....3 One Year.....4 2 to 4 years.....5 5 to 9 years.....6 10 or more years.....7 Not applicable.....99
B303	When did you last have sex with Person A? If you do not have a main sexual partner, circle "Not applicable".	Within last 7 days.....1 Within last 2-4 weeks.....2 Within last 12 months.....3 Longer ago.....4 Not applicable.....99
B304	For that last sexual intercourse, was a condom used? If you do not have a main sexual partner, circle "Not applicable".	YES.....1 NO.....2 NOT APPLICABLE.....9
B305	How often do you use a condom with person A? If you do not have a main sexual partner, circle "Not applicable".	Every time.....5 Most times.....4 Occasionally.....3 Never.....1 Not applicable99

No.	Questions and Filters	Coding categories
B306	Do you think that Person A has sex with anyone else? If you do not have a main sexual partner, circle "Not applicable".	YES.....1 NO.....2 NOT APPLICABLE.....9
B307	Does Person A have a job that causes him or her to be away from home for periods of time? If you do not have a main sexual partner, circle "Not applicable".	YES.....1 NO.....2 NOT APPLICABLE.....9
B308	Other than Person A, do you have another sexual partner besides Person A? OR If you do not have a main sexual partner, have you had sex with anyone in the past 12 months? do you have other sexual partner(s)?	YES.....1 NO.....2
B309	The last time you had sex with a person other than Person A, did you use a condom or not? If you have only had sex with Person A in the past 12 months, circle not applicable. If you do not have a main partner the last time you had sex with someone did you use a condom or not?	YES.....1 NO.....2 NOT APPLICABLE.....9
B310	What is the age of the oldest person you have had sex with in the past year, since (DATE 12 MONTHS AGO)? This includes Partner A and any other persons you may have had sex with. Please approximate if necessary. If you have not had sex in the past year, circle "Not applicable".	Oldest: _____ Not Applicable.....99
B311	What is the age of the youngest person you have had sex with in the past 12 months? Please approximate if necessary. If you have only had sex with Partner A or have not had sex in the past year, circle not applicable.	Youngest: _____ Not Applicable.....99
B312	Including Partner, A, how many persons in total have you had sex with in the past 4 weeks? If you have not had sex with anyone in the past 4 weeks, please write zero.	Number of persons: _____
B313	In the past year, since June 2022, have you had sex with anyone new, that is someone you had not had sex with previously? This could be a person you met in the past year and still have a relationship with or someone you had sex with only one time. Circle yes or no.	YES.....1 NO.....2
B314	In the past year, have you met a person at a bar, club, or on the street and later had sex with the person?	YES.....1 NO.....2

No.	Questions and Filters	Coding categories
B315a	In the past year July 2022, are there any persons that you had sex with just one time?	YES.....1 NO.....2
B315b	IF Yes: How many persons in the past year? _____	
B316	Did you always use a condom with that person(s)? Circle yes or no. If you did not have sex with anyone for just one night, circle not applicable.	YES.....1 NO.....2 NOT APPLICABLE.....9
B317a	Including Person A, how many persons in total have you had sex with in the past year, since June 2022? <u>INTERVIEWER: HELP PERSON ESTIMATE</u> (Note to Interviewer: B317b- d should equal to amount B317a)	Number of Persons: _____
B317b	How many of these persons did you use a condom with <u>all the time (that is every time you sex with them in the past 12 months)</u> ?	Number of Persons: _____
B317c	How many of these persons did you use a condom with <u>some times</u> ?	Number of Persons: _____
B317d	How many of these persons did you never or rarely (very few times) use a condom with in the past 12 months?	Number of Persons: _____
B318	Other than Person A, <u>have you helped</u> a person you had sex with in the past year by giving them money for expenses such as food, clothing, entertainment or bus fare? Circle yes or no.	YES.....1 NO.....2
B319	Other than Person A, have <u>you been helped</u> by a person you have had sex with in the past year with money for expenses such as food, clothing, entertainment or bus fare? Circle yes or no.	YES.....1 NO.....2
B320	Have <u>you ever paid</u> someone to have sex with you, that is, , have you ever had sex with a sex worker or someone who sells sex?	YES.....1 NO.....2
B321	In the past 12 months, how many times have <u>you paid</u> for sex, that is, how many times have you had sex with a sex worker or someone who sells sex in the past 12 months? ENTER ZERO IF NO TIMES.	Number of times _____
B322	In the past year since June 2022 have you <u>been paid</u> cash/money by any person for sex?	YES.....1 NO.....2
B323	The last time you had sex with someone whom you paid cash money or who paid you cash/money for sex, did you use a condom or not? CIRCLE NOT APPLICABLE IF YOU HAVE NEVER HAD SEX WITH SOMEONE WHO YOU PAID OR WHO PAID YOU CASH FOR SEX.	YES.....1 NO.....2 NOT APPLICABLE.....9

No.	Questions and Filters	Coding categories
B324	Now think about the last time you had sex with any person or partner. When was the last time you had sex? Was it (READ OPTIONS)>	Within past 7 days.....1 Within past 2-4 weeks.....2 Within past 2-3 months.....3 Within past 4-12 months.....4 Over a year ago.....5 Over 5 years ago.....6
B325	The last time you had sex did you use a condom?	YES.....1 NO.....2
B326a	Have you ever been pressured by anyone to have sex even though you did not want to have sex?	Yes, in the past 12 months.....1 Yes, longer than 12 months.....2 Never.....3
B326b	Have you ever been forced by anyone to have sex even though you did not want to have sex?	Yes, in the past 12 months.....1 Yes, longer than 12 months.....2 Never.....3
B326c	Who was the person who last forced you to have sex with them? (NOTE TO INTERVIEWER: DO NOT READ ANSWERS) (NOTE TO RESPONDENT: RECORD ONLY ONE) If you were not forced to have sex with someone, circle not applicable.	Do not know the person.....1 Boyfriend(s)/Girlfriend(s).....2 Social acquaintance.....3 Family/relative.....4 Police.....5 Client.....6 Other(specify)..... Declined to answer.....99 NOT APPLICABLE.....9
B326d	Did you seek medical treatment after this happened? If you were not forced to have sex with someone, circle not applicable.	Yes.....1 No.....2 NOT APPLICABLE.....9 Declined to answer.....99
B326e	Did you report this incident to the police? If you were not forced to have sex with someone, circle not applicable.	Yes.....1 No.....2 NOT APPLICABLE.....9 Declined to answer.....99
B327	On the other hand, during the past 12 months, did you force or pressure anyone to have sex when they did not want to have sex?	YES.....1 NO.....2
B328a	What types of sex have you had in the past year? Have you had oral sex? Anal sex? Penile vaginal sex?	Oral.....1 Anal.....2 Penis in vagina.....3
B328b	The last time you had anal sex was a condom used?	YES.....1 NO.....2 No anal sex.....3
B328c	The last time you had vaginal sex was a condom used?	YES.....1 NO.....2 No vaginal sex.....3

No.	Questions and Filters	Coding categories
B329	In the past 12 months have you had sex with only men, only women, or both men and women	ONLY MEN.....1 ONLY WOMEN.....2 BOTH MEN & WOMEN.....3
B330	In the past 12 months, have you used ganja /weed / marijuana or any product containing ganja /weed / marijuana?	YES.....1 NO.....2
B331	In the past 12 months, have you used crack or cocaine?	YES.....1 NO.....2
B332	In the past 12 months, have you injected drugs to get high?	YES.....1 NO.....2
B333	In the past 12 months, have you used any of the following: ecstasy, molly, lean or edibles?	YES.....1 NO.....2
B333b	During the last 4 weeks how often have you had drinks containing alcohol? Would you say every day, at least once per week, less often or never?	Every day.....1 At least once per week.....2 Less often.....3 Never.....4
B333c	In the past 4 weeks, how often did you have 5 or more drinks containing alcohol in a day?	Every day.....1 Almost every day.....2 3-4 days per week.....3 1-3 days per month.....4 Less often.....5 Never6
B334	In the past 12 months, have you been homeless (had to sleep on the street or in a shelter)	YES.....1 NO.....2
B335	Have you ever spent time in prison or jail?	Yes in the past 12 months.....1 Yes, longer than 12 months.....2 Never.....3 Declined to answer.....99
B336	In the past 12 months, did you ever cut the size of your meals or skip meals because there wasn't enough money for food?	YES.....1 NO.....2

Please be patient with me as I read each question to you

SECTION 4

ADDITIONAL SEXUAL BEHAVIOR AND CONTRACEPTIVE USE QUESTIONS

Now a few more questions that I will ask and record the response. Some of the questions may seem repetitive. Ask these questions of all persons who have ever had sex.			
Q401a	With how many persons have you had sex during the: a. Last 4 weeks b. Last 3 months Please include all the persons who have had sex with in the last 4 weeks c. Last 12 months Please include all the persons who have had sex with in the last 3 months and 4 weeks IF NONE WRITE ZERO.	a. LAST 4 WEEKS b. LAST 3 MONTHS c. LAST 12 MONTHS	IF '0' PARTNERS HAD IN LAST 12 MONTHS GO TO Q401D
Q401b	Among all the persons in the last 12 months, how many were: Persons you have had sex with for 12 months or more Persons you have been having sex with for less than 12 months NOTE: TOTAL IN THIS QUESTION MUST BE EQUAL TO TOTAL NUMBERS OF PERSONS HAD SEX WITH IN LAST 12 MONTHS RECORDED AT Q401a IF NONE WRITE ZERO.	12 MONTHS OR MORE LESS THAN 12 MONTHS	
Q401c	How many of these were: Persons you had sex with just once? Persons you helped or who helped you with money for expenses including lunch or bus fare Persons whom you paid or who paid you for sex - Commercial sex workers IF NONE WRITE ZERO. NOTE: CHECK TOTAL NUMBERS OF PERSONS IN Q401a TO MAKE SURE THE NUMBERS MATCH	Had sex with just once Other persons CSW (NOTE to interviewer: Total number above should not be more than amount had in last 12 months recorded at Q401a. It can be less or equal to)	
Q401d	Of the last 10 times you had sex, how many times did you use a condom and how many times did you not use a condom?	Times used: _____ Times did not use: _____ TOTAL SHOULD SUM TO 10.	IF '10' TIMES USED GO TO Q402a. IF '10' TIMES NOT USED GO TO Q402b. OTHERWISE GO TO Q403.

Q402a	What were your reasons for using a condom all of the last 10 times you had sex? (NOTE TO INTERVIEWER: DO NOT READ LIST)	Had one available Always use a condom Partner wanted to use one I wanted to use one Don't trust my partner Wanted to protect my partner from STI Wanted to protect myself from STI To avoid pregnancy Other _____	
Q402b	What were your reasons for not using a condom all of the last 10 times you had sex OR for never using a condom? (NOTE TO INTERVIEWER: DO NOT READ LIST)	Don't know how to use a condom Don't like using condoms Partner does not like using condoms Love/trust partner Pressured/Coerced by partner not to use one Violence/fear of violence Trying to have a child Did not have one on me Could not get one at the time Other _____	
Q403	How likely are you to use a condom the next time you have sex? Would you say...	Very likely.....1 Somewhat likely.....2 Neither likely nor unlikely.....3 Unlikely.....4 Not at all likely5 Unsure.....98	
Q404a	Are you or your main partner currently using a method to prevent pregnancy?	Yes 1 No 2 No main partner 3	→GO TO Q404 →GO TO Q404
404b	IF YES: What method(s) do you use: (NOTE TO INTERVIEWER: DO NOT READ LIST)	Oral contraceptives 1 Depo/ Injectables 2 IUD 3 Sterilization Male 4 Tubal Ligation/ Sterilization Female 5 Implant 6 Female Condom 7 Male Condom 8 Withdrawal 9 Rhythm/ Periodic abstinence 10	
Q405a	Do you ever find yourself in a situation where you have difficulty letting a sex partner know that you want to use a condom?	YES.....1 NO.....2	
Q405b	What would have made it difficult to let them know that you wanted to use a condom? (NOTE TO INTERVIEWER: DO NOT READ LIST)	Fear of physical reaction.....1 Didn't want to hurt their feeling.....2 Love and trust the person.....3 Would have spoilt the spontaneity of the moment.....4 Uncomfortable talking about condoms..5 Other (Specify).....6 Don't know.....7	

Q406	Do you find it difficult to use a condom with a person you have very strong feelings for?	YES.....1 NO.....2	
Q407	In the past year where have you accessed any sexual and reproductive health services? (e.g. family planning, cancer screening, STI treatment, pregnancy, etc.)	Private doctor.....1 Private clinic.....2 Hospital.....3 Public Clinic.....4 Other.....5 Did not access.....6 Other.....	

Please be patient with me as I read each question to you

SECTION 5 QUESTIONS ON CONDOM USE

No.	Questions and Filters	Coding categories	Skip to
Q501	Have you ever used a condom	YES.....1 NO.....2	→SKIP TO Q515
Q502a	Have you ever bought a condom?	YES.....1 NO.....2	

Q502b	Do you sometimes feel embarrassed to buy a condom?	YES.....1 NO.....2																													
Q503a	Should you need a condom, would you be able to obtain one almost immediately?	YES.....1 NO.....2	→GO TO Q504																												
Q503b	Why wouldn't you be able to get a condom every time you need one? (NOTE TO INTERVIEWER: DO NOT READ)	Cost too much..... 1 Shop/pharmacy too far away..... 2 Embarrassed to buy it..... 3 OTHER..... (SPECIFY)																													
Q504	To what extent do you usually have a condom on you?	<table border="1"> <thead> <tr> <th></th> <th>Q504</th> <th>Q505</th> <th>Q506</th> </tr> </thead> <tbody> <tr> <td>Every time.....</td> <td>1</td> <td>1</td> <td>1</td> </tr> <tr> <td>Most times.....</td> <td>2</td> <td>2</td> <td>2</td> </tr> <tr> <td>Sometime.....</td> <td>3</td> <td>3</td> <td>3</td> </tr> <tr> <td>Rarely.....</td> <td>4</td> <td>4</td> <td>4</td> </tr> <tr> <td>Never.....</td> <td>5</td> <td>5</td> <td>5</td> </tr> <tr> <td>Don't Know.....</td> <td></td> <td></td> <td>98</td> </tr> </tbody> </table>		Q504	Q505	Q506	Every time.....	1	1	1	Most times.....	2	2	2	Sometime.....	3	3	3	Rarely.....	4	4	4	Never.....	5	5	5	Don't Know.....			98	
	Q504	Q505	Q506																												
Every time.....	1	1	1																												
Most times.....	2	2	2																												
Sometime.....	3	3	3																												
Rarely.....	4	4	4																												
Never.....	5	5	5																												
Don't Know.....			98																												
Q505	To what extent do you usually have a condom in the house?	RECORD ABOVE AT Q505																													
Q506	To what extent does your partner usually have a condom on him/her?	RECORD ABOVE AT Q506																													
Q508	Where do you normally get your condoms (most often)? (NOTE TO INTERVIEWER: ONE ANSWER ONLY) (NOTE TO INTERVIEWER: DO NOT READ)	Don't know, partner buys it.....97 Shop.....1 Pharmacy.....2 Vendor.....3 Supermarket.....4 Public Health Clinic.....5 Non- Government Organization (NGO)...6 Other.....7																													
Q509	Where do you prefer to buy your condoms? (NOTE TO INTERVIEWER: ONE ANSWER ONLY) (NOTE TO INTERVIEWER: DO NOT READ)	Don't know, partner buys it.....97 Shop.....1 Pharmacy.....2 Vendor.....3 Supermarket.....4 Other.....5																													
Q510	Do you think your partner would be upset if he/she found that you had a condom available?	YES.....1 NO.....2 DON'T KNOW.....98																													
Q511	If your partner doesn't want to use a condom it is normal to comply with his/her wishes.	YES.....1 NO.....2																													
Q512	In the past 12 months have you had a condom slip, break, or removed during sexual intercourse?	None.....1 Slipped off.....2 Break.....3 Removed during sex.....4 No condom used in the past 12 months...5																													
Q513	Have you ever used a sexual lubricant?	YES.....1 NO.....2	→SKIP TO Q515																												

Q514	Have you used a sexual lubricant in the last 12 months?	YES.....1 NO.....2	
------	---	-----------------------	--

General Attitude to condoms (ASK ALL)

General Attitude to condoms (FOR ALL)								
No.	Questions and Filters	Coding categories						Skip to
Q515	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree with the following statements. SHOW CARD							
a.	A condom reduces the quality of sex so much that it is better not to use it at all	SA	Agree	Neither	Disagree	S/Disagree	D/K	
		5	4	3	2	1	98	
b.	It is possible to enjoy sex when you use a condom.	5	4	3	2	1	98	
c.	Condoms ruin the spontaneity and heat of sexual intercourse	5	4	3	2	1	98	
d.	It is not necessary to use condoms if you trust the person.	5	4	3	2	1	98	
e.	I can get a condom around here easily during the night	5	4	3	2	1	98	
f.	I can get a condom around here easily during the day	5	4	3	2	1	98	
g.	Free condoms distributed by the Ministry of Health are easy to get when I need them.	5	4	3	2	1	98	
h.	Shops nearby here always have condoms for sale	5	4	3	2	1	98	
i.	Condoms you get for free are just as good as the ones available in the shops.	5	4	3	2	1	98	
j.	The brand of condoms really does not matter to me.	5	4	3	2	1	98	
k.	Some condoms are better than others	5	4	3	2	1	98	

Please be patient with me as I read each question to you

SECTION 6 STIs AND HEALTH ISSUES: SELF ADMINISTERED

NOW HAND RESPONDENT THE RELEVANT CARD AND EXPLAIN. WHEN PERSON IS FINISHED, CONFIRM WHETHER RESPONDENT RECORDED ANSWERS ON CARD: RESPONDENT RECORDED ANSWERS: YES NO NOT ALL IF NO WHY NOT: _____
--

CARD C: STIs AND HEALTH ISSUES

CARD C: STIs AND HEALTH ISSUES

I am going to be asking you a few personal questions. Nobody can link the answers back to you. I will read the questions and you can write down the answers on an answer sheet that I cannot see. When you are finished, you will fold the answer sheet and put it in a sealed envelope. Some of these questions may or may not apply to you. Please be patient with us as we read each question to you. At the end you will fold the answer sheet and put it into a sealed envelope.

No.	Questions and Filters	Coding categories	Skip to
C601	Have you ever been told by a health care worker that you had an STI (sexually transmitted infection)?	YES.....1 NO.....2	
C602	Have you ever had an abnormal genital discharge, warts, pain or burning when you urinate anytime during the past 3 months? IF NO: Anytime In the past 12 Months?	Yes No N/A Past 3 Months 1 2 9 Past 12 MONTHS 1 2 9	
C603	Have you ever had a genital ulcer/sore during the past 12 months?	YES.....1 NO.....2	
Q604	Which of the following did you do the last time you had a discharge, ulcer or sore? READ EACH Circle all that apply	Yes No NA a. Go to a private doctor 1 2 9 b. Go to a MOH health center 1 2 9 c. Go anywhere else for treatment? 1 2 9 d. Get examined by a health care provider 1 2 9 e. Take drugs prescribed by a doctor 1 2 9 f. Take unprescribed drugs 1 2 9 g. Tell your main partner 1 2 9 IF RESPONDENT NEVER HAD SYMPTOMS, CIRCLE 9'S	
Q605a	Since June 2022 have you been to a public STI Clinic?	YES.....1 NO.....2	→Q701
Q605b	Overall, were you satisfied with the care that you received at the STI clinic? Were you....	Completely satisfied.....1 Very satisfied2 Somewhat Satisfied3 Slightly satisfied4 Not at all Satisfied.....5 Not applicable.....9	

Please be patient with me as I read each question to you

SECTION 7

KNOWLEDGE OF AIDS [ASK ALL RESPONDENTS]

No.	Questions and Filters	Coding categories	Skip to
Q701	Have you heard of HIV?	YES.....1 NO.....2	
Q702	Have you heard of a disease called AIDS?	YES.....1 NO.....2	Skip to Q709

Q703	In the past 12 months, where have you gotten information about HIV/AIDS?	Yes No a. Doctor/Clinic..... 1 2 b. Workplace..... 1 2 c. Home/Family 1 2 d. Friends..... 1 2 e. Church..... 1 2 f. School..... 1 2 g. Community..... 1 2 h. Media..... 1 2 i. (TV/Radio)..... 1 2 j. Internet 1 2 k. Social Media 1 2 l. Other m. Not gotten any information 1 2 n. Outreach Worker 1 2	
Q704	Can a person reduce the risk of getting HIV by using a condom every time he/she has sex?	Yes 1 No 2 Don't Know 9	
	Can a healthy-looking person be infected with HIV?	Yes 1 No 2 Don't Know 9	
	Can a person get HIV from mosquito bites?	Yes 1 No 2 Don't Know 9	
	Can a person get HIV by sharing a meal with someone who is infected?	Yes 1 No 2 Don't Know 9	
	Can the risk of HIV transmission be reduced by having sex with only one uninfected partner who has no other partners?	Yes 1 No 2 Don't Know 9	
	Can a person get HIV through supernatural means, like Obeah?"	Yes 1 No 2 Don't Know 9	
	Can a person reduce the risk of HIV by not having sex?	Yes 1 No 2 Don't Know 9	
	Can a person get HIV if the man does not ejaculate/cum?	Yes 1 No 2 Don't Know 9	
	Can a person get HIV by hugging or shaking hands with a person who is infected?	Yes 1 No 2 Don't Know 9	
Q705	Have you spoken about HIV/AIDS and the need to practice safe sex with any of the following?	Yes No a. Most recent partner..... 1 2 b. The partner before that one..... 1 2 c. Family members 1 2 d. Friends..... 1 2 e. Someone at church..... 1 2	
Q706	Have you ever met anyone who is infected with HIV or who has died from AIDS? IF YES, ASK: Was this a close relative or close friend?	Yes, a close relative or friend.....1 Yes, but not a close relative or friend.... 2 No, do not know anyone3 Not sure/Can't recall 4	
Q707	If a member of your family became sick with HIV, the virus that causes AIDS, would you be willing to care for him or her in your household?	YES.....1 NO.....2 DON'T KNOW.....3	

		Y	N	Maybe	
Q708	If a member of your family became sick with HIV, the virus that causes AIDS, would you want his or her...	a. best friend to know... ..1	2	3	
		b. partner to know... ..1	2	3	
		c. parent to know... ..1	2	3	
		d. coworkers to know... ..1	2	3	
		e. Church members to know... ..1	2	3	
		f. Employer/boss... ..1	2	3	

Please be patient with me as I read each question to you

Stigma & Discrimination

Now I want to ask you some questions relating to people living with HIV/AIDS

Q709	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree with the following statements. SHOW CARD						
	If a teacher has HIV, the virus that causes AIDS but is not sick, he/she should be allowed to continue teaching in school.	SA	Agree	Neither	Disagree	S/Disagree	
		5	4	3	2	1	
	If I knew that a shopkeeper or food seller had HIV, the virus that causes AIDS, I would definitely still buy food or vegetables from them.	5	4	3	2	1	
	If a member of my family got infected with HIV, the virus that causes AIDS, I would want them to keep it a secret.	5	4	3	2	1	
	People who get AIDS have gotten what they deserve	5	4	3	2	1	
	When a person contracts AIDS they let their family down.	5	4	3	2	1	
	A man who has HIV should not seek to have any children	5	4	3	2	1	
	A woman who has HIV should not seek to have any children	5	4	3	2	1	
Q710	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree with the following statements. SHOW CARD						
	People who have AIDS are dirty	SA	Agree	Neither	Disagree	S/Disagree	
		5	4	3	2	1	
	People who have AIDS are cursed	5	4	3	2	1	
	People who have AIDS should be ashamed	5	4	3	2	1	
	It is safe for people who have AIDS to work with children	5	4	3	2	1	
	People with AIDS must expect some restrictions on their freedom	5	4	3	2	1	
	A person with AIDS must have done something wrong and deserves to be punished	5	4	3	2	1	
No.	Questions and Filters	Coding categories					Skip to

No.	Questions and Filters	Coding categories	Skip to
Q711A	Following the normal course of your life, what do you think are the chances that you might catch HIV? Would you say no chance, little chance, a moderate chance, or a good chance?	NO CHANCE OF GETTING HIV.....1 LITTLE CHANCE OF GETTING HIV.....2 MODERATE CHANCE OF GETTING HIV.....3 GOOD CHANCE OF GETTING HIV.....4 ALREADY INFECTED.....5 DON'T KNOW.....98 NO RESPONSE.....99	IF 1 OR 2 ANS GO TO Q711B IF 3 OR 4 ANS GO TO Q712 IF 5, 98, 99 GO TO Q713
Q711B	Why do you say you have you <u>LITTLE OR NO CHANCE</u> of getting HIV? (NOTE TO INTERVIEWER: DO NOT READ LIST)	No sexual intercourse.....1 No sex with CSWs.....2 No homosexual contact.....3 Have sex only with spouse.....4 Use condoms all the time.....5 Use condoms sometimes.....6 No injections.....7 No blood transfusions.....8 Other.....9 Specify	
Q712	<u>IF MODERATE TO GOOD CHANCE ASK:</u> Why do you think that you have a () chance of getting HIV?	Have different partners.....1 Sex with SWs.....2 Men having sex with men/ Women having sex with women.....3 Spouse has many partners.....4 Do not use condoms.....5 Use condoms sometimes.....6 Had injections.....7 Had blood transfusions.....8 Other.....9 Specify	
Q713	Do you know where to get a confidential test to find out if you are infected with HIV?	YES.....1 NO.....2	
Q714	Have you ever had an HIV test?	YES.....1 NO.....2	→Q718
Q715	<u>IF YES TO Q714 ASK:</u> Was the test done in the past year?	YES.....1 NO.....2	
Q716	What caused you to do the test? (NOTE TO INTERVIEWER: DO NOT READ LIST. CIRCLE ALL THAT APPLY)	DOCTORS ORDERS.....1 FOR INSURANCE2 FOR MEDICAL REASONS.3 IMMIGRATION/farm work, etc.....4 IN HOSPITAL.....5 OWN DECISION.....6 DONATE BLOOD.....7 HAD BABY.....8 EMPLOYMENT.....9 OTHER.....10 Specify	

Q717	Do you know the results of the test?	YES.....1 NO.....2	→Q719
Q718	If NO TO Q714 ASK: what are your reasons for not doing one? (NOTE TO INTERVIEWER: DO NOT READ LIST)	Fear of needles.....1 Don't want to know.....2 Not at risk.....3 I know I don't have it.....4 Never had sex.....5 Can't afford it.....6 Never offered.....7 Don't know where to do one.....8 Other.....9	
Q719	Have you ever participated in any workshops, talks/discussions or sessions educating you on issues regarding HIV/AIDS/STD in the last year?	YES.....1 NO.....2	→GO TO CARD D
Q720	Where did you participate in these discussions?	School.....1 Clinic.....2 Church.....3 In my community.....4 Youth Club.....5 Sports Club.....6 On the job.....7 Hotel.....8 Other.....9 Specify	

NOW HAND RESPONDENT THE RELEVANT CARD AND EXPLAIN. WHEN PERSON IS FINISHED, CONFIRM WHETHER RESPONDENT RECORDED ANSWERS ON CARD: RESPONDENT RECORDED ANSWERS: YES NO NOT ALL IF NO WHY NOT/NOT ALL: _____

CARD D: EMOTIONAL HEALTH

CARD D: Emotional Health I am going to be asking you a few personal questions. Nobody can link the answers back to you. I will read the questions and you can write down the answers on an answer sheet that I cannot see. When you are finished, you will fold the answer sheet and put it in a sealed envelope. Some of these questions may or may not apply to you. Please be patient with us as we read each question to you. At the end you will fold the answer sheet and put it into a sealed envelope. Please be patient with me as I read each question to you

	Emotional Health: SHOW CARD		
	Over the past two weeks, how often have you been bothered by any of the following problems?		
Q724	ASK ALL RESPONDENTS: Little interest or pleasure in doing things.	Not at all.....0 Several Days.....1 More than half the days.....2 Nearly every day.....3	
Q725	Feeling down, depressed, or hopeless.	Not at all.....0 Several Days.....1 More than half the days.....2 Nearly every day.....3	
Q726	Feeling nervous, anxious, or on edge	Not at all.....0 Several Days.....1 More than half the days.....2 Nearly every day.....3	
Q727	Not being able to stop or control worrying	Not at all.....0 Several Days.....1 More than half the days.....2 Nearly every day.....3	
Q728	Over the past 12 months, have you had thoughts that you would be better off dead or thoughts of hurting yourself in some way?	Not at all.....0 Yes, occasionally.....1 Yes, very often.....2	

Please be patient with me as I read each question to you

SECTION 8
NEW: MASS MEDIA CAMPAIGN IMPACT INDICATORS
Social Marketing Campaign Recall

No.	Questions and Filters	Coding categories	Skip to
Q801a	<u>Unprompted recall:</u> Do you recall seeing or hearing any message/ advertising on condom use, multiple partners or HIV testing?	YES.....1 NO.....2	If 'NO' to Q801a AND Q801b, Go to SECTION 9
Q801b	Do you recall seeing or hearing any message/ advertising on Human rights or HIV?	YES.....1 NO.....2	
Q802a	Where did you see or hear the advertisement?	1 TV 2 Radio 3 Posters 4 JUTC bus 5 Cinema 6 Super boards 7 Internet/social Media 8 Other _____	
Q802b	What do you recall seeing or hearing? (NOTE TO INTERVIEWER: SHOW CARD/ READ LIST)	Dweet fi yuh best life Condom connect Use a condom every time Know your partner's status Update yuh status, get tested for HIV Pinch, leave an inch and roll Choose two: Use Dual Protection Everybody have rights Get back on track, get back to life Get on your meds and get on wid life Real men nu ride without condom Yes I can support people living with HIV Champions for Change Update yu status Human Rights Other _____ 98 Don't Remember	
Q803	Have you ever discussed the message of the campaign with any of your sex partners?	YES.....1 NO.....2	
Q804	Have you ever discussed the message of the campaign with any friends?	YES.....1 NO.....2	
Q805a	Did any of the things you saw or heard make you think or behave differently	YES.....1 NO.....2	→ GO TO SECTION 9
Q805b	If YES ASK: In what way did it make you think or behave differently? (NOTE TO INTERVIEWER: DO NOT READ LIST)	Use protection when having sex Use a condom every time Use condom and a contraceptive method every time Abstain from having sex Get an HIV test Ask partner to get an HIV test Other _____	

SECTION 9
INTIMATE PARTNER VIOLENCE
CARD E: INTIMATE PARTNER VIOLENCE

CARD E: INTIMATE PARTNER VIOLENCE

NOTE: NOT TO BE ASKED OF THOSE PERSONS WHO HAVE NEVER HAD SEX

I am going to be asking you a few personal questions. Nobody can link the answers back to you. I will read the questions and you can write down the answers on an answer sheet that I cannot see. When you are finished, you will fold the answer sheet and put it in a sealed envelope. Some of these questions may or may not apply to you. Please be patient with us as we read each question to you. At the end you will fold the answer sheet and put it into a sealed envelope.

Please be patient with me as I read each question to you

No.	Questions and Filters	Coding categories	Skip to
Q1001	Did someone you have sex with do any of the following:		IF "NEVER" SELECTED FOR Q1001a to Q1001h GO TO SECTION 11
a	Slapped you or threw something at you that could hurt you	Yes, in Past 12 month.....1 Yes, In the past, but more than 12 months ago.....2 Never.....3	
b	Pushed you or shoved you (Aggressively)	Yes, in Past 12 month.....1 Yes, In the past, but more than 12 months ago.....2 Never.....3	
c	Hit you with a fist or something else that could hurt	Yes, in Past 12 month.....1 Yes, In the past, but more than 12 months ago.....2 Never.....3	
d	Kicked, dragged, or beat you up	Yes, in Past 12 month.....1 Yes, In the past, but more than 12 months ago.....2 Never.....3	
e	Choked or burnt you	Yes, in Past 12 month.....1 Yes, In the past, but more than 12 months ago.....2 Never.....3	
f	Threatened you with, or actually used a gun, knife or other weapon against you	Yes, in Past 12 month.....1 Yes, In the past, but more than 12 months ago.....2 Never.....3	
g	Forced you to do something you found degrading or humiliating	Yes, in Past 12 month.....1 Yes, In the past, but more than 12 months ago.....2 Never.....3	

h	Made you afraid of what they would do if you did not have sexual intercourse with them	Yes, in Past 12 month.....1 Yes, In the past, but more than 12 months ago.....2 Never.....3	
Q1002	Was your partner who used violence, a man or a woman?	Male.....1 Female.....2 No Violence.....3	
Q1003	In the last 12 months who has kicked, hit, or beat you? (NOTE TO INTERVIEWER: DO NOT READ ANSWERS)	Do not know the person.....1 Boyfriend(s)/Girlfriend(s).....2 Social acquaintance.....3 Family/relative.....4 Police.....5 Client.....6 Other(specify)..... Not applicable.....9 Decline to answer.....99	
Q1004	Do you currently think of yourself as a victim of intimate partner violence?	YES.....1 NO.....2 DON'T KNOW.....88 DECLINE TO ANSWER.....99 NOT APPLICABLE.....9	
Q1005	Do you feel you deserved this?	YES.....1 NO.....2 DON'T KNOW.....88 DECLINE TO ANSWER.....99 NOT APPLICABLE.....9	
Q1006	In the past 12 months, did you hit, kick, beat or physically hurt a partner (with a fist or slap or something else that could hurt them)	YES.....1 NO.....2 DON'T KNOW.....88 DECLINE TO ANSWER.....99	

SECTION 10

General Attitudes

Now I am going to be asking you some questions about your opinion on certain issues. Please remember there are no right or wrong answers, what is important is how you truly think or feel.

Please be patient with me as I read each question to you

	<i>Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree with the following statements:</i>							
	It's important for Jamaica to:	SHOW CARD						
Q1007	Develop a policy to guarantee access to HIV testing for sexually active adolescents between 10 and 16 years old	SA 5	Agree 4	Neither 3	Disagree 2	S/Disagree 1		
Q1008	Develop a policy to guarantee access to condoms for sexually active adolescents between 10 and 16 years old	5	4	3	2	1		
Q1009	Decriminalize anal sex	5	4	3	2	1		

	<i>Now, I would like your personal views on the following questions. Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree with the following statements.</i>					
	SHOW CARD					
Q1010	Men who have sex with men are dirty	SA 5	Agree 4	Neither 3	Disagree 2	S/Disagree 1
	Men who have sex with men are cursed	5	4	3	2	1
	Men who have sex with men should be ashamed	5	4	3	2	1
	It is safe for men who have sex with men to work with children	5	4	3	2	1
	Men who have sex with men are doing something wrong and deserve to be punished	5	4	3	2	1
	Transgender individuals are dirty	5	4	3	2	1
	Transgender individuals are confused	5	4	3	2	1
	Transgender individuals should be ashamed	5	4	3	2	1
	It is safe for Transgender individuals to work with children	5	4	3	2	1
	Transgender individuals are doing something wrong and deserve to be punished	5	4	3	2	1

SECTION 11
PRE-EXPOSURE PROPHYLAXIS

No.	Questions and Filters	Coding categories	Skip to
Q1101	Before today, have you ever heard of HIV-negative people taking medication to reduce their risk of getting HIV? This medication is sometimes called pre-exposure prophylaxis, or "PrEP".	YES.....1 NO.....2 (If no, skip to Q1102) Decline to Answer.....99	
	Before today, where have you heard about pre-exposure prophylaxis, or "PrEP".	Internet.....1 Cable TV.....2 Health Provider.....3 Outreach Worker.....4 Other (Specify).....5	
<i>Pre-exposure Prophylaxis (PrEP) involves HIV-negative people taking an anti-HIV pill to help prevent getting HIV. Several studies have shown PrEP to be safe and effective in preventing HIV when taken on a daily basis. This medication would be provided free of charge.</i>			
Q1102	How willing would you be to take PrEP, one pill every day, to reduce your chances of getting HIV?	Not at all Willing.....1 Somewhat willing/Moderately willing.....2 Very willing.....3 Don't Know.....98 Decline to Answer.....99	IF 2 OR 3 ASK Q1103 THEN GO TO Q1105 IF 1 GO TO Q1104
Q1103	IF WILLING TO TAKE PREP , how would you like to get the medications? (Choose all that apply)	At the HIV care clinic.....1 From the health centre, but not HIV clinic.....2 From an NGO or Health Department outreach team.....3 From a peer in my area.....4 Other (specify).....	
Q1104	IF NOT AT ALL WILLING TO TAKE PREP: Why would you not be willing to take PrEP? (Multiple responses acceptable) (NOTE TO INTERVIEWER: DO NOT READ LIST)	Not at risk (abstinent).....1 Not at risk (faithful to one partner)2 Not at risk (consistent condom use)3 I get tested for HIV regularly..... Difficulty remembering to take daily.....4 Concern about side effects.....5 Partner would not support.....6 Concerned others would think I was HIV+.....7 My partners are HIV+ and virally suppressed.....8 People may think I am promiscuous.....9 Other (specify).....	

Q1105	IF MODERATELY OR VERY WILLING TO TAKE PREP, why would you be willing to take PrEP? (NOTE TO INTERVIEWER: DO NOT READ LIST)	I have multiple sex partners and don't consistently use condoms.....1 I know/suspect my partner has other partners and does not consistently use condoms.....2 My partner is HIV+ (and on ART) and we are trying to conceive.....3 My partner is HIV+ but is not on ART.....4 My partner is HIV+ but does not take ART consistently"5 I do not know my partner's HIV status.....7 I suspect my partner may be HIV+.....8 I have a partner who migrates for work.....9 I travel away from home for seasonal work or other reasons.....10 Other (specify)_____	
-------	---	---	--

SECTION 12 SELF-TESTING

Please be patient with me as I read each question to you

No.	Questions and Filters	Coding categories	Skip to
Q1201	Have you heard of HIV self-testing?	YES.....1 NO.....2 DON'T KNOW.....98 DECLINE TO ANSWER99	IF 2 GO TO Q1204
Q1202	Have you ever administered an HIV test to yourself (i.e. HIV self-test?)	YES.....1 NO.....2 DON'T KNOW.....98 DECLINE TO ANSWER99	IF 2 GO TO Q1204
Q1203	Where did you obtain the self-testing kit? (NOTE TO INTERVIEWER: DO NOT READ ANSWERS, RECORD ALL MENTIONED)	Pharmacy.....1 Internet.....2 A friend.....3 A partner.....4 NGO.....5 Outreach Worker.....6 Other (specify)_____ DON'T KNOW.....98 DECLINE TO ANSWER99	
Q1204	How likely are you to use an HIV self-test in the future? (NOTE TO INTERVIEWER: READ ANSWERS, RECORD ONLY ONE)	Very unlikely.....1 Somewhat unlikely.....2 Neutral.....3 Somewhat likely.....4 Very likely.....5 DON'T KNOW.....98 DECLINE TO ANSWER99	
	How likely are you to give a HIV self-test to your partner in the future?	Very unlikely.....1 Somewhat unlikely.....2 Neutral.....3 Somewhat likely.....4 Very likely.....5 DON'T KNOW.....98 DECLINE TO ANSWER99	

Please be patient with me as I read each question to you

SECTION 13 SOCIAL NETWORK

No.	Questions
	Now I am going to ask you some questions about people that you know. These must be people living in Jamaica: That you know by sight and name, and who also know you by sight and name That you had some contact with either in-person, over the phone or internet (e.g.: e-mail, WhatsApp, chat through social networks) in the last 2 years Based on this definition approximately how many people do you know? Number of Persons: _____
Q1301	How many people do you know with the following first names?
A	"first name of Andrene "?
B	"first name of Noel "?
C	"first name of Corey "?
D	"first name of Amena/Amina "?
E	"first name of Dorian "?
F	"first name of Zuri "?
G	People with the "first name of Anyia "?
H	People with the "first name of Kemar "?
I	People with the "first name of Cecile "?
J	People with the "first name of Lindsey/Lindsay "?
K	People with the "first name of Calvin "?
L	People with the "first name of Noah "?
M	People with the "first name of Keva "?
N	People with the "first name of Kayan "?
	Just a reminder, I am only interested in the people that you know, that is people living in Jamaica of all ages: That you know by sight and name, and who also know you by sight and name That you had some contact with either in-person, over the phone or internet (e.g.: e-mail, WhatsApp, chat through social networks) in the last 2 years
Q1302	How many people do you know who were married in the last 12 months (2022)?
Q1303	How many women do you know who gave birth in the last 12 months (2022)?
Q1304	How many people do you know who died in the last 12 months (2022)?
Q1305	How many people do you know who died due to cancer in the last 12 months (2022)?
Q1306	How many people do you know who are currently registered nurses?
Q1307	How many males do you know who are currently in prison (incarcerated)?

	Now I am going to ask you some questions about people that you know. These questions will help us count the number of people who may be in need to certain health services. These people should be: People you know by sight and name and who also know you by name People you have had some contact with- either in person, over the phone or on the computer (e.g.: e-mail, WhatsApp, chat through social networks) in the last 2 years People of all ages who currently live in Jamaica	
Q1308 A B	How many female sex workers do you know? <i>By that I mean women who earn income from exchanging sex for money either on the streets or in establishments like go-go clubs and massage parlours.</i> IF DOES NOT KNOW ANY RECORD '00'. IF KNOWS 95 OR MORE, RECORD '95' Which age groups do they fall into?	Number of FSWs: _____ 1 15-19yrs 2 20-25yrs 3 25yrs and older
Q1309 A B	How many men do you know who are clients of female sex workers? IF DOES NOT KNOW ANY RECORD '00'. IF KNOWS 95 OR MORE, RECORD '95' Which age groups do they fall into?	Number of FSW clients: _____ 1 15-19yrs 2 20-25yrs 3 25yrs and older
Q1310 A B	In general men have sex with women, but there are some men who have sex with other men. How many men do you know who have sex with other men or are gay? IF DOES NOT KNOW ANY RECORD '00'. IF KNOWS 95 OR MORE, RECORD '95' Which age groups do they fall into?	Number of MSMs: _____ 1 15-19yrs 2 20-25yrs 3 25yrs and older
Q1311 A B	In general persons identify with the sex they were assigned at birth. But there are some persons who were born with male sex organs, but identify as female. And some persons were born with female sex organs, but identify as male. How many persons do you know who were born male but identify as female? IF DOES NOT KNOW ANY RECORD '00'. IF KNOWS 95 OR MORE, RECORD '95' Which age groups do they fall into?	# of Male transgender: _____ 1 15-19yrs 2 20-25yrs 3 25yrs and older

Q1312	In general persons identify with the sex they were assigned at birth. But there are some persons who were born with male sex organs, but identify as female. And some persons were born with female sex organs, but identify as male.	# of Female transgender: _____
A	How many persons do you know who were born female but identify as male?	
B	IF DOES NOT KNOW ANY RECORD '00'. IF KNOWS 95 OR MORE, RECORD '95' Which age groups do they fall into?	1 15-19yrs 2 20-25yrs 3 25yrs and older

Parenting

	Questions and Filters	Coding categories	Skip to
Q14	Who raised you as a child before you reached age 18? (check all that apply)	Biological Mother Biological Father Adopted parent (s) Grandparents or other relatives Family friends (Non-relatives) The State (Place of safety, children's home) Sibling(s) Other _____	
Q15	Were you raised by an adult who wasn't your biological parent for any period of time before you reached age 18?	YES.....1 NO.....2 If yes specify how long in _____ months _____ years	IF NO, GO TO Q17
Q16	Were you raised by a non-parent because one or both of your parents	Moved to another parish Moved to another country Died Was not able to take care of you Other _____	
Q17	Do you think that you received adequate supervision from your adult caregiver when you were a child?	YES.....1 NO.....2 DON'T KNOW.....3 DECLINE TO ANSWER.....99	

THANK YOU FOR YOUR TIME AND CO-OPERATION!!

CARD A SELF-COMPLETED. CIRCLE YOUR ANSWER

A301	Living with	Less than 1 year 10+ years	1 year	2-4 years	5-9 years
A302	Length of Relationship	Less than 4 weeks years	2-3 Months 5 -9 years	4-11 Months 10+ years	1 Year 2 -4
A303	When last	Within last 7 days months	Within last 2-4 weeks Longer ago	Within last 12	
A304	Use?	Yes	No	Unsure	
A305	How often?	Every time	Most times	Occasionally	Never
A306	Anyone else?	Yes	No	Unsure	
A307	Job away?	Yes	No	Not Applicable	
A308	Other than Person A?	Yes	No		
A309	The last time? .	Yes	No	Not applicable	
A310	Oldest?	Oldest: _____	Not Applicable		
A311	Youngest?	Youngest: _____	Not Applicable		
A312	4 weeks?	Number: _____			
A313	New in past 12 months?	Yes	No		
A314	Met at bar or club?	Yes	No		
A315	One time	Yes	No		
A316	Use?	Yes	No	Not applicable	

A317a	Past 12 months	Number of Persons: _____
A317b	Used condom every time	Number of Persons: _____
A317c	Use condom sometimes	Number of Persons: _____
A317d	Use condom rarely/never	Number of Persons: _____
A318	Helped?	Yes No
A319	Been helped?	Yes No
A320	Ever paid?	Yes No
A321	Times paid	Number of times _____
A322	Been paid?	Yes No
A323	Use?	Yes No Not applicable
A324	Most recent?	7 days 4-12 Months years ago 2-4 weeks Over a year ago 2-3 Months Over 5
A325	Use?	Yes No
A326a	Pressured?	Yes, in the past 12 months Yes, longer than 12 months Never
A326b	Forced?	Yes, in the past 12 months Yes, longer than 12 months Never
A326c	Who?	Do not know the person Boyfriend(s)/Girlfriend(s) Social acquaintance Family/relative Police Client Other(specify) _____ Not applicable
A326d	Seek treatment?	Yes No Not applicable
A326e	Report?	Yes No Not applicable
A327	You Pressure?	Yes No
A328	Type of sex had in past 12 months?	Oral Penis in vagina Anal
A329	The last time you had anal sex was a condom used?	YES NO No anal sex in last 12 months
A329b	Vaginal sex was a condom used?	YES NO No vaginal sex in last 12 months
A330	In the past 12 months had sex with?	Only Men Only Women Both Men & Women

A331	Marijuana?	Yes	No	
A332	Crack or cocaine?	Yes	No	
A333	Injected?	Yes	No	
A334	Ecstasy?	Yes	No	
A334b	During the last 4 weeks how often have you had drinks containing alcohol? Would you say every day, at least once per week, less often or never?	Every day	At least once per week	Less often Never
A334c	In the past 4 weeks, how often did you have 5 or more drinks containing alcohol in a day?	Every day 1-3 days per month	Almost every day Less often	3-4 days per week Never
A335	Been homeless	Yes	No	
A336	Prison or jail?	Yes, in the past 12 months Never	Yes, longer than 12 months	
A337	Cut meals?	Yes	No	

CARD B SELF-COMPLETED		CIRCLE YOUR ANSWER.	
B301	Main Sexual Partner?	Yes	No
B302	Relationship	Less than 4 weeks 2-4 years	2-3 Months 5-9 years 4-11 Months 10+ years 1 Year Not applicable
B303	When last	Within last 7 days Not applicable	Within last 2-4 weeks Within last 12 months Longer ago
B304	Use?	Yes	No Not applicable
B305	How often?	Every time	Most times Occasionally Never Not applicable
B306	Anyone else?	Yes	No Not applicable
B307	Job away?	Yes	No Not applicable
B308	Other than Person A?	Yes	No
B309	The last time? .	Yes	No Not applicable
B310	Oldest?	Oldest: _____	Not Applicable
B311	Youngest?	Youngest: _____	Not Applicable
B312	4 weeks?	Number: _____	
B313	New in past 12 months?	Yes	No
B314	Met at bar or club?	Yes	No
B315a	One time	Yes	No
B315b	How many?	_____	
B316	Use?	Yes	No Not applicable

B317a	Past 12 months	Number of Persons: _____
B317b	Used condom every time	Number of Persons: _____
B317c	Use condom sometimes	Number of Persons: _____
B317d	Use condom rarely/never (very few times)	Number of Persons: _____
B318	Helped?	Yes No
B319	Been helped?	Yes No
B320	Ever paid?	Yes No
B321	Times paid	Number of times _____
B322	Been paid?	Yes No
B323	Use?	Yes No Not applicable
B324	Most recent?	7 days 2-4 weeks 2-3 Months 4-12 Months Over a year ago Over 5 years ago
B325	Use?	Yes No
B326a	Pressured?	Yes, in the past 12 months Yes, longer than 12 months Never
B326b	Forced?	Yes, in the past 12 months Yes, longer than 12 months Never
B326c	Who?	Do not know the person Boyfriend(s)/Girlfriend(s) Social acquaintance Family/relative Police Client Other(specify) _____ Not applicable
B326d	Seek treatment?	Yes No Not applicable
B326e	Report?	Yes No Not applicable
B327	You force/pressure?	Yes No
B328a	Type of sex had?	Oral Penis in vagina Anal
B328b	Anal sex was a condom used?	YES NO No anal sex
B328c	Vaginal sex was a condom used?	YES NO No vaginal sex in last 12 months
B329	In the past 12 months had sex with?	Only Men Only Women Both Men & Women
B330	Marijuana?	Yes No
B331	Crack or cocaine?	Yes No
B332	Injected?	Yes No

B333	Ecstasy?	Yes	No	
B333b	During the last 4 weeks how often have you had drinks containing alcohol? Would you say every day, at least once per week, less often or never?	Every day	At least once per week	Less often Never
B333c	In the past 4 weeks, how often did you have 5 or more drinks containing alcohol in a day?	Every day 1-3 days per month	Almost every day Less often	3-4 days per week Never
B334	Been homeless	Yes	No	
B335	Prison or jail?	Yes in the past 12 months	Yes, longer than 12 months	Never
B336	Cut meals?	Yes	No	

CARDC SELF-COMPLETED CIRCLE YOUR ANSWER.				
C601	Ever Had STI?	Yes	No	
C602a	Had Genital Discharge in past 3 months?	Yes	No	Not applicable
C602b	Had Genital Discharge in past 12 months?	Yes	No	Not applicable
C603	Ever Had Genital Ulcer?	Yes	No	
Q604a	Private doctor?	Yes	No	Not applicable
Q604b	MOH Health Center?	Yes	No	Not applicable
Q604c	Anywhere else?	Yes	No	Not applicable
Q604d	Health Care Provider?	Yes	No	Not applicable
Q604e	Prescribed Drugs?	Yes	No	Not applicable
Q604f	Unprescribed drugs?	Yes	No	Not applicable
Q604g	Tell main partner?	Yes	No	Not applicable
Q605a	STI clinic?	Yes	No	
Q605b	Satisfied?	Completely satisfied Slightly satisfied	Very satisfied Not at all Satisfied	Somewhat Satisfied Not applicable

CARD D SELF-COMPLETED**CIRCLE YOUR ANSWER.**

Q724	Little interest	Not at all Nearly every day	Several Days	More than half the days
Q725	Feeling down	Not at all Nearly every day	Several Days	More than half the days
Q726	Feeling nervous	Not at all Nearly every day	Several Days	More than half the days
Q727	Not being able to stop or control worrying	Not at all Nearly every day	Several Days	More than half the days
Q728	Thoughts of hurting self	Not at all	Yes, occasionally	Yes, very often

CARD E SELF-COMPLETED		CIRCLE YOUR ANSWER.	
Q1001a	Slapped you or threw something at you that could hurt you	Yes in the past 12 months Never	Yes, longer than 12 months
Q1001b	Pushed you or shoved you (Aggressively)	Yes in the past 12 months Never	Yes, longer than 12 months
Q1001c	Hit you with a fist or something else that could hurt	Yes in the past 12 months Never	Yes, longer than 12 months
Q1001d	Kicked, dragged, or beat you up	Yes in the past 12 months Never	Yes, longer than 12 months
Q1001e	Choked or burnt you	Yes in the past 12 months Never	Yes, longer than 12 months
Q1001f	Threatened you with, or actually used a gun, knife or other weapon against you	Yes in the past 12 months Never	Yes, longer than 12 months
Q1001g	Forced you to do something you found degrading or humiliating	Yes in the past 12 months Never	Yes, longer than 12 months
Q1001h	Made you afraid of what they would do if you did not have sexual intercourse with them	Yes in the past 12 months Never	Yes, longer than 12 months
Q1002	Was your partner who used violence, a man or a woman?	Male	Female No Violence
Q1003	Who was the person who last hit, kicked, or beat you? RECORD ONLY ONE	Do not know the person Social acquaintance Police Other(specify) _____ Decline to answer	Boyfriend(s)/Girlfriend(s) Family/relative Client Not applicable
Q1004	Do you currently think of yourself as a victim of intimate partner violence?	Yes	No Not applicable
Q1005	Do you feel you deserved this?	Yes	No Not applicable
Q1006	In the past 12 months, did you hit, kick, beat or physically hurt a partner (with a fist or slap or something else that could hurt them)	Yes	No Decline to answer