

Discovery Executive Summary

Project: discovery- Dev Env · Generated: 7/16/2026, 11:53:38 AM

EXECUTIVE SUMMARY

This report consolidates the overall ratings, key findings, and recommended actions from the 1 discovery analysis run across this codebase (frontend and backend). Each section below reproduces that analysis's executive view; full evidence and diagrams live in the individual reports.

Portfolio Overview

#	Analysis	Overall Rating	Hotspot Score
1	Technical Debt	HIGH RISK	—

1. Technical Debt

OVERALL CODEBASE RATING — TECHNICAL DEBT & AGENTIC READINESS

High Risk

Driven by High-Risk gaps in Code Repository Health (D1), Development Environment (D5), and Credential Hygiene (D6) — no CI gate and committed secrets block safe agent automation.

EXECUTIVE SUMMARY

TARGET_WORKSPACE hosts two independent React 18 frontends plus mature AI-orchestration scaffolding (MCP configs, pipeline history, knowledge base), but **lacks the baseline engineering gates an agentic harness requires**. The three most severe gaps are: **(1) zero project-level CI/CD workflows**, so no automated lint/test/build gate exists to accept agent-authored changes; **(2) live API tokens committed in nine `mcp.json` files** under `.cursor/`, `.claude/`, and `.kiro/settings/`, creating a secrets-exposure and clean-checkout risk for automation; and **(3) no `.env.example`, Dockerfile, or enforced lint/format pipeline**, leaving onboarding and environment parity manual. Third-party dependencies are mostly wired (Axios, Socket.io, Redux), but `jwt-decode`, `dotenv`, and seven `workbox-*` packages are declared yet unused. Database schema and migrations are entirely external to this workspace. **Agentic-harness readiness today is High Risk**, driven by repository hygiene (D1), development environment (D5), and credential management (D6).

Readiness Benchmark Ratings

#	Dimension	GOOD	MODERATE	HIGH RISK	Measured	Rating
D1	Code Repository Health	all checks pass	1–2 gaps	3+ gaps / no CI	No top-level <code>.gitignore</code> ; <code>workbench-demo</code> lacks <code>.gitignore</code> ; 0 CI workflows; lock files present in both apps; no PR template/CODEOWNERS	HIGH RISK
D2	Third-Party Tool Usage	mostly wired & current	some unused/unwired	many unused or unmaintained	10 of 15 security/infrastructure packages wired; <code>jwt-decode</code> , <code>dotenv</code> , 7 <code>workbox-*</code> packages declared but unused	MODERATE
D3	AI Tool / Agentic Readiness	ready	partial	not ready	Rich <code>.cursor</code> / <code>.kiro</code> / <code>.claude</code> configs and knowledge base; 11 enumerable domain services; but no CI gate, dual-app paradigm split, stale default test	MODERATE
D4	Database Usage	sound	some gaps	no constraints / shared flat schema	No schema, migrations, or seed scripts in workspace; persistence assumed external (MongoDB per README)	MODERATE
D5	Development Environment	reproducible	partial	manual / fragile	No <code>.env.example</code> , no containerization, ESLint configured but not enforced; README documents nonexistent <code>npm run lint</code>	HIGH RISK
D6	Credential / Secrets Hygiene (additional)	tokens externalized & gitignored	some config files hold secrets	live tokens in tracked configs	9 <code>mcp.json</code> files contain <code>ATLASSIAN_API_TOKEN</code> and <code>GITHUB_PERSONAL_ACCESS_TOKEN</code> literals	HIGH RISK

7.8 Actions Required

Gap	Action	Rating	Priority
No CI/CD workflows — agent changes unverified	Add <code>.github/workflows/ci.yml</code> running <code>npm ci</code> , <code>npm test -- --watchAll=false</code> , and <code>npm run build</code> for <code>social-media-react</code> and <code>workbench-demo</code> on every PR	HIGH RISK	CRITICAL
Live API tokens in 9 tracked <code>mcp.json</code> files	Rotate <code>ATLASSIAN_API_TOKEN</code> and <code>GITHUB_PERSONAL_ACCESS_TOKEN</code> ; remove literals from all <code>mcp.json</code> files; load from environment; add <code>**/mcp.json</code> env blocks to <code>.gitignore</code> or use <code>.env</code> references	HIGH RISK	CRITICAL

Missing top-level and workbench-demo <code>.gitignore</code>	Add <code>target/.gitignore</code> and <code>target/workbench-demo/.gitignore</code> covering <code>node_modules/</code> , <code>coverage/</code> , <code>.env</code> , and build output	HIGH RISK	HIGH
No <code>.env.example</code> — undocumented <code>REACT_APP_API_BASE_URL</code>	Create <code>.env.example</code> in both apps documenting required and optional environment variables	HIGH RISK	HIGH
ESLint configured but not enforced; README lint script missing	Add <code>lint</code> npm script to both apps; wire <code>npm run lint</code> into CI workflow; fix or remove stale <code>npm run lint</code> reference in <code>social-media-react/README.md:56</code>	HIGH RISK	MEDIUM
No containerization path	Add <code>docker-compose.yml</code> at workspace root with frontend services and documented backend dependency on port 3030	HIGH RISK	MEDIUM
Unused dependencies (<code>jwt-decode</code> , <code>dotenv</code> , 7 <code>workbox-*</code>)	Remove unwired packages from <code>social-media-react/package.json</code> or integrate them (e.g., <code>jwt-decode</code> in <code>PrivateRoute.jsx</code> auth check)	MODERATE	LOW
No local database schema/migrations	Link backend repo or add API schema artifacts (OpenAPI/JSON Schema) for agent data-validation tasks	MODERATE	MEDIUM
Stale default test (<code>App.test.js</code> expects "learn react")	Rewrite <code>social-media-react/src/App.test.js</code> to match current routing shell or add MSW-backed integration tests	MODERATE	MEDIUM
Dual-app paradigm split (JS/Router v5 vs TS/Router v6)	Document app boundaries; prioritize TypeScript migration roadmap for <code>social-media-react</code> as enumerable agent work queue	MODERATE	MEDIUM