


Setting Up Your Domain in Cloudflare (With/Without SSL)

1. Visit <https://www.cloudflare.com> and sign up for a free account with your desired email and password.
2. Once signed up/logged in, add your domain to the **Add a website** section and click **Scan DNS Records**. After scan has completed click **Continue**.
3. Check that **all** your DNS settings (e.g. A, CNAME records) have been imported and match your current DNS records with your domain's hosting. If not add any that are missing.
4. Select a Cloudflare plan: Free Website option is available. And click **Continue**.
5. Update your Name Servers with the two name servers that Cloudflare provides (e.g. ns.cloudflare.com). A guide on changing name servers can be found here [domain's registrar](#). **Note: It can take up to 24 hours for your name servers to take effect.** Click **Continue**.
6. Once your domain's name servers successfully changed you will get a green active state on your domain pictured below:



From your Cloudflare dashboard. Click the **Crypto** (padlock icon along the top navigation). Here you can select the SSL level for your domain.

SSL turned on:

- If you want your domain to run through SSL/HTTPS then you will first need to ensure that you have **made the necessary landing page and WLD site changes** so that they can be served over HTTPS (<http://www.whitelabeldating.com/wp-content/uploads/2017/06/SSLupgradeguide.pdf>) . You can skip to the **How to implement your SSL certificate** section.
- Select **Flexible** from the drop down box within the SSL section.
- Scroll down to *Always Use HTTPS*, and check the box to **On**.
- This will now force your domain to be served over HTTPS/SSL.

SSL turned off:

- If do not want your domain to run through SSL (or want to turn it on at a later date) then select **Off** from the drop down box within the SSL section.

Adding GeoIP functionality to your landing pages

Once your domain is actively running through Cloudflare the custom GeoIP code can be added to your domain to ensure that a potential member signs up to the correct site in the correct location (if applicable):

1. Ensure your landing page file that you are placing this code in is **.php**.
2. Visit <https://github.com/globaldev/php-cloudflare-geoip> to get the latest version of the code. Click the green Clone or Download button and Download ZIP.
3. Unzip **php-cloudflare-geoip-master.zip**.
4. Customise the **geoip.config.php** code to reflect your own WLD SITE IDs and WLD SITE URLs.
5. Copy the **cloudflare-geoip** folder to your main web directory where your landing pages are.
6. Copy/paste the code from index.example.php file and add the code to the top of your landing page.
7. Within your landing page change any **sign up form action** attribute to be:
 - a. **For SSL sites use the following:**
 - i. `<?php echo WLD_SSL_SIGNUP_FORM; ?>`

```
<form action="<?php echo WLD_SSL_SIGNUP_FORM; ?>" method="post" id="theFo
```

- b. **For Non SSL sites use the following:**

- i. `<?php echo WLD_STANDARD_SIGNUP_FORM; ?>`

```
<form action="<?php echo WLD_STANDARD_SIGNUP_FORM; ?>" method="post" id="the
```