Machine Translated by Google

Ministry of Public Health, Hygiene and Social Welfare
National Institute of Public Health
Public Health Emergency Operations Center

PRESIDENTIAL EBOLA TASK FORCE 17

MVE17 Incident Management System

Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°165/MVE-BDBV/26/10/2026

Reporting date: October 26, 2026 Publication date: October 27, 2026

HIGHLIGHTS (last 24 hours)

For October 26, 2026, 81 new confirmed cases and 41 deaths (28 community deaths and 13 in Ebola Treatment Centers) of Ebola Virus Disease (EVD) were reported in the provinces of Ituri (36), North Kivu (36), Haut-Uélé (6), and Tshopo (3). A total of 383 new samples were analyzed; 81 of these samples tested positive for the Bundibugyo virus, representing a positivity rate of 21.4%.
No new health zones have been affected in the last 24 hours.

ACCUMULATIVE CAS	ACCUMULATIVE DEATH CONFIRMED	LETHALITY	PATIENTS IN ISOLATION/CTE	ACCUMULATIVE HEALED	TRACKING RATES CONTACTS (Of the Day)
10141	4928	48,6%	999	2 708	84,5 %

Affected provinces and affected health zones

8 Provinces affected

Uele, Ituri, North Kivu, South Kivu, Tshopo, Lower Uele, South Ubangi, and Nord Ubangi

66 out of 178 health zones affected (37.1%)

Summary of key points from the last 24 hours

Eighty-one (81) **new confirmed cases** of Ebola virus disease (EVD) have been reported in four provinces : **Ituri (36 cases), North Kivu (36 cases), Haut-Uélé (6 cases), and Tshopo (3 cases).** Among these cases, **28 community deaths** have been reported **(14 in Ituri, 12 in North Kivu, and 2 in Haut-Uélé).**

In addition, **13 confirmed deaths were recorded in the CTEs (9 in North Kivu and 4 in Ituri),** bringing **the total number of confirmed deaths notified** during the period to 41.

Furthermore, 24 patients **(14 in Ituri, 7 in North Kivu, 2 in Tshopo and 1 in Haut-Uélé)** were declared cured after obtaining two negative results in the Ebola control test

As of October 26, 2026, the DRC had recorded **10,141 confirmed cases, including 4,928** deaths, representing a case fatality rate **of 48.6%.** Ituri province remained the epicenter, accounting for **71.5%** of cases. % of reported confirmed cases and **44.4%** of new confirmed cases.

No new health zones have been affected in the last 24 hours.

Thus, 66 out of 178 health zones (37.1%), spread across eight provinces, have been affected since the start of the epidemic.

Machine Translated by Google

Table 1. Distribution of confirmed cases and deaths by affected province, as of October 26, 2026.

Province	New confirmed cases (24h)	Confirmed cases	Deaths (confirmed)	Lethality	Affected health zones
Ituri	36	7247	3 388	46,8%	28/36 (77,8 %)
North Kivu	36	2345	1 314	56,0%	17/34 (50,0 %)
Haut-Uélé	6	442	192	43,4%	7/13 (53,8 %)
Boss	3	86	27	31,4%	7/23 (30,4 %)
South Kivu	0	3	1	33,3%	1/34 (2,9 %)
Bas-Uélé	0	13	4	30,8%	4/11 (36,4%)
Sud Ubangi	0	2	1	50,0%	1/16 (6,3%)
Nord Ubangi	0	3	1	33,3%	1/11(9,1%)
Total	**81**	**10 141**	**4 928**	**48,6%**	**66/17 8(37,1%)**

Table 2. Distribution of confirmed cases and deaths by province and zone as of October 26, 2026

Province / Health Zone	Cumulative number			Current situation (24 hours)			
	Cas (n)	Deaths (n)	Lethality	New Case	Community deaths (Swab+)	Confirmed deaths within the CTE	Total confirmed deaths
Ituri	**7247**	**3388**	**46,8%**	**36**	**14**	**4**	**18**
Give	11	1	9,1%				0
Understand	25	6	24,0%				0
Ariwara	8	2	25,0%				0
Aungba	12	5	41,7%				0
Bamboo	218	48	22,0%				0
have	2	2	100,0%				0
Bunia	1958	668	34,1%	9	4	0	4
Ladies	41	10	24,4%				0
Drodro	15	7	46,7%				0
Fireworks	84	31	36,9%				0
Gethy	11	7	63,6%				0
Flounder	2	0	0,0%				0
Kilo	38	12	31,6%				0
Team	193	118	61,1%				0
Liter	323	162	50,2%	1	0	0	0
Logo	14	9	64,3%				0
Fight	36	9	25,0%				0
distributed	5	1	20,0%				0
Washing	85	38	44,7%	2	1	0	1
Darkness	446	239	53,6%	13	4	0	4
Mangala	393	172	43,8%	6	4	0	4
Mongbwalu	717	346	48,3%				0

Machine Translated by Google

Nia -Nia	339	197	58,1%	1	0	0	0
Nizi	840	306	36,4%	1	0	0	0
Legumes	137	43	31,4%	1	0	1	1
Jungle	22	6	27,3%				0
Rwampara	1187	423	35,6%	2	1	3	4
Tchomia	85	27	31,8%				0
A valves	THAT	493	THAT				0
North Kivu	**2345**	**1314**	**56,0%**	**36**	**12**	**9**	**21**
Me	643	428	66,6%	22	7	4	11
Farm	24	8	33,3%				0
Butembo	333	197	59,2%	1	1	2	3
Ten	1	0	0,0%				0
Kalunguta	92	40	43,5%	2	2	1	3
Cut	666	407	61,1%	5	1	1	2
Source	3	2	66,7%				0
Kyondo	46	21	45,7%	1	0	0	0
Lubero	41	14	34,1%				0
Be careful.	100	36	36,0%				0
Alimbong	5	3	60,0%				0
Manguredjipa	16	5	31,3%				0
Masereka	39	13	33,3%				0
The museums	157	75	47,8%				0
Mutwanga	45	13	28,9%	1	0	0	0
Oicha	78	34	43,6%	4	1	1	2
Vuh	56	18	32,1%				0
Upper Uele	**442**	**192**	**43,4%**	**6**	**2**	**0**	**2**
Government Mangbetu	46	19	41,3%	1	0	0	0
Dumb	1	1	100,0%				0
Gombari	3	1	33,3%				0
Mathematics	110	51	46,4%	1			0
Lining	110	63	57,3%	1	1	0	1
Beans	6	3	50,0%				0
Ordinary	166	54	32,5%	3	1		1
Boss	**86**	**27**	**31,4%**	3	0	0	0
Bafwasende	18	3	16,7%				0
Kabondo	18	2	11,1%	2	0	0	0
Funeral a	1	0	0,0%				0
Maquis - Kisangani	33	14	42,4%				0
Mangobo	10	7	70,0%				0
Boss	5	0	0,0%	1	0	0	0
Wanie - Arugula	1	1	100,0%				0
South Kivu	**3**	**1**	**33,3%**	0	0	0	0
Miti -Murhesa	3	1	33,3%				0
Bas Uélé	**13**	**4**	**30,8%**	0	0	0	0
Blind	1	1	100,0%				0
Viadana	6	1	16,7%				0
Claim	1	0	0,0%				0
Walk	5	2	40,0%				0

Machine Translated by Google

Sud Ubangi	**2**	**1**	**50,0%**	0	0	0	0
Hair	2	1	50,0%				0
Nord Ubangi	**3**	**1**	**33,3%**	0	0	0	0
You are logged in.	3	1	33,3%				
Total	**10141**	**4928**	**48,6%**	**81**	**28**	**13**	**41**

*These are the confirmed deaths that occurred in the various CTEs in the province which are being broken down to be classified by health zone.

NA : Not Applicable.

Table 3. Status of alerts notified by province for October 26, 2026

DPS	Alerts Received		Total alerts	Alerts verified and validated (suspected case)		Alerts verified and invalidated (no suspected cases)		Number of suspects investigated	Number of suspects investigated and transferred to CT/CTE (of the day)
	Living	Deceased		Living	Deceased	Living	Deceased		
Haut-Uélé	141	7	148	22	7	119	0	24	14
Bas Uélé	180	1	181	25	0	155	1	25	0
Ituri	1 698	75	1 773	171	75	1 527	0	233	147
North Kivu	1 840	72	1 912	200	72	1 640	0	272	130
Sud Ubangi	31	0	31	1	0	30	0	1	0
Nord Ubangi	ND	ND	ND	ND	ND	ND	ND	ND	ND
Boss	158	0	158	8	0	150	0	2	2
Grand Total	**4 048**	**155**	**4 203**	**427**	**154**	**3 621**	**1**	**557**	**293**

Figure 1. Evolution of cases by date of symptom onset over the last 21 days





Figure 2. Spatial distribution of confirmed cases (24 hours and cumulative) by health zone.



1. COORDINATION

1.1. Main Actions

• Support for response activities in the affected provinces through the technical pillars.

Machine Translated by Google

2. RESPONSE ACTIONS BY PILLAR

2.1. Epidemiological surveillance

2.1.1. Main Actions

As of October 26, 2026, **4,203 alerts** have been notified in the six provinces that submitted their data, including **4,048** alerts of living people and **155 deaths ;** all have been verified (100%).
Of these alerts, **581** (13.8%) were validated as suspected cases and **3,622 (86.2%)** were invalidated.
Of the 581 confirmed suspected cases, **557 (95.9%)** were investigated **and 293** were transferred to CT/CTE; **24** suspects remain uninvestigated (13 in Ituri, 6 in Tshopo and 5 in Haut-Uélé).
(Table 3);
34,935 contacts were under follow-up in six provinces ; **29,528** were seen in the last 24 hours, representing a follow-up rate of **84.5%,** below the required threshold of **95.0%** but up from the previous day **(81.6%).**
By province, the follow-up rate is 99.2% in Bas-Uélé **(778/784), 97.3%** in Sud-Ubangi **(109/112), 91.7** % in Ituri **(10,834/11,820), 81.8%** in Nord-Kivu **(15,379/18,805), 81.3%** in Haut-Uélé **(1,691/2,079), and 55.2%** in Tshopo **(737/1,335);** no contacts are under follow-up in Nord-Ubangi.

2.1.2. Update on checkpoint and point of entry (PoE/PoC) activities

Main actions

On October 26, 2026, eighteen (18) alerts were notified to the PoE/PoC: 8 in Bas-Uélé, 7 in Ituri, 2 in North Kivu, and 1 in Tshopo. In Ituri, the 7 active alerts (Biakato May and Bela PoCs, Mandima Health Zone, and Nizi Regional Emergency Response Center) were validated and investigated; 3 were transferred (43%; 3/7), 2 refused, and 2 could not be transferred due to a lack of ambulances. In Tshopo, the alert validated at the PK15 PoC on the Banalia road refused transfer to the Emergency Response Center. In North Kivu (Kahongo and Maboya) and Bas-Uélé, all alerts were invalidated after investigation.

Table 4. Status of key PoE/PoC indicators by province, as of October 26, 2026

Indicators	Ituri	North Kivu	South Kivu	Tshopo	Upper Uele	Lower Uele	Global
Report completeness	98,4% (61/62)	95% (20/21)	56% (5/9)	100% (18/18)	100% (12/12)	55% (11/20)	89% (127/142)
Strategic PoC/PoE	1	0	0	0	0	0	1
Number of past travelers	168 716	96 027	7 346	22 531	26 775	2 935	324 330
Proportion of travelers screened	97%	98%	98%	99%	98%	99%	98%
% of travelers who washed their hands	97%	98%	98%	99%	99%	99%	98%
99% of travelers made aware		98%	100%	100%	100%	84%	99%
Number of alerts notified	07	02	0	01	0	08	18
Number of validated live alerts	07	0	0	01	0	0	8
Number of lifeless bodies intercepted	0	0	0	0	0	0	0
% of suspected cases transferred to CT/CTE	43% (3/7)	0%	0%	0% (0/1)	0%	0%	38% (3/8)
% of lifeless bodies swabed/secured	0%	0%	0%	0%	0%	0%	THAT
% of suspected cases investigated within 24 h	100% (7/7)	0%	0%	100% (1/1)	0%	0%	100% (8/8)

Challenges

In Ituri, 4 confirmed suspects at the Mandima and Nizi PoCs were not transferred (0 ambulances available, refusals), the Avakubi PoC remains non-functional due to insecurity, and 4,716 travelers (2.8%) refused screening; **in North Kivu,** the Butuhe PoC remains closed since the security incident.

Machine Translated by Google

of September 26, 2026; **in Bas-Uélé and Sud-Kivu,** the completeness of the reports remains low (55% and 56%).

2.1 Laboratory

2.2.1 Main actions

- **Ituri:** 36 new positive results (22 living and 14 dead) out of 185 new samples analyzed (positivity rate: 19.5%)
- **North Kivu:** 36 new positive results (24 living and 12 dead) out of 156 new samples analyzed in Beni and Butembo (positivity: 23.1%).
- **Tshopo:** 3 new positive results (3 live) out of 14 new samples analyzed (positivity : 21,4 %).
- **Haut-Uélé:** 6 new positive results (4 living and 2 dead) out of 24 new samples analyzed (positivity: 25.0%).
- **Bas Uélé:** 4 samples received and analyzed (4 live) the results were negative.

2.3. Infection Prevention and Control (IPC/EDS)

2.3.1. Main actions

- **Ituri :** 23 rings opened out of 30 (76.7%), 43 households decontaminated out of 47 (91.5%) and 13 FOSA out of 13 (100%); 46 EDS carried out out of 84 alerts (54.8%) and 40 bodies swabed.
- **North Kivu :** 24 rings open out of 60 (40.0%), 14 households decontaminated out of 33 (42.4%) and 22 ESS out of 24 (91.7%); 59 EDS carried out out of 108 alerts including 55 swabed bodies.
- **Tshopo:** 2 households decontaminated in Kabondo and CM Pharmat decontaminated, 14 ESS monitored and 197 Service providers briefed; 1 EDS carried out and 2 bodies swabed out of 10 alerts.
- **Bas-Uélé:** 25 service providers and 16 hygiene specialists were briefed in Buta on IPC and standard precautions, Ganga and Viadana.

2.3.2. Challenges.

- **In North Kivu,** ring road openings (40.0%) and household decontamination (42.4%) are low in Katwa and Beni, with no households receiving kits. **In Ituri,** resistance to EDS (Emergency Diagnostic Services) is present in Bambu, Mangala, and Mandima.
- **In Tshopo,** 7 out of 10 bodies are not swabé. **In Bas-Uélé,** 16 out of 20 priority ESSs lack functional triage, 17 out of 20 (85.0%) lack water, and only 130 out of 632 providers (20.6%) are trained in PCI-WASH.

2.4. Holistic care

2.4.1. Main actions

In **Ituri,** 94 new admissions were recorded compared to 88 discharges, including 14 recoveries. Thus, 412 patients are hospitalized, representing an occupancy rate of 40.6%; 378 out of 385 patients (98.2%) received hot meals and all children under LNPE/SLM were taken care of (21/21 at the CTE).

- **In North Kivu,** 132 new admissions were recorded against 98 discharges, including 7 recoveries. Thus, 536 patients are being treated, including 163 outside CTE/CT, for a CTE/CT occupancy rate of 90.2% (370/410).
- **In Tshopo,** 3 new admissions against 6 discharges, including 2 recoveries; 14 patients hospitalized (occupancy rate: 38.9%).
- **In Haut-Uélé,** 9 new admissions of suspected cases against 3 discharges, including 1 recovered; 37 patients (9 confirmed and 28 suspected) hospitalized for 149 beds, representing an occupancy rate of 24.8%.

In Bas **-Uélé,** 25 new admissions were recorded compared to 10 discharges. Thus, 124 patients Suspects remain in isolation in ESS facilities, without nutritional support.

2.4.2. Challenges

In Ituri, the amount of blood received remains insufficient compared to the needs, benefited of patients and 37 patients are in critical condition. **In North Kivu,** the Ebola Treatment Centers (ETCs) are nearing capacity.

Machine Translated by Google

(90.2%) and 163 patients are being treated outside of CTE/CT; in Tshopo, 2 confirmed cases escaped to Bafwasende; in Haut-Uélé, network coverage remains poor and nutritional supplies are lacking

2.5. Vaccination

2.5.1. Main actions

In Ituri, vaccination of people living with HIV (PLHIV) using Ervebo (MSF support) and research on its effectiveness against BDBV-related Ebola virus disease (BBDV) are continuing, bringing the number of people vaccinated to 1,748 (704 women and 1,044 men). The Partners, EBO-PEP, and Oracle trials are also ongoing. **In Bas-Uélé,** the vaccination support team arrived in the Dakwa health zone to train teams and launch compassionate vaccination, which is continuing in Buta; 1,735 people have been vaccinated out of a target of 13,202 (13.1%).

2.5.2. Challenges

• **In Bas-Uélé,** the implementation of the UCCs is not effective and coverage remains very low in Bili (0 out of 1,067), in Aketi (7.8%) and in Titule (7.8%); in Tshopo, only 5 out of 14 agents (35.7%) are vaccinated.

2.6. Continuity of Care

2.6.1. Main actions • In North Kivu,

the CSSE assessment of the Tinge Hospital (Kalunguta) noted the absence of standardized triage and emergency services, with only 8 out of 24 providers (33.3%) trained in IPC; in Ituri, 474 out of 700 recovered patients (67.7%) are being monitored

2.6.2. Challenges

Low data reporting from the pillar (no data from Haut-Uélé, Bas-Uélé and Sud-Ubangi); shortages of vital MEG and insufficient blood products at CH Tinge (North Kivu).

2.7. Risk Communication and Community Engagement (RCCE)

2.7.1. Main actions

• **In Ituri,** 270 feedbacks out of 297 (90.9%) and 6 incidents out of 11 (54.5%) were resolved within 48 hours; the CREC facilitated the pre-listing of 184 contacts around 5 confirmed cases, the decontamination of 13 out of 13 households, the completion of 16 out of 16 EDS, the announcement of 9 positive results out of 13 and the transfer of 21 out of 28 suspects (75.0%), and 1,034 faithful were sensitized in the churches of Nyankunde and Bunia.

• **In North Kivu,** 7,860 home visits reached 31,234 people and 221 educational talks reached 6,194 people; 364 out of 650 alerts (56.0%) were notified and 15 out of 22 feedbacks (68.2%) were resolved within 48 hours.

In Bas **-Uélé,** 3 home visits reached 234 people, and 1 educational talk brought together 40 people and 8 mass awareness campaigns were organized for 4,008 people (Ango, Monga, Likati and Ganga); 3 community alerts were notified and resolved (Likati and Monga)

• **In Tshopo,** 212 home visits reached 1,237 people and 1,666 students were sensitized in Kabondo; in Bas-Uélé, 3 mass sensitizations reached 4,132 people (Likati and Bondo).

2.8. Mental Health and Psychosocial Support (MHPSS)

2.8.1. Main actions

• **In Ituri,** 11 of the last confirmed cases out of 32 (34.4%), 59 confirmed out of 68 and 123 suspected out of 132 under follow-up as well as 51 new suspected out of 69 have been taken care of, 7 out of 10 households of separated and orphaned children (70.0%) have been accompanied, 49 children are being followed up, 8 out of 8 children in nursery (2 admissions), 9 out of 13 have been reintegrated into the community, 26 out of 31 have been followed up in the community, 246 caregivers and 72 PPLs have been supported and 47 results have been announced, including 11 positive ones.

In Tshopo, all confirmed (9/9) and suspected (28/28) cases under follow-up received treatment, 8 out of 8 instances of resistance were overcome, and 119 people benefited from psychoeducation.

Machine Translated by Google

2.8.2. Challenges

In Ituri, only 15 out of 28 affected health zones (53.6%) are covered, only 11 out of 32 new confirmed cases (34.4%) have been treated, and coverage remains incomplete around the most recent cases in Bunia (5/8) and Lita (2/3). **In Tshopo,** the community health workers in the Wanie-Rukula health zone are not trained, and the health pillar lacks communication units and means of transportation.

2.9. Logistics

2.9.1. Main actions

In North **Kivu,** medicines and healthcare supplies (Humanitarian Action for Africa and Africa CDC), office supplies (FHI 360), and beds, mattresses, and tents (WHO) were received, and supplies were delivered to the health zones of Beni, Mutwanga, Oicha, and Walikale; an ambulance dedicated to point-of-care/point-of-control (POE/POC) was also received. **In Bas-Uélé,** construction of the treatment center at Buta General Referral Hospital and the rehabilitation of the Provincial Health Directorate (DPS) offices are continuing, but 140 liters of diesel fuel, computers, printers, and scanners are still needed.

2.10. Security

2.10.1. Main actions

- **In North Kivu,** EDS and PCI teams were escorted for the burial of 2 confirmed cases in Bundji and the decontamination of households and ESS in Benengule, Butanuka and Tamende; in Tshopo, attacks against teams prevent the monitoring of 502 contacts.

2.11. PSEA (Prevention of Sexual Exploitation and Abuse)

2.11.1. Main actions

In Haut-Uélé, six LLIN distribution agents from the BCZS in Isiro and 12 service providers from the CECCA 16 PoC in Wamba (7 men and 5 women) received training on the PSEA (Protection of Animal Health), referral mechanisms, and the reporting process. Nationally, 2,381 people were sensitized and 59 service providers briefed during the day, bringing the total to 74,091 people sensitized and 6,549 staff and service providers who signed the code of conduct.

2.11.2. Challenges

- Coverage of affected areas remains low: in Ituri, only 15 out of 36 health zones (41.7%) know the reporting mechanism and only 2 partners (WHO and IMC) report their PSEA activities; in North Kivu, only 3 out of 34 health zones (8.8%) know the reporting mechanism; only 2 out of 8 health districts (25.0%) reported their PSEA activities in the last 24 hours.

MESSAGES CLES

In the last 24 hours, 81 new confirmed cases have been reported in the four provinces, including 36 in Ituri, 36 in North Kivu, 6 in Haut-Uélé and 3 in Tshopo. Transmission remains particularly noted in the health zones of Beni (22 cases), Mandima (13 cases) and Bunia (9 cases). Of the 41 confirmed deaths reported, 28 are deaths community-based (14 in Ituri, 12 in North Kivu and 2 in Haut-Uélé). The rate The contact tracing rate stands at 84.5% (29,528/34,935), below the 95% threshold, with the lowest rates in Tshopo (55.2%) and Haut-Uélé (81.3%). The situation underlines the need to strengthen detection early intervention, contact tracing (particularly in Tshopo), and burials dignified and secure and the transfer of suspects, particularly to PoCs of Darkness.

TIMELINE OF KEY EVENTS

From April 24 to May 15, 2026, the epidemic progressed from the detection of the first suspected cases to the biological confirmation of the Ebola Bundibugyo virus, leading to the official declaration of the 17th Ebola Virus Disease epidemic in the Democratic Republic of Congo.

Between May 17 and 18, 2026, national authorities, with the support of partners, strengthened the response by declaring a public health emergency of national and then continental scope, accompanied by the mobilization of funds.

Machine Translated by Google

TASK FORCE PRESIDENTIAL EBOLA 17
Ministry of Public Health, Hygiene and Social Welfare
National Institute of Public Health
Public Health Emergency Operations Center
MVE17 Incident Management System

Director General of INSP
Dr. MWAMBA KAZADI Dieudonné

Email: dieudonne.mwamba@insp.cd

Incident Manager
Professor Dr. AHUKA MUNDEKE Steve

Email: steve.ahuka@unikin.ac.cd

Operations Manager
Dr. KOBBE NGWAMA John

Editorial Team
Professor Dr. MULANGU KATULUMBA Félix-Médard
Dr. KATUSI BISELENGE Jules
Mrs. WISE DEAD Marie
Dr. DIUR MANANASHI Floryan
Mr. Kamuina Kebela John

Contact :

www.insp.cd
contact@sgiebola17.org

Freephone number: 151. www.sante.gouv.cd