Machine Translated by Google

Ministry of Public Health, Hygiene and Social Welfare
National Institute of Public Health
Public Health Emergency Operations Center
PRESIDENTIAL EBOLA TASK FORCE 17
MVE17 Incident Management System



# Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°180/MVE-BDBV/10/11/2026

Reporting date: November 10, 2026 Publication date: November 11, 2026

## HIGHLIGHTS (last 24 hours)

**Over the past 24 hours, seventy-two (72) new confirmed cases and 46 confirmed deaths, including 30 community deaths and 16 deaths within treatment centers, have been reported. The new cases were recorded in Ituri (44), North Kivu (24), Haut-Uélé (3), and North Ubangi (1). A total of 603 new samples were analyzed in the laboratories that submitted their data; 72 of these samples tested positive for**

**The Bundibugyo virus has a positivity rate of 11.9%. No new health zones have been affected in the last 24 hours.**

| ACCUMULATIVE CASE | ACCUMULATIVE DEATH CONFIRMED | LETHALITY | PATIENTS IN ISOLATION/CTE | ACCUMULATIVE HEALED | TRACKING RATES CONTACTS (Of the Day) |
|---|---|---|---|---|---|
| 11114 | 5433 | 48.9% | 981 | 3031 | 85.5% |

## Affected provinces and affected health zones

**8 Provinces affected**

**Haut-Uélé, Ituri, North Kivu, South Kivu, Tshopo, Bas-Uélé, South Ubangi, and North Ubangi**

**67 out of 178 health zones affected (37.6%)**

## Summary of key points from the last 24 hours

On November 10, 2026, **seventy-two (72)** new confirmed cases of Ebola virus disease (EVD) were reported in four provinces: Ituri (44 cases), North Kivu (24 cases), North Ubangi (1 case), and Haut-Uélé (3 cases), representing a 38.5% increase compared to the previous day. Among these cases, 30 community deaths were reported (20 in Ituri, 9 in North Kivu, and 1 in Haut-Uélé). In addition, 16 confirmed deaths were recorded in Ebola Treatment Centers (7 in Ituri and 9 in North Kivu), bringing the total number of confirmed deaths reported during this period to 46.

In addition, 41 patients (36 in North Kivu, 1 in Haut-Uélé and 4 in Ituri) were declared cured after obtaining two negative results in the control test for Ebola virus disease.

Since the start of the epidemic, the DRC has recorded 11,114 confirmed cases, including 5,433 deaths, representing an overall case fatality rate of 48.9%. Ituri remains the epicenter of the epidemic, accounting for 69.5% of cumulative confirmed cases and 61.1% of new reported cases, while North Kivu represents 33.3% of new cases and has a case fatality rate of 55.2%, higher than the national average.

No new health zones have been affected in the last 24 hours.

Thus, 67 out of 178 health zones (37.6%), spread across eight provinces, have been affected since the start of the epidemic, namely: Ituri, North Kivu, Haut-Uélé, Tshopo, South Kivu, Bas-Uélé, South Ubangi and North Ubangi.

Machine Translated by Google

**Table 1. Distribution of confirmed cases and deaths by affected province, as of November 10, 2026.**

| Province | New confirmed cases (24h) | Confirmed cases | Deaths (confirmed) | Lethality | Affected health zones |
|---|---|---|---|---|---|
| Ituri | 44 | 7,728 | 3,655 | 47.3% | 28/36 (77.8%) |
| North Kivu | 24 | 2,761 | | 55.2% | 17/34 (50.0%) |
| Haut-Uélé | 3 | 499 | | 43.3% | 7/13 (53.8%) |
| Tshopo | 0 | 98 | 1,523,216 32 | 32.7% | 7/23 (30.4%) |
| South Kivu | 0 | | 1 | 33.3% | 1/34 (2.9%) |
| Bas-Uélé | 0 | 3 | 4 | 30.8% | 4/11 (36.4%) |
| South Ubangi | 0 | | 1 | 50.0% | 1/16 (6.3%) |
| North Ubangi | 1 | 13 2 10 | 1 | 10.0% | 2/11 (18.2%) |
| **Total** | **72** | **11,114** | **5,433** | **48.9%** | **67/178 (37.6%)** |

**Table 2. Distribution of confirmed cases and deaths by province and zone as of November 10, 2026**

| Province / Zone of rate | Cumulative number | | | Current situation (24 hours) | | | |
|---|---|---|---|---|---|---|---|
| | Cases (n) | Deaths (n) | Health fatality | New. Case | Death Confirmed community (Swab+) | Death deaths intra-CTE | confirmed |
| **Ituri** | **7728** | **3655** | **47.3% 44** 9.1% | | **20 7 27** | | |
| Adja | 11 | 1 | 28.0% | | | | 0 |
| Aru | 25 | 7 | 25.0% | | | | 0 |
| Ariwara | 8 | 2 | 41.7% | | | | 0 |
| Aungba | | 5 | 22.7% | | | | 0 |
| Bamboo | | 50 | 100.0% | | | | 0 |
| Boga | 12,220,2 | 2 | 35.7% | | | | 0 |
| Bunia | 2069 | 739 | 24.4% | 19 | 11 | 2 | 13 |
| Damascus | 41 | 10 | 50.0% | | | | 0 |
| Drodro | 16 | 8 | 36.0% | | | | 0 |
| Fataki | 86 | 31 | 63.6% | 1 | 0 | 0 | 0 |
| Gethy | 11 | 7 | 0.0% | | | | 0 |
| Kambala | 2 | 0 | 35.7% | | | | 0 |
| Kilo | 42 | 15 | 61.7% | 1 | 1 | 0 | 1 |
| Komanda 193 344 | | | 49.7% | | | | 0 |
| Lita | | 119,171 | 71.4% | 1 | 1 | 0 | 1 |
| Logo | 14 | 10 | 29.7% | | | | 0 |
| Lolwa | 37 | 11 | 16.7% | | | | 0 |
| Mahagi | 6 | 1 | 51.4% | | | | 0 |
| Mambasa 146 | | 75 | 51.9% | 3 | 0 | 0 | 0 |
| Mandima 592 423 | | | 41.8% | 10 | | 0 | 4 |
| Mangala | | | 49.1% | 3 | 40 | 0 | 0 |
| Mongbwalu 733 | | 307,177,360 | 58.7% | | | | 0 |
| Nia-Nia 346 867 | | | 37.0% | | 0 | 2 | 2 |
| Nizi | | 203,321 | | 10 | 0 | 1 | 1 |

Machine Translated by Google

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Nyankunde 142 | | 46 | 32.4% | 1 | 1 | 0 | 1 |
| Rimba 29 | | | 24.1% | | | | 0 |
| Rwampara 1225 | | | 36.7% 4 | | 2 | 2 | 4 |
| Tchomia 86 | | 7,450,27 | 31.4% | | | | 0 |
| To ventilate 0 | | 493 | N / A | | | | 0 |
| **North Kivu 2761** | | **1523** | **55.2% 24** | | **9** | **9** | **18** |
| Beni 839 | | 543 | 64.7% | 8 | 2 | 4 | 6 |
| Biena 28 | | 11 | 39.3% | 1 | 0 | 0 | 0 |
| Butembo 352 | | 207 | 58.8% | 1 | 1 | 1 | 2 |
| Goma | 1 | | 0.0% | | | | 0 |
| Kalunguta 113 | | 0 | 44.2% | 1 | 0 | 0 | 0 |
| Katwa 688 | | 50 | 62.2% 2 | | 1 | 2 | 3 |
| Kayna | 3 | 428 2 | 66.7% | | | | 0 |
| Kyondo 48 | | 22 | 45.8% | 1 | 0 | 0 | 0 |
| Lubero 45 | | 17 | 37.8% | 0 | 0 | 1 | 1 |
| Mabalako 12 9 | | 41 | 31.8% 2 | | 0 | 0 | 0 |
| Alimbongo 6 | | 4 | 66.7% | | | | 0 |
| Manguredjipa 16 | | | 31.3% | | | | 0 |
| Masereka 49 | | 5 | 30.6% | 1 | 0 | 0 | 0 |
| Musienene 166 | | 15 | 50.0% | 1 | 1 | 0 | 1 |
| Mutwanga 105 | | 83 | 24.8% | 3 | 1 | 1 | 2 |
| Oicha 111 | | 26 | 42.3% | 3 | 3 | 0 | 3 |
| Vuhovi 62 | | 47 22 | 35.5% | | | | 0 |
| **Upper Uélé 499** | | **216** | **43.3%** | **3** | **1** | **0** | **1** |
| Boma Mangbetu | 48 | 20 | 41.7% | | | | 0 |
| Dungu | 1 | 1 | 100.0% | | | | 0 |
| Gombari | 3 | 1 | 33.3% | | | | 0 |
| Isiro | 126 | 59 | 46.8% | | | | 0 |
| Pawa | 130 | 69 | 53.1% 2 | | 1 | 0 | 1 |
| Rungu | 10 | 5 | 50.0% | 1 | 0 | 0 | 0 |
| Wamba | 181 | 61 | 33.7% | | | | 0 |
| **Tshopo** | **98** | **32** | **32.7%** | 0 | 0 | 0 | 0 |
| Bafwasende 18 | | 3 | 16.7% | | | | 0 |
| Kabondo | 24 | 5 | 20.8% | | | | 0 |
| Lubunga | 1 | 0 | 0.0% | | | | 0 |
| Makiso - Kisangani | 38 | 15 | 39.5% | | | | 0 |
| Mangobo 11 | | | 72.7% | | | | 0 |
| Tshopo | 5 | 80 | 0.0% | | | | 0 |
| Wanie - Rukula | 1 | 1 | 100.0% | | | | 0 |
| **South Kivu 3** | | **1** | **33.3%** | 0 | 0 | 0 | 0 |
| Miti -Murhesa 3 | | 1 | 33.3% | | | | 0 |
| **Bas Uélé** | **13** | **4** | **30.8%** | 0 | 0 | 0 | 0 |
| Buta | 1 | 1 | 100.0% | | | | 0 |
| Viadana | 6 | 1 | 16.7% | | | | 0 |
| Dakwa | 1 | 0 | 0.0% | | | | 0 |
| Ganga | 5 | 2 | 40.0% | | | | 0 |
| **South Ubangi 2** | | **1** | **50.0%** | 0 | 0 | 0 | 0 |
| Bulu | 2 | 1 | 50.0% | | | | 0 |

Machine Translated by Google


| | | | | | | |
|---|---|---|---|---|---|---|
| **North Ubangi 10** | **1** | **10.0%** | 1 | 0 | 0 | 0 |
| Wapinda | 6 1 4 0 **11114** | 16.7% | | 0 | 0 | 0 |
| Yakoma | **5433** | 0.0% | | 0 | | 0 |
| **Total** | | **48.9%** | 1072 | **30** | **16** | **46** |

***These are the confirmed deaths that occurred in the various CTEs of the province which are being broken down to be classified by health zone.**
**NA: Not Applicable.**


## Table 3. Status of alerts notified by province for November 10, 2026

| DPS | Alerts Received | | Total alerts | Alerts verified and validated (suspected case) | | Alerts verified and invalidated (no suspected cases) | | Number of suspects investigated | Number of suspects investigated and transferred At CT/CTE (of the day) |
|---|---|---|---|---|---|---|---|---|---|
| | Living | Deceased | | Living | Deceased | Living | Deceased | | |
| High-Uele | 81 | 4 | 85 | 19 | 4 | 62 | 0 | 23 | 9 |
| Bas Uélé | 111 1 | 1 | 112 | 8 | | 103 | 0 | | 0 |
| Ituri | 560 76 | | 1636 125 | | 176 | 1435 | 0 | 9,200 | 111 |
| North-Kivu | 2 085 65 | 2150 236 | | | 65 | 1849 | 0 | 301 | 177 |
| North Ubangi | 36 | 0 | 36 | 13 | 0 | 18 | 0 | 13 | 5 |
| South Ubangi | 30 | 0 | 30 | 2 | 0 | 27 | 0 | 2 | 2 |
| Tshopo | 104 | 4 | 108 | 13 | 1 | 91 | 0 | 14 | 2 |
| **Total General** | **4007 150** | **4157 416** | | | **147 3585** | | **0** | **562** | **306** |

## Figure 1. Daily evolution of confirmed cases and deaths since 15/5 - 10/11/26 in the DRC




## Figure 2. Spatial distribution of confirmed cases (24 hours and cumulative) by health zone.



Machine Translated by Google

## 1. COORDINATION

### 1.1. Main Actions

• Support for response activities in the provinces **2.**
**RESPONSE ACTIONS BY PILLAR**

### 2.1. Epidemiological surveillance

### 2.1.2. Main Actions

As of November 10, 2026, 4,157 alerts had been reported in the seven provinces that submitted their data (Bas-Uélé, Haut-Uélé, Ituri, Nord-Kivu, Sud-Ubangi, Nord-Ubangi, and Tshopo), including 4,007 alerts of living persons and 150 of deaths; 4,148 were verified (99.8%). Of these, 563 (13.6%) were validated as suspected cases and 3,585 (86.4%) were invalidated. Of the 562 suspected cases investigated, 306 were transferred to treatment centers (Table 3).

As of November 10, 2026, a total of 36,863 contacts were under follow-up in the six provinces that reported contacts to follow up, of which 31,528 were seen in the last 24 hours, representing a follow-up rate of 85.5%, below the required threshold of 95%.

**Table 4. Status of contact tracing by province, as of November 10, 2026**

| Province | Contacts under follow-up | Contacts viewed | tracking rate |
|---|---|---|---|
| Ituri | 14,135 | 13,138 | 92.9% |
| Haut-Uélé | 1938 | 1,783 | 92.0% |
| North Kivu | 19,384 | 15,336 | 79.1% |
| Tshopo | 1027 | 900 | 87.6% |
| North Ubangi | 267 | 262 | 98.1% |
| South Ubangi | 112 | 109 | 97.3% |
| Bas Uélé | 0 | 0 | N / A |
| Total | 36,863 | 31,528 | 85.5% |

### 2.2. Update on checkpoint and point of entry (PoE/PoC) activities

### 2.2.1. Main actions

- **Ituri :** 149,994 travellers registered at the various checkpoints. Several alerts of travellers with fever or pain were recorded (notably at the PoCs of Iga-Barrière, Mudzibala, Biakato and Bela), but some transfers to the CTE could not be carried out immediately due to the unavailability of ambulances.

- **North Kivu :** Joint visit to Beni airport to monitor the construction of
  Passenger walkways, changing rooms, isolation areas, and sanitary facilities were established with IOM support. Four alerts were notified, three of which were confirmed (two suspected cases of fever at the Foner Kasindi PoC and one body).

Machine Translated by Google

intercepted at the Mukulia PoC). The Butuhe PoC remains closed since the security incident of September 2026.

- **Tshopo: Interception** of **3 lifeless bodies** at PoC PK 15 (Banalia axis) transported by motorcycle without respecting control measures, as well as 1 **lifeless body** at PoC Traversée Lubunga coming from PK 80 (Ubundu road).
- **Haut-Uélé :** 12 out of 13 Points of Control (PoCs) reported their data (26,868 passengers). A planning meeting was held to activate 6 priority PoCs (Watsa, Makoro, Aungba) and to finalize payments to IOM service providers for September.
- **South Ubangi :** Continued construction of checkpoints and temporary isolation areas at Bokuda 1 and Karava (with the support of World Vision).

- **South Kivu :** Report of a man who died on 05/11/2026 in Bujumbura and was transported to Goma on 10/11/2026 via Uvira (Kavimvira)

**Challenges :**

- The main challenges lie in the urgent need for training for the teams and a strengthening of logistical support (means of transport).

**Table 5. Status of key PoE/PoC indicators by province, as of November 10, 2026**

| No. | Indicators | FOCUS | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | ITURI | NORTH KIVU | SOUTH KIVU | TSHOPO | HAUT-UELE | BAS-UELE | SOUTH-UBANGI | NORTH-UBANGI |
| 1 | Report completeness | 92% (57/62) | 95% (20/21) | 56% (5/9) | 100% (18/18) | 92% (12/13) | 64% (14/22) | 60% (3/5) | N / A |
| 2 | PoE/PoC strategic | 1 | 0 | 0 | 0 | 0 | ND | 0 | N / A |
| 3 | Number of past travelers | 149,994 | 90,914 | 7,890 | 21,140 | 26,868 | ND | 2034 | N / A |
| 4 | proportion of travelers screened | 96% | 98% | 99% | 99.60% | 99% | ND | 97% | N / A |
| 5 | % of travelers who washed their hands | 96% | 98% | 99% | 99% | 99% | ND | 97% | N / A |
| 6 | % of travelers made aware | 99% | 98% | 100% | 100% | 100% | ND | 100% | N / A |
| 7 | Number of alerts notified | 5 | 4 | 1 | 4 | 0 | ND | 0 | N / A |
| 8 | Number of alerts validated live | 5 | 2 | 0 | 0 | 0 | ND | 0 | N / A |
| 9 | Number of bodies lifeless intercepted | 0 | 1 | 1 | 4 | 0 | ND | 0 | N / A |
| 10 | % of cases suspects transferred to CT/CTE | 40% (2/5) | 100% (2/2) | 0% | 0% | 0% | ND | 0% | N / A |
| | % of lifeless bodies swabed/secured | 0% | 100% (1/1) | 0% | 0% | 0% | ND | 0% | N / A |
| 11 | % of cases Suspects will be investigated within 24 hours | 100% (5/5) | 100% (3/3) | 0% | 100% | 0% | ND | 0% | N / A |
| 12 | Accumulated alerts and confirmed cases | Notified = 621; Validated = 554 (Body lifeless: 149); Confirmed = 72 | Notified = 409; Validated = 181 Lifeless bodies: 76 ); Confirmed = 10 | Notified = 24; Validated = 24 (Lifeless bodies: 24) ); Confirmed = 0. | Notified = 21; Validated = 14 (Lifeless body: 5); Confirmed = 0. | Notified = 14; Validated = 12 (Body lifeless: 6); Confirmed = 0. | ND | Notified = 5; Validated = 5 (Lifeless body: 0); Confirmed = 0 | N / A |

Machine Translated by Google

### 2.3. Laboratory

#### 2.3.1. Main actions

- **Ituri :** 276 samples received and tested today, for an overall positivity rate of **8.3%** (18.3% for new suspects, 13.8% for re-samples and 23.0% for follow-up/control tests).
- **North Kivu: 255 samples received and 254 analyzed in the laboratory. The overall positivity rate is 8% for new samples (13/165), 9% for repeat samples (3/34), and 15% for samples from deceased individuals (8/55). • Tshopo :** 11 samples received and analyzed today (0 new

confirmed cases, 11 negative repeat samples).

0 positive cases re-sampled, and 0 new suspected cases sampled).

- **Haut-Uélé:** A total of 54 samples were received and analyzed by the Isiro and Wamba laboratories (49 from Haut-Uélé and 5 from Bas-Uélé). Of the 32 new samples analyzed, 3 were positive and 29 were negative. Of the 17 follow-up samples, 3 were positive and 14 were negative. The daily positivity rate is 6.25% (while the daily trend is around 19%). • **Bas-Uélé:** 13 new samples were received (11 blood, 2 swabs). 8 samples were analyzed (0 positive, 6 negative).

negative, 2 invalid) and 4 non-compliant samples recorded.

## 2.4. Infection Prevention and Control (IPC/EDS)

## 2.4.1. Main actions

- **Haut-Uélé :** Re-evaluation of the Bethesda Hospital Center's Scorecard and provision of tricycles and motorcycles by the Red Cross to improve the mobility of Safe and Dignified Burial (SDB) teams in the health zones of Pawa and Boma-Mangbetu. Decontamination of structures and households around confirmed and suspected cases (e.g., 2 households decontaminated and 1 ring opened in Pawa).

- **Bas-Uélé :** Monitoring and support of healthcare providers in 9/9 ESS in Buta, 4 ESS in Ganga and 2 ESS in Viadana. Briefing of 45 service providers and 8 hygienists (100%) on PPE, waste management, sorting and hand washing.

**South Ubangi :** The pillar conducted the briefing of the hygiene and IPC committee at the Mbako Health Centre on the ScoreCard and the 8 standard precautions, while highlighting significant structural deficiencies (absence of triage and isolation area, lack of water, PPE and hygienic latrines).
No new Safe and Dignified Burials (SDBs) or body retrievals by swab were carried out during the day, with the provincial total remaining at 7 SDBs and 7 bodies retrieved by swab since the beginning.

**North Ubangi :** Evaluation of the health structures of Wapinda (CS Wapinda 1 with a score of 22.5% and CS Wapinda 2 with 16.1%) and briefing of 6 health professionals (PPL) on hand hygiene and waste management.

**Ituri:** 46/54 rings open, 10/12 households and FOSA decontaminated.

**North Kivu :** 2 out of 17 rings open (11.8%), 13 out of 15 health establishments decontaminated (86.7%), and 5 out of 18 households decontaminated (28%). Four infection prevention and control (IPC) scorecard assessments were conducted in health establishments (average score of 49.2%), and staff exposure risk was assessed (16/23 deemed high-risk in Beni).

**Tshopo :** Decontamination of 2 Health Care Facilities (HCF) (CM Yahwe Shamaa, PS La Promesse Divine) and a household around the 95th and 98th cases in Makiso-Kisangani and Mangobo

- **Challenges :** insufficient staff in Mangala and Mandima, lack of inputs in Mandima and Mambasa, strike in Tchomia.

## Dignified and safe burials (DSH)

- **Ituri :** 102 EDS alerts received, 75 carried out (74%), enabling the securing and sampling (swab) of 16 bodies.
- **North Kivu :** 77 EDS carried out in total, including 67 swabé bodies.
- **Tshopo:** Start of training of 3 mobile EDS teams (46 providers in total).

Machine Translated by Google

## 2.5. Holistic care

### 2.5.1. Main actions

- **Ituri :** 7% overall occupancy rate in facilities (50% for suspects and 24% for confirmed), 376 patients in total (128 confirmed and 248 suspected), including 35 cases considered critical. 91 new admissions (including 3 in advanced phase) and 77 discharges (74 recovered, 61 non-cases reclassified, and 12 deaths including 7 confirmed).
- **North Kivu :** 16 admissions (7 confirmed, 9 suspected). 33 discharges recorded (including 36 recoveries and 10 deaths). and 604 patients in beds, including 132 confirmed and 472 suspected cases (including 76 children under 5 years old and 24 patients in critical condition). 252 patients are being treated outside of CTE/CT facilities (in unstructured ESS settings). 17 ambulances are available, of which 14 are in use (82% utilization rate) for 23 successful trips.
- **Tshopo :** 3 new admissions of suspected cases (1 at CT Kongakonga and 2 at CTE Météo). No new confirmed cases admitted. 6 patients hospitalized in total (1 confirmed case and 5 suspected cases), representing an overall occupancy rate of 15%.
- **Haut-Uélé : Movements and Hospitalizations:** 4 new admissions of confirmed cases. Total: 22 cases

  37 confirmed and suspected cases are currently hospitalized (active) in the various CTEs.

  **Nutrition and Support:** 61 patients, 58 caregivers and 89 people with disabilities received 3 hot meals. 11 ambulance trips were recorded in total.
- **Bas-Uélé:** Absence of centralized CTE; suspected cases are isolated in healthcare facilities (ESS). Construction of a standardized CTE at Buta General Referral Hospital is underway (50% complete) and 23 patients are in isolation (all suspected cases: Bili: 2, Buta: 1, Bondo: 1, Ganga: 1, Viadana: 3, plus those rescheduled). 3 patients were discharged and declared non-cases after laboratory analysis in Buta.
- **North Ubangi: In Wapinda, 4 confirmed cases and 15 suspected cases isolated at the Wapinda General Referral Hospital, receiving nutritional support (with the arrival of the partner ATAMECO). And in Yakoma: 2 confirmed cases and 12 suspected cases isolated at the Yakoma Ebola Treatment Center.**

## 2.6. Vaccination

### 2.6.1. Main actions

- **Ituri :** Continued vaccinations (Ervebo) targeting PPL with MSF support. Cumulative vaccination (from 19/09 to 09/11/2026): 3,346 people vaccinated across various partner health facilities (DPS, Elikya, CME Alima, Rwampara, Rwankole, etc.)
- **Bas-Uélé :** Continuation of compassionate vaccination (Ervebo) in Bili and Buta. Cumulative total of 2,099 people vaccinated (1,327 women, 772 men), with an encoding rate on the DHIS2 server of 98.2% and a loss rate of 0.0%.

## 2.7. Continuity of Care

### 2.7.1. Main actions in North Kivu :

The baseline assessment of the Tulizeni health center highlighted the absence of a standardized triage area, a lack of PPE and staff protection, and the lack of a connected water source. On the administrative and financial front, payment for the 133 actors involved in the Oicha health zone response for July 2026 was ensured.

- ***Ituri :*** 18 providers trained in emergency obstetric and neonatal care in 4 health centers in Lita. Supervision of routine immunization in the 36 health zones. Planned: HIV/TB training, Gety and Fataki training, and blood product supply.
- **Haut-Uélé :** The Dungu Health Zone received batches of routine vaccines for November, while the EPI (Expanded Program on Immunization) unit was supplied with fuel for the cold chain. The assessment of the Center

Machine Translated by Google

Bachenze Health (Pawa Health Zone) highlighted a significant drop in attendance due to fear and rumors related to Ebola, as well as a lack of adequate health infrastructure.
Post-vaccination monitoring and targeted vaccination of Persons Deprived of Liberty (PPL) are actively continuing in the areas concerned (Isiro, Wamba, Pawa and Rungu).

## 2.8. Risk Communication and Community Engagement (RCCE)

### 2.8.1. Main actions

- **Ituri :** Intense field activities carried out by the ZS (home visits, educational talks, community debates and mass awareness campaigns) and involvement of notables, religious and traditional leaders (e.g. in the ZS of Kilo and Bambu) to promote acceptance of the response and early reporting of alerts.

- **North Kivu:** Organization of a provincial press briefing focused on the protection of students in school settings, radio broadcasts (e.g. in Butembo), home visits (1,929 visits reaching 57,276 people) and educational talks (147 talks reaching 9,148 people).

- **Tshopo :** Continued awareness-raising activities (home visits, educational talks, radio broadcasts). Launch of the “Safe Schools for the Start of the School Year” project by CONEPT/UNESCO with the provision of handwashing kits in several schools (e.g., Augustino School, Mapendano Primary Schools 1 & 2).

- **Haut-Uélé :** Integration of Ebola prevention messages during educational talks, mass activities (e.g., in churches and mining areas in Wamba), and home visits. Successful joint operation to overcome fierce resistance surrounding a suspected case in the Tely health area.
  Processing public perceptions and questions collected via interactive programs (e.g., fears about transfers to the CTE, false rumors about decontamination products).
- **Bas-Uélé: Awareness-raising carried out through home visits, educational talks (e.g. with taxi drivers in Ganga and pregnant women in prenatal care in Bondo/Yakpa) and sessions in schools.**
  **North Ubangi:** Field visit (to CS Sanga in Yakoma) to supervise the community activities of RECOS (home visits and awareness campaigns).

## 2.9. Mental Health and Psychosocial Support (MHPSS)

### 2.9.1. Main actions

**Ituri :** Psychosocial support provided for 21/31 of the last confirmed cases and 69/111 cases under follow-up, as well as for 49/91 new suspects, and 198 accompanying persons and 112 PPL supported, and 21/23 recovered patients followed in the community.

**Tshopo :** Psychological support provided to 7 new suspected cases of the day (100%) and support provided to relatives of cases (including 6 relatives of case 98 prepared for the EDS).

**North Kivu :** 7 health zones covered (100%). 16 new cases out of 17 treated (94.1%). 174 separated children placed in daycare and 29 orphaned households supported.

## 2.10. Logistics

### 2.10.1. Main actions

- **Tshopo: Lack** of mobility resources (increased need for motorcycles for field teams) and fuel constraints for critical infrastructure.
- **Bas-Uélé :** Packaging of PCI and PEC inputs is underway. Rehabilitation work is in progress at the DPS (meeting room, hygiene and teaching offices supported by WHO). Major needs have been identified for computer equipment (computers, printers, scanners), fuel (0 liters of diesel in stock) and means of transport.

**2.11. Security**

### 2.11.1. Main actions

**Bas-Uélé :** Calm situation (Nothing to report), but teams note the absence of guard posts at secure sites exposing guards to the elements, as well as a lack of mobility for the pillar.

Machine Translated by Google

**Tshopo:** Insecurity and persistent threats against response teams in certain areas (notably in Bafwasende, Kabondo and Mangobo).

## 2.12. PSEA (Prevention of Sexual Exploitation and Abuse)

### 2.12.1. Main actions

- **North Kivu :** Reception of PCI and EDS inputs supplied by AFENET, and monitoring of the work
  The incinerator at Katwa General Referral Hospital. Fuel support (280 liters) provided to the Beni Health Zone surveillance by FHI 360

### KEY MESSAGES

Seventy-two (72) new confirmed cases were reported in four provinces, including 44 in Ituri, 24 in North Kivu, and 1 in North Ubangi. and 3 in Haut-Uélé. Transmission remains particularly marked in the health zones of Mandima (10 cases) and Bunia (19 cases) in Ituri, as well than in that of Beni (8 cases) in North Kivu.

Of the 46 confirmed deaths reported, 30 are deaths community-based (20 in Ituri, 9 in North Kivu and 1 in Haut-Uélé) and 16 These are deaths at the CTEs (7 in Ituri, 9 in North Kivu). The follow-up rate Contacts are established at 85.5% (31528/36863) in the six provinces with contacts currently being monitored (North Ubangi: 98.1%; South ... Ubangi: 97.3%; Haut-Uélé: 92.0%; Ituri: 92.9%; North Kivu: 79.1 %; Tshopo: 87.6%), up from the previous day (79.7%) but always below the 95% threshold, with the lowest rate in the North-Kivu.

### TIMELINE OF KEY EVENTS

From April 24 to May 15, 2026, the epidemic is moving beyond the detection of the first cases suspected of having the virus confirmed by biological testing Ebola Bundibugyo, leading to the official declaration of the 17th Ebola Virus Disease epidemic Ebola in the Democratic Republic of Congo.

Between May 17 and 18, 2026, the authorities national, with the support of partners, have strengthened the response with the declaration of the public health emergency of scope national and then continental, accompanied by

Machine Translated by Google

**EBOLA PRESIDENTIAL FORCE TASK 17**

**Ministry of Public Health, Hygiene and Social Welfare**

**National Institute of Public Health**

**Public Health Emergency Operations Center**

**MVE17 Incident Management System**

**Director General of INSP**

Dr. MWAMBA KAZADI Dieudonné

Email:diedonne.mwamba@insp.cd

**Incident Manager**

Professor Dr. AHUKA MUNDEKE Steve

Email: steve.ahuka@unikin.ac.cd

**Operations Manager**

Dr. KOMBE NGWAMA John

**Editorial Team**

Professor Dr. MULANGU KATULUMBA Félix-Médard

Dr. Sifa Akilimali

Mr. KANKU Benjamin

Ms. KABWE Deborha

**Contact:**

**www.insp.cd**

**contact@sgiebola17.org**

**Freephone number: 151. www.sante.gouv.cd**