




**EBOLA PRESIDENTIAL FORCE TASK 17**  
**Ministry of Public Health, Hygiene and Social Welfare**  
**National Institute of Public Health**  
**Public Health Emergency Operations Center**  
**MVE17 Incident Management System**



## Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°109/MVEBDB/08/31/2026

📅 Reporting date: August 31, 2026

📅 Publication date: September 1, 2026



### HIGHLIGHTS (last 24 hours)

In the last 24 hours, 86 new confirmed cases of Ebola Virus Disease have been reported, including 43 community deaths. (EVD) cases were recorded in the provinces of Ituri (49 cases), North Kivu (32 cases), and Haut-Uélé (5). In addition, 14 Intra-CTE deaths have been recorded. No new health zones have been affected in the last 24 hours.

|                                          |                                                    |                                  |                                                |                                            |                                                                               |
|------------------------------------------|----------------------------------------------------|----------------------------------|------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------|
| <b>ACCUMULATIVE CASE</b><br><b>6,186</b> | <b>ACCUMULATIVE DEATH CONFIRMED</b><br><b>3007</b> | <b>LETHALITY</b><br><b>48.6%</b> | <b>PATIENTS IN ISOLATION/CTE</b><br><b>830</b> | <b>ACCUMULATIVE HEALED</b><br><b>1,409</b> | <b>TRACKING RATES CONTACTS</b><br><small>(Of the Day)</small><br><b>88.0%</b> |
|------------------------------------------|----------------------------------------------------|----------------------------------|------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------|



## Affected Provinces and Affected Health Zones



### 6 Provinces Affected

Haut-Uélé, Ituri, North Kivu,  
South Kivu, Tshopo & Bas Uélé



**60 out of 151**  
**health zones affected**  
**(39.7%)**



### Summary of key points from the last 24 hours

As of August 31, 2026, **86 new confirmed cases**, including **43 community deaths** from Ebola Virus Disease (EVD), were reported in the provinces of **Ituri (49 cases), North Kivu (32) and Haut Uélé (5)**.

On the other hand, **26 patients** were declared cured after obtaining two negative results for Ebola virus disease (16 in Ituri, 6 in North Kivu and 4 in Haut Uélé).

However, **14 deaths within the CTE** were unfortunately recorded, including 10 in Ituri, 2 in Haut Uélé and 2 in Nord-Kivu, bringing **the number of deaths for the day to 57**.

Since the start of the epidemic, **6,186 confirmed cases, including 3,007 deaths**, have been reported in the DRC, representing a case fatality rate of **48.6 %**. Approximately **81.9%** of confirmed cases are concentrated in Ituri, making it the epicenter, and **57.0%** of new cases reported as of August 31, 2026, originated from this province.

Overall, 60 of the 151 (39.7%) health zones in the six provinces remain affected since the start of the epidemic in the DRC. Ituri has 28 health zones affected out of 36, followed by North Kivu (15/34), Haut-Uélé (6/13), Tshopo (7/23), South Kivu (1/34) and Bas Uélé (3/11).

**Table 1. Distribution of confirmed cases and deaths by affected province, as of August 31, 2026.**

| Province     | New confirmed cases (24h) | Confirmed cases | Deaths (confirmed) | Lethality    | Affected health zones |
|--------------|---------------------------|-----------------|--------------------|--------------|-----------------------|
| Ituri        | 49                        | 5065            | 2,305              | 45.5%        | 28/36 (77.8%)         |
| North Kivu   | 32                        | 868             | 589                | 67.9%        | 15/34 (44.1%)         |
| Haut-Uélé    | 5                         | 227             | 100                | 44.1%        | 6/13 (46.1%)          |
| Tshopo       | 0                         | 19              | 9                  | 47.4%        | 7/23 (30.4%)          |
| South Kivu   | 0                         | 3               | 1                  | 33.3%        | 1/34 (2.9%)           |
| Bas Uélé     | 0                         | 4               | 3                  | 75.0%        | 3/11 (27.3%)          |
| <b>Total</b> | <b>86</b>                 | <b>6,186</b>    | <b>3007</b>        | <b>48.6%</b> | <b>60/151 (39.7%)</b> |

**Table 2. Distribution of confirmed cases and deaths by province and health zone, as of August 31, 2026**

| Province / Health Zone | Cumulative number |             |              | Current situation (24 hours) |                          |                                 |                        |
|------------------------|-------------------|-------------|--------------|------------------------------|--------------------------|---------------------------------|------------------------|
|                        | Case (n)          | Deaths (n)  | Lethality    | New Case                     | Community deaths (Swab+) | Confirmed deaths within the CTE | Total confirmed deaths |
| <b>Ituri</b>           | <b>5065</b>       | <b>2305</b> | <b>45.5%</b> | <b>49</b>                    | <b>21</b>                | <b>10</b>                       | <b>31</b>              |
| Adja                   | 11                | 1           | 9.1%         |                              |                          |                                 | 0                      |
| Aru                    | 8                 | 6           | 75.0%        |                              |                          |                                 | 0                      |
| Ariwara                | 8                 | 2           | 25.0%        |                              |                          |                                 | 0                      |
| Aungba                 | 12                | 5           | 41.7%        |                              |                          |                                 | 0                      |
| Bamboo                 | 165               | 36          | 21.8%        | 4                            | 0                        |                                 | 0                      |
| Boga                   | 2                 | 2           | 100.0%       |                              |                          |                                 | 0                      |
| Bunia                  | 1407              | 441         | 31.3%        | 10                           | 4                        |                                 | 4                      |
| Damascus               | 28                | 9           | 32.1%        |                              |                          |                                 | 0                      |
| Drodro                 | 14                | 7           | 50.0%        | 1                            | 1                        |                                 | 1                      |
| Fataki                 | 76                | 30          | 39.5%        |                              |                          |                                 | 0                      |
| Gethy                  | 6                 | 2           | 33.3%        |                              |                          |                                 | 0                      |
| Kambala                | 2                 | 0           | 0.0%         |                              |                          |                                 | 0                      |
| Kilo                   | 32                | 12          | 37.5%        |                              |                          |                                 | 0                      |
| Komanda                | 87                | 59          | 67.8%        | 9                            | 8                        |                                 | 8                      |
| Lita                   | 220               | 119         | 54.1%        | 2                            | 0                        |                                 | 0                      |
| Logo                   | 11                | 5           | 45.5%        |                              |                          |                                 | 0                      |
| Lolwa                  | 22                | 5           | 22.7%        |                              |                          |                                 | 0                      |
| Mahagi                 | 4                 | 1           | 25.0%        |                              |                          |                                 | 0                      |
| Mambasa                | 17                | 7           | 41.2%        |                              |                          |                                 | 0                      |
| Mandima                | 36                | 21          | 58.3%        |                              |                          |                                 | 0                      |
| Mangala                | 257               | 133         | 51.8%        | 11                           | 6                        |                                 | 6                      |
| Mongbwalu              | 612               | 286         | 46.7%        | 2                            | 1                        |                                 | 1                      |
| Nia-Nia                | 216               | 113         | 52.3%        | 1                            | 0                        |                                 | 0                      |
| Nizi                   | 664               | 261         | 39.3%        | 2                            | 0                        |                                 | 0                      |
| Nyankunde              | 124               | 35          | 28.2%        |                              |                          |                                 | 0                      |
| Rimba                  | 10                | 4           | 40.0%        |                              |                          |                                 | 0                      |

|                   |             |             |              |           |           |           |           |
|-------------------|-------------|-------------|--------------|-----------|-----------|-----------|-----------|
| Rwampara          | 957         | 339         | 35.4%        | 7         | 1         |           | 1         |
| Tchomia           | 57          | 25          | 43.9%        |           |           |           | 0         |
| To ventilate **   | N / A       | 339         | N / A        | N / A     | N / A     | 10        | 10        |
| <b>North Kivu</b> | <b>868</b>  | <b>589</b>  | <b>67.9%</b> | <b>32</b> | <b>21</b> | <b>2</b>  | <b>23</b> |
| Blessed           | 141         | 102         | 72.3%        | 3         | 2         |           | 2         |
| Good              | 1           | 1           | 100.0%       |           |           |           | 0         |
| Butembo           | 174         | 131         | 75.3%        | 9         | 6         | 1         | 7         |
| Goma              | 1           | 0           | 0.0%         |           |           |           | 0         |
| Kalunguta         | 16          | 7           | 43.8%        |           |           |           | 0         |
| Katwa             | 404         | 268         | 66.3%        | 14        | 10        | 1         | 11        |
| Kyondo            | 16          | 12          | 75.0%        |           |           |           | 0         |
| Lubero            | 2           | 2           | 100.0%       | 1         | 1         |           | 1         |
| Mabalako          | 5           | 4           | 80.0%        |           |           |           | 0         |
| Manguredjipa      | 1           | 0           | 0.0%         |           |           |           | 0         |
| Masereka          | 9           | 4           | 44.4%        |           |           |           | 0         |
| Musienene         | 83          | 47          | 56.6%        | 4         | 1         |           | 1         |
| Mutwanga          | 2           | 2           | 100.0%       | 1         | 1         |           | 1         |
| Oicha             | 7           | 6           | 85.7%        |           |           |           | 0         |
| Vuhovi            | 6           | 3           | 50.0%        |           |           |           | 0         |
| <b>Haut-Uélé</b>  | <b>227</b>  | <b>100</b>  | <b>44.1%</b> | <b>5</b>  | <b>1</b>  | <b>2</b>  | <b>3</b>  |
| Boma              | 27          | 14          | 51.9%        |           |           |           | 0         |
| Mangbetu          | 3           | 1           | 33.3%        |           |           |           | 0         |
| Isiro             | 81          | 33          | 40.7%        |           |           |           | 0         |
| Pawa              | 37          | 22          | 59.5%        | 4         | 1         | 2         | 3         |
| Rungu             | 1           | 0           | 0.0%         |           |           |           | 0         |
| Wamba             | 78          | 30          | 38.5%        | 1         | 0         |           | 0         |
| <b>Tshopo</b>     | <b>19</b>   | <b>9</b>    | <b>47.4%</b> | <b>0</b>  | <b>0</b>  | <b>0</b>  | <b>0</b>  |
| Bafwasende        | 2           | 0           | 0.0%         |           |           |           | 0         |
| Kabondo           | 3           | 1           | 33.3%        |           |           |           | 0         |
| Lubunga           | 1           | 0           | 0.0%         |           |           |           | 0         |
| Makiso-Kisangani  | 9           | 5           | 55.6%        |           |           |           | 0         |
| Mangobo           | 2           | 2           | 100.0%       |           |           |           | 0         |
| Tshopo            | 1           | 0           | 0.0%         |           |           |           | 0         |
| Wanie-Rukula      | 1           | 1           | 100.0%       |           |           |           | 0         |
| <b>South Kivu</b> | <b>3</b>    | <b>1</b>    | <b>33.3%</b> | <b>0</b>  | <b>0</b>  | <b>0</b>  | <b>0</b>  |
| Miti-Murhesa      | 3           | 1           | 33.3%        |           |           |           | 0         |
| <b>Bas Uélé</b>   | <b>4</b>    | <b>3</b>    | <b>75.0%</b> | <b>0</b>  | <b>0</b>  | <b>0</b>  | <b>0</b>  |
| Buta              | 1           | 1           | 100.0%       |           |           |           | 0         |
| Viadana           | 1           | 0           | 0.0%         |           |           |           | 0         |
| Ganga             | 2           | 2           | 100.0%       |           |           |           | 0         |
| <b>Total</b>      | <b>6186</b> | <b>3007</b> | <b>48.6%</b> | <b>86</b> | <b>43</b> | <b>14</b> | <b>57</b> |

\*These are the confirmed deaths that occurred in the various CTEs in the province and are being broken down to be classified by health zone.

NA: Not Applicable.

\*\* These deaths were recorded in the various CTEs of the Ituri province and are currently being assessed.

Table 3. Status of alerts notified by province, as of August 31, 2026

| DPS                  | New Alerts Received |            | Total alerts | Alerts verified and validated (suspected case) |            | Alerts verified and invalidated (no suspected cases) |          | Number of suspects investigated | Number of suspects investigated and transferred to CT/CTE (of the day) |
|----------------------|---------------------|------------|--------------|------------------------------------------------|------------|------------------------------------------------------|----------|---------------------------------|------------------------------------------------------------------------|
|                      | Living              | Deceased   |              | Living                                         | Deceased   | Living                                               | Deceased |                                 |                                                                        |
| Haut-Uélé            | 18                  | 2          | 20           | 17                                             | 1          | 1                                                    | 0        | 18                              | 9                                                                      |
| Bas Uélé             | 22                  | 2          | 24           | 1                                              | 2          | 21                                                   | 0        | 3                               | 0                                                                      |
| Ituri                | 985                 | 80         | 1065         | 178                                            | 78         | 457                                                  | 1        | 256                             | 151                                                                    |
| North Kivu           | 1,120               | 64         | 1184         | 107                                            | 60         | 991                                                  | 3        | 167                             | 83                                                                     |
| South Kivu           | 3                   | 0          | 3            | 2                                              | 0          | 1                                                    | 0        | 2                               | 0                                                                      |
| Tshopo               | 148                 | 1          | 149          | 7                                              | 1          | 127                                                  | 0        | 8                               | 3                                                                      |
| <b>Total General</b> | <b>2296</b>         | <b>149</b> | <b>2,445</b> | <b>312</b>                                     | <b>142</b> | <b>1598</b>                                          | <b>4</b> | <b>454</b>                      | <b>246</b>                                                             |

"A sharp increase in the volume of alerts received was observed, rising from 1,628 to 2,445 (+50.2%), with a parallel increase in

The number of validated suspects increased from 258 to 454. This change necessitates a verification of the completeness and temporal scope of the reporting.

Figure 1. Evolution of cases by date of symptom onset over the last 21 days





Figure 2. Spatial distribution of confirmed cases (24h and cumulative) by health zone.



## 1. COORDINATION

### 1.1. Main Actions

- Monitoring and support of response actions in all affected provinces.

## 2. RESPONSE ACTIONS BY PILLAR

### 1.1.1. Epidemiological surveillance

#### 1.1.2. Main Actions

In the last 24 hours, 2,445 alerts have been recorded in the 6 provinces

Of the affected cases, 2,056 (84.1%) were verified. All 454 confirmed suspected cases were investigated (100%), and 246 of them were transferred to CT/CTE (Table 3).

The proportion of contacts followed up in the last 24 hours is 88.0% (22 499 views out of 25,560 to follow), above the threshold of 85%, compared to the previous day (86.3%).

### 1.1.3. Challenges

Persistent low contact tracing around confirmed cases in the Lower Province Uélé, linked to a lack of teams dedicated to these activities.

## 1.2. Update on checkpoint and point of entry (PoC/PoE) activities

### 1.2.1. Main actions

- Two (02) alerts were notified to the PoE/PoC in the last 24 hours, both validated and referred: one in Ituri, at the Kasenyi PoE (Tchomia Health Zone), an 87-year-old male from Rukwazi, isolated and referred to the CTE; one in North Kivu, at the Mukulia PoC (Beni Health Zone), a 23-year-old male from Isiro, referred to the CT. No alerts were notified in South Kivu, Tshopo, Haut-Uélé, or Bas-Uélé.

**Table 4. Status of key PoC/PoE indicators by province, as of August 31, 2026**

| Indicators                                        | Ituri           | North Kivu      | South Kivu     | Tshopo        | Haut-Uélé     | Bas-Uélé       | Overall            |
|---------------------------------------------------|-----------------|-----------------|----------------|---------------|---------------|----------------|--------------------|
| Report completeness                               | 90%<br>(54/60)  | 100%<br>(18/18) | 55.5%<br>(5/9) | 41%<br>(7/17) | 73%<br>(8/11) | 55%<br>(11/20) | 76.3%<br>(103/135) |
| % of functional strategic PoE/PoC                 | 9.09%<br>(1/11) | ND              | ND             | ND            | ND            | ND             | ND                 |
| Number of people who passed by to PoE/PoC         | 145,990         | 95,524          | 9,871          | 3,981         | 15,539        | 5,349          | 276,254            |
| % of travelers screened                           | 99%             | 98%             | 98% 99%        |               | 98%           | 98% 98.5%      |                    |
| % of travelers who washed their hands             | 97.9%           | 98%             | 98% 99%        |               | 96%           | 98% 97.9%      |                    |
| % of travelers made aware                         | 99.5%           | 98%             | 100% 100%      | 97%           |               | 98% 98.8%      |                    |
| Number of alerts notified                         | 1               | 1               | 0              | 0             | 0             | 0              | 2                  |
| Number of live alerts validated (suspected cases) | 1               | 1               | 0              | 0             | 0             | 0              | 2                  |
| Number of bodies recovered today                  | 0               | 0               | 0              | 0             | 0             | 0              | 0                  |
| % of suspected cases transferred to CT/CTE        | 100%<br>(1/1)   | 100%<br>(1/1)   | NA (0/0)       | NA (0/0)      | NA (0/0)      | NA (0/0)       | 100%<br>(2/2)      |
| % of lifeless bodies swabbed/secured              | NA (0/0)        | NA (0/0)        | NA (0/0)       | NA (0/0)      | NA (0/0)      | NA (0/0)       |                    |
| % of suspected cases investigated within 24 hours | 100%<br>(1/1)   | 100%<br>(1/1)   | NA (0/0)       | NA (0/0)      | NA (0/0)      | NA (0/0)       | 100%<br>(2/2)      |

### 1.2.2. Challenges

Operationalization of PoE/PoC points is suboptimal, and reporting is low in Tshopo (41%), Bas-Uélé (55%), and Sud-Kivu (55.5%). In Ituri, only 1 (9.09%) of the 11 strategic PoE/PoC points remains fully operational; the Avakubi and Pont Ituri PoC points remain non-functional for security reasons, and the Nzebi, Frigo, and Galay PoC points are experiencing a strike due to non-payment. In Haut-Uélé, 3 PoC points (Dusu, Apodo, and Gossamu) have not reported, and the Magambe PoC has a high rate of refusal to undergo screening and handwashing. In Tshopo, 17 out of 30 planned PoC points are operational. In Sud-Kivu, isolation facilities are lacking at the Kavimvira, Kalundu Port SNCC, and Baraka PoE points.

### 1.3. Laboratory

#### 1.3.1. Main actions

- **Ituri : 49 new positive results** (28 living and 21 deaths) out of 255 new samples received and analyzed (**positivity: 19.2 %**).
- **North Kivu : 32 new positive results** (11 living and 21 dead) out of 224 samples analyzed (**positivity of 14.2%**).
- **Haut-Uélé: 5 new positive results** (4 living and 1 death) out of 18 samples analyzed (**positivity: 27.7%**).
- **Bas-Uélé: 5 samples** received and tested (1 blood and 4 swabs), all returned negative.
- **Tshopo:** 4 new samples were received, all came back negative.

### 1.4. Infection Prevention and Control (IPC/EDS)

#### 1.4.1. Main actions

- **In Ituri**, 16 rings were opened out of the 30 identified (53.3%), 132 households decontaminated out of 142 identified (92.9%) and 22 FOSA out of 22 (100%); 71 EDS carried out out of 93 alerts and 61 bodies swabed (10 failures).
- **In North Kivu**, 20 rings were opened, 18 households were decontaminated out of 49 identified (36.7%), and 47 health facilities were decontaminated out of 56 (83.9%); 12 health facility assessments were carried out with an average score of 49%. 46 bodies were swabed and 48 health data collection (HDC) assessments were carried out.
- **In Tshopo**, monitoring and support of 13 social and solidarity economy (SSE) enterprises in 5 health zones (Makiso-Kisangani, Mangobo, Tshopo, Kabondo and Lubunga), including briefings on implementation for 128 service providers PCI measures; decontamination of 7 households, 2 latrines and 2 showers.
- **In Bas-Uélé**, 1 ring open out of 5 (20%), no households decontaminated out of 2 identified and 1 out of 2 FOSA (50%); 3 FOSA assessments in Buta; 1 body swabé and no EDS carried out.

#### 1.4.2. Challenges

- Weak implementation of PCI standards: **in Ituri**, ring opening remains low (53.3%); insufficient decontamination teams in Fataki, Mangala, and Nizi. **In North Kivu**, only 4 households out of 14 identified were decontaminated (28.6%). **In Tshopo**, there was a shortage of PPE in health centers and the incinerator at Makiso-Kisangani General Referral Hospital was out of service.

### 1.5. Holistic care

#### 1.5.1. Main actions

- **In Ituri**, there were 97 new admissions to the various dedicated facilities, compared to 82 discharges, including 16 recoveries. Thus, 539 patients are hospitalized out of 978 beds, representing an occupancy rate of 55.1%.
- **In North Kivu**, 55 new admissions and 54 discharges including 6 recovered; 283 patients are hospitalized and the overall occupancy rate of beds in CTE/CT is oversaturated (128.6%; 283/220).
- **In South Kivu**, no new admissions were recorded. Eight (8) patients are in isolation for 25 beds, representing an overall occupancy rate of 32.0%.

#### 1.5.2. Challenges

Low capacity and saturation: in Ituri, the CTEs of Bambu (confirmed) and Nizi (suspected) as well as the CTs of Kigonze and Lolwa (suspected) are saturated; in North Kivu, over-saturation of some CT/CTEs.



## **1.6. Risk communication and community engagement**

### **1.6.1. Main actions**

- **In Ituri**, advocacy was carried out in the Nizi health zone with the priests of the MABANGA and IGA BARRIERE Catholic parishes as well as the youth leaders of LOPA; mass communication on the promotion of preventive measures for Ebola virus disease with the involvement of traditional healers among the communicators in the Bunia area; awareness-raising continues in the village of MUNGAMBA in the BAMANDE area with the Chief of the WELESSE NVOKOTU chiefdom on prevention against Ebola virus disease; dissemination of the message of the Catholic Bishop of the Diocese of Bunia on the involvement of priests in raising awareness on the prevention of this disease through the village approach.
- **In North Kivu**, 42 CREC activities including 6 educational talks, 6 VADs and 2 mass awareness campaigns; 8 rumors clarified out of 8 identified and 5 community incidents resolved; briefing of 40 traditional healers in Butembo and 29 school officials in Musienene.
- **In Tshopo**, 1,038 people sensitized (591 women and 447 men); 2 refusals lifted and 2 rumors clarified; 248 leaflets and 326 posters distributed; support for the vaccination of PPL in the health zones of Mangobo, Kabondo and Makiso-Kisangani.
- **In Bas-Uélé**, awareness-raising efforts began among key stakeholders in the Bas-Uélé DPS with support from FHI360.

### **1.6.2. Challenges**

Persistence of challenges at community level: in Ituri, 20 refusals of isolation, 9 bodies not swabé due to community resistance and resistance in Bambu, Fataki and Mandima; in Haut-Uélé, resistance during the removal of remains and 10 health areas of resistance mapped out of 24.

## **1.7. Mental Health and Psychosocial Support (MHPSS)**

### **1.7.1. Main actions**

- **In Ituri**, 11 of the new confirmed cases (25%) and 138 of the 184 confirmed cases under follow-up (75%) benefited from SMSPS interventions; 47 of the 96 new suspects (48.9%); 55 households accompanied, 30 PPL supported, 67 results announced including 11 positive and 11 recovered out of 13 followed in community (84.6%).
- **In North Kivu**, 8 new confirmed cases and 99 of the 108 suspected cases benefited from SMSPS interventions; 60 of the 79 test results were announced, including 8 positive results; 58 people receiving support and 45 households receiving assistance. In Tshopo, 2 confirmed cases are under follow-up and 5 new suspected cases are receiving support; 8 contacts are receiving support, 90 caregivers and 14 household members; 2 recoveries have joined the response teams.
- **In Bas-Uélé**, 2 laboratory results were announced, including 1 positive result and 3 PPLs (Personal Protective Equipment) which benefited SMSPS interventions.

### **1.7.2. Challenges**

**In Ituri**, there is low coverage of SMSPS interventions around community deaths in Nizi, Lita, and Komanda; coverage is limited to 5 of the 10 health zones that reported (50.0%). In Tshopo, there are no SMSPS providers in Wanie-Rukula and Bafwasende.

## **1.8. Logistics**

### **1.8.1. Main actions**

- **In Tshopo**, receipt of 50 thermoflash (donation from WHO); Support for mobility to the different pillars PCI, PECH, Communication, PoE/PoC and vaccination; monitoring of the progress of the Construction of isolations and the large capacity CTE.

- **In Bas Uélé**, Arrival of a batch of PCI inputs of approximately 2.5 tonnes provided by WHO, CDC Africa; Provision of surveillance tools to SGI by partner FHI360; Ensuring the deployment of teams for contact tracing; team deployments for alert verification; Team deployment for active research.

### 1.8.2. Security

### 1.8.3. Main actions

- **In North Kivu**, public order was restored at the central office of the health zone and at the morgue of the Beni General Referral Hospital after disturbances caused by young people from the Belge district; 12 activities to maintain public discipline were carried out, including security support for the PCI and EDS teams.

### 1.8.4. Challenges

Two escapes were recorded (Rwampara and Nizi), including that of a detainee left unguarded, and the permanent security presence at the Mudzibala Point of Control remains insufficient due to a lack of involvement from uniformed personnel. In North Kivu, officials are resisting compliance with health protocols at Points of Control, and insecurity persists on the road to the Bundji cemetery (Beni Health Zone).

## 1.9. PSEA (Prevention of Sexual Exploitation and Abuse)

### 1.9.1. Main actions.

**In Ituri**, 16 participants (drivers, guards and storekeepers) were briefed on prevention against sexual exploitation, abuse and harassment; 24 young U-Reporters also benefited from this briefing; continued with the display of messages and distribution of PSEAH leaflets in the health zones of Bunia, Aru, Rwampara and Mongbwalu.

### 1.9.2. Challenges

- Still insufficient coverage of PSEA activities: 25% of the health zones in Ituri (9/36) are aware of the reporting mechanism; lack of mapping of stakeholders; insufficient mass awareness materials; lack of means of transport and computer equipment for the pillar.

### KEY MESSAGES

- Compared to the last 24 hours, there has been progress in contact tracing (**88.0% vs 86.3%**) and continued performance in epidemiological investigations (**100% of suspected cases investigated**).
- Continued transmission of EVD, with **86 new confirmed cases**, including **43 deaths community and 14 intra-CTE cases** recorded in the last 24 hours, bringing the national total to 6,186 confirmed cases and 3,007 deaths.
- Ituri remains the epicenter of the epidemic, accounting for 81.9% of cumulative confirmed cases and 57.0% of new cases reported in the last 24 hours, followed by North Kivu province, which has the highest case fatality rate. Strengthening priority interventions (surveillance, care, infection prevention and control, logistics, and community engagement) remains essential to rapidly break the chains of transmission.

### TIMELINE OF KEY EVENTS

- From April 24 to May 15, 2026, the epidemic progressed from the detection of the first suspected cases to the biological confirmation of the Ebola Bundibugyo virus, leading to the official declaration of the 17th Ebola Virus Disease epidemic in the Democratic Republic of Congo.
- Between May 17 and 18, 2026, national authorities, with the support of partners, strengthened the response by declaring a national and then continental public health emergency, accompanied by mobilization funds.





**EBOLA PRESIDENTIAL FORCE TASK 17**  
**Ministry of Public Health, Hygiene and Social Welfare**  
**National Institute of Public Health**  
**Public Health Emergency Operations Center**  
**MVE17 Incident Management System**

---

**Director General of INSP**

Dr. MWAMBA KAZADI Dieudonné

Email: [dieudonne.mwamba@insp.cd](mailto:dieudonne.mwamba@insp.cd) **Incident**

**Manager:** Professor

Dr. AHUKA MUNDEKE Steve

Email: [steve.ahuka@unikin.ac.cd](mailto:steve.ahuka@unikin.ac.cd)

**Operations Manager**

Dr. Kombe NGWAMA John

**Editorial Team**

Professor Dr. Mulangu Katulumba Félix-Médard

Dr. Katusi Biselenge Jules

Mrs. Mayele Afua Marie

Dr. Diur Mananashi Floryan

Mr. Kamuina Kebela John

**Contact :**

[www.insp.cd](http://www.insp.cd)

[contact@sgiebola17.org](mailto:contact@sgiebola17.org)

**Freephone number: 151. [www.sante.gouv.cd](http://www.sante.gouv.cd)**