Machine Translated by Google

Ministry of Public Health, Hygiene and Social Welfare

National Institute of Public Health

Public Health Emergency Operations Center

PRESIDENTIAL EBOLA TASK FORCE 17

MVE17 Incident Management System

Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°167/MVE-BDBV/28/10/2026

Reporting date: October 28, 2026 Publication date: October 29, 2026

HIGHLIGHTS (last 24 hours)

During the day of October 28, 2026, 78 new confirmed cases and 32 deaths (18 community deaths and 14 in Ebola Treatment Centers) of Ebola Virus Disease (EVD) were reported in the provinces of Ituri (40), North Kivu (30), Haut-Uélé (6), and Tshopo (2). A total of 488 new samples were analyzed; 78 of these samples tested positive for Bundibugyo virus, representing a positivity rate of 16.0%.

ACCUMULATIVE CAS	ACCUMULATIVE DEATH CONFIRMED	LETHALITY	PATIENTS IN ISOLATION/CTE	ACCUMULATIVE HEALED	TRACKING RATES CONTACTS (Of the Day)
10274	4992	48,6%	1052	2 766	87,2%

Affected provinces and affected health zones

8 Provinces affected

Uele, Ituri, North Kivu, South Kivu, Tshopo, Lower Uele, South Ubangi, and Nord Ubangi

67 out of 178 health zones affected (37.6%)

Summary of key points from the last 24 hours

During the day of October 28, 2026, seventy-eight (78) **new confirmed cases**

Cases of Ebola virus disease (EVD) were reported in four provinces : **Ituri (40 cases), North Kivu (30 cases), Haut-Uélé (6 cases), and Tshopo (2 cases).** Among these cases, **18 community deaths** were reported **(7 in Ituri, 7 in North Kivu, and 4 in Haut-Uélé).** In addition, **14** confirmed deaths were recorded in Ebola Treatment Centers (9 in North Kivu, 4 in Ituri, and 1 in Haut-Uélé), bringing the total number of confirmed deaths reported during this period to **32.**

Furthermore, 17 patients **(10 in North Kivu and 7 in Ituri)** were declared cured after obtaining two negative results in the control test for Ebola Virus Disease.

Since the beginning of the year, the DRC has recorded **10,274 confirmed cases,** including **4,992 deaths,** representing a **case fatality rate of 48.6** %. The **Ituri** province remains the epicenter of the epidemic, accounting for **71.2% of all reported confirmed cases** and **51.3% of new confirmed cases** notified nationwide.

No new health zones have been affected in the last 24 hours.

Thus, 67 out of 178 health zones (37.6%), spread across eight provinces, have been affected since the start of the epidemic.

Machine Translated by Google

Table 1. Distribution of confirmed cases and deaths by affected province, as of October 28, 2026.

Province	New confirmed cases (24h)	Confirmed cases	Deaths (confirmed)	Lethality	Affected health zones
Ituri	40	7318	3 418	46,7%	28/36 (77,8 %)
North Kivu	30	2391	1 341	56,1%	17/34 (50,0 %)
Haut-Uélé	6	450	199	44,2%	7/13 (53,8 %)
Boss	2	91	27	29,7%	7/23 (30,4 %)
South Kivu	0	3	1	33,3%	1/34 (2,9 %)
Bas-Uélé	0	13	4	30,8%	4/11 (36,4%)
Sud Ubangi	0	2	1	50,0%	1/16 (6,3%)
Nord Ubangi	0	6	1	16,7%	2/11(18,2%)
Total	**78**	**10 274**	**4 992**	**48,6%**	**67/178 (37,6%)**

Table 2. Distribution of confirmed cases and deaths by province and zone as of October 28, 2026

Province / Health Zone	Cumulative number			Current situation (24 hours)			
	Cas (n)	Deaths (n)	Lethality	New Case	Community deaths (Swab+)	Confirmed deaths within the CTE	Total confirmed deaths
Ituri	**7318**	**3418**	**46,7%**	**40**	**7**	**4**	**11**
Give	11	1	9,1%				0
Understand	25	7	28,0%			1	1
Ariwara	8	2	25,0%				0
Aungba	12	5	41,7%				0
Bamboo	220	49	22,3%	2	1	0	1
have	2	2	100,0%				0
Bunia	1981	680	34,3%	11	1	0	1
Ladies	41	10	24,4%				0
Drodro	15	7	46,7%				0
Fireworks	84	31	36,9%				0
Gethy	11	7	63,6%				0
Flounder	2	0	0,0%				0
Kilo	39	13	33,3%	1	1	0	1
Team	193	118	61,1%				0
Liter	324	162	50,0%	1	0	0	0
Logo	14	9	64,3%				0
Fight	36	9	25,0%				0
distributed	5	1	20,0%				0

Machine Translated by Google

Washing	93	43	46,2%	5	1	0	1
Darkness	472	246	52,1%	16	3	1	4
Mangala	394	172	43,7%				0
Mongbwalu	717	346	48,3%				0
Nia -Nia	340	197	57,9%	1	0	0	0
Nizi	844	307	36,4%	2	0	1	1
Legumes	139	43	30,9%				0
Jungle	22	6	27,3%				0
Rwampara	1189	425	35,7%	1	0	1	1
Tchomia	85	27	31,8%				0
A valves	THAT	493	THAT				0
North Kivu	**2391**	**1341**	**56,1%**	**30**	**7**	**9**	**16**
Me	661	443	67,0%	1 6	6	5	11
Farm	24	8	33,3%				0
Butembo	339	198	58,4%	4	0	0	0
Ten	1	0	0,0%				0
Kalunguta	95	42	44,2%	1	1	0	1
Cut	671	410	61,1%	4	0	1	1
Source	3	2	66,7%				0
Kyondo	46	22	47,8%	0	0	1	1
Lubero	41	15	36,6%	0	0	1	1
Be careful.	106	38	35,8%				0
Alimbong	5	3	60,0%				0
Manguredjipa	16	5	31,3%				0
Masereka	40	13	32,5%				0
The museums	158	76	48,1%				0
Mutwanga	49	13	26,5%	3	0	0	0
Oicha	80	35	43,8%	2	0	1	1
Vuh	56	18	32,1%				0
Upper Uele	**450**	**199**	**44,2%**	**6**	**4**	**1**	**5**
Government Mangbetu	46	19	41,3%				0
Dumb	1	1	100,0%				0
Gombari	3	1	33,3%				0
Mathematics	113	53	46,9%	1	0	1	1
Lining	110	63	57,3%				0
Beans	6	3	50,0%				0
Ordinary	171	59	34,5%	5	4	0	4
Boss	**91**	**27**	**29,7%**	2	0	0	0
Bafwasende	18	3	16,7%				0
Kabondo	20	2	10,0%				0
Lubunga	1	0	0,0%				0

Machine Translated by Google

Maquis-Kisangani	36	14	38,9%	2	0	0	0
Mangobo	10	7	70,0%				0
Boss	5	0	0,0%				0
Wanie-Arugula	1	1	100,0%				0
South Kivu	**3**	**1**	**33,3%**	0	0	0	0
Miti-Murhesa	3	1	33,3%				0
Bas Uélé	**13**	**4**	**30,8%**	0	0	0	0
Blind	1	1	100,0%				0
Viadana	6	1	16,7%				0
Claim	1	0	0,0%				0
Walk	5	2	40,0%				0
Sud Ubangi	**2**	**1**	**50,0%**	0	0	0	0
Hair	2	1	50,0%				0
Nord Ubangi	**6**	**1**	**16,7%**	0	0	0	0
You are logged in.	3	1	33,3%				0
He returned.	3	0	0,0%				0
Total	**10274**	**4992**	**48,6%**	**78**	**18**	**14**	**32**

*These are the confirmed deaths that occurred in the various CTEs in the province which are being broken down to be classified by health zone.

NA : Not Applicable.

Table 3. Status of alerts notified by province for October 28, 2026

DPS	Alerts Received		Total alerts	Alerts verified and validated (suspected case)		Alerts verified and invalidated (no suspected cases)		Number of suspects investigated	Number of suspects investigated and transferred to CT/CTE (of the day)
	Living	Deceased		Living	Deceased	Living	Deceased		
Haut-Uélé	122	7	129	62	3	60	4	65	2
Bas Uélé	156	1	157	23	1	133	0	24	0
Ituri	1 483	79	1 562	158	79	1 325	0	230	136
North Kivu	1 623	71	1 694	279	0	1 344	71	279	146
Sud Ubangi	40	1	41	1	1	39	0	2	0
Nord Ubangi	ND	ND	ND	ND	ND	ND	ND	ND	ND
Boss	160	0	160	4	0	156	0	1	1
Grand Total	**3 584**	**159**	**3 743**	**527**	**84**	**3 057**	**75**	**601**	**285**

Machine Translated by Google

Figure 1. Evolution of cases by date of symptom onset over the last 21 days





Figure 2. Spatial distribution of confirmed cases (24 hours and cumulative) by health zone.



1.COORDINATION

1.1. Main Actions

• Support for response activities in the affected provinces through the technical pillars.

2. RESPONSE ACTIONS BY PILLAR

2.1. Epidemiological surveillance

2.1.2. Main Actions

As of October 28, 2026, **3,743 alerts** had been reported in the six provinces that submitted their data, including **3,584** alerts of living persons and **159 of deaths ;** all were verified **(100%).** Of these, **611 (16.3%)** were validated as suspected cases and **3,132 (83.7%)** were invalidated. Of the 611 validated suspected cases, **601 (98.4%)** were investigated and **285** were transferred to treatment centers/ infection control centers; 10 suspected cases remain uninvestigated (7 in Ituri and 3 in Tshopo) (Table 3).

As of October 28, 2026, **36,095** contacts were under follow-up in six provinces ; **31,489** were seen in the last 24 hours, representing a follow-up rate of **87.2%,** below the required threshold of **95.0%** but up from the previous day **(85.4%).** By province, the follow-up rate was 98.7% in Bas-Uélé (774/784), 97.3% in Sud-Ubangi (109/112), 94.9% in Ituri (12,940/13,634), 87.2% in Haut-Uélé (1,170/1,342, Wamba data not transmitted), 82.2% in Nord-Kivu (15,792/19,202) and 69.0% in Tshopo.

2.2. Update on checkpoint and point of entry (PoE/PoC) activities

2.2.1. Main actions

For October 28, 2026, seven (7) alerts were notified to the PoE/PoC: 3 in Ituri, 1 in North Kivu, 1 in South Kivu, 1 in Tshopo, and 1 in Haut-Uélé. In Ituri, the 3 active alerts (Biakato May and Bela PoCs, Mandima Health Zone, and Foner Mambasa PoC, Mambasa Health Zone) were validated and investigated; 1 was transferred to an ESS (33.3%; 1/3). In North Kivu, the alert from the Mukulia PoC (Beni Health Zone) was validated, investigated, and referred to the Mukulia CT (100%; 1/1). In South Kivu, a body originating from Burundi was intercepted at the Kavimvira PoE (Uvira Health Zone) and reported, with no swab reported. In Tshopo, the alert from the ONATRA PoC (Makiso-Kisangani Health Zone) and, in Haut-Uélé, the alert from the Mutowamba PoC (Wamba Health Zone) were invalidated after review. In total, four live alerts were validated, two of which were forwarded (50%; 2/4), and all were investigated within 24 hours (100%; 4/4).

Table 4. Status of key PoE/PoC indicators by province, as of October 28, 2026

Indicators	Ituri	North Kivu	South Kivu	Tshopo	Upper Uele	Lower Uele	Global
Report completeness	98,4% (61/62)	95% (20/21)	56% (5/9)	100% (18/18)	67% (8/12)	50% (11/22)	85% (123/144)
Strategic PoC/PoE	1	0	0	0	0	0	1

Machine Translated by Google

Number of past travelers	165 952 94 693		8 728	23 578	33 436	3 719	330 106
Proportion of travelers screened	97%	97%	99%	99%	99%	99%	97%
% of travelers who washed their hands	97%	97%	99%	99%	98%	99%	97%
99.5% of travelers made aware		97%	100%	100%	100%	85%	99%
Number of alerts notified	03	01	01	01	01	0	7
Number of validated live alerts	03	01	0	0	0	0	4
Number of lifeless bodies intercepted	0	0	01	0	0	0	1
% of suspected cases transferred to CT/CTE	33,3% (1/3)	100% (1/1)	0%	0%	0%	0% 50% (2/4)	
% of lifeless bodies swabed/secured	0%	0%	0% (0/1)	0%	0%	0%	0% (0/1)
% of suspected cases investigated within 24 h	100% (3/3)	100% (1/1)	0%	0%	0%	0%	100% (4/4)

2.2.2. Challenges

In Ituri, 2 suspects validated at the PoCs of Bela and Foner Mambasa were not transferred (lack of ambulance, refusal), the providers of the PoCs of Mandima are not trained and the September salaries remain unpaid;

In North Kivu, the Butuhe PoC remains closed since the security incident of September 26, 2026; **in Haut-Uélé,** The Bolebole community (Pawa and Wamba health zones) refuses the activation of the PoCs on both banks and threatens the teams; **in South Kivu,** the body intercepted in Kavimvira has not been swabé (0%; 0/1); the completeness of reports remains low in Bas-Uélé (50.0%; 11/22) and in South Kivu (55.6%; 5/9).

2.3. Laboratory

2.3.1. Main actions

- **Ituri:** 40 new positive results (33 living and 7 dead) out of 230 new samples analyzed (positivity rate: 17.4%)
- **North Kivu:** 30 new positive results (23 living and 7 dead) out of 239 new samples analyzed in Beni and Butembo (positivity: 12.6%).
- **Tshopo:** 2 new positive results (2 live) out of 6 new samples analyzed (positivity: 33.3%).
- **Haut-Uélé: 6** new positive results (2 living and 4 dead) out of 13 new samples analyzed (positivity: 46.2%).

2.4.2 Infection Prevention and Control (IPC/EDS)

2.4.1. Main actions

- **Ituri :** 27 out of 35 rings open (77.1%), 54 out of 60 households decontaminated (90.0%), and 11 out of 12 FOSA (91.7%); 66 EDS carried out out of 93 alerts, including 12 postponements (71.0%), and 58 bodies swabed.
- **North Kivu :** 24 out of 25 rings open (96.0%), 13 out of 15 households decontaminated (86.7%), and 18 out of 19 ESS (94.7%); 66 EDS carried out out of 71 alerts (36 reports from the previous day) and 67 bodies swabed.
- **Tshopo :** 1 ring opened in Kabondo with decontamination of CM Christ-Roi and a household around the 84th case; 15 ESS monitored in 4 ZS, 231 providers briefed and 13 replacement mattresses provided to the ESS of Makiso-Kisangani and Tshopo.
- **Haut-Uélé :** 1 household decontaminated out of 1 and 1 ESS out of 1 (100%) in Boma Mangbetu, 5 ESS assessed (3 in Wamba and 2 in Pawa) and 45 service providers briefed; 7 EDS carried out out of 7 alerts and 6 bodies swabés.
- **Bas-Uélé :** 16 health and social care (HSC) units monitored in Buta, Viadana and Ganga, 46 service providers and 7 hygiene workers briefed, and 3 evaluations scorecard completed (scores from 32.2% to 58%); 1 swab completed at Poko.

Machine Translated by Google

2.4.2. Challenges.

• **In North Kivu,** no households received a decontamination kit (0/13), one ring remained unopened in Katwa, and 40 EDS (Emergency Discharge Summary) tests were postponed to the following day; only 2 out of 7 assessed ESS (Emergency Health Services) have triage with a one-way circuit. **In Ituri,** IPC (Infection Prevention and Control) teams are insufficient in Mangala, Mandima, Damas, and Mambasa; IPC supplies are insufficient in Mandima and Niania; and 16 swab failures occurred (17%). **In Haut-Uélé,** only 4 out of 7 health zones submitted their data, IPC kits are lacking for ESSs, and IPC supervisors are not activated in 4 health zones. **In Tshopo,** no EDS tests were conducted, and 6 out of 6 bodies were not swabbed due to non-compliance with the recommendations of the decree. **In Bas-Uélé,** 16 out of 20 priority ESSs lack functional triage, 17 out of 20 lack water supply covering 72 hours and only 130 out of 632 providers (20.6%) are trained in PCI-WASH.

2.5. Holistic care

2.5.1. Main actions

- **In Ituri,** 88 new admissions were recorded compared to 60 discharges, including 7 recoveries and 2 discharges without medical advice. Thus, 386 patients are hospitalized, representing an occupancy rate of 37%; 371 out of 378 patients (98.1%) received hot meals and all children under LNPE/SLM were cared for (8/8 at the CTE, 8/8 at the nursery and 62/62 in the community).

In North Kivu, 87 new admissions were recorded against 95 discharges, and 10 recoveries. Thus , 508 patients (171 confirmed and 337 suspected) are being treated, including 154 outside of Ebola Treatment Centers (ETCs), for an occupancy rate of 86.3% (354/410) in ETCs.

• **In Tshopo,** 3 new admissions (2 confirmed and 1 suspected) were recorded against 1 discharge (non-case); 21 patients (14 confirmed and 7 suspected) are hospitalized at the CTE Météo (occupancy rate: 58.3%; 21/36) and all received hot meals.

In Haut-Uélé, there were 6 new admissions (3 confirmed and 3 suspected) compared to 3 discharges, including 1 confirmed death and 2 non-cases; 31 patients (18 confirmed and 13 suspected) were hospitalized out of 162 beds, representing an occupancy rate of 19.1%. **In Bas-Uélé,** 15 new suspected cases were isolated compared to 52 discharges of non-cases (13 of which lacked biological confirmation due to non-compliant samples), bringing the number of suspected cases isolated in the ESS (Emergency Situation Centers) to 106, due to the lack of a functioning CTE (Treatment and Evaluation Center).

2.5.2. Challenges

In Ituri, the blood shortage persists; 7 patients did not receive nutrition.
In Mandima, 38 patients are in critical condition; capacity remains low at the Ebola Treatment Centers (ETCs) in Lolwa, Jina, and Biakato. **In North Kivu,** ETCs remain near capacity (86.3%), 154 patients are being treated outside of ETCs, and 22 patients are in critical condition; in Tshopo, two confirmed cases who escaped from Bafwasende remain missing.

2.6. Vaccination

2.6.1. Main actions

In Ituri, vaccination of people living with HIV (PLHIV) using Ervebo (MSF support) and research on its effectiveness against BDBV-related Ebola virus disease (BBDV) are continuing: 96 people were vaccinated during the day, bringing the total to 1,969 (815 women and 1,154 men), as are the Partners, EBO-PEP, and Oracle trials. **In Bas-Uélé,** compassionate vaccination continues in the Dakwa health zone; 1,907 people have been vaccinated out of a target of 13,202 (14.4%).

2.6.2. Challenges

In Bas-Uélé, the implementation of the UCCs is not effective, the support of field actors is lagging behind and coverage remains very low in Bili (0 out of 1,067), in Aketi (7.8%) and in Titule (7.8%).

2.7. Continuity of Care

2.7.1. Main actions • In North Kivu,

the CSSE assessment of the Maboya Hospital and the Matanda Secondary Hospital noted the absence of an emergency service, an insufficient quantity of PPE and blood products and only 3 out of 27 providers (11.1%) trained in IPC; in Tshopo, the assessments of the Siloé Health Center (Mangobo), the ONATRA Medical Center (Makiso-Kisangani) and the Baraka Health Center (Tshopo) noted a non-effective triage area, while 8 out of 8 agents (100%) are vaccinated at the Baraka Health Center; in Ituri, the ECZs of 14 Health Zones were briefed on the mobile vaccination units and the providers in Fataki were trained in Ebola surveillance, obstetric IPC and EOS.

Machine Translated by Google

2.7.2. Challenges

Low data reporting from the pillar (no data from Haut-Uélé, Bas-Uélé and Sud-Ubangi); absence of emergency service and absenteeism contingency plan at CH Maboya and Matanda Hospital (North Kivu); recovery plans for assessed ESS not implemented and 22 PPLs having interrupted their prophylaxis in Bafwasende due to insecurity (Tshopo).

2.8. Risk Communication and Community Engagement (RCCE)

2.8.1. Main actions

- **In Ituri,** 32 out of 39 feedbacks (82.1%) and 10 out of 11 incidents (90.9%) were resolved within 48 hours and 455 community alerts, including 152 deaths, were notified; the CREC facilitated the pre-listing of 469 contacts around 17 confirmed cases, the decontamination of 65 out of 68 households (95.6%), the completion of 40 out of 41 EDS (97.6%), the announcement of 16 out of 19 positive results and the transfer of 13 out of 19 suspects (68.4%); 16,836 home visits reached 57,946 people and the training of 165 local actors continues in Nizi.

- **In North Kivu,** 12,811 home visits reached 42,616 people and 297 educational talks reached 6,186 people; 390 out of 650 alerts (60.0%) were notified, 15 out of 20 feedbacks (75.0%) were resolved within 48 hours and 1,658 out of 4,750 people (34.9%) were engaged in community actions; none of the 13 incidents were resolved.

- **In Bas-Uélé,** 327 home visits reached 1,249 people and 2 mass awareness sessions reached 1,038 people in the health zones of Ango and Ganga, where an educational talk brought together 73 people; no community alerts were reported.

- **In Tshopo,** 1,484 home visits reached 8,314 people and 10 mass awareness campaigns reached 47,921 people; the 41 community alerts notified (34 in Makiso-Kisangani and 7 in Tshopo) were resolved, as were 4 out of 4 feedbacks.

2.9. Mental Health and Psychosocial Support (MHPSS)

2.9.1. Main actions

- **In Ituri,** 19 confirmed cases out of 31 (61.3%), 73 confirmed out of 111 and 149 suspected out of 171 under follow-up as well as 60 new suspected out of 83 have been taken care of, 15 households of separated and orphaned children out of 18 (83.3%) have been accompanied, 91 children are being followed up, 9 out of 9 children in nursery (3 admissions), 7 out of 7 recovered and reintegrated, 27 out of 27 recovered and followed up in community, 347 accompanying persons and 91 PPL supported and 26 results announced, including 19 positive.

- **In North Kivu,** 10 of the last 16 confirmed cases (62.5%), 196 confirmed cases under follow-up, 188 new suspects and 245 suspects under follow-up have been taken care of, 31 households of separated and orphaned children out of 34 (91.2%) have been supported, 17 recovered patients have been reintegrated and 86 results have been announced, including 16 positive ones.

- **In Tshopo,** all confirmed (2 new and 12 under follow-up) and suspected (2 new and 14 under follow-up) cases were taken care of, 6 out of 6 resistances were overcome and 205 people benefited from psychoeducation.

- **In Haut-Uélé,** 3 new confirmed cases, 17 confirmed and 8 suspects under follow-up as well as 2 new suspects were taken care of, 7 results announced (including 3 positive) and 37 accompanying persons and 55 PPL supported; in Bas-Uélé, 1 new suspect benefited from an SMSPS intervention.

2.9.2. Challenges

In Ituri, only 15 out of 28 affected health zones (53.6%) are covered, and coverage remains incomplete around the most recent cases in Mandima (3/10) and Bunia (8/12). **In North Kivu,** only 10 out of 16 most recent cases (62.5%) are covered, and 10 affected health zones lack childcare facilities. **In Tshopo,** community health workers in the Wanie-Rukula health zone are not trained, and the health pillar lacks communication units and transportation. **In Haut-Uélé,** no childcare facilities are available in Isiro, Pawa, Wamba, and Boma Mangbetu.

2.10. Logistics

2.10.1. Main actions

In North **Kivu,** MAPI kit supplies have been delivered to the PEV office in Butembo, and the delivery of supplies to Walikale (via Nyaleke) is ongoing; in Tshopo, construction of the Bafwasende CTE and the expansion of the Meteorological CTE are continuing, and 150 handwashing kits have been prepared for the EPSP, but 115 motorcycles are still needed.

Machine Translated by Google

The ZS. **In Bas-Uélé,** the construction of the CTE at HGR Buta and the rehabilitation of the DPS offices are continuing, but 140 liters of diesel, computers, printers and scanners are lacking.

2.11. Security

2.11.1. Main actions

- **In North Kivu,** IPC teams were escorted for the decontamination of CM Shamamba (AS Benengule, ZS of Beni) and EDS teams for two burials at the cemeteries of Bundji and Masiani; **in Tshopo,** the health staff strike and attacks and threats against response teams continue to disrupt surveillance and contact tracing.

2.12. PSEA (Prevention of Sexual Exploitation and Abuse)

2.12.1. Main actions

In North Kivu, 23 PSEA focal points from the health districts of Butembo and Kawa (17 women and 6 men) were briefed and signed the code of conduct; 25 members of the EIR and EDS teams were sensitized in Mabalako and Mutwanga; and 1,123 people were sensitized in the Maua Primary School (Karisimbi Health Zone); **in Tshopo,** 171 people, including 30 in Kabondo and 141 in Mangobo, were sensitized on PEAHS, the referral circuit and zero tolerance.

2.12.2. Challenges

- Coverage of affected areas remains low: in North Kivu, only 5 out of 34 health zones (14.7%) are experiencing reporting mechanism and only one partner (WAA) reports its PSEA activities; in Tshopo, collection tools are lacking and the community complaint management mechanism is not installed in all the health zones of Kisangani; only 2 out of 8 DPS (25.0%) reported their PSEA activities in the last 24 hours.

MESSAGES CLES

No new health zones have been affected in the last 24 hours.

hours; 67 out of 178 health zones (37.6%) remain affected in eight

provinces.

Seventy-eight (78) new confirmed cases were reported in four

provinces, including 40 in Ituri, 30 in North Kivu, 6 in Haut-Uélé and 2 in Tshopo.

Transmission remains particularly marked in the Mandima ZS (16

cas), de Beni (16 cas) et de Bunia (11 cas).

Of the 32 confirmed deaths reported, 18 are community deaths.

(7 in Ituri, 7 in North Kivu and 4 in Haut-Uélé). The contact tracing rate

stands at 87.2% (31,489/36,095), below the 95% threshold, with the rates

the lowest in Tshopo (69.0%), where the health workers' strike

This disrupts monitoring, particularly in North Kivu (82.2%). The situation underscores the need

to strengthen early detection, contact tracing, and burials

TIMELINE OF KEY EVENTS

From April 24 to May 15, 2026, the epidemic progressed from the detection of the first suspected cases to the biological confirmation of the Ebola Bundibugyo virus, leading to the official declaration of the 17th Ebola Virus Disease epidemic in the Democratic Republic of Congo.

Between May 17 and 18, 2026, national authorities, with the support of partners, strengthened the response by declaring a public health emergency of national and then continental scope, accompanied by the mobilization of funds.

Machine Translated by Google

TASK FORCE PRESIDENTIAL EBOLA 17

Ministry of Public Health, Hygiene and Social Welfare

National Institute of Public Health

Public Health Emergency Operations Center

MVE17 Incident Management System

Director General of INSP

Dr. MWAMBA KAZADI Dieudonné

Email: dieudonne.mwamba@insp.cd **Incident Manager:** Professor Dr. AHUKA MUNDEKE Steve Email: steve.ahuka@unikin.ac.cd

Operations Manager

Dr. KOBBE NGWAMA John

Editorial Team

Professor Dr. MULANGU KATULUMBA Félix-Médard

Dr. KATUSI BISELENGE Jules

Mrs. WISE DIE Marie

Dr. DIUR MANANASHI Floryan

Mr. Kamuina Kebela John

Contact :

www.insp.cd

contact@sgiebola17.org

Freephone number: 151. www.sante.gouv.cd