

Public Health Emergency Operations Center

« COUSP RDC »

MVE-17 Incident Management System

## Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°069/MVB\_22/07/2026

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Affected provinces (5)     | HUT-UELE, ITURI, NORTH-KIVU, SOUTH-KIVU & TSHOPO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Affected Health Zones (47) | <ul style="list-style-type: none"> <li>• Upper Uele (4/13): Wamba, Boma Mangbetu, Pawa and Isiro</li> <li>• Ituri (28/36) : Aru, Aungba, Bambu, Bunia, Damascus, Drodro, Gety, Kilo, Commander, Lita, Nyankunde, Mambasa, Rwampara, Tchomia, Kambala, Nia-Nia, Fataki, Mandima, Magahagi, A Lolwa,</li> <li>• North Kivu (11/34) : Beni, Butembo, Goma, Kalunguta, Katwa, Kyondo, Oicha, Masereka, Vuhovi, Doors and Musienene.</li> <li>• Sud-Kivu (1/34) : Miti-Murhesa</li> <li>• Shop (3/23): Makiso-Kisangani, Lubunga and Mangobo</li> </ul> |
| Date the report            | July 22, 2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Publication date           | July 23, 2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

### INDICATIONS OF THE RSCE — CUMULATIVE JULY 22 AND

|                                                                                                                                                                                                          |                                                                                                                                                                                                                 |                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONFIRMED CASES — 5 PROVINCES</p> <p><b>2 905*</b></p> <p>+97 new cases (Ituri 73 · N-Kivu 18-<br/>Haut-Uele 6)</p>  | <p>CONFIRMED DEATHS · FATE</p> <p><b>1 269* · (43,7%)</b></p> <p>+62 deaths (Ituri 45 · North Kivu 14 –<br/>Haut-Uele 3)</p>  | <p>SUSPECTED CASES OF THE DAY</p> <p><b>318</b> Ituri 188 · N-Kivu 119 · Haut-<br/>Uélé 7 · Tshopo 4</p>                             |
| <p>PATIENTS IN ISOLATION</p> <p><b>722</b></p> <p>Ituri 551 · N-Kivu 168 – Shop</p>                                   | <p>CURED — CUMULATIVE</p> <p><b>519</b></p> <p>+13 recovered (Ituri 12 – North Kivu 1)</p>                                  | <p>NATIONAL CONTACT TRACKING</p> <p><b>74,5 %</b></p> <p>11 459/ 15 374 vus · Ituri 73.3 % · N-Kivu<br/>77.7 % · Shop 100.0 %</p>  |

\*Harmonization of data with the provinces of Ituri and North Kivu as of July 22, 2026.

*The significant increases observed in the cumulative totals result primarily from the integration of harmonized provincial bases and do not solely reflect new notifications from the last 24 hours.*

## 1. Epidemiological Highlights

- **Epidemiological situation:** No new affected health zones have been reported. The total remains at 47 affected health zones out of 140 in the five provinces, of which 46 remain in active transmission.
- **Coordination:** Arrival of the new National Incident Manager (IM) in Bunia, Professor Steve Ahuka; The Minister of Public Health, Hygiene and Social Welfare as well as Professor Pierre Akilimali (IM) were received in audience by the President of Uganda on July 22, 2026 to examine the situation of the Ebola Virus Disease Bundibugyo (EVD-B 17); Harmonization of epidemiological data between the provinces of Ituri and North Kivu and the national level.
- **Case trends:** In the last 24 hours, 97 new confirmed cases, 62 confirmed deaths and 13 recoveries were recorded:

o **Ituri**: 73 new confirmed cases were notified, mainly in Nizi (24), Rwampara (14), Bania (10), Nia-Nia (8), Bambu (4), Fataki (4), Logo (2), Mangala (2) Mongbwalu (2), Lita (2) and Komanda (1), 45 deaths among which 73.3% were community deaths.

o **North Kivu**: 18 new confirmed cases were reported (Katwa 9, Butembo 4, Musienene 4, and 1 Beni) as well as 14 deaths, including 6 community deaths and 8 at the Ebola Treatment Center (ETC). The provincial total reaches 275 confirmed cases and 172 deaths, representing a case fatality rate of 62.5%.

o **Haut-Uélé** : 6 new confirmed cases and 3 deaths, 66.7% of which were community transmission, were reported. The cumulative total provincial case count rises to 27 confirmed cases and 15 deaths, representing a case fatality rate of 55.6%.

o **South Kivu and Tshopo** : No new confirmed cases or deaths have been reported. The totals remain at 5 cases, 4 deaths, and 1 recovery in Tshopo, and 3 cases, including 1 death, in South Kivu, where the Miti-Murhesa health zone has a total of 55 days without a new confirmed case.

- **Analysis**: Ituri remains the epicenter of the epidemic, accounting for 89.3% of cumulative cases and 75.3% of new daily confirmations. Contact tracing performance remains insufficient and requires strengthened surveillance activities.

## EPIDEMIOLOGICAL AND OPERATIONAL CONTEXT

Declared on May 15, 2026, the 17th Ebola virus disease (EVD) outbreak caused by the Bundibugyo ebolavirus continues to evolve within a complex humanitarian and security context. Initially confined to the Mongbwalu health zone (Ituri), it

The outbreak has spread to five provinces (Ituri, North Kivu, South Kivu, Haut-Uélé, and Tshopo), now affecting 47 health zones. Population movements, insecurity, artisanal mining activities, and cross-border trade with Uganda and South Sudan continue to facilitate transmission. Multisectoral coordination remains mobilized to strengthen surveillance, intensify response efforts, and limit the spread of the epidemic.



Figure 1 — Chronology of events of the Ebola-Bundibugyo virus disease epidemic

## 2. Descriptive Epidemiological Analysis

### 2.1 Distribution by province and active households

TABLE 1 — DISTRIBUTION OF CONFIRMED CASES AND DEATHS BY PROVINCE

| Province   | Confirmed cases | Death | Lethality | Affected health zones | New cases (24 h) |
|------------|-----------------|-------|-----------|-----------------------|------------------|
| Ituri      | 2 595           | 1 077 | 41,5 %    | 28 / 36 (77,8 %)      | 73               |
| North Kivu | 275             | 172   | 62,5 %    | 11 / 34 (32,4 %)      | 18               |
| Haut-Uélé  | 27              | 15    | 55,6 %    | 4 / 13 (30,8 %)       | 6                |

| Province   | Confirmed cases | Death | Lethality | Affected health zones | New cases<br>(24 h) |
|------------|-----------------|-------|-----------|-----------------------|---------------------|
| Boss       | 5               | 4     | 80,0 %    | 3 / 23 (13,0 %)       | 0                   |
| South Kivu | 3               | 1     | 33,3 %    | 1 / 34 (2,9 %)        | 0                   |
| Total      | 2 905           | 1 269 | 43,7 %    | 47 out of 140         | 97                  |

The Ituri province remains the epicenter of the 17th Ebola virus disease (EVD) outbreak, accounting for 89.3% of confirmed cases (n = 2,595) and 84.9% of deaths (n = 1,077), representing a case fatality rate of 41.5%. The health zones of Bunia (696 cases), Mongbwalu (482 cases), Rwampara (481), Nizi (308), Nyankunde (114) and Lita (101 cases) remain the most affected and concentrate approximately 84.1% of cases reported at the provincial level and 75.1% at the national level.

## 2.2 Distribution by health zone

TABLE 2 — CONFIRMED CASES AND DEATHS BY PROVINCE AND HEALTH ZONE (CUMULATION AND DAYLY SITUATION)

| Province / Health Zone | Cumulative number |            |           | Current situation (24 hours) |                              |                                    |                           |
|------------------------|-------------------|------------|-----------|------------------------------|------------------------------|------------------------------------|---------------------------|
|                        | Cas (n)           | Deaths (n) | Lethality | New case                     | Community deaths<br>(Swab+). | Confirmed<br>deaths within the CTE | Total<br>confirmed deaths |
| Ituri                  | 2 595             | 1 077      | 41,5 % 73 |                              | 33                           | 12                                 | 45                        |
| Give                   | 10                | 1          | 10,0%     |                              |                              |                                    |                           |
| Undeland               | 5                 | 1          | 20,0%     |                              |                              |                                    |                           |
| Ariwara                | 7                 | 1          | 14,3%     |                              |                              |                                    |                           |
| Aungba                 | 4                 | 4          | 100,0%    |                              |                              |                                    |                           |
| Bamboo                 | 51                | 9          | 17,6%     | 4                            | 4                            | 0                                  | 4                         |
| have                   | 1                 | 1          | 100,0%    |                              |                              |                                    |                           |
| Bunia                  | 696               | 175        | 25,1%     | 10                           | 3                            | 4                                  | 7                         |
| Ladies                 | 13                | 8          | 61,5%     |                              |                              |                                    |                           |
| Drodro                 | 6                 | 4          | 66,7%     |                              |                              |                                    |                           |
| Fireworks              | 17                | 6          | 35,3%     | 4                            | 1                            | 0                                  | 1                         |
| Gethy                  | 1                 | 0          | 0,0%      |                              |                              |                                    |                           |
| Flounder               | 2                 | 0          | 0,0%      |                              |                              |                                    |                           |
| Kilo                   | 23                | 11         | 47,8%     |                              |                              |                                    |                           |
| Team                   | 30                | 21         | 70,0%     | 1                            | 1                            | 0                                  | 1                         |
| Liter                  | 101               | 58         | 57,4%     | 2                            | 2                            | 1                                  | 3                         |
| Logo                   | 8                 | 3          | 37,5%     | 2                            | 0                            | 0                                  | 0                         |
| Fight                  | 4                 | 1          | 25,0%     |                              |                              |                                    |                           |
| distributed            | 1                 | 1          | 100,0%    |                              |                              |                                    |                           |
| Washing                | 7                 | 4          | 57,1%     |                              |                              |                                    |                           |
| Darkness               | 13                | 9          | 69,2%     |                              |                              |                                    |                           |
| Mangala                | 86                | 59         | 68,6%     | 2                            | 2                            | 0                                  | 2                         |
| Mongbwalu              | 482               | 226        | 46,9%     | 2                            | 0                            | 4                                  | 4                         |
| Nia Nia                | 78                | 41         | 52,6%     | 8                            | 2                            | 1                                  | 3                         |
| Nizi                   | 308               | 144        | 46,8%     | 24                           | 18                           | 1                                  | 19                        |
| Legumes                | 114               | 30         | 26,3%     |                              |                              |                                    |                           |
| Jungle                 | 7                 | 4          | 57,1%     |                              |                              |                                    |                           |
| Rwampara               | 481               | 231        | 48,0%     | 14                           | 0                            | 1                                  | 1                         |
| Tchomia                | 39                | 24         | 61,5%     |                              |                              |                                    |                           |
| North Kivu             | 275               | 172        | 62,5 % 18 |                              | 6                            | 8                                  | 14                        |

| Province / Health Zone | Cumulative number |              |                  | Current situation (24 hours) |                          |                                 |                        |
|------------------------|-------------------|--------------|------------------|------------------------------|--------------------------|---------------------------------|------------------------|
|                        | Cas (n)           | Deaths (n)   | Lethality        | New case                     | Community deaths (Swab+) | Confirmed deaths within the CTE | Total confirmed deaths |
| Me                     | 41                | 29           | 70,7%            | 1                            | 1                        | 2                               | 3                      |
| Butembo                | 62                | 39           | 62,9%            | 4                            | 1                        | 1                               | 2                      |
| Ten                    | 1                 | 0            | 0,0%             |                              |                          |                                 |                        |
| Kalunguta              | 4                 | 3            | 75,0%            | 0                            | 0                        | 2                               | 2                      |
| Cut                    | 121               | 77           | 63,6%            | 9                            | 4                        | 3                               | 7                      |
| Kyondo                 | 10                | 7            | 70,0%            |                              |                          |                                 |                        |
| Be careful.            | 1                 | 0            | 0,0%             |                              |                          |                                 |                        |
| Masereka               | 4                 | 0            | 0,0%             |                              |                          |                                 |                        |
| The museums            | 26                | 13           | 50,0%            | 4                            | 0                        | 0                               | 0                      |
| Oicha                  | 4                 | 3            | 75,0%            |                              |                          |                                 |                        |
| Vuh                    | 1                 | 1            | 100,0%           |                              |                          |                                 |                        |
| <b>South Kivu</b>      | <b>3</b>          | <b>1</b>     | <b>33,3 %</b>    | -                            |                          |                                 | -                      |
| Miti-Murhesa           | 3                 | 1            | 33,3 %           |                              |                          |                                 |                        |
| <b>Haut-Uélé</b>       | <b>27</b>         | <b>15</b>    | <b>55,6 %</b>    | <b>6</b>                     | <b>2</b>                 | <b>1</b>                        | <b>3</b>               |
| Kill Mangbetu          | 6                 | 2            | 33.3%            | 2                            | 0                        | 0                               | 0                      |
| Mathematics            | 8                 | 5            | 62.5%            | 0                            | 0                        | 1                               | 1                      |
| Lining                 | 7                 | 5            | 71.4%            | 4                            | 2                        | 0                               | 2                      |
| Ordinary               | 6                 | 3            | 50.0%            |                              |                          |                                 |                        |
| <b>Boss</b>            | <b>5</b>          | <b>4</b>     | <b>80,0 %</b>    | -                            |                          |                                 | -                      |
| Lubunga                | 1                 | 0            | 0.0%             |                              |                          |                                 |                        |
| Makiso-Kisangani       | 3                 | 3            | 100.0%           |                              |                          |                                 |                        |
| Mangobo                | 1                 | 1            | 100.0%           |                              |                          |                                 |                        |
| <b>Total</b>           | <b>2 905</b>      | <b>1 269</b> | <b>43,7 % 97</b> |                              | <b>41</b>                | <b>21</b>                       | <b>62</b>              |

## 2.3 Mapping of confirmed cases

The spatial distribution confirms a transmission mainly concentrated in Ituri, particularly in the health zones of Bunia, Rwampara, Mongbwali, Nizi, Nyankunde and Lita, with continued transmission in the already affected areas of Haut-Uélé.





FIGURE 2 — HEALTH ZONES THAT HAVE REPORTED CONFIRMED CASES (AS OF 22/07/2026)

The recent emergence of new outbreaks in Haut-Uélé confirms a progressive expansion of the affected areas, highlighting the need to simultaneously maintain intensive interventions at the epicenter and preparedness activities in neighboring provinces.

## 2.4 Temporal analysis — epidemic curves

The epidemic curve shows sustained transmission during weeks S25 to S30, with fluctuations related to notification delays and the gradual consolidation of data.



Source : DHIS2 Tracker - Riposte MVE, juin 2026. Données incluses : cas confirmés avec statut vital et date de notification renseignés, n = 2 661.

FIGURE 3 — EPIDEMIC CURVE BY WEEK OF NOTIFICATION




FIGURE 4 EPIDEMIC CURVE BY DATE OF SYMPTOM ONSET (LINEAR LIST DHIS2)

The epidemic remains in a phase of sustained transmission, with a high level of virus circulation. Recent fluctuations should be interpreted with caution due to reporting delays and the gradual consolidation of data.

## 2.5 Demographic Characteristics

The age pyramid shows a predominance of **working-age adults (18–50 years)**. Minors under 18 and people over 50 are proportionally less affected.

FIGURE 5 — CONFIRMED CASES BY SEX AND AGE GROUP





FIGURE 6 — DEATHS BY SEX AND AGE GROUP (AMONG CASES CONFIRM)



The distribution of cases by sex remains balanced. The predominance of cases in working-age adults reflects more frequent community and occupational exposures, while the proportion of pediatric cases testifies to the persistence of intrafamilial transmission.



## 3 Surveillance, tests et transmission

### 3.1 Alert Management and Sources

TABLE 3 — MANAGEMENT OF EPIDEMIOLOGICAL ALERTS AS OF 22/07/2026

| Indicator                          | Ituri | North Kivu | Haut-Uélé | Boss  | South Kivu | Total |
|------------------------------------|-------|------------|-----------|-------|------------|-------|
| Report (D-1)                       | 4     | 123        | 6         | 28    | ND         | 161   |
| New alerts received Total alerts   | 485   | 833        | 3         | 2     | ND         | 1 323 |
| for the day Alerts                 | 489   | 956        | 9         | 30    | ND         | 1 484 |
| investigated Investigation         | 313   | 833        | 7         | 26    | ND         | 1 179 |
| rate (24 h)                        | 64,0% | 87,1%      | 77,8%     | 86,7% | ND         | 79,5% |
| Validated alerts — alive Validated | 135   | 58         | 6         | 4     | ND         | 203   |
| alerts — deceased (comm.)          | 53    | 61         | 1         | 0     | ND         | 115   |
| Total suspected cases for today    | 188   | 119        | 7         | 4     | ND         | 318   |

In total, 1,484 alerts (including 1,323 new ones) were received, with 1,179 investigated within 24 hours (79.5%) and 318 confirmed (203 active cases and 115 community deaths). This improvement reflects a reduction in investigation delays and the consolidation of data from the affected provinces. The improved investigation rate is linked to the reduction in investigation delays and the strengthening of surveillance teams in the affected provinces.

### 3.2 Laboratory: tests and positivity

Ÿ **Ituri** : 221 samples documented in the collection network, of which 73 were positive (40 living and 33 deceased), representing a positivity rate apparent of 33.0%.

Ÿ **North Kivu** : 178 samples received and analyzed, of which 18 were positive (12 living and 6 deceased), representing a positivity rate of 10,1%.

Ÿ **Haut-Uele** : 12 samples received and analyzed, of which 6 were positive (4 living and 2 deceased), i.e. a positivity of 50.0%.

Ÿ **Tshopo** : 3 samples received and analyzed, including 1 from Tshuapa province. All of these samples came back negative after analysis.

### 3.3 Contact tracking

TABLE 4 — CONTACT TRACKING OF CONFIRMED CASES

| Province                       | Contacts being followed Viewed contacts | tracking rate |
|--------------------------------|-----------------------------------------|---------------|
| Ituri                          | 11 428                                  | 8 377 73,3%   |
| North Kivu                     | 3 874                                   | 3 010 77,7%   |
| Boss                           | 72                                      | 72 100,0%     |
| Haut-Uélé                      | ND                                      | ND ND         |
| South Kivu (end of monitoring) | 0                                       | 0 THAT        |
| Total                          | 15 374                                  | 11 459 74,5 % |

Contact tracing remains insufficient at the national level (74.5%), below the operational threshold of 95%. Ituri only managed to follow up on 8,377 contacts out of 11,428 (73.3%). North Kivu achieved a performance of 3,010 contacts seen out of 3,874. (77.7%). Tshopo maintains a high performance with a 100.0% follow-up rate. Follow-up is closed in South Kivu.

## 3.4 Entry points and control points (PoE/PoC)

### 3.4.1 — Crossing point alerts (24 h)

**Ituri — 4 alerts notified**

Four (4) alerts were notified to the PoE/PoC in Ituri, including three live alerts and one intercepted body. Of these, three live alerts were validated and all referred to the CTE/CT.

**North Kivu — 1 alert notified**

One (1) alert of a lifeless body was intercepted at the Kasitu PoE from a vehicle coming from the city of Beni.

**Tshopo — 4 alerts notified**

Four (4) alerts, including one from a female gender, were notified and validated; among which, two were investigated and referred to the CTE.

**3.4.2 Monitoring indicators for PoE/PoC****TABLE 5 — MONITORING OF INDICATORS AT POINTS OF ENTRY AND CHECKPOINTS (POE/POC), AS OF 22/07/2026**

| Indicators                                             | Ituri         | North Kivu    | Global        |
|--------------------------------------------------------|---------------|---------------|---------------|
| Proportion of PoC enabled and PoE enhanced             | 100 % (60/60) | 100 % (16/16) | 100 % (76/76) |
| Number of people who have switched to PoE/PoC          | 101 472       | 65 618        | 167 090       |
| % of travelers screened                                | 93,7 %        | 97,7 %        | 95,3 %        |
| % of travelers who washed their hands                  | 93,6 %        | 97,7 %        | 95,2 %        |
| % of travelers made aware                              | 95,7 %        | 97,7 %        | 96,5 %        |
| Number of alerts notified                              | 4             | 0             | 4             |
| Number of validated live alerts                        | 3             | 0             | 3             |
| Number of bodies recovered today                       | 1             | 0             | 1             |
| Number of problematic contacts intercepted today       | 1             | 0             | 1             |
| % of validated live alerts referred to CT/CTE % of     | 66,7 % (2/3)  | THAT          | 66,7 % (2/3)  |
| lifeless bodies swabbed                                | 100,0 % (1/1) | THAT          | 100,0 % (1/1) |
| Number of positive results of referred suspected cases | 100 % (60/60) | 0             | 0             |

**4. Support****TABLE 6 — OCCUPANCY OF HEALTHCARE FACILITIES (CTE/CT/CI)**

| Indicator                           | Ituri                  | North Kivu | Haut-Uele | Boss  | Ensemble |     |
|-------------------------------------|------------------------|------------|-----------|-------|----------|-----|
| Number of beds                      | 709                    | 141        | ND        | 8     | 858      |     |
| Patients in bed (Day -1)            | 557                    | 182        | ND        | 3     | 742      |     |
| Total admissions (24 h)             | 90                     | 36         | ND        | 0     | 126      |     |
| Total admissions                    | 647                    | 218        | ND        | 3     | 868      |     |
| Exits                               | Deceased               | 24         | 8         | ND    | 0        | 32  |
|                                     | Non-case               | 57         | 40        | ND    | 0        | 97  |
|                                     | Healed                 | 12         | 1         | ND    | 0        | 13  |
|                                     | Escapees               | 3          | 1         | ND    | 0        | 4   |
|                                     | Transferred to the HGR | 0          | 0         | ND    | 0        | 0   |
|                                     | Total sorties (24 h)   | 96         | 50        | ND    | 0        | 146 |
| Patients in isolation (end of day), | 551                    | 168        | ND        | 3     | 722      |     |
| including confirmed cases           | 268                    | 17         | ND        | 0     | 285      |     |
| dont suspects                       | 283                    | 151        | ND        | 3     | 437      |     |
| Occupancy rate                      | 77,7%                  | 119,1 %    | ND        | 37,5% | 84,1 %   |     |



In total, 722 patients were in isolation, including 285 confirmed cases and 437 suspected cases, for an overall occupancy rate of 84.1 % (722 patients for 858 beds), with 868 admissions and 146 discharges (13 recovered, 32 deceased, 97 non-cases, and 4 who escaped). Ituri bears the brunt of the burden with 551 patients in isolation (268 confirmed, 283 suspected) out of 709 beds, representing an occupancy rate of 77.7%. In North Kivu, 168 patients are in isolation (17 confirmed, 151 suspected) for an occupancy rate of 119.1% (141 beds). Tshopo province has an occupancy rate of 37.5%. Haut-Uele did not make data available at the time of compilation.

## 5 Mental Health and Psychosocial Support (MHPSS)

TABLE 7 — KEY SMSPS INDICATORS

| SMSPS Key Indicators                                        | Ituri       | North Kivu |
|-------------------------------------------------------------|-------------|------------|
| New confirmed cases that benefited from SMSPS interventions | 13 (72,2 %) | 1(100%)    |
| Confirmed cases are being monitored.                        | 126 (95,5%) | 2 (100 %)  |
| New suspected cases                                         | 25 (55,6 %) | 3 (100 %)  |
| Suspected cases are being monitored                         | 82(59,9%)   | 13(100 %)  |
| Laboratory results announced (including positive ones)      | 46          | 1          |
| Children separated — nursery / community                    | 10          | 1          |
| CTE support staff                                           | 316         | 6          |
| Frontline Personnel (PPL)                                   | 30          | 2          |
| Members of households and communities                       | 39          | 0          |
| EDS supported (SMSPS)                                       | 9           | 0          |

## 6 Frontline Personnel (PPL) assigned

TABLE 8 — FRONTLINE STAFF (FLS) INFECTED WITH EVD

| Health Zone                 | Confirmed cases | Cured. Hospitalized. | Death |    |
|-----------------------------|-----------------|----------------------|-------|----|
| Bunia                       | 35              | 18                   | 3     | 14 |
| Rwampara                    | 32              | 24                   | 1     | 7  |
| Mongbwalu                   | 16              | 6                    | 2     | 8  |
| Legumes                     | 14              | 11                   | 1     | 2  |
| Nanny                       | 10              | 3                    | 7     | 0  |
| Liter                       | 4               | 1                    | 2     | 1  |
| Nizi                        | 3               | 0                    | 0     | 3  |
| Mangala                     | 3               | 1                    | 1     | 1  |
| Bamboo                      | 2               | 2                    | 0     | 0  |
| Kilo                        | 2               | 1                    | 1     | 0  |
| Total — case fatality 29.8% | 121             | 67                   | 18    | 36 |

PPL = healthcare workers and frontline providers.

## 7 Pillar-Based Response Activities

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>COORDINATION</b></p> <p>ŷ <b>Ituri</b> : Arrival of the new Incident Manager (IM) National in Bunia, Professor Steve Ahuka; The Minister of Public Health, Hygiene and Social Welfare as well as Professor Pierre Akilimali (IM) were received in audience by the President of Uganda on July 22, 2026 to examine the situation of the Ebola Virus Disease Bundibugyo (EVD-B 17); Harmonization of epidemiological data between the provinces of Ituri and North Kivu and the national level.</p>                                                                                                                                                                                                                       | <p><b>PCI / WASH</b></p> <p>ŷ <b>Ituri</b>: allocation of 10 DLMs to the Dele/Kinama market; start of training of 27 PPLs in Drodro; 25 rings opened, 29 ESSs monitored/accompanied, 8 evaluations, 4 ESSs and 6 means of transport decontaminated, 117 PPLs trained and 25/159 households decontaminated within 48 hours.</p> <p>ŷ <b>North Kivu</b> : Start of the first training cohort of 32 PCI supervisors and focal points from the health zones of Beni and the second cohort of 80 for the Katwa, Butembo and Musienene health zones with the support of the WHO.</p> <p>ŷ <b>Tshopo</b> : PCI pillar meeting; provision of inputs to 3 ESS; evaluations of CS Boyoma (16%), CSR Rvd Mokili (43%) and CTE HCKis (82%); 2 ESS decontaminated and 5 functional triage units out of 79.</p> |
| <p><b>Dignified and secure burials (DSM)</b></p> <p>ŷ <b>Ituri</b>: 75 death alerts received, 68 EDS carried out, 43 swabs and 91% of EDS carried out; community resistance in Bambu and Rwampara; construction work on the base continues</p> <p>decontamination; start of training of two EDS teams in the Tchomia SZ.</p> <p>ŷ <b>North Kivu</b>: 39 Swabs carried out out of 40 death alerts</p> <p>One failed attempt at swab in Butembo,</p> <p>ŷ <b>Tshopo</b>: continuation of the required Coordination for the management of community deaths and the safe transport of bodies.</p>                                                                                                                                 | <p><b>CONTINUITY OF ESSENTIAL SERVICES (CSSE)</b></p> <p>ŷ <b>Ituri</b>: continued supervision of the Health Zone.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <p><b>COMMUNICATION (RCCE / CREC)</b></p> <p>ŷ <b>Ituri</b>: Briefing of 30 FARDC in Nizi; 675 people reached through VAD (Virtual Access to Defense), 917 through talks, 1,765 through alert awareness sessions mass, 166 remounted communities and 3 clarified feedback; briefing of 50 chiefs in Mambasa and 90 RECOs in Adja.</p> <p>ŷ <b>North Kivu</b>: Educational talk with ATAMOV members on the risks faced by motorcyclists transporting Ebola patients and the bodies of those who have died from the same disease on motorcycles; Community dialogue with women in the village of Elungu, of the Aloya AS on prevention measures against Ebola and raising the alarm for any patient showing signs of Ebola.</p> | <p><b>HOLISTIC CARE (HCC)</b></p> <p>ŷ <b>Ituri</b>: 12 new recoveries, 551 patients in isolation, 24 deaths among discharges; 1022 hot meals were served to patients including 128 to suspected cases, 156 to confirmed cases, 691 to PPLs and 47 to accompanying persons.</p> <p>ŷ <b>North Kivu</b>: 36 admissions, 50 discharges, 168 patients hospitalized, including 17 confirmed and 151 suspected; continued monitoring of care in CTE/CT.</p> <p>ŷ <b>Tshopo</b>: 12 hot meals were served to patients, including 6 to suspected cases and 6 to confirmed cases.</p>                                                                                                                                                                                                                     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>ÿ <b>Tshopo:</b> 324 people were reached during door-to-door awareness campaigns at the weather station and Sotraco in the city of Kisangani; 15,868 people were reached during awareness campaigns masses dressed for the celebration of religious services Sunday of Health. (ZS Mangobo, Kabondo, Tshopo, Lubunga and Makioso)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                       |
| <p><b>RESEARCH, INNOVATION &amp; VACCINATION</b></p> <p>ÿ <b>Ituri:</b> Studies on community reluctance and perceptions: Dissemination of results<br/>(Support from WHO and UNICEF);</p> <p>Anthropological study on the index case BDVD: to be completed (WHO support);</p> <p>Partner clinical trials (Vaccine): In progress;</p> <p>EBO-PEP clinical trials: Ongoing (ALIMA support)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <p><b>LOGISTICS</b></p> <p>ÿ <b>Ituri:</b> Ensure the mobility of the different pillars.</p> <p>ÿ <b>North Kivu:</b> Reception of nutritional support supplies including Plumpy Nut from Bunia, supported by UG-PDSS</p> <p>ÿ <b>Tshopo:</b> 4 vehicles and 1 ambulance were made available to the various pillars to ensure the transfer of cases and the mobility of the pillars on the ground.</p> |
| <p><b>PREVENTION OF SEXUAL EXPLOITATION AND ABUSE (PSEA / PRSEAH)</b></p> <p>ÿ <b>Ituri:</b> Awareness-raising at the Bembe site on the PSEA (Prevention of Severe Acute Abuse and Hygiene). A total of 135 people were reached, including 63 women, 16 girls, 38 men, and 18 boys; Awareness-raising in the CNCA health area, Bunia health zone, for pregnant women on the prevention of adverse events following encephalopathy (AEFI), the mechanisms, and the referral process. A total of 26 participants, including 24 girls (1 living with HIV) and 2 boys; Training of 27 hygiene workers (15 men and 12 women) from the Rwampara CTE (Emergency Treatment Center) on the general principles of PSEA, complaint management mechanisms, and confidentiality. The training concluded with the signing of the code of conduct; Training of Red Cross volunteers in Bunia on the data collection tool for the AEFI/HS risk analysis for the Rwampara health zone.</p> |                                                                                                                                                                                                                                                                                                                                                                                                       |

## 8 Main challenges, impacts and actions required

| Challenge No.                                                                                                                                                                                             | Impact                                                                             | Actions required                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <p>1</p> <p>Reluctance to participate in post-mortem sampling (EDS/swabs), community resistance, and insecurity targeting EDS teams (bridge attack)<br/>Muchanga, paralysis of activities in Legumes)</p> | <p>Confirmation delays, underestimation of cases, disruption of key activities</p> | <p>Intensify CREC, involve religious and community leaders, secure the teams, increase the number of EDS teams</p>                   |
| <p>2</p> <p>Non-payment of service providers (strike in the health zones of Bunia and Rwampara; resumption announced after the intervention of the military governor of Ituri)</p>                        | <p>Interruption of response activities, including dignified and safe burials</p>   | <p>Regularize payments to service providers; secure dedicated funding</p>                                                            |
| <p>3</p> <p>Insufficient capacity of CTE/CT: occupancy of 119.1% in North Kivu (bed capacity: 141) and 77.7% in Ituri (551 patients for 709 beds);</p>                                                    | <p>Admission delays, increased risk of nosocomial transmission</p>                 | <p>Accelerate the construction and expansion of CTEs, deploy temporary structures, and systematically report bed capacity.</p>       |
| <p>4</p> <p>Low contact tracing performance in Ituri (73.3%); North-Kivu 77,7%</p>                                                                                                                        | <p>Uninterrupted transmission chains</p>                                           | <p>Train, deploy and motivate community liaison officers (RECOs); strengthen supervision; investigate the observed drop in Ituri</p> |

| Challenge No. | Impact                                                                                           | Actions required                                                      |                                                                                            |
|---------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| 5             | Ambulance shortages and pre-positioning at points of control                                     | Delays in transfer and isolation                                      | Preposition ambulances (including those at PoE/PoC), deploy CTs per ZS                     |
| 6             | Insufficient supply of MEG and medical inputs                                                    | Weakening of overall care                                             | Advocacy and urgent supply of essential medicines                                          |
| 7             | Insufficient PCI inputs (PPE, chlorine) and limited functional triage units (175/1170, i.e. 15%) | Risk of nosocomial infections (121 cases of PPL, including 36 deaths) | Urgent supply, strengthening of IPC training                                               |
| 8             | Geographic extension (Haut-Uélé, Tshopo) and high mobility                                       | Risk of urban, riverine and cross-border spread                       | Activate the 23 priority PoE/PoC points in Haut-Uélé; strengthen cross-border coordination |
| 9             | Installation of local laboratories (Butembo, Mambasa and Logo)                                   | Long confirmation delays, transmission not detected                   | Accelerate the deployment of decentralized diagnostic capabilities                         |
| 10            | Financial shortcomings of the resources                                                          | Limitation of the implementation of pillars                           | Urgent mobilization of resources, advocacy with partners                                   |
| 11            | Insecurity and limited access (CODECO, ADF)                                                      | Restriction of operations                                             | Strengthening security coordination and humanitarian access                                |
| 12            | Continuity of essential services (CEHS) compromise                                               | Increase in indirect (non-Ebola) mortality                            | Effective implementation of free healthcare, strengthening of CEHS                         |

## 9 Photos of field activities



*PSEA training for hygienists at the Rwampara CTE in Ituri*





*Ebola Awareness in ZS AUNGBWA*



*Military briefing on the MVE in the NIZI Security Zone*



*Briefing on Ebola Virus Disease (EVD) to 50 village chiefs in the Mambasa Health Zone*



*RECO briefing on the MVE in the ADJA security zone*

**POUR TOUTE  
INFORMATION  
SUPPLÉMENTAIRE,  
VEUILLEZ CONTACTER**

**Pour l'Institut National de la Santé Publique (INSP) de la RDC**

**Le Directeur Général de l'INSP**

Dr MWAMBA KAZADI Dieudonné

E-mail : [dieudonne.mwamba@insp.cd](mailto:dieudonne.mwamba@insp.cd)

Tel. : +243 816 040 145

**Le Coordonnateur COUSP**

Prof NGANDU Christian

E-mail : [Christian.ngandu@insp.cd](mailto:Christian.ngandu@insp.cd)

Tél. : +243998091915

**L'Incident Manager**

Prof Pierre AKILIMALI

E-mail : [pierre.akilimali@insp.cd](mailto:pierre.akilimali@insp.cd)

Tél. : +243815800288

Avec l'appui technique de l'Organisation Mondiale de la Santé (OMS),  
US CDC, Africa CDC et Blue square