Machine Translated by Google

Ministry of Public Health, Hygiene and Social Welfare

National Institute of Public Health

Public Health Emergency Operations Center

PRESIDENTIAL EBOLA TASK FORCE 17

MVE17 Incident Management System



Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°179/MVE-BDBV/09/11/2026

Reporting date: November 9, 2026 Publication date: November 10, 2026

HIGHLIGHTS (last 24 hours)

Over the past 24 hours, fifty-two (52) new confirmed cases and 33 confirmed deaths, including 19 community deaths and 14 deaths within treatment centers, have been reported. The new cases were recorded in Ituri (30), North Kivu (17), and Haut-Uélé (5). A total of 557 new samples were analyzed in the laboratories that submitted their data; 52 of these samples tested positive for the Bundibugyo virus, representing a positivity rate of 9.3%. No new health zones were affected in the past 24 hours.

ACCUMULATIVE CASE	ACCUMULATIVE DEATH CONFIRMED	LETHALITY	PATIENTS IN ISOLATION/CTE	ACCUMULATIVE HEALED	TRACKING RATES CONTACTS (Of the Day)
11042	5387	48.8%	651	2990	79.7%

Affected provinces and affected health zones

8 Provinces affected

Haut-Uélé, Ituri, North Kivu, South Kivu, Tshopo, Bas-Uélé, South Ubangi, and North Ubangi

67 out of 178 health zones affected (37.6%)

Summary of key points from the last 24 hours

For the day of November 9, 2026, **fifty-two (52)** new confirmed cases of Ebola virus disease (EVD) were notified in three provinces: Ituri (30 cases), North Kivu (17 cases) and Haut-Uélé (5 cases), representing a decrease of 25.7% compared to the previous day.

Among these cases, 19 community deaths were reported (10 in Ituri, 8 in North Kivu, and 1 in Haut-Uélé). In addition, 14 confirmed deaths were recorded in Ebola Treatment Centers (5 in Ituri and 9 in North Kivu), bringing the total number of confirmed deaths reported during the period to 33.

In addition, 39 patients (15 in North Kivu, 2 in Haut-Uélé and 22 in Ituri) were declared cured after obtaining two negative results in the control test for Ebola Virus Disease.

Since the start of the epidemic, the DRC has recorded 11,042 confirmed cases, including 5,387 deaths, representing an overall case fatality rate of 48.8%. Ituri remains the epicenter of the epidemic, accounting for 69.6% of cumulative confirmed cases and 57.7% of new reported cases, while North Kivu represents 32.7% of new cases and has a case fatality rate of 55.0%, higher than the national average.

No new health zones have been affected in the last 24 hours.

Thus, 67 out of 178 health zones (37.6%), spread across eight provinces, have been affected since the start of the epidemic, namely: Ituri, North Kivu, Haut-Uélé, Tshopo, South Kivu, Bas-Uélé, South Ubangi and North Ubangi.

Machine Translated by Google

Table 1. Distribution of confirmed cases and deaths by affected province, as of November 9, 2026.

Province	New confirmed cases (24h)	Confirmed cases	Deaths (confirmed)	Lethality	Affected health zones
Ituri	30	7,684	3,628	47.2%	28/36 (77.8%)
North Kivu	17	2,737	1,505	55.0%	17/34 (50.0%)
Haut-Uélé	5	496	215	43.3%	7/13 (53.8%)
Tshopo	0	98	32	32.7%	7/23 (30.4%)
South Kivu	0		1	33.3%	1/34 (2.9%)
Bas-Uélé	0	3	4	30.8%	4/11 (36.4%)
South Ubangi	0		1	50.0%	1/16 (6.3%)
North Ubangi	0	13 2 9	1	11.1%	2/11 (18.2%)
Total	**52**	**11,042**	**5,387**	**48.8%**	**67/178 (37.6%)**

Table 2. Distribution of confirmed cases and deaths by province and zone as of November 9, 2026

Province / Zone of rate	Cumulative number			Current situation (24 hours)			
	Cases (n)	Deaths (n)	Health fatality	New. Case	Death Confirmed community (Swab+)	Death deaths intra-CTE	confirmed
Ituri	**7684**	**3628**	**47.2%**	**30**	**10 5 15**		
Adja	11	1	9.1%				0
Aru	25	7	28.0%				0
Ariwara	8	2	25.0%				0
Aungba		5	41.7%				0
Bamboo		50	22.7%				0
Boga	12,220,2	2	100.0%				0
Bunia	2050	726	35.4%	3	3	2	5
Damascus	41	10	24.4%				0
Drodro	16	8	50.0%				0
Fataki	85	31	36.5%				0
Gethy	11	7	63.6%				0
Kambala	2	0	0.0%				0
Kilo	41	14	34.1%				0
Komanda 193 343			61.7%				0
Lita		119,170	49.6% 4 71.4%		1	0	1
Logo	14	10	29.7%				0
Lolwa	37	11	16.7%				0
Mahagi	6	1	52.4%				0
Mambasa 143		75	52.1%	8	2	1	3
Mandima 582 420			42.1%	12		0	4
Mangala			49.1%			0	0
Mongbwalu 733		303,177,360	58.3%	1 1	400	0	0
Nia-Nia 345 867			36.9%				0
Nizi		201,320		0	0	1	1

Machine Translated by Google

Nyankunde 141		45	31.9%				0
Rimba 29			24.1%				0
Rwampara 1221			36.5%	1	0	1	1
Tchomia 86		7,446,27	31.4%				0
To ventilate 0		493	N / A				0
North Kivu 2737		**1505**	**55.0%**	**17**	**8**	**9**	**17**
Beni 831		537	64.6%	8	6	3	9
Biena 27		11	40.7%				0
Butembo 351		205	58.4%	0	0	1	1
Goma	1		0.0%				0
Kalunguta 112		0	44.6%	1	0	1	1
Katwa 686		50	62.0%	1	0	2	2
Kayna	3	425 2	66.7%				0
Kyondo 47		22	46.8%				0
Lubero	45	16	35.6%				0
Mabalako 127		41	32.3%				0
Alimbongo 6		4	66.7%				0
Manguredjipa 16			31.3%				0
Masereka 48		5	31.3%				0
Musienene 165		15	49.7%	1	1	0	1
Mutwanga 102		82	23.5%	1	0	0	0
Oicha 108		24	40.7% 2		1	1	2
Vuhovi 62		44 22	35.5%	3	0	1	1
Haut-Uélé 496		**215**	**43.3%**	**5**	**1**	**0**	**1**
Boma Mangbetu	48	20	41.7%				0
Dungu	1	1	100.0%				0
Gombari	3	1	33.3%				0
Isiro	126	59	46.8%	3	1	0	1
Pawa	128	68	53.1% 2		0	0	0
Rungu	9	5	55.6%				0
Wamba	181	61	33.7%				0
Tshopo	**98**	**32**	**32.7%**	0	0	0	0
Bafwasende 18		3	16.7%				0
Kabondo	24	5	20.8%				0
Lubunga	1	0	0.0%				0
Makiso - Kisangani	38	15	39.5%				0
Mangobo 11			72.7%				0
Tshopo	5	80	0.0%				0
Wanie - Rukula	1	1	100.0%				0
South Kivu 3		**1**	**33.3%**	0	0	0	0
Miti-Murhesa 3		1	33.3%				0
Bas Uélé	**13**	**4**	**30.8%**	0	0	0	0
Buta	1	1	100.0%				0
Viadana	6	1	16.7%				0
Dakwa	1	0	0.0%				0
Ganga	5	2	40.0%				0
South Ubangi 2		**1**	**50.0%**	0	0	0	0
Bulu	2	1	50.0%				0

Machine Translated by Google

North Ubangi 9	**1**	**11.1%**	0	0	0	0
Wapinda 1 5 Yakoma 4 0 **Total 11042**		20.0%				0
5387 *These are the confirmed deaths		0.0%				0
that occurred in the various CTEs of the		**48.8%**	**52**	**19**	**14**	**33**

province which are being broken down to be classified by health zone.
NA: Not Applicable.

Table 3. Status of alerts notified by province for November 9, 2026

DPS	Alerts Received		Total alerts	Alerts verified and validated (suspected case)		Alerts verified and invalidated (no suspected cases)		Number of suspects investigated	Number of suspects investigated and transferred At CT/CTE (of the day)
	Living	Deceased		Living	Deceased	Living	Deceased		
Haut-Uélé	47	9	56	10	9	37	0	19	7
Bas Uélé	168	0	168	14	0	154	0	14	0
Ituri	1,774,700		1844 109 2529		70	1646	0	109	92
North Kivu 2,430,99			243 35 41 53		95	2187	4	338	157
South Ubangi 35 0				9	0	18	0		0
North Ubangi 41 0 53 0				2	0	39	0		0
Tshopo				12	0	41	0	9 2 12	0
Total General	**4548 178 4726 399**				**174 4122**		**4**	**503**	**256**

Figure 1. Daily evolution of confirmed cases and deaths since 15/5 - 9/11/26 in the DRC





Figure 2. Spatial distribution of confirmed cases (24 hours and cumulative) by health zone.



Machine Translated by Google

1. COORDINATION

1.1. Main Actions

• Support for response activities in the provinces **2.**
RESPONSE ACTIONS BY PILLAR

2.1. Epidemiological surveillance

2.1.2. Main Actions

As of November 9, 2026, 4,726 alerts had been reported in the seven provinces that submitted their data (Bas-Uélé, Haut-Uélé, Ituri, Nord-Kivu, Sud-Ubangi, Nord-Ubangi, and Tshopo), including 4,548 alerts of living persons and 178 of deaths; 4,699 were verified (99.4%). Of these, 573 (12.2%) were validated as suspected cases and 4,126 (87.8%) were invalidated. Of the 503 suspected cases investigated, 256 were transferred to COVID-19 treatment centers (Table 3).

As of November 9, 2026, a total of 33,900 contacts were under follow-up in the six provinces that reported contacts to follow up, of which 27,012 were seen in the last 24 hours, representing a follow-up rate of 79.7%, below the required threshold of 95%.

Table 4. Status of contact tracing by province, as of November 9, 2026

Province	Contacts under follow-up	Contacts viewed	tracking rate
Ituri	11,481	9,758	85.0%
Haut-Uélé	1837	1,665	90.6%
North Kivu	18,890	14,520	76.9%
Tshopo	1410	791	56.1%
North Ubangi	267	263	98.5%
South Ubangi	15	15	100.0%
Bas Uélé	0	0	N / A
Total	33,900	27,012	79.7%

2.2. Update on checkpoint and point of entry (PoE/PoC) activities

2.2.1. Main actions

- **Ituri :** Refusal of screening is concentrated in Mongbwalu, reaching 43% in Nzebi and Frigo, 33% in Pluto, and 30% in Poipo. It is also high in Pont Shari (21%) and Marabo (18%). The largest flows pass through Uguro (Mahagi) and Mudzibala (Bunia), with approximately 21,000 travelers each. In Niania, Avakubi is closed due to insecurity, and four other Points of Control (PoCs) have not been operational (two months of unpaid bills).
- **North Kivu :** 2,630 refusals (2.95%), concentrated in Mukulya (9.2%), Makeke (7%), Komba (7%) and Kyaghala (6.5%). Butuhe remains non-functional since the death of a contractor on 26/09. Planned: work on cabins and footbridge at Beni airport (IOM) and activation of new PoCs (Beni, Lubero, border with Ituri).

Machine Translated by Google

- **Tshopo :** all PoCs were successful, including private ports. Rejections were low (1.2% for the screening, 1% for washing), with a maximum of 4.2% at PK23 RN4.
- **Haut-Uélé :** 3 PoCs (Gossamu, Mutowamba, Bombombi) did not report due to network issues. Wash refusal rates are high at Bolebole (250) and at 6% at PK18 and Bangwene. The deployment to activate 6 priority PoCs (Watsa, Makoro, Gombari) has been completed.
- **South Ubangi :** The most concerning situation: 877 refusals of screening (7%) and 2,093 refusals of handwashing, reaching up to 70% in Zongo and 40% in Dongo. Handwashing kits are insufficient. Points of Control (PoCs) and isolation zones are under construction in Bokuda 1 and Karawa (Global Vision).
- **South Kivu :** only Uvira reports, with 144 refusals (1.9%). The Baraka-Fizi (Aibaze, Mushimbakye, Kazimia, Mboko) are not reporting. No isolation facilities are in Kavimvira, Kalundu Port and Baraka.

- **Bas-Uélé :** Four Points of Contact (PoCs) in the Viadana health zone are out of service due to the ongoing service provider strike, and four others have not submitted timely reports. Only 83% of travelers have been informed. PNHF services are not operational in the province.

Challenges :

- **Payments :** unpaid September salaries (Ituri, Haut-Uélé), 3 months of delay in North Kivu, strike in Viadana.
- **Security :** the [illegible] services [illegible] the Bokuda health area and Bolebole (Haut-Uélé) area.

Table 5. Status of key indicators for PoE/PoC by province, as of November 9, 2026

No.	Indicators	FOCUS							
		ITURI	NORTH KIVU	SOUTH KIVU	TSHOPO	HAUT-UELE	BAS-UELE	SOUTH-UBANGI	NORTH-UBANGI
1	Report completeness	92% (57/62)	95% (20/21)	56% (5/9)	100% (18/18)	77% (10/13)	64% (14/22)	60% (3/5)	N/A
2	strategic PoE/PoC	1	0	0	0	0	0	0	N / A
	Number of travelers: 3 past	156,812	89,115	7,493	7,315	21,588	2,535	13,007	N / A
4	proportion of travelers screened	96%	97%	98%	99%	99%	98%	93%	N / A
5	% of travelers who washed their hands	96%	97%	98%	98%	98%	99%	79%	N / A
	% of travelers 6 sensitized	99%	97%	100%	100%	100%	83%	100%	N / A
7	Number of alerts notified	3	1	0	3	0	1	0	N / A
	Number of alerts: 8 validated live	2	1	0	2	0	0	0	N / A
	Number of bodies: 9 lifeless intercepted	1	0	0	1	0	1	0	N / A
	% of suspected cases 10 transferred to the CT/CTE	50% (1/2)	100% (1/1)	0%	50% (1/2)	0%	0%	0%	N / A
11	% of lifeless bodies swabed/ secured	100%	0%	0%	0%	0%	100%	0%	N / A
12	% of suspected cases investigated within 24 hours	67% (2/3)	100% (1/1)	0%	67% (2/3)	0%	100%	0%	N / A
13	Accumulation of alerts and confirmed cases	Notified = 616; Validated = 549 (Body lifeless: 178 Corps body: 75 lifeless: 23 149); Confirmed = 10 72	Notified = 405; Validated =); Confirmed	Notified = 23; Validated = 23 (Lifeless); Confirmed = 0.	Notified = 17; Validated = 10 (Lifeless body: 1); Confirmed = 0.	Notified = 14; Validated = 12 (Body body: 6); lifeless: 3); Confirmed = 0.	Notified = 74; Validated = 8 (Lifeless Confirmed = 0.	Notified = 5; Validated = 5 (Lifeless body: 0); Confirmed = 0	N / A

Machine Translated by Google

2.3. Laboratory

2.3.1. Main actions

- **Ituri :** 264 samples tested, none pending. Positivity rate of 15.8% for newly live cases (21/133), 15.7% for repeat samples, and 16.4% for deaths (10/61). Highest positivity rates: Mambasa (46%), Lita (50%), Mandima (21%), Mangala (50%, but based on 2 samples).

North **Kivu :** The laboratory analyzed a total of 250 samples, comprising 131 new samples (with a positivity rate of 5% for living individuals), 65 repeat samples (9% positivity), and 54 samples from deceased individuals (17% positivity). The highest daily positivity rate was recorded in Beni, with 36.8% of the samples analyzed testing positive.

Tshopo : 12 samples collected (all live), including 10 new suspected cases. 1 negative sample re-collected and 1 positive sample re-collected for virological follow-up, 0 new confirmed cases.

- **Haut-Uélé :** The analysis laboratories in Isiro and Wamba received and analyzed 27 samples in the last 24 hours, recording 5 positive results and 20 negative results. The daily positivity rate is 19%, bringing the overall positivity rate of the epidemic to 19.7% for a cumulative total of 2,524 samples tested since the beginning.

- **Bas-Uélé :** The Buta laboratory received 4 new samples, while 3 blood samples were analyzed during the day (giving 3 negative results) and 4 samples were returned. Preparation of the second batch of quality control samples has been completed for its upcoming shipment to the INRB Kinshasa.

2.4. Infection Prevention and Control (IPC/EDS)

2.4.1. Main actions

- **Haut-Uélé :** Five health zones reported interventions around the cases, allowing the opening of 100% of the planned rings (including 1 ring in Wamba, 1 in Boma-Mangbetu and 1 in Pawa) as well as the decontamination of households and Health Care Establishments (HCEs).
- Scorecard assessment of healthcare facilities reveals persistent challenges, such as the absence of functional triage areas in some centers (such as at the Libiki clinic or Bethesda Hospital) and a shortage of personal protective equipment (PPE).

Bas-Uélé : Monitoring and support of healthcare providers were carried out in 7 health establishments across three health zones, supplemented by briefing 21 providers and hygiene workers on the wearing of PPE, waste management and the operation of triage.

South Ubangi : The pillar conducted the briefing of the hygiene and IPC committee at the Mbako Health Centre on the ScoreCard and the 8 standard precautions, while highlighting significant structural deficiencies (absence of triage and isolation area, lack of water, PPE and hygienic latrines).
No new Safe and Dignified Burials (SDBs) or body retrievals by swab were carried out during the day, with the provincial total remaining at 7 SDBs and 7 bodies retrieved by swab since the beginning.

Ituri : 41/46 rings opened, 58/78 households decontaminated, 12/13 FOSA decontaminated. 41 households decontaminated in Mangala.

North Kivu : Twelve (12) infection control rings were opened (37.9%), 15 out of 17 safe and secure burial sites (ESS) were decontaminated, and 7 out of 22 households underwent decontamination around cases. Safe and Dignified Burial (SDB) teams managed 79 alerts and carried out 71 effective SDBs, including 4 swabs. Scorecard assessments conducted in 7 ESSs showed an average score of 44.7%, highlighting significant deficiencies in basic infrastructure, one-way triage areas, and compliant infection prevention and control (IPC) kits in several facilities.

Tshopo : Decontamination of the CELPA Hospital and the Saint-Joseph Health Center around case 98. Assessment of 17 people with COVID-19 (8 high-risk at CELPA). Arrival of 10 tons of IPC, EDS, and laboratory supplies at the WHO depot in Kisangani. 301 service providers briefed in 24 health establishments.
Indicators: 8/111 ESS with a score above 80% (7.2%), PCI kits in 59/111 (53.2%), triage in 49/111 (44.1%). Decontamination: 92/92 ESS and 52/58 households (89.7%). Only 9/25 providers

Machine Translated by Google

infected individuals were investigated (36%). Very low scores in the health zones of Bafwasende (HGR 19%, CS Bafwandambo 11.3%) and Mangobo (Clinique William 11.6%).

- **Challenges :** insufficient staff in Mangala and Mandima, lack of inputs in Mandima and Mambasa, strike in Tchomia.

Dignified and safe burials (DSH)

- **Ituri :** 125 alerts. Only 82 EDS (Emergency Debris Survey) reports completed (66%), compared to 83% the previous day. 78/108 bodies were recovered, with 23 failures (18%, compared to 5%), and 20 reports. Bunia had 28 alerts, 14 EDS reports, and 13 reports. Rwampara had 5 reports. Insufficient teams in Damas, Mambasa, and Gety.

- **North Kivu :** 54 EDS and 56 bodies recovered for 68 alerts, 28 reports. One failure in Musienene (community resistance). This data is from 05/11.
- **Tshopo :** The pillar is deteriorating. 10 alerts, 0 swabé bodies, 0 EDS carried out, 10 failures (non-execution of (the order) and 10 postponements. The previous day: 14 alerts, 1 body swabé, 1 EDS, 13 failures. The monitoring dashboard, however, shows no death alerts.
- **Haut-Uélé :** The teams carried out 12 Safe and Dignified Burials (EDS) out of 14 death alerts recorded, with 13 bodies recovered in total, although logistical difficulties and lack of vehicles were noted in some areas such as Ituri and Wamba.
- **Bas-Uélé :** No Safe and Dignified Burial (SDB) or swab sampling was carried out during the day due to a low reporting of community death alerts and community reluctance.

2.5. Holistic care
2.5.1. Main actions

- **Ituri :** 364 patients in beds (124 confirmed, 240 suspected), compared to 347 the previous day. 113 admissions (all (suspected cases), 95 discharges (22 recovered, 62 non-cases, 10 deaths, including 7 confirmed). Bed occupancy rate: 36%. 32 critically ill patients. Low capacity in Kilo, Lolwa, Mandima, and Biakato. Strike by service providers at the Kasenyi Ebola Treatment Center (non-payment). 338/352 patients (96%) received a hot meal, but 14 patients in Mandima were not fed. Blood shortage. Ambulances: 23 patients evacuated, but low reporting rate (15/34).
  Follow-up of recovered patients: 584/850 received at the first follow-up at Bunia 1 Clinic (68.7%)

North **Kivu :** Ebola Treatment Centers (ETCs) have 535 hospitalized patients (165 confirmed and 370 suspected), including 68 children under 5 years old and 22 critically ill patients. The province recorded 167 new admissions (11 confirmed and 156 suspected) and 118 discharges, including 15 recoveries, 100 non-cases, and 14 deaths occurring within the facilities.

- **Tshopo :** 5 patients in beds: 1 confirmed and 4 suspected (including 2 at the Kongakonga CT). Overall occupancy rate of 12.5% (5/40). No severe cases. 679 cases received the experimental treatment (including 67 confirmed, 48 recovered, 17 deaths) and 612 people received post-exposure prophylaxis, figures identical to those of the previous day.
- **Haut-Uélé :** The province's Ebola Treatment Centers (ETCs) recorded 2 new confirmed cases admitted, 2 recoveries, and 13 discharges of non-case patients, with 5 critical cases receiving care. A total of 51 patients, 53 caregivers, and 89 people deprived of their liberty (PPLs) received three regular hot meals, with the exception of facilities located in four health zones (Rungu, Gombari, Dungu, and Watsa).

- **Bas-Uélé :** No new confirmed cases were recorded, but 11 new suspected cases were isolated in Health Care Facilities (HCFs) across several health zones (Aketi: 2, Buta: 3, Ganga: 2, Titule: 1, and Viadana: 3). Two patients were discharged after laboratory analysis in the Buta and Ganga health zones. The total number of patients currently in isolation is 18 suspected cases (no confirmed cases), while the pillar faces delays in establishing standardized Ebola Treatment Centers (ETCs) and a lack of nutritional and psychosocial support for isolated suspected cases.

Machine Translated by Google

2.6. Vaccination

2.6.1. Main actions

- **Ituri :** 99 people vaccinated today (65 men, 34 women). Total vaccinations: 3,368, including 31 pregnant women and 98 breastfeeding women. 50 adverse events: 45 non-serious and 5 serious. The target population for the vaccine needs to be redefined.

- **Bas-Uélé :** The compassionate vaccination campaign continued actively in the Bili and Buta health zones, reaching a cumulative total of 2,000 doses administered. The data encoding rate on the DHIS2 server reached a high level of 97.9%, with 1,957 people registered. Pre-registration of persons deprived of their liberty (PPL) and target groups (religious leaders, community health workers, traditional healers, motorcyclists, and hunters) continued in the Bondo and Monga health zones.

Tshopo : 13,310 vaccinated (13,391 according to DHIS2, a difference of 81), representing 89% of the target, just below the 90% objective. 1,650 people remain to be vaccinated. Coverage is low in Kabondo (44.3%, 1,631 remaining) and Mangobo (67.7%, 768 remaining). Coverage is exceeded in Makiso-Kisangani (110.5%), Tshopo (106.3%), and Bafwasende (120%). Wave 2: vaccinations decreased from approximately 400 per day to 22-72 on days 27-31. Data for Wave 1 is missing after day 26. A balance of 690 doses remains. Of the 1,090 reported adverse events following immunization (AEFIs), the most common were pain (389) and pain at the injection site (335), followed by fever (94). Anaphylactic shock, cyanosis, and altered consciousness are among the isolated cases.

2.7. Continuity of Care

2.7.1. Main actions in North Kivu : The baseline assessment of the Tulizeni health center highlighted the absence of a standardized triage area, a lack of PPE and staff protection, and the lack of a connected water source. On the administrative and financial front, payment for the 133 actors involved in the Oicha health zone response for July 2026 was ensured.

- **Tshopo :** Evaluation of 2 health centers: Kwetu Health Center (7/8 providers trained, 87.5%) and Masikilizano Health Center (3/15, 20%). No triage, no incinerator, no partogram, and missing registers. 100% vaccination coverage of staff.
- Recovery plans developed for 3 social and solidarity economy (SSE) organizations (Renouveau, Hospice des Vieillards, Bon Samaritain). Start Malaria management training. Challenges: public sector strike, decreased attendance (Jamaa, Kwetu, Mbilinga), EPI continuity plan to be activated.
- ***Ituri :*** 18 providers trained in emergency obstetric and neonatal care in 4 health centers in Lita. Supervision of routine immunization in the 36 health zones. Planned: HIV/TB training, Gety and Fataki training, and blood product supply.

- **Haut-Uélé :** The Dungu Health Zone received batches of routine vaccines for November, while the Expanded Program on Immunization (EPI) unit was supplied with fuel for the cold chain. The assessment of the Bachenze Health Center (Pawa Health Zone) highlighted a significant decrease in patient visits due to fear and rumors related to Ebola, as well as a lack of adequate health infrastructure.

Post-vaccination monitoring and targeted vaccination of Persons Deprived of Liberty (PPL) are actively continuing in the areas concerned (Isiro, Wamba, Pawa and Rungu).

2.8. Risk Communication and Community Engagement (RCCE)

2.8.1. Main actions

- **Ituri :** 29% completion rate (8/28 health zones). 335 community alerts, including 43 deaths. Feedback resolved: 20/24. In Mambasa, a message from the Bishop of Wamba/Mambasa was disseminated to parishes. A DPS-WHO-UNICEF meeting addressed the increase in cases (Mambasa, Salama, Mputu, Binase), with low adherence to the DHS and SWAB. In Lolwa, the Mabitane health center was burned down and a young man hanged himself. Regarding the cases: 1,842 pre-listed contacts, 13/13 households decontaminated, 21/21 DHS facilitated, 41/41 suspected cases transferred. Challenges: mobility, communication resources, reporting forms.

Machine Translated by Google

• **North Kivu :** Outreach activities covered 5,315 home visits (reaching 55,297 people) and 229 educational talks (reaching 9,238 people), supplemented by mass communication sessions. Targeted actions were undertaken, such as a meeting between a large delegation of partners and the Mwami of Baswagha in Musienene, and the mobilization of the Butembo Children's Parliament to raise community awareness. 21 out of 34 community feedback issues and complaints were resolved within 48 hours, one of which concerned a lack of clean water for handwashing.

• **Tshopo :** 83 community alerts notified and all resolved, mainly in Kabondo. 1 out of 1 feedback addressed. 962 home-based outreach sites and 2 mass awareness campaigns (106 people). Surveillance support: 353 contacts followed up and contact tracing for case 97. Rumors in Bafwasende: "Ebola doesn't exist," "Ebola is a business," water poisoning, and calls to burn down the General Referral Hospital. In Makiso: "political strategy." Launch of the "Safe Schools for the Start of the School Year" project (UNESCO), training of CREC sub-pillars (FHI 360), hotline in Kabondo. Challenges: mobility and communication resources.

• **Haut-Uélé :** Intense mobilization activities were carried out, including 31 educational talks, mass awareness sessions in churches (reaching more than 3,044 faithful), home visits (VAD) and a multi-sectoral and professional dialogue held in Isiro with the heads of care structures.
The teams actively supported monitoring and dignified burials through community negotiations, while responding to feedback and rumors relayed via interactive radio programs (notably on RTK).

Bas-Uélé : Community awareness activities have been intensified, totaling 55 home visits (reaching 2,187 people) and 11 educational talks conducted mainly in the health zones of Buta and Ganga.

The pillar proceeded to sign contracts with 6 local journalists and handed over computer equipment (computers, speakers and 4 printers intended for the DPS) to community facilitators in 7 health zones.

2.9. Mental Health and Psychosocial Support (MHPSS)
2.9.1. Main actions

Ituri : 30/40 of the latest confirmed cases are being treated (75%), compared to 19/24 the previous day. 15 out of 28 health zones are covered. 47 results announced (30 positive). 84 children monitored, 30/30 in daycare, 11/22 cured and reintegrated. Mandima is at 17/20 (85%) and Bunia at 5/6. The challenge is to strengthen interventions around new cases in Bunia and Mandima.

Tshopo : 3 resistances broken (Bethsaïda for decontamination and EDS, Neema for sampling, DHKIS) and 1 ongoing. 2 confirmed cases supported for anxiety, 3 results announced including 1 positive, 26 people in psychoeducation (including 9 PPL), 1 recovered patient reintegrated. Challenges: training the APS in Wanierukula, motorcycles and communication credit.

2.10. Logistics
2.10.1. Main actions

• **North Kivu :** delivery of 41 bottles of gel, 200 Tyvek (PoE from Nobili and Kasindi), 72 pairs of glasses (ECUMERS Beni) and 5 tarpaulins (Byakato).

• **Tshopo :** Rehabilitation of the Makiso isolation center has begun, electrical work is progressing at the PEP site, and support is being provided for team mobility in cases 97 and 98 (Azunu village, 61 km away). 115 motorcycles are still needed for the health zones.

2.11. Security

2.11.1. Main actions

Bas-Uélé : The security pillar participated in the SGI provincial coordination meetings to assess the security situation and ensure the protection of response teams as well as the security of service provider salaries.

2.12. PSEA (Prevention of Sexual Exploitation and Abuse)
2.12.1. Main actions

Ituri : only 15/36 health zones (41.7%) are aware of the reporting mechanism. There is a lack of awareness-raising materials, computer kits, and a mapping of stakeholders.

Machine Translated by Google

- **North Kivu :** Briefing sessions on the PSEA, funded by the WHO, were conducted in the Health zones in Butembo and Katwa benefited 143 participants, 97 of whom signed the code of conduct. Mass awareness activities were also conducted, notably with 315 parents at the Malkia wa Mbingu Institute (Kalunguta Health Zone) and with the EDS team in Mutwanga.
- **Tshopo :** complaints mechanism installed in 11 health areas (7.4% of affected areas) (covered). Nurses' strike, missing tools.

KEY MESSAGES

Fifty-two (52) new confirmed cases were reported in three provinces, including 30 in Ituri, 17 in North Kivu and 5 in Haut-Uélé. The transmission remains particularly pronounced in the ZS of Mandima (12 cases) and Bunia (3 cases) in Ituri, as well as in those from Beni (8 cases) and Mutwanga (1 case) in North Kivu.

Of the 33 confirmed deaths reported, 19 are deaths community-based (10 in Ituri, 8 in North Kivu and 1 in Haut-Uélé) and 14 These are deaths at the CTEs (5 in Ituri, 9 in North Kivu). The follow-up rate Contacts were established at 79.7% (27012/33900) in the six provinces with contacts currently being monitored (North Ubangi: 98.5%; South ... Ubangi: 100%; Haut-Uélé: 90.6%; Ituri: 85.0%; North Kivu: 76.9 %; Tshopo: 56.1%), up from the previous day (79.2%) but always below the 95% threshold, with the lowest rate at the Tshopo, where activities remain suspended in Bafwasende for cause of insecurity.

TIMELINE OF KEY EVENTS

From April 24 to May 15, 2026, the epidemic is moving beyond the detection of the first cases suspected of having the virus confirmed by biological testing Ebola Bundibugyo, leading to the declaration official of the 17th epidemic of Virus Disease Ebola in the Democratic Republic of Congo.

Between May 17 and 18, 2026, the authorities national, with the support of partners, have strengthened the response with the declaration of the public health emergency of scope national and then continental, accompanied by

Machine Translated by Google

EBOLA PRESIDENTIAL FORCE TASK 17

Ministry of Public Health, Hygiene and Social Welfare

National Institute of Public Health

Public Health Emergency Operations Center

MVE17 Incident Management System

Director General of INSP

Dr. MWAMBA KAZADI Dieudonné

Email:diedonne.mwamba@insp.cd

Incident Manager

Professor Dr. AHUKA MUNDEKE Steve

Email: steve.ahuka@unikin.ac.cd

Operations Manager

Dr. KOMBE NGWAMA John

Editorial Team

Professor Dr. MULANGU KATULUMBA Félix-Médard

Dr. Sifa Akilimali

Mr. KANKU Benjamin

Ms. KABWE Deborha

Contact:

www.insp.cd

contact@sgiebola17.org

Freephone number: 151. www.sante.gouv.cd