




TASK FORCE PRESIDENTIAL EBOLA 17
Ministry of Public Health, Hygiene and Social Welfare
National Institute of Public Health
Public Health Emergency Operations Center
MVE17 Incident Management System



Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°101/MVEBDB/23/08/2026

Reporting date: August 23, 2026

Publication date: August 24, 2026



HIGHLIGHTS (last 24 hours)

As of August 23, 2026, there were 70 new confirmed cases of Ebola Virus Disease, including 16 community deaths.

Ebola cases (EV) have been recorded in the provinces of Ituri (48 cases), North Kivu (14 cases) and Haut Uélé (8). No new health zones have been affected in the last 24 hours.

ACCUMULATIVE CAS 5 584	 ACCUMULATIVE DEATH CONFIRMED 2 680	 LETHALITY 48,0%	PATIENT IN ISOLATION/CTE 846	ACCUMULATIVE HEALED 1 215	TRACKING RATES CONTACTS (Of the Day) 83,4 %
---	---	--------------------------------------	---	--	--



Affected Provinces and Affected Health Zones



6 Provinces Affected

Uele, Ituri, North Kivu,
South Kivu, Tshopo & Lower Uele



57 Health Zones
affected out of 151

(37,7%)



Summary of key points from the last 24 hours

In the past 24 hours, **70 new confirmed cases**, including **16 community deaths** from Ebola Virus Disease (EVD), have been reported in the provinces of **Ituri (48 cases)**, **North Kivu (14)** and **Haut Uélé (8)**.

Over the past 24 hours, **15 patients** have been declared recovered after receiving two negative Ebola virus (EV) test results (13 in Ituri and 2 in Haut-Uélé). On the other hand, **22 deaths within Ebola treatment centers** have been recorded, including 17 in Ituri and 5 in Haut-Uélé.

From the start of the epidemic until August 23, 2026, **5,584 confirmed cases**, including **2,680 deaths**, were reported in the DRC, representing a case fatality rate of **48.0 %**. Ituri remains the epicenter of the epidemic, accounting for 83.4% of cumulative confirmed cases and 68.6% of new cases reported in the last 24 hours.

Overall, 57 of the 151 health zones in the six provinces have been affected since the start of the epidemic in the DRC. Ituri has 28 health zones affected out of 36, followed by North Kivu (13/34), Haut-Uélé (6/13), Tshopo (7/23), South Kivu (1/34) and Bas-Uélé (2/11).

Distribution of confirmed cases and deaths by affected province					
(As of August 23, 2026)					
Province	Confirmed cases	Deaths (confirmed)	Lethality	Affected health zones	New confirmed cases (24h)
Ituri	4655	2 088	44,9%	28/36 (77,8 %)	48
North Kivu	728	498	68,4%	13/34 (38,2 %)	14
Haut-Uélé	181	84	46,4%	6/13 (46,1 %)	8
Boss	15	8	53,3%	7/23 (30,4 %)	0
South Kivu	3	1	33,3%	1/34 (2,9 %)	0
Bas Uélé	2	1	50,0%	2/11(18,2%)	0
Total	5 584	2 680	48,0%	57/151 (37,7 %)	70

Confirmed cases and deaths by province and health zone (situation as of August 23, 2026)							
Province / Health zone	Cumulative number			Current situation (24 hours)			
	Cas (n)	Deaths (n)	Lethality	New Case	Community deaths (Swab+)	Confirmed deaths within the CTE	Total confirmed deaths
Ituri	4655	2088	44,9%	48	6	17	23
Give	11	1	9,1%				0
Undermount	7	6	85,7%				0
Ariwara	8	2	25,0%				0
Aungba	12	5	41,7%				0
Bamboo	127	28	22,0%				0
have	1	1	100,0%				0
Bunla	1298	405	31,2%	19	3		3
Ladies	27	9	33,3%				0
Drodro	13	6	46,2%				0
Fireworks	73	30	41,1%				0
Gethy	5	2	40,0%				0
Flounder	2	0	0,0%				0
Kilo	32	12	37,5%	1	0		0
Team	59	38	64,4%	1	0		0
Liter	197	109	55,3%	1	1		1
Logo	11	5	45,5%				0
Fight	18	4	22,2%	1	0		0
distributed	4	1	25,0%				0
Washing	14	7	50,0%				0
Darkness	32	19	59,4%				0
Mangala	197	106	53,8%	6	0		0
Mongbwalu	602	283	47,0%	2	0		0
Nanny	193	108	56,0%	2	1		1

Nizi	612	252	41,2%	3	0		0
Legumes	122	35	28,7%				0
Jungle	10	4	40,0%				0
Rwampara	913	335	36,7%	11	1		1
Tchomia	55	25	45,5%	1	0		0
A valves	THAT	250	THAT	THAT	THAT	17	17
North Kivu	728	498	68,4%	14	8	0	8
Me	117	84	71,8%	3	0		0
Butembo	138	106	76,8%	1	0		0
Ten	1	0	0,0%				0
Kalunguta	15	7	46,7%	2	1		1
Cut	348	234	67,2%	6	5		5
Kyondo	16	12	75,0%				0
Lubero	1	1	100,0%				0
Be careful.	3	2	66,7%				0
Masereka	7	4	57,1%				0
The museums	70	41	58,6%	2	2		2
Mutwanga	1	1	100,0%				0
Oicha	6	4	66,7%				0
Vuh	5	2	40,0%				0
Haut-Uélé	181	84	46,4%	8	2	5	7
Government Mangbetu	26	13	50,0%	2		4	4
Gombari	3	1	33,3%				0
Mathematics	68	29	42,6%	1	0	1	1
Lining	20	15	75,0%				0
Beans	1	0	0,0%				0
Ordinary	63	26	41,3%	5	2		2
Boss	15	8	53,3%	0	0	0	0
Bafwasende	1	0	0,0%				0
Kabondo	3	1	33,3%				0
Lubunga	1	0	0,0%				0
Maquis- Kisangani	6	4	66,7%				0
Mangobo	2	2	100,0%				0
Boss	1	0	0,0%				
Wanie-Rukula	1	1	100,0%				0
South Kivu	3	1	33,3%	0	0	0	0
Miti-Murhesa	3	1	33,3%				0
Bas Uélé	2	1	50,0%	0	0	0	0
Blind	1	1	100,0%				0
Viadana	1	0	0,0%				
Total	5584 2680	48,0%		70	16	22	38


*These are the confirmed deaths that occurred in the various CTEs in the province and are being broken down to be classified by health zone.

NA : Not Applicable.


Status of alerts notified by province, as of August 23, 2026

DPS	New Alerts Received		Total alerts	Alerts verified and validated (suspected case)		Alerts verified and invalidated (no suspected cases)		Number of suspects investigated	Number of suspects investigated and transferred to CT/CTE (of the day)
	Living	Deceased		Living	Deceased	Living	Deceased		
Haut-Uélé	18	0	18	14	0	4	0	14	9
Bas Uélé	3	0	3	3	0	0	0	1	0
Ituri	569	91	660	91	73	294	5	164	35
North Kivu	696	37	733	56	38	636	0	94	56
South Kivu	1	0	1	1	0	0	0	1	1
Boss	123	1	124	0	1	121	0	1	0
Total General	1410	129	1 539	165	112	1055	5	275	101

Evolution of cases by date of symptom onset over the last 21 days



MAPPING OF CASES over the last 21 days



1. RESPONSE ACTIONS BY PILLAR

1.1. Coordination

1.1.1. Main Actions

- **North Kivu** : Strategic meeting chaired by the National Incident Manager with the elected national deputies of the province on strengthening response actions; workshop to present the evaluation mission of the zonal approach to the provincial SGI; follow-up on the development of zonal correction plans.
- **Ituri** : Continued supervision of response activities and holding of the meeting of the coordination.
- **Tshopo** : Organization of the provincial SGI meeting; training of provincial trainers and ECZS on vaccination against Ebola virus disease.
- **South Kivu** : continued intensification of surveillance and active search in the Ibanda and Nyangezi health zones; the province has gone 74 days without a new confirmed case and the last one dates back to June 10, 2026.

- **Bas-Uélé:** Briefing of 19 ACoDDS to strengthen the response and of 18 actors by the national PEV (12 from the ZS of Buta, 4 from the PEV branch and 2 from the DPS) with a view to the vaccination of people more at risk.

1.1.2. Epidemiological surveillance

1.1.3. Main Actions

By the end of the day on August 23, 2026, 1,539 alerts had been recorded, including 1,337 (86.9%) were verified in the six affected provinces. Following these verifications, 277 (20.7%) were validated as suspected cases and 275 (99.3%) were investigated, of which 101 were transferred to CT/CTE.

The proportion of contacts followed up in the last 24 hours is 83.4% (18,361 seen out of 22,015 to be followed up), below the 85% threshold: Ituri 86.7% (10,110/11,665), Tshopo 99.6% (487/489) and North Kivu 80.2% (6,341/7,902). Haut-Uélé 75.2% (1,297/1,725) and Bas-Uélé 53.8% (126/234) show low follow-up rates.

1.1.4. Challenges

Weak follow-up of contacts around confirmed cases mainly in the provinces of Haut Uélé and Bas Uélé linked to a lack of teams dedicated to these activities and insufficient completeness in Ituri (6 health zones did not transmit data on contact follow-up).

1.2. Update on checkpoint and point of entry (PoC/PoE) activities

1.2.1. Main actions

- Seven (7) alerts were notified to PoE/PoC in the last 24 hours: five in Ituri, including three live alerts validated and transferred to CTE Elikya (100%) and two lifeless bodies intercepted at PoC Zunguluka not swabed for security reasons; two in North Kivu (PoC Kasitu and PoC Mukulia), concerning two lifeless bodies intercepted swabed.

Indicators	Ituri	North-Kivu	South-Kivu	Shop	High-Uele	Bas-Uélé	Global
Report completeness	98,3 % (59/60)	100 % (18/18)	55,5 % (5/9)	85 % (17/20)	45 % (5/11)	42,1 % (8/19)	81,8 % (112/137)
% of functional strategic PoE/PoC	9,09 % (1/11)	THAT	THAT	THAT	THAT	ND	9,1 % (1/11)
Number of people who switched to PoE/ PoC % of	124 427	77 092	7 012	5 492	9 080	ND	223 103
travelers screened	98,0 %	96,79 %	98,6 %	100 %	97,0 %	ND	97,6 %
% of travelers who washed the mains	98,0 %	96,79 %	98,6 %	100 %	97,0 %	ND	97,6 %
% of travelers made aware	99,6 %	96,79 %	100 %	100 %	100 %	ND	98,7 %
Number of alerts notified	5	2	0	0	0	0	7
Number of live alerts validated (suspected cases)	3	0	0	0	0	0	3
Number of bodies recovered today	2	2	0	0	0	0	4
% of suspected cases transferred to CT/CTE	100 % (3/3)	0 %	0 %	0 %	0 %	0 %	100 % (3/3)
% of lifeless bodies swabed/secured	0 % (0/2)	100 % (2/2)	0 %	0 %	0 %	0 %	50 % (2/4)
% of suspected cases investigated within 24 h	60 % (3/5)	100 % (2/2)	0 %	0 %	0 %	0 %	71,4 % (5/7)

1.2.2. Challenges

Insufficient operationalization of PoE/PoC: national completeness reaches only 81.8% (112 out of 137 reports), with low levels in Bas-Uélé (42.1%), Haut-Uélé (45%), and Sud-Kivu (55.5%). In Ituri, only 1 (9.1%) of the 11 strategic PoE/PoCs is operating without interruption; attacks on service providers at the Mudzibala PoC confirm the need for a permanent security force presence at this strategic PoC; delays in operationalizing PoCs in Tshopo (7 out of 20 planned PoCs).

1.3. Laboratory

1.3.1. Main actions

- **Ituri : 48 new positive results** (42 living and 6 deaths) out of 321 new samples received and analyzed (**positivity: 15.0 %**).
- **North Kivu : 14 new positive results** (6 living and 8 dead) out of 107 samples analyzed (**positivity of 13.0 %**).
- **Haut-Uélé: 8 new positive results** (6 living and 2 dead) out of 31 samples analyzed (**positivity of 25.8%**).
- **All samples tested in other provinces came back negative.**

1.4. Infection Prevention and Control (IPC/EDS)

1.4.1. Main actions

- **In Ituri**, 18 of the 79 identified infection control rings (22.8%) were opened, 58 of the 70 identified households were decontaminated (82.9%), and 5 of the 10 health facilities (50%) were decontaminated; 20 infection prevention and control (IPC) kits were distributed to households (Bunia and Mongbwalu), and 4 health facility assessments were conducted. The Health Data System (HDS) component received 83 death alerts, including 14 reports from the previous day. Of the bodies collected, 62 were swabs and 16 could not be swabs; 70 HDS assessments were carried out.
- **In North Kivu**, 6 infection control rings were opened, 3 health facilities and 2 households were decontaminated, and 1 infection prevention and control (IPC) kit was distributed in Mabalako; 67 health facilities were monitored and supported, 129 service providers were briefed, and 6 handwashing stations were provided. The blood and health monitoring (BHM) pillar received 36 alerts (14 reported): 36 bodies were successfully swabbed, and 35 BHM tests were carried out.
- **In Bas-Uélé**, 9 of the 13 targeted health facilities received support, and 11 remain under infection prevention and control (IPC) monitoring; 2 infection control rings were opened (Buta and Viadana), and the functionality of handwashing stations installed in 9 health zones and triage units installed in 8 of them was monitored. No death alerts were received, and no disease surveillance was conducted.
- **In Tshopo**, 8 community health workers (CHWs) were supported in 3 health zones (Makiso-Kisangani, Tshopo, and Kabondo), where 42 service providers were briefed on waste management and sorting; the functionality of 8 handwashing stations and 7 sorting units was monitored. A training session was held to prepare for the training of hygiene workers.
- **In Haut-Uélé**, all three identified treatment areas were opened (100%), but only one in three households could be decontaminated (33%), with two families refusing. Twenty-nine social and health establishments (SHEs) remain under infection prevention and control (IPC) monitoring; nine of these received support, and 37 service providers were briefed. The Emergency Response Support (ERS) pillar received two alerts (Wamba and Isiro): both bodies were swabs, and two ERSs were carried out by the Red Cross team, without any failures or postponements.

1.4.2. Challenges

- **Weak implementation of PCI standards:** in Ituri, ring opening remains limited to 22.8 % due to insufficient decontamination teams (Fataki, Mangala), lack of mobility (Komanda, Bambu) and supply shortages in Mandima; 16 swab failures and

Resistance to EDS was recorded in Bambu, Nyankunde, Mangala, Aru, Bunia and Tchomia. In North Kivu, data is only complete in 7 out of 12 health zones (Vuhovi, Kalunguta, Masereka, Lubero and Goma have not been reported).

- In Bas-Uélé, the decontamination of the household of relatives of the first confirmed case in Buta has still not been carried out due to persistent community resistance, the briefing of the 500 service providers in the health zones of Aketi, Likati, Bondo, Monga and Bili has not taken place and several IPC inputs are on the verge of running out.
- In Haut-Uélé, residents of Nganzi Avenue opposed the decontamination of the household of a deceased person who tested positive for COVID-19 in AS Mayogo, and the Red Cross team was attacked. In Tshopo, the incinerator at the Makiso-Kisangani General Referral Hospital remains out of service, and infection prevention and control (IPC) scores for monitored health facilities remain low (11.6% to 48.4%).

1.5. Continuity of care

1.5.1. Main actions

- **In Ituri**, 118 new admissions were recorded and 91 discharges, including 13 recoveries. Thus, 555 patients are hospitalized out of 965 beds, representing an overall occupancy rate of 57.5%.
- **In North Kivu**, 38 admissions were recorded, with 17 discharges. At the end of the day, 181 patients were hospitalized in 206 beds, representing an overall occupancy rate of 87.9%.
- **In Tshopo**, 4 new admissions of suspected cases and one discharge (transfer to the CTE) brings the number of isolated patients to 7 (1 confirmed and 6 suspected) for 14 beds, i.e. 50.0% occupancy.
- **In South Kivu**, 30 suspected cases remain in isolation.
- **In Haut Uélé**, 8 admissions were recorded (1 confirmed and 7 suspected) with 8 discharges, including 2 recoveries. A total of 72 patients are in isolation out of 130 beds, representing 56.2%.

1.5.2. Challenges

Low reception capacity and absence of CTEs in some health zones.

1.6. Risk communication and community engagement

1.6.1. Main actions

- **In Ituri**, 191 contacts were identified around confirmed cases (27 in Kilo, 86 in Rwampara, and 78 in Lolwa); 3 EDS (Emergency Health Distribution) operations were facilitated, 9 households and 1 health facility were decontaminated, and 9 positive results were announced to families in Rwampara. In total, 5,880 people were reached through communication activities (4,033 through home visits, 558 through educational talks, 1,134 through mass awareness campaigns, and 145 through community dialogue); 22 radio programs and 6 radio spots were produced, 36 community radio stations were involved, and 42 IEC (Information, Education, and Communication) materials were distributed.
- **In Tshopo**, 13,244 people were reached through advocacy with religious denominations and 1,056 people were sensitized during home visits in 176 households in Makiso, Mangobo and Lubunga; spots were broadcast on 6 radio and television channels and a rumor was clarified.
- **In North Kivu**, 11 cases were covered and 85 household heads affected in 8 health zones; the CREC prepared the families of confirmed cases for the announcement of the results in Beni (AS Kasabinyole and Tamende) and facilitated the listing of 11 contacts, accompanied the decontamination of the CHR Maboya (Kalunguta) and the Mumole dispensary (Kyondo), and sensitized 10 young people from the pressure groups of Butembo.

- **In Haut-Uélé**, 10,537 people were reached through communication activities: 9,637 during mass awareness campaigns in churches in the affected areas, 489 during home visits to 81 households, and 411 through educational talks. Five local radio stations broadcast the messages, and 53 IEC (Information, Education, and Communication) materials were distributed. One refusal remains unresolved in Isiro, following an attack on a Red Cross team during the decontamination of a household.
- **In Bas-Uélé**, 1,502 people, including 860 women, were sensitized to Ebola virus disease, prevention measures and dignified and safe burial during a session held at the Church of the Message of the End Times, Plateau Conton, in Buta.

1.6.2. Challenges

Persistent community challenges: In Ituri, there was weak involvement of traditional authorities and leaders in the Mangala (Tchere health area) and Bunia (Babao Bokoe community) health zones; incidents of reluctance, refusal, and resistance were recorded in Lolwa and Nia-Nia. Only 8 of the 28 affected health zones in Ituri and 2 in North Kivu reported community concerns, representing 19% of the country's affected areas (compared to 23% in the previous period).

In North Kivu, resistance to the listing and monitoring of contacts persists in Mabalako.

1.7. Mental Health and Psychosocial Support (MHPSS)

1.7.1. Main actions

- **In Ituri**, 19 of the day's confirmed cases and 134 of the 216 confirmed cases under follow-up (45.5%) benefited from SMSPS interventions, as well as 25 of the 116 new suspected cases (21.5%); 45 households received support, 51 people living with HIV (PLHIV) received assistance, 44 recovered individuals are being monitored in the community, and 82 test results were announced, including 19 positive results. Coverage remains limited to 4 of the 9 health zones that have reported.
- **In North Kivu**, all new confirmed cases and 56 new suspected cases benefited from SMSPS interventions; 75 results announced out of 102 expected (73.5%) were made, 65 PPLs and 75 affected households were supported and 42 separated or orphaned children were followed up in the community.
- **In Haut-Uélé**, 29 of the 49 targeted confirmed cases (59%) and 3 suspected cases received psychosocial support, as well as 32 caregivers and 29 people with disabilities; 11 test results were announced, including 2 positive results. Coverage remains limited to 2 of the 6 affected health zones (33%), due to a lack of sufficient psychosocial workers.
- **In Tshopo**, 2 new suspected cases received an interview and psychological support, 17 caregivers of hospitalized cases and 406 people were reached by psychoeducation in religious settings; a service provider threatened by relatives of a suspected case in Mangobo was supported.

1.7. Logistics

1.7.1. Main actions

- Construction work continues on the isolation units in Madula and Kabondo, as well as than high-capacity CTE.

1.8. Security

1.8.1. Main actions

- **In North Kivu**, the pillar ensured security coverage for the IPC team in the household of a confirmed case of AS Butsili (Beni) and provided support to the EDS teams for

the burial at the Bundji family cemetery, the burial of a confirmed case of CTE Katwa at the Butuhe cemetery and the swab of a death at CH Vukaka (100% completion).

1.8.2. In Ituri, the security of strategic PoCs remains incomplete: the absence of uniformed personnel in Mudzibala, Zunguluka, Chai and Pont Chari allowed six passengers who refused screening to attack service providers.

1.8.3. Challenges

In Ituri, two carcasses intercepted at the Zunguluka PoC could not be swabbed due to insecurity, and animal health teams are unable to collect samples due to a lack of training. **In North Kivu**, there is no permanent vehicle, and the financial incentives for staff remain insufficient. **In South Kivu**, the demotivation of provincial and zonal actors, linked to non-payment, calls for immediate regularization.

1.9. PSEA (Prevention of Sexual Exploitation and Abuse)

1.9.1. Main actions

Continued support for training of community, military and police leaders on PSEA and MVE, jointly with the communications pillar.

1.9.2. Challenges

- Still insufficient coverage of PSEA activities, limited to 4 out of 36 health zones in Ituri, lack of mapping of stakeholders, insufficient mass awareness materials and lack of transport and computer equipment for the pillar; Coverage remains limited to 4 of the 36 health zones of Ituri (11.1%) and only two partners (WHO and Africa CDC) report their PSEA activities.

MESSAGES CLES

- Ebola virus transmission remains active, with 70 new cases including 16 community deaths and 22 intra-CTE recorded in the last 24 hours, bringing the national total to 5,584 confirmed cases and 2,680 deaths.
- Ituri remains the epicenter of the epidemic, concentrating 83.4% of cumulative confirmed cases and 68.6% of new cases reported in the last 24 hours and a greater expansion (28 of the 36 health zones affected).
- Surveillance shows good performance (99.3%) of suspected cases investigated while the follow-up rate (83.4%) is below the threshold of 85.0%.
- Strengthening priority interventions (surveillance, care, IPC, logistics and community engagement) remains essential to quickly interrupt transmission chains.

TIMELINE OF KEY EVENTS

- From April 24 to May 15, 2026, the epidemic progressed from the detection of the first suspected cases to the biological confirmation of the Ebola Bundibugyo virus, leading to the official declaration of the 17th Ebola Virus Disease epidemic in the Democratic Republic of Congo.
- Between May 17 and 18, 2026, national authorities, with the support of partners, strengthened the response by declaring a public health emergency of national and then continental scope, accompanied by the mobilization of funds.



TASK FORCE PRESIDENTIAL EBOLA 17
Ministry of Public Health, Hygiene and Social Welfare
National Institute of Public Health
Public Health Emergency Operations Center
MVE17 Incident Management System

Director General of INSP

Dr. MWAMBA KAZADI Dieudonné

Email: dieudonne.mwamba@insp.cd **Incident**

Manager: Professor

Dr. AHUKA MUNDEKE Steve

Email: steve.ahuka@unikin.ac.cd

Operations Manager

Dr. Kombe NGWAMA John

Editorial Team

Professor Dr. Mulangu Katulumba Félix-Médard

Dr Katusi Biselenge Jules

Mrs. Wisdom Dies Marie

Dr. Diur Mananashi Floryan

Mr. Kamuina Kebela John

Contact :

www.insp.cd

contact@sgiebola17.org

Freephone number: 151. www.sante.gouv.cd