




EBOLA PRESIDENTIAL FORCE TASK 17

Ministry of Public Health, Hygiene and Social Welfare

National Institute of Public Health

Public Health Emergency Operations Center

MVE17 Incident Management System



Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°105/MVEBDB/08/27/2026

Reporting date: August 27, 2026

Publication date: August 28, 2026



HIGHLIGHTS (last 24 hours)

At the end of the day on August 27, 2026, 69 new confirmed cases of Ebola Virus Disease (EVD), including 23 community deaths, were recorded in the provinces of Ituri (43 cases), North Kivu (13 cases), Haut-Uélé (11), and Tshopo (2). In addition, 15 deaths within Ebola Treatment Centers (ETCs) were recorded.

No new health zones have been affected in the last 24 hours.

ACCUMULATIVE CASE 5,863	ACCUMULATIVE DEATH CONFIRMED 2,824	LETHALITY 48.2%	PATIENTS IN ISOLATION/CTE 795	ACCUMULATIVE HEALED 1,318	TRACKING RATES CONTACTS (Of the Day) 87.3%
--	---	----------------------------------	--	--	--



Affected Provinces and Affected Health Zones



6 Provinces Affected

Haut-Uélé, Ituri, North Kivu, South Kivu, Tshopo & Bas-Uélé



60 out of 151 health zones affected (39.7%)



Summary of key points from the last 24 hours

For the day of August 27, 2026, **69 new confirmed cases** including **23 community deaths** of Ebola Virus Disease (EVD) were reported in the provinces of **Ituri (43 cases), North Kivu (13), Haut Uélé (11) and Tshopo (2).**

On the other hand, **25 patients** were declared cured after receiving two negative Ebola virus (EV) test results (22 in Ituri, 2 in Haut-Uélé, and 1 in North Kivu). In addition, **15 deaths within the Ebola Treatment Centers (ETCs)** were recorded, including 12 in Ituri, 2 in North Kivu, and 1 in [unspecified location] in Haut Uélé. This brings **the number of deaths for the day to 38.**

From the start of the epidemic until August 27, 2026, **5,863 confirmed cases, including 2,824 deaths**, were reported in the DRC, representing a case fatality rate of **48.2 %**. Ituri remains the epicenter of the epidemic, accounting for **82.6%** of cumulative confirmed cases and **62.3%** of new reported cases.

Overall, 60 of the 151 health zones in the six provinces remain affected since the start of the epidemic in the DRC. Ituri has 28 health zones affected out of 36, followed by North Kivu (15/34), Haut-Uélé (6/13), Tshopo (7/23), South Kivu (1/34) and Bas-Uélé (3/11).

Distribution of confirmed cases and deaths by affected province

(As of August 27, 2026)

Province	New cases confirmed (24h)	Confirmed cases	Deaths (confirmed)	Lethality	Affected health zones
Ituri	43	4845	2,185	45.1%	28/36 (77.8%)
North Kivu	13	788	538	68.3%	15/34 (44.1%)
Haut-Uélé	11	205	91	44.4%	6/13 (46.1%)
Tshopo	2	19	8	42.1%	7/23 (30.4%)
South Kivu	0	3	1	33.3%	1/34 (2.9%)
Bas Uélé	0	3	1	33.3%	3/11 (27.3%)
Total	69	5,863	2,824	48.2% 60/151 (39.7%)	

Confirmed cases and deaths by province and health zone (situation as of August 27, 2026)

Province / Health Zone	Cumulative number			Current situation (24 hours)			
	Case (n)	Deaths (n)	Lethality	New Case	Community deaths (Swab+)	Confirmed deaths within the CTE	Total confirmed deaths
Ituri	4845	2185	45.1%	43	14	12	26
Adja	11	1	9.1%				0
Aru	7	6	85.7%				0
Ariwara	8	2	25.0%				0
Aungba	12	5	41.7%				0
Bamboo	156	34	21.8%	7	5		5
Boga	2	2	100.0%				0
Bunia	1347	424	31.5%	11	3		3
Damascus	27	9	33.3%				0
Drodro	13	6	46.2%				0
Fataki	74	30	40.5%	1	0		0
Gethy	6	2	33.3%	1	0		0
Kambala	2	0	0.0%				0
Kilo	32	12	37.5%				0
Komanda	69	46	66.7%	4	4		4
Lita	208	111	53.4%	4	0		0
Logo	11	5	45.5%				0
Lolwa	19	4	21.1%				0
Mahagi	4	1	25.0%				0
Mambasa	17	7	41.2%				0
Mandima	33	19	57.6%				0
Mangala	213	114	53.5%	1	0		0
Mongbwalu	606	284	46.9%				0
Nia-Nia	203	108	53.2%	4	0		0
Nizi	640	256	40.0%	4	2		2
Nyankunde	124	35	28.2%				0


Rimba	10	4	40.0%				0
Rwampara	935	336	35.9%	5	0	0	0
Tchomia	56	25	44.6%	1	0		0
To ventilate	N / A	297	N / A	N / A	N / A	12	12
North Kivu	788	538	68.3%	13	9	2	11
Blessed	126	91	72.2%	4	3	1	4
Good	1	1	100.0%				0
Butembo	155	118	76.1%	3	2	0	2
Goma	1	0	0.0%				0
Kalunguta	16	7	43.8%				0
Katwa	373	250	67.0%	5	4	0	4
Kyondo	16	12	75.0%				0
Lubero	1	1	100.0%				0
Mabalako	3	2	66.7%				0
Manguredjipa	1	0	0.0%				0
Masereka	8	4	50.0%	1	0	0	0
Musienene	74	43	58.1%				0
Mutwanga	1	1	100.0%				0
Oicha	7	6	85.7%	0	0	1	1
Vuhovi	5	2	40.0%				0
Haut-Uélé	205	91	44.4%	11	0	1	1
Boma							
Mangbetu	26	14	53.8%				0
Gombari	3	1	33.3%				0
Isiro	79	33	41.8%	1	0	1	1
Pawa	24	16	66.7%	4	0	0	0
Rungu	1	0	0.0%				0
Wamba	72	27	37.5%	6	0	0	0
Tshopo	19	8	42.1%	2	0	0	0
Bafwasende	2	0	0.0%	1	0	0	0
Kabondo	3	1	33.3%				0
Lubunga	1	0	0.0%				0
Makiso-Kisangani	9	4	44.4%	1	0	0	0
Mangobo	2	2	100.0%				0
Tshopo	1	0	0.0%				
Wanie-Rukula	1	1	100.0%				0
South Kivu	3	1	33.3%	0	0	0	0
Miti-Murhesa	3	1	33.3%				0
Bas Uélé	3	1	33.3%	0	0	0	0
Buta	1	1	100.0%				0
Viadana	1	0	0.0%				
Ganga	1	0	0.0%				
Total	5863	2824	48.2%	69	23	15	38

*These are the confirmed deaths that occurred in the various CTEs in the province and are being broken down to be classified by health zone.


NA: Not Applicable.

Province / Health Zone	Cumulative number			Current situation (24 hours)				Number of suspects investigated	Number of suspects investigated and transferred to CT/CTE (of the day)
	Case (n)	Deaths (n)	Lethality	Alerts verified and 43 validated (suspected case)	New community (Swab+)	Alerts confirmed and 12 invalidated (no suspected cases)	Deaths confirmed and 26 suspected cases		
Ituri DPS	New Alerts 4845	2185	45.1%	Alerts verified and 43 validated (suspected case)	14	Alerts confirmed and 12 invalidated (no suspected cases)	26	Number of suspects investigated	Number of suspects investigated and transferred to CT/CTE (of the day)
	Received		Total alerts						
	11	1	9.1%						
Adja	7	6	85.7%	Living Deceased	Living Deceased	Deceased	0		
Aru	8	2	25.0%						
Ariwara	12	5	41.7%	14	5	0	0	19	14
Haut-Uélé	156	34	21.8%	7	5	11	0	9	0
Bas-Uélé	788	2	100.0%	134	70	401	2	204	120
Ituri-Boga	130	9	31.5%	11	97	814	3	160	71
North Kivu	27	4	33.3%	0	0	4	0	0	0
South Kivu	13	6	46.2%	8	0	122	0	8	8
Tshopo	74	30	40.5%	1	0	1352	0	400	213
Total General	1884	149	2,033	258	142	1352	3		
	6	2	33.3%	1	0	0	0		

Evolution of cases by date of symptom onset over the last 21 days



MAPPING OF CASES over the last 21 days



1. RESPONSE ACTIONS BY PILLAR



By the end of the day on August 27, 2026, 2,033 alerts had been recorded, including 1,755 (86.3%) were verified in the 6 affected provinces. Thus, 400 (22.8%) were validated as suspected cases and all were investigated, i.e. 100.0%, of which 213 were transferred to CT/CTE.

The proportion of contacts followed up in the last 24 hours is at 87.3% (24,769 seen out of 28,372 to follow up), above the threshold of 85%: Ituri 89.9% (15,712/17,477), Tshopo 76.9% (306/398), North Kivu 84.0% (7,371/8,770), Haut Uélé 84.0% (1,200/1,429) and Bas Uélé 60.4% (180/298).

1.1.4. Challenges

Persistent low contact tracing around confirmed cases in the Lower Province
Uélé is linked to an insufficient number of teams dedicated to these activities.

1.2. Update on checkpoint and point of entry (PoC/PoE) activities**1.2.1. Main actions**

- Seven (7) alerts were notified to the PoE/PoC in the last 24 hours: one in Ituri at the Mudzi Bala PoC (Bunia Health Zone), which was validated, isolated, and referred to the Elikia CT; six in North Kivu at the Foner Kasindi PoC and Kasindi PoE (Mutwanga Health Zone), four of which were validated and referred, and two invalidated after investigation. No bodies were intercepted in the last 24 hours.

Indicators	Ituri	North Kivu South	North Kivu Tshopo	Haut-Uélé Bas-Uélé	Uélé		Overall
Report completeness	96.7% (58/60)	100% (18/18)	55.6% (5/9)	71.4% (5/7)	72.7% (8/11)	ND	89.5% (94/105)
% of functional strategic PoE/PoC	9.09% (1/11)	100%	N / A	35% (7/20)	54.5% (6/11)	ND	ND
Number of people who have switched to PoE/PoC	145,866	89,286	9,668	5,177	11,783	ND	261,780
% of travelers screened	97.8%	98.0% 98.4%	99.3% 98.8%			ND	98.0%
% of travelers who washed their hands	97.5%	98.0% 98.4%	99.1% 98.7%			ND	97.8%
% of travelers made aware	99.5%	98.0% 100%	100% 98.7%			ND	99.0%
Number of alerts notified	1	6	0	0	0	ND	7
Number of live alerts validated (suspected cases)	1	4	0	0	0	ND	5
Number of bodies recovered today	0	0	0	0	0	ND	0
% of suspected cases transferred at CT/CTE	100% (1/1)	100% (4/4)	N / A	0%	0%	ND	100% (5/5)
% of lifeless bodies swabbed/secured	0% (0/0)	0% (0/0)	N / A	0%	0%	ND	0% (0/0)
% of suspected cases investigated within 24 hours	100% (1/1)	100% (4/4)	N / A	0%	0%	ND	100% (5/5)

1.2.2. Challenges

Insufficient operationalization of PoE/PoC: overall completeness stands at 89.5% (94 out of 105 reports), with low levels in South Kivu (55.6%), Tshopo (71.4%), and Haut-Uélé (72.7%). In Ituri, only 1 (9.09%) of the 11 strategic PoE/PoC is operating without interruption, while the Avakubi PoC remains non-functional for security reasons. In Haut-Uélé, 3 PoCs (Dusu, Apodo, and Aungba) have not transmitted their data; refusal to undergo screening and hand washing by some travelers.

1.3. Laboratory

1.3.1. Main actions

- **Ituri : 43 new positive results** (29 living and 14 deaths) out of 292 new samples received and analyzed (**positivity: 14.7 %**).
- **Tshopo: 2 new positive results were recorded out of 8 samples (positivity: 25%).**
- **North Kivu : 13 new positive results** (5 living and 8 dead) out of 185 samples analyzed (**positivity of 7.0%**).
- **Haut-Uélé: 11 new positive results** (11 live and 0 deaths) out of 11 samples analyzed (**positivity is 100%**).
- **Bas-Uélé: 2 samples received and tested in Buta, no positive results.**

1.4. Infection Prevention and Control (IPC/EDS)

1.4.1. Main actions

- **In Ituri**, 27 of the 52 identified rings were opened (51.9%), 123 of the 141 identified households were decontaminated (87.2%), and all 4 health facilities (100%) were decontaminated; 15 kits were distributed to households. The EDS pillar received 98 alerts (5 of which were postponed): 66 bodies were swabbed, and 77 EDS assessments were carried out by the end of the day.
- **In North Kivu**, 13 out of 13 health facilities were decontaminated (100%), 1 of the 22 identified infection control rings was opened (4.5%), and 2 out of 22 households were decontaminated (9%); 8 health facilities were assessed (average score below 50%), and no infection prevention and control (IPC) kits were distributed to households. The blood and health monitoring (BHM) pillar received 52 alerts: 52 bodies were swabbed, there were no failures, and 50 BHMs were completed.
- **In Tshopo**, Monitoring and support of 15 ESS in 5 ZS (Makiso-Kisangani, Mangobo, Tshopo, Kabondo and Lubunga) of which 158 providers were briefed on the implementation of PCI measures; Decontamination of the premises of the ART Polyclinic.

1.4.2. Challenges

- Weak implementation of PCI standards: in Ituri, ring opening remains limited to 51.9 % and swab failures were recorded; insufficient decontamination teams in Fataki and Mangala and lack of mobility in Komanda, Bambu and Mangala.
- In North Kivu, no decontamination of the places where confirmed cases stayed has been carried out and decontamination teams are lacking in the newly affected health zones.
- In Tshopo, there is a shortage of PPE in health centers and the incinerator at Makiso General Referral Hospital is out of service. Kisangani.

1.5. Continuity of care

1.5.1. Main actions

- In **Ituri**, 119 new admissions were recorded and 105 discharges, including 22 recoveries. Thus, 522 patients are hospitalized in 978 beds, representing an overall occupancy rate of 53.4%.
- In **North Kivu**, 89 admissions were recorded compared to 42 discharges, including 1 recovery. At the end of the day, 232 patients were hospitalized in 220 beds, representing an overall occupancy rate of 105.5%.
- In **Bas Uélé**, 1 confirmed patient is currently receiving care (Occupancy rate: 25.0%).
- In **Haut Uélé**, 2 new patients were discharged.
- In **South Kivu**, 26 suspected cases are isolated in the CTs of Lwiro (13), FOMULAC (8), CUB (3) and Nyangezi (2).

1.5.2. Challenges

Low capacity and absence of CTE in some health zones: saturation of the Bambu CTE (confirmed) and the Kigonze CT (suspects) in Ituri; exceeding the capacity in suspected beds in North Kivu, where some of the suspected cases from Butembo, Masereka, Vuhovi and Kalunguta are isolated in ESS which are not treatment centers; in Tshopo, the capacity of the CTE is limited to 14 beds.

1.6. Risk communication and community engagement

1.6.1. Main actions

- In **Ituri**, 120 people were affected around the confirmed cases (80 in Rwampara and 40 in Nia-Nia); 2 educational talks (40 people including 15 women) and 1 mass awareness session (31 people including 19 women); 7 EDS facilitated and 7 households decontaminated in Rwampara; 71 contacts listed with the support of CREC in Nia-Nia and 5 contacts referred.
- In **Tshopo**, 2,006 people were sensitized (1,151 women and 855 men), and 987 leaflets were distributed. distributed and 15 banners placed; 1 rumor clarified.
- In **North Kivu**, local communication around 19 confirmed cases and 88 affected household heads (Katwa 9 cases/28 households, Butembo 2/9, Lubero 2/14, Beni 1/11, Kyondo 1/12, Masereka 1/5, Kalunguta 1/4, Vuhovi 1/3 and Mabalako 1/2); 4 community incidents resolved and 17 rumors clarified.
- In **Haut-Uélé**, 4 new confirmed cases (3 in Isiro and 1 in Pawa) and 23 confirmed cases under follow-up benefited from SMSPS interventions, as well as 6 new suspects and 6 suspects under follow-up; 48 accompanying persons and 27 PPLs were supported, 18 results were announced, including 6 positive results and 1 EDS was supported; followed by the unloading of 3 recovered patients in Pawa.

1.6.2. Challenges

Persistence of challenges at community level: in Ituri, refusal to sample in Nia-Nia and Alimasi, reluctance in Kabakaba and refusal to list contacts in Kilo State (48 cases); in North Kivu, community resistance in Katwa, Butembo, Kalunguta and Beni and assassination of a president of a community animation cell in the AS Mangothe (ZS of Beni); in Tshopo, resistance to investigations, sampling and transfers to the CTE.

1.7. Mental Health and Psychosocial Support (MHPSS)

1.7.1. Main actions

- **In Ituri**, 23 of the newly confirmed cases and 148 of the 220 confirmed cases under follow-up (67.2%) benefited from SMSPS interventions, as well as 41 of the 115 new suspected cases (35.7%).
% and 116 of the 157 suspected cases under follow-up (73.9%); 50 households received support, 42 people living with HIV were assisted, 18 children were monitored in the community, and 7 in daycare; 67 results were announced, of which 23 were positive, and 17 out of 22 (77%) recovered individuals were reintegrated. Coverage remains limited to 5 of the 9 health zones that reported (56%).
- **In North Kivu**, 16 of the newly confirmed cases and 98 of the 121 new suspects (80.0%) benefited from SMSPS interventions; 90 results were announced, including 20 positive ones, 82 households were supported, 64 PPLs were supported, 14 children were monitored in the community and 1 in a nursery, and 1 recovered person was reintegrated (100%).
- **In Haut-Uélé**, 4 new confirmed cases (3 in Isiro and 1 in Pawa) and 23 confirmed cases under follow-up benefited from SMSPS interventions, as well as 6 new suspects and 6 suspects under follow-up; 48 accompanying persons and 27 PPLs were supported, 18 results were announced, including 6 positive results and 1 EDS was supported; followed by the unloading of 3 recovered patients in Pawa.

1.7.2. Challenges

In Haut-Uélé, SMSPS coverage is insufficient. **In North Kivu**, only 4 health zones are covered by interventions around the latest cases, and there is a lack of childcare facilities in the Ebola Treatment Centers (ETCs). **In Ituri**, there is no coverage in Bambu, Nia-Nia, Mambasa, and Lolwa.

1.8. Logistics

1.8.1. Main actions

In Tshopo, support for mobility to the different pillars PCI, PECH, Communication, PoE/PoC and vaccination and Monitoring of the Construction of isolations (KONGA KONGA) and the large capacity CTE.

In North Kivu, security coverage of PCI teams in the AS of Butsili.

1.9. Security

1.9.1. Main actions

- **In North Kivu**, security coverage of the PCI teams in the AS of Butsili, Madrandele and Kanzunzulili as well as at the Nyakunde CS; accompaniment of the EDS team to the Bundji cemetery for the burial of 4 bodies of confirmed cases and for swabs at the Peregrin CH and the Don Divin CH; security supervision and assessment at the Kyaghala PoE and the Kitakandi PoC.

1.9.2. Challenges

Securing strategic points of presence (PoPs) remains incomplete: in Haut-Uélé, the body intercepted at the Magambe PoP (Isiro Health Zone) was released by security forces without being able to be swabé (a type of body). In North Kivu, insecurity persists in burial areas, and the road leading to the Bundji cemetery (Beni Health Zone) remains impassable.

1.10. PSEA (Prevention of Sexual Exploitation and Abuse)

1.10.1. Main actions.

In Ituri, training and briefing of 22 participants (16 men and 6 women) on the PSEAH during the care training (ZS Bunia); awareness-raising of 128 people in the AS of Mudzimaria (93 participants) and Bigo (35 participants); continuation of the display of messages and the distribution of leaflets in the ZS of Bunia, Aru, Rwampara and Mongbwalu.

1.10.2. Challenges

- Still insufficient coverage of PSEA activities: 25% of the health zones in Ituri (9/36) know the reporting mechanism and only 2 partners (WHO and IMC) report their PSEA activities; lack of mapping of stakeholders; insufficient mass awareness materials; lack of means of transport and computer equipment for the pillar.

KEY MESSAGES

- Ebola transmission remains active, with 69 new cases including 23 community deaths and 15 intra-CTE recorded in the last 24 hours, bringing the national total to 5,863 confirmed cases and 2,824 deaths.
- Ituri remains the epicenter of the epidemic, concentrating 82.6% of cumulative confirmed cases and 62.3% of new cases reported in the last 24 hours and a greater expansion (28 of the 36 health zones affected).
- Surveillance shows good performance (100%) of suspected cases investigated while the follow-up rate (87.3%) is above the threshold of 85.0%.
- Strengthening priority interventions (surveillance, care, IPC, logistics and Community engagement) remains essential to quickly interrupt transmission chains.

TIMELINE OF KEY EVENTS

- From April 24 to May 15, 2026, the epidemic progressed from the detection of the first suspected cases to the biological confirmation of the Ebola Bundibugyo virus, leading to the official declaration of the 17th Ebola Virus Disease epidemic in the Democratic Republic of Congo.
- Between May 17 and 18, 2026, national authorities, with the support of partners, strengthened the response by declaring a public health emergency of national and then continental scope, accompanied by the mobilization of funds.



EBOLA PRESIDENTIAL FORCE TASK 17
Ministry of Public Health, Hygiene and Social Welfare
National Institute of Public Health
Public Health Emergency Operations Center
MVE17 Incident Management System

Director General of INSP

Dr. MWAMBA KAZADI Dieudonné

Email: dieudonne.mwamba@insp.cd **Incident**

Manager: Professor

Dr. AHUKA MUNDEKE Steve

Email: steve.ahuka@unikin.ac.cd

Operations Manager

Dr. Kombe NGWAMA John

Editorial Team

Professor Dr. Mulangu Katulumba Félix-Médard

Dr. Katusi Biselenge Jules

Mrs. Mayele Afua Marie

Dr. Diur Mananashi Floryan

Mr. Kamuina Kebela John

Contact :

www.insp.cd

contact@sgiebola17.org

Freephone number: 151. www.sante.gouv.cd