




EBOLA PRESIDENTIAL FORCE TASK 17

Ministry of Public Health, Hygiene and Social Welfare

National Institute of Public Health

Public Health Emergency Operations Center

MVE17 Incident Management System



Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°106/MVEBDB/08/28/2026

Reporting date: August 28, 2026

Publication date: August 29, 2026



HIGHLIGHTS (last 24 hours)

As of August 28, 2026, there were 82 new confirmed cases of Ebola Virus Disease, including 24 community deaths. (EVD) cases were recorded in the provinces of Ituri (66 cases), North Kivu (12 cases), and Haut-Uélé (4). In addition, 14 Intra-CTE deaths have been recorded. No new health zones have been affected in the last 24 hours.

ACCUMULATIVE CASE 5,945	ACCUMULATIVE DEATH CONFIRMED 2,862	LETHALITY 48.1%	PATIENTS IN ISOLATION/CTE 896	ACCUMULATIVE HEALED 1,327	TRACKING RATES CONTACTS 84.4% (Of the Day)
--	---	----------------------------------	--	--	---



Affected Provinces and Affected Health Zones



6 Provinces Affected

Haut-Uélé, Ituri, North Kivu, South Kivu, Tshopo & Bas Uélé



60 out of 151 health zones affected (39.7%)



Summary of key points from the last 24 hours

For the day of August 28, 2026, **82 new confirmed cases** including **24 community deaths** of Ebola Virus Disease (EVD) were reported in the provinces of **Ituri (66 cases), North Kivu (12), Haut Uélé (4)**.

On the other hand, **9 patients** were declared recovered after receiving two negative Ebola virus (EV) test results (8 in Ituri and 1 in North Kivu). In addition, **14 deaths within the Ebola Treatment Center (ETC)** were recorded, including 10 in Ituri, 2 in Haut-Uélé, 1 in Bas-Uélé, and 1 in North Kivu. This brings the number of deaths for the day to 38.

From the start of the epidemic until August 28, 2026, **5,945 confirmed cases, including 2,862 deaths**, were reported in the DRC, representing a case fatality rate of **48.1 %**. Ituri remains the epicenter of the epidemic, accounting for **82.6%** of cumulative confirmed cases and **80.5%** of new reported cases.

Overall, 60 of the 151 (39.7%) health zones in the six provinces remain affected since the start of the epidemic in the DRC. Ituri has 28 health zones affected out of 36, followed by North Kivu (15/34), Haut-Uélé (6/13), Tshopo (7/23), South Kivu (1/34) and Bas Uélé (3/11).

Table 1. Distribution of confirmed cases and deaths by affected province, as of August 28, 2026.

Province	New confirmed cases (24h)	Confirmed cases	Deaths (confirmed)	Lethality	Affected health zones
Ituri	66	4911	2,212	45.0%	28/36 (77.8%)
North Kivu	12	800	546	68.3%	15/34 (44.1%)
Haut-Uélé	4	209	93	44.5%	6/13 (46.1%)
Tshopo	0	19	8	42.1%	7/23 (30.4%)
South Kivu	0	3	1	33.3%	1/34 (2.9%)
Bas Uélé	0	3	2	66.7%	3/11 (27.3%)
Total	82	5,945	2,862	48.1%	60/151 (39.7%)

Table 2. Distribution of confirmed cases and deaths by province and health zone, as of August 28, 2026

Province / Health Zone	Cumulative number			Current situation (24 hours)			
	Case (n)	Deaths (n)	Lethality	New Case	Community deaths (Swab+)	Confirmed deaths within the CTE	Total confirmed deaths
Ituri	4911	2212	45.0%	66	17	10	27
Adja	11	1	9.1%				0
Aru	8	6	75.0%	1	0		0
Ariwara	8	2	25.0%				0
Aungba	12	5	41.7%				0
Bamboo	157	35	22.3%	1	1		1
Boga	2	2	100.0%				0
Bunia	1375	430	31.3%	28	6		6
Damascus	27	9	33.3%				0
Drodro	13	6	46.2%				0
Fataki	74	30	40.5%				0
Gethy	6	2	33.3%				0
Kambala	2	0	0.0%				0
Kilo	32	12	37.5%				0
Komanda	72	48	66.7%	3	2		2
Lita	210	111	52.9%	2	0		0
Logo	11	5	45.5%				0
Lolwa	19	4	21.1%				0
Mahagi	4	1	25.0%				0
Mambasa	17	7	41.2%				0
Mandima	36	21	58.3%	3	2		2
Mangala	227	117	51.5%	14	3		3
Mongbwalu	608	285	46.9%	2	1		1
Nia-Nia	205	108	52.7%	2	0		0
Nizi	646	258	39.9%	6	2		2
Nyankunde	124	35	28.2%				0
Rimba	10	4	40.0%				0

Rwampara	939	336	35.8%	4	0		0
Tchomia	56	25	44.6%				0
To ventilate	N/A	307	N/A	N/A	N/A	10	10
North Kivu	800	546	68.3%	12	7	1	8
Blessed	128	93	72.7%	2	1	1	2
Good	1	1	100.0%				0
Butembo	160	121	75.6%	5	3	0	3
Goma	1	0	0.0%				0
Kalunguta	16	7	43.8%				0
Katwa	377	253	67.1%	4	3	0	3
Kyondo	16	12	75.0%				0
Lubero	1	1	100.0%				0
Mabalako	3	2	66.7%				0
Manguredjipa	1	0	0.0%				0
Masereka	8	4	50.0%				0
Musienene	75	43	57.3%	1	0	0	0
Mutwanga	1	1	100.0%				0
Oicha	7	6	85.7%				0
Vuhovi	5	2	40.0%				0
Haut-Uélé	209	93	44.5%	4	0	2	2
Boma Mangbetu	26	14	53.8%				0
Gombari	3	1	33.3%				0
Isiro	79	33	41.8%				0
Pawa	24	16	66.7%				0
Rungu	1	0	0.0%				0
Wamba	76	29	38.2%	4	0	2	2
Tshopo	19	8	42.1%	0	0	0	0
Bafwasende	2	0	0.0%				0
Kabondo	3	1	33.3%				0
Lubunga	1	0	0.0%				0
Makiso- Kisangani	9	4	44.4%				0
Mangobo	2	2	100.0%				0
Tshopo	1	0	0.0%				0
Wanie-Rukula	1	1	100.0%				0
South Kivu	3	1	33.3%	0	0	0	0
Miti-Murhesa	3	1	33.3%				0
Bas Uélé	3	2	66.7%	0	0	1	1
Buta	1	1	100.0%				0
Viadana	1	0	0.0%				0
Ganga	1	1	100.0%	0	0	1	1
Total	5945	2862	48.1%	82	24	14	38

*These are the confirmed deaths that occurred in the various CTEs in the province and are being broken down to be classified by health zone.



NA: Not Applicable.

** These deaths were recorded in the various CTEs of the Ituri province and are currently being assessed.

Table 3. Status of alerts notified by province, as of August 28, 2026

DPS	New Alerts Received		Total alerts	Alerts verified and validated (suspected case)		Alerts verified and invalidated (no suspected cases)		Number of suspects investigated	Number of suspects investigated and transferred to CT/CTE (of the day)
	Living	Deceased		Living	Deceased	Living	Deceased		
Haut-Uélé	14	2	16	12	2	1	0	14	12
Bas Uélé	14	4	18	2	3	12	1	5	0
Ituri	852	81	933	175	71	351	8	246	141
North Kivu	885	34	919	95	34	733	0	129	95
South Kivu	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tshopo	138	1	139	1	0	137	1	1	0
Total General	1903	122	2025	285	110	1234	10	395	248

ND: Not available.

Figure 1. Evolution of cases by date of symptom onset over the last 21 days**Figure 2. Spatial distribution of confirmed cases (24h and cumulative) by health zone.****1. RESPONSE ACTIONS BY PILLAR****1.1. Coordination****1.1.1. Main Actions**

- Monitoring and support of response actions in all affected provinces.

1.1.2. Epidemiological surveillance**1.1.3. Main Actions**

As of August 28, 2026, 2,025 alerts had been recorded, of which 1,639 (80.9%) were verified in the 6 affected provinces. Of these, 395 (24.1%) were validated as suspected cases and all were investigated (100.0%), with 248 being transferred to CT/CTE (Table 3).

Over the past 24 hours, the proportion of contacts followed is at 84.4% (21,109 seen out of 25,015 to follow), close to the threshold of 85%: Ituri 87.1% (11,956/13,734), Tshopo 100% (413/413), North Kivu 81.4% (7,339/9,019), Haut Uélé 78.6% (1,220/1,552) and Bas Uélé 60.9% (181/297).

1.1.4. Challenges

There is persistent low contact tracing around confirmed cases in the provinces of Bas and Haut Uélé, due to insufficient teams dedicated to these activities.

1.2. Update on checkpoint and point of entry (PoC/PoE) activities

1.2.1. Main actions

- Eleven (11) alerts were notified to PoE/PoC in the last 24 hours: two in Ituri at PoC Zunguluka (ZS Mambasa), validated, isolated and referred to HGR Mambasa; seven in North Kivu, two of which were validated and referred; two in Bas-Uélé, one at PoC PK15 Balé (ZS Buta) concerning a lifeless body, validated and swabbed, the other at PoC PK12 Isiro (ZS Viadana), invalidated after investigation.

Indicators	Ituri	North Kivu	South Kivu	Tshopo	Haut-Uélé	Bas-Uélé	Overall
Report completeness	95% (57/60)	100% (18/18)	55.5% (5/9)	100% (7/7)	64% (7/11)	60% (12/20)	84.8% (106/125)
% of strategic PoE/PoC functional	9.09% (1/11)	100%	N / A	35% (7/20)	64% (7/11)	ND	ND
Number of people who have switched to PoE/PoC	144,215	87,429	7,567	7,305	13,022	4,140	263,678
% of travelers screened	97.7%	98.0% 98.0%	99.0% 96.0%			ND	97.8%
% of travelers who washed the hands	97.7%	98.0% 98.0%	99.0% 96.0%			ND	97.8%
% of travelers made aware	99.5%	98.0% 100%	100% 99.0%			ND	99.0%
Number of alerts notified	2	7	0	0	0	2	11
Number of live alerts validated (suspected cases)	2	2	0	0	0	0	4
Number of bodies recovered today	0	0	0	0	0	1	1
% of suspected cases transferred at CT/CTE	100% (2/2)	100% (2/2)	0%	0%	0%	N / A	100% (4/4)
% of lifeless bodies swabbed/secured	0% (0/0)	0% (0/0)	0%	0%	0%	100% (1/1)	100% (1/1)
% of suspected cases investigated within 24 hours	100% (2/2)	100% (2/2)	0%	0%	0%	100% (2/2)	100% (6/6)

1.2.2. Challenges

Insufficient operationalization of PoE/PoC: overall completeness stands at 84.8% (106 out of 125 reports), with low levels in South Kivu (55.5%), Bas-Uélé (60%), and Haut-Uélé (64%). In Ituri, only 1 (9.09%) of the 11 strategic PoE/PoCs is operating without interruption, while the Avakubi PoC remains non-functional for security reasons. In Haut-Uélé, 4 PoCs (Dusu, Apodo, PK6 Niangara road, and Aungba) have not transmitted their data.

1.3. Laboratory

1.3.1. Main actions

- Ituri : 66 new positive results** (49 living and 17 deaths) out of 358 new samples received and analyzed (**positivity: 18.4 %**).
- Tshopo:** 5 samples were received, including 1 swab analysis, all with negative results.
- North Kivu : 12 new positive results** (5 living and 7 dead) out of 185 samples analyzed (**positivity of 6.5%**).

- **Haut-Uélé: 4 new positive results** (4 live) out of 23 samples analyzed (positivity is 17.4%).
- **Bas-Uélé: 2 samples (swabs) received and tested in Buta, no positive results.**

1.4. Infection Prevention and Control (IPC/EDS)

1.4.1. Main actions

- **In Ituri**, 29 rings were opened out of the 33 identified (87.9%), 122 households decontaminated out of 182 identified (67.0%) and 7 out of 7 FOSA (100%); no kits were provided to households and 4 FOSA assessments were carried out.
- **In Tshopo**, Monitoring and support of 15 ESS in 5 ZS (Makiso-Kisangani, Mangobo, Tshopo, Kabondo and Lubunga) during which 149 providers were briefed on the implementation of PCI measures; decontamination of 13 premises of the ART Polyclinic and risk assessment of 4 providers.

1.4.2. Challenges

- Weak implementation of PCI standards: in Ituri, household decontamination remains limited to 67.0% and no PCI kits have been provided; insufficient decontamination teams in Fataki, Mangala and Nizi and lack of mobility in Komanda, Bambu, Mandima and Mangala.
- In Tshopo, insufficient PPE in ESS, untrained service providers and breakdown of the incinerator at the Makiso-Kisangani General Referral Hospital.

1.5. Continuity of care

1.5.1. Main actions

- **In Ituri**, 113 new admissions were recorded and 97 discharges, including 8 recoveries. Thus, 552 patients are hospitalized in 978 beds, representing an occupancy rate of 56.4%.
- **In North Kivu**, 75 admissions were recorded compared to 64 discharges, including 1 recovery. During the day, 236 patients were hospitalized in 220 beds, representing an occupancy rate of 107.3%.
- **In Bas Uélé**, 1 confirmed patient is currently receiving care for 3 available beds (Rate occupancy rate: 33.3%)
- **In Haut Uélé**, 11 new admissions of suspected cases were recorded and 7 discharges, 70 patients are hospitalized in 120 beds, representing an occupancy rate of 58.3%;
- **In Tshopo**, 3 new admissions were recorded, compared to 4 discharges and 11 patients are in isolation for 25 beds, representing an overall occupancy rate of 44.0%.
- **In South Kivu**, 26 patients remain in isolation.

1.5.2. Challenges

Low reception capacity and absence of CTE in some health zones: exceeding capacity in North Kivu (107.3%), where some suspects are isolated in ESS which are not treatment centers; in Bas-Uélé, absence of CTE meeting standards and of support partner for care.

1.6. Risk communication and community engagement

1.6.1. Main actions

- **In Ituri**, 218 people were affected by the 9 most recent confirmed cases (72 in Rwampara, 76 in Lolwa, 38 in Rwampara/Shari, 12 in Nyankunde, and 20 in Rwampara/Tchunga); 385 people were reached through community dialogue followed by a motorized caravan in the villages of Miala and Solenyama; 8 health and social services (HSS) were facilitated, and 9 households were reached.

decontaminated in Rwampara; 90 contacts listed in Rwampara and 99 in Lolwa with the support of CREC.

- **In Tshopo**, awareness-raising of PPLs in Makiso-Kisangani healthcare facilities, 3 radio broadcasts hosted and broadcast of spots on four radio stations; 3 rumors clarified.
- **In North Kivu**, local communication around 16 confirmed cases and 68 affected household heads (Butembo 5 cases/17 households, Oicha 4/13, Lubero 2/14, Kyondo 1/9, Kalunguta 1/6, Katwa 1/4, Beni 1/3 and Vuhovi 1/2); briefing of 457 school heads in preparation for the start of the school year and 11 rumors clarified.
- **In Haut-Uélé**, support for a bereaved family in Neisu (ZS Isiro); 15 results announced (11 in Isiro and 4 in Pawa) including 4 positive; 46 caregivers and 21 PPLs were supported; Follow-up on the discharge of 3 patients already declared cured in Pawa and follow-up on the discharge of 13 cured in Wamba.

1.6.2. Challenges

Persistent challenges at the community level: in Ituri, refusal to isolate a suspect in Nia-Nia, EDS refusal in the Lolwa ZS (AS Elake);

1.7. Mental Health and Psychosocial Support (MHPSS)

1.7.1. Main actions

- **In Ituri**, 19 people benefited from SMSPS interventions related to the latest cases confirmed (Bunia 8, Rwampara 5, Nizi 3, Lita 2 and Komanda 1).
- **In North Kivu**, 25 of the 55 new confirmed and suspected cases benefited from SMSPS interventions; 86 results were announced out of 102, including 25 positive results; 62 households were supported; 98 PPLs were supported; 5 children were followed up in the community and 2 out of 4 recovered patients were reintegrated (50%); the 4 health zones that notified are covered (100%).
- **In Haut-Uélé**, psychological support for a bereaved family in Neisu (ZS Isiro); 15 laboratory results announced (11 in Isiro and 4 in Pawa) including 4 positive; 46 support persons and 21 PPL supported.

1.7.2. Challenges

- **In Haut-Uélé**, SMSPS coverage is insufficient. **In North Kivu**, only 4 health zones are covered by interventions around the latest cases, and there is a lack of childcare facilities in the Ebola Treatment Centers (ETCs). **In Ituri**, there is no coverage in Bambu, Nia-Nia, Mambasa, and Lolwa; coverage remains limited to 5 of the 11 health zones that have reported cases (45%).

1.8. Logistics

1.8.1. Main actions

In Tshopo, reception of a first batch of Ebola medicines (Enabel support), delivery of kits to support vaccination and monitoring of the construction of isolation sites (Madula, Kabondo and Konga-Konga) and the large capacity Ebola Treatment Center.

In North Kivu, work on erecting the Musienene CTE is finished, work continues on the roof and partitioning of the Matanda CTE, and supplies of medicines and inputs are being provided to the newly affected health zones of Manguredjipa and Biena.

1.9. Security

1.9.1. Main actions

- In North Kivu, security coverage of the PCI teams in the AS of Butsili, Madrandele and Kanzunzulili as well as at the Nyakunde CS; accompaniment of the EDS team to the Bundji cemetery for the burial of 4 bodies of confirmed cases and for swabs at the Peregrin CH and the Don Divin CH; security supervision and assessment at the Kyaghala PoE and the Kitakandi PoC.

1.9.2. Challenges

Securing strategic points of presence (PoPs) remains incomplete: in Haut-Uélé, the body intercepted at the Magambe PoP (Isiro Health Zone) was released by security forces without being able to be swabé (a type of body). In North Kivu, insecurity persists in burial areas, and the road leading to the Bundji cemetery (Beni Health Zone) remains impassable.

1.10. PSEA (Prevention of Sexual Exploitation and Abuse)

1.10.1. Main actions.

In Ituri, continued awareness-raising on PSEAH among response teams and communities around the latest confirmed cases, as well as posting messages and distributing leaflets in the health zones of Bunia, Aru, Rwampara and Mongbwalu; in Tshopo, integration of PSEAH messages into awareness-raising sessions for PPLs in healthcare facilities in Makiso-Kisangani.

1.10.2. Challenges

- Still insufficient coverage of PSEA activities: 25% of the health zones in Ituri (9/36) know the reporting mechanism and only 2 partners (WHO and IMC) report their PSEA activities; lack of mapping of stakeholders; insufficient mass awareness materials; lack of means of transport and computer equipment for the pillar.

KEY MESSAGES

- Ebola virus transmission remains active, with 82 new cases including 24 community deaths and 14 intra-CTE recorded in the last 24 hours, bringing the national total to 5,945 confirmed cases and 2,862 deaths.
- Ituri remains the epicenter of the epidemic, concentrating 82.6% of cumulative confirmed cases and 80.5% of new cases reported in the last 24 hours and a greater expansion (28 of the 36 health zones affected).
- Surveillance shows good performance (100%) of suspected cases investigated while the follow-up rate (84.4%) is close to the threshold of 85.0%.
- Strengthening priority interventions (surveillance, care, IPC, logistics and community engagement) remains essential to quickly interrupt transmission chains.

TIMELINE OF KEY EVENTS

- From April 24 to May 15, 2026, the epidemic progressed from the detection of the first suspected cases to the biological confirmation of the Ebola Bundibugyo virus, leading to the official declaration of the 17th Ebola Virus Disease epidemic in the Democratic Republic of Congo.
- Between May 17 and 18, 2026, national authorities, with the support of partners, strengthened the response by declaring a public health emergency of national and then continental scope, accompanied by the mobilization of funds.



EBOLA PRESIDENTIAL FORCE TASK 17
Ministry of Public Health, Hygiene and Social Welfare
National Institute of Public Health
Public Health Emergency Operations Center
MVE17 Incident Management System

Director General of INSP

Dr. MWAMBA KAZADI Dieudonné

Email: dieudonne.mwamba@insp.cd **Incident**

Manager: Professor

Dr. AHUKA MUNDEKE Steve

Email: steve.ahuka@unikin.ac.cd

Operations Manager

Dr. Kombe NGWAMA John

Editorial Team

Professor Dr. Mulangu Katulumba Félix-Médard

Dr. Katusi Biselenge Jules

Mrs. Mayele Afua Marie

Dr. Diur Mananashi Floryan

Mr. Kamuina Kebela John

Contact :

www.insp.cd

contact@sgiebola17.org

Freephone number: 151. www.sante.gouv.cd