

## Public Health Emergency Operations Center

"COUSP DRC"

MVE-17 Incident Management System

## Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°067/MVB\_20/07/2026

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Affected provinces (5)     | HAUT-UELE, ITURI, NORTH KIVU, SUD-KIVU & TSHOPO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Affected Health Zones (47) | <ul style="list-style-type: none"> <li>• Haut-Uélé (4/13): Wamba, Boma Mangbetu, Pawa and Isiro</li> <li>• Ituri (28/36): Aru, Aungba, Bambu, Bunia, Damas, Drodoro, Gety, Kilo, Komanda, Lita, Logo, Mambasa, Mangala, Mongbwalu, Nizi, Nyankunde, Rimba, Rwampara, Tchomia, Kambala, Nia-Nia, Fataki, Mandima, Lolwa, Boga, Ariwara, Mahagi and Adja.</li> <li>• North Kivu (11/34): Beni, Butembo, Goma, Kalunguta, Katwa, Kyondo, Oicha, Masereka, Vuhovi, Mabalako and Musienene.</li> <li>• South Kivu (1/34): Miti-Murhesa</li> <li>• Tshopo (3/23): Makiso-Kisangani, Lubunga and Mangobo</li> </ul> |
| Reporting date             | July 20, 2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Publication date           | July 21, 2026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## KEY INDICATORS — MUL CURRENT AS OF JULY 20, 2026

|                                                                                      |                                                                                              |                                                                                                             |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| CONFIRMED CASES — 5 PROVINCES<br><b>2,473</b><br>+50 new cases (Ituri 42 · N-Kivu 8) | CONFIRMED DEATHS · LEATHITIS<br><b>999 · (40.4%)</b><br>+32 deaths (Ituri 27 · North Kivu 5) | SUSPECTED CASES OF THE DAY<br><b>322 Ituri 201 · N-Kivu 116 ·</b><br>Tshopo 3 · South Kivu 2                |
| PATIENTS IN ISOLATION<br><b>737</b><br>Ituri 556 · North Kivu 181                    | CURED — CUMULATIVE<br><b>482</b><br>+13 recovered (Ituri 13)                                 | NATIONAL CONTACT TRACKING<br><b>82.0%</b><br>9623/ 11739 views · Ituri 81.8% · N-Kivu 81.9% · Tshopo 100.0% |

## 1. Epidemiological Highlights

- **Epidemiological situation** : No new affected health zones have been reported; the cumulative total remains 47 health zones affected, including 46 with active transmission.
- **Coordination** : Installation of a diagnostic laboratory in the Logo health zone (Ituri).
- **Case trends** : In the last 24 hours, 50 new confirmed cases, 32 confirmed deaths and 13 recoveries have been recorded:
  - o **Ituri** : 42 new cases and 27 deaths, including 13 (48.1%) community cases.
  - o **North Kivu** : 8 new cases and 5 deaths (3 community cases and 2 in treatment centers), bringing the total to 247 cases and 146 deaths (case fatality rate: 59.1%).
  - o **Haut-Uélé, Tshopo and South Kivu** : No new cases or deaths; the totals remain unchanged.  
The Miti-Murhesa health zone has gone 54 days without a new confirmed case.
- **Analysis** : Ituri remains the epicenter of the epidemic, accounting for 89.0% of cumulative cases and 84.0% of new confirmations. Contact tracing performance remains insufficient and requires strengthening.

## EPIDEMIOLOGICAL AND OPERATIONAL CONTEXT

Declared on May 15, 2026, the 17th Ebola virus disease (EVD) epidemic caused by Bundibugyo ebolavirus continues to evolve within a complex humanitarian and security context. Initially confined to the Mongbwalu health zone (Ituri), it has spread to five provinces (Ituri, North Kivu, South Kivu, Haut-Uélé, and Tshopo), now affecting 47 health zones. Population movements, insecurity, artisanal mining activities, and cross-border trade with Uganda and South Sudan continue to facilitate transmission. Multisectoral coordination remains mobilized to strengthen surveillance, intensify response interventions, and limit the spread of the epidemic.



Figure 1 — Chronology of events of the Ebola-Bundibugyo virus disease epidemic

## 2. Descriptive Epidemiological Analysis

### 2.1 Distribution by province and active households

TABLE 1 — DISTRIBUTION OF CONFIRMED CASES AND DEATHS BY PROVINCE

| Province     | Confirmed cases | Death      | Fatality, Affected Health Zones, New Cases | (24 h)    |
|--------------|-----------------|------------|--------------------------------------------|-----------|
| Ituri        | 2,202           | 838        | 38.1% 28 / 36 (77.8%)                      | 42        |
| North Kivu   | 247             | 146        | 59.1% 11/34 (32.4%)                        | 8         |
| South Kivu   | 3               | 1          | 33.3% 1/34 (2.9%)                          |           |
| Haut-Uélé    | 16              | 10         | 62.5% 4/13 (30.8%)                         |           |
| Tshopo       | 5               | 4          | 80.0% 3/23 (13.0%)                         | 0         |
| <b>Total</b> | <b>2,473</b>    | <b>999</b> | <b>40.4% 47 out of 140</b>                 | <b>50</b> |

The Ituri province remains the epicenter of the 17th Ebola virus disease (EVD) epidemic, accounting for 89.0% of confirmed cases ( $n = 2,202$ ) and 83.9% of deaths ( $n = 838$ ), representing a case fatality rate of 38.1%. The health zones of Bunia (657 cases), Rwampara (457), Mongbwalu (364), Nizi (223), and Nyankunde (99) remain the most affected, accounting for approximately 81.7% of reported cases at the provincial level and 72.8% at the national level.

### 2.2 Distribution by health zone

TABLE 2 — CONFIRMED CASES AND DEATHS BY PROVINCE AND HEALTH ZONE (CUMULATIVE AND CURRENT SITUATION)

| Province / Health Zone | Cumulative number |            |           | Current situation (24 hours) |                          |                                 |                        |
|------------------------|-------------------|------------|-----------|------------------------------|--------------------------|---------------------------------|------------------------|
|                        | Case (n)          | Deaths (n) | Lethality | New case                     | Community deaths (Swab+) | Confirmed deaths within the CTE | Total confirmed deaths |
| Ituri                  | 2,202             | 838        | 38.1% 42  |                              | 13                       | 14                              | 27                     |

| Province / Health Zone | Cumulative number |            |              | Current situation (24 hours) |                          |                                 |                        |
|------------------------|-------------------|------------|--------------|------------------------------|--------------------------|---------------------------------|------------------------|
|                        | Case (n)          | Deaths (n) | Lethality    | New case                     | Community deaths (Swab+) | Confirmed deaths within the CTE | Total confirmed deaths |
| Bunia                  | 657               | 219        | 33.3%        | 18                           | 4                        | 4                               | 8                      |
| Rwampara               | 457               | 140        | 30.6%        | 7                            | 2                        | 5                               | 7                      |
| Mongbwalu              | 364               | 204        | 56.0%        | 1                            | 0                        | 1                               | 1                      |
| Nizi                   | 223               | 99         | 44.4%        | 9                            | 6                        | 0                               | 6                      |
| Nyankunde              | 99                | 28         | 28.3%        |                              |                          |                                 |                        |
| Lita                   | 78                | 27         | 34.6%        |                              |                          |                                 |                        |
| Mangala                | 61                | 38         | 62.3%        |                              |                          |                                 |                        |
| Nia-Nia                | 54                | 16         | 29.6%        | 3                            | 0                        | 1                               | 1                      |
| Bamboo                 | 40                | 14         | 35.0%        |                              |                          |                                 |                        |
| Komanda                | 27                | 11         | 40.7%        | 0                            | 0                        | 1                               | 1                      |
| Tchomia                | 23                | 7          | 30.4%        | 0                            | 0                        | 1                               | 1                      |
| Unidentified           | 17                | 0          | 0.0%         |                              |                          |                                 |                        |
| Fataki                 | 11                | 7          | 63.6%        |                              |                          |                                 |                        |
| Kilo                   | 11                | 3          | 27.3%        |                              |                          |                                 |                        |
| Adja                   | 10                | 1          | 10.0%        |                              |                          |                                 |                        |
| Mandima                | 10                | 5          | 50.0%        | 1                            | 1                        | 0                               | 1                      |
| Mambasa                | 8                 | 6          | 75.0%        |                              |                          |                                 |                        |
| Logo                   | 8                 | 1          | 12.5%        |                              |                          |                                 |                        |
| Ariwara                | 10                | 1          | 10.0%        | 3                            | 0                        | 0                               | 0                      |
| Damascus               | 7                 | 0          | 0.0%         |                              |                          |                                 |                        |
| Aungba                 | 6                 | 2          | 33.3%        |                              |                          |                                 |                        |
| Drodro                 | 5                 | 3          | 60.0%        |                              |                          |                                 |                        |
| Rimba                  | 5                 | 0          | 0.0%         |                              |                          |                                 |                        |
| Aru                    | 4                 | 2          | 50.0%        | 0                            | 0                        | 1                               | 1                      |
| Kambala                | 2                 | 2          | 100.0%       |                              |                          |                                 |                        |
| Lolwa                  | 2                 | 1          | 50.0%        |                              |                          |                                 |                        |
| Boga                   | 1                 | 1          | 100.0%       |                              |                          |                                 |                        |
| Gety                   | 1                 | 0          | 0.0%         |                              |                          |                                 |                        |
| Mahagi                 | 1                 | 0          | 0.0%         |                              |                          |                                 |                        |
| <b>North Kivu</b>      | <b>247</b>        | <b>146</b> | <b>59.1%</b> | <b>8</b>                     | <b>3</b>                 | <b>2</b>                        | <b>5</b>               |
| Katwa                  | 108               | 74         | 68.5%        | 4                            | 1                        | 1                               | 2                      |
| Butembo                | 61                | 31         | 50.8%        | 3                            | 1                        | 0                               | 1                      |
| Blessed                | 37                | 25         | 67.6%        |                              |                          |                                 |                        |
| Musienene              | 19                | 5          | 26.3%        |                              |                          |                                 |                        |
| Kyondo                 | 10                | 5          | 50.0%        | 1                            | 1                        | 0                               | 1                      |
| Oicha                  | 4                 | 4          | 100.0%       | 0                            | 0                        | 1                               | 1                      |
| Kalunguta              | 2                 | 1          | 50.0%        |                              |                          |                                 |                        |
| Masereka               | 3                 | 0          | 0.0%         |                              |                          |                                 |                        |
| Goma                   | 1                 | 0          | 0.0%         |                              |                          |                                 |                        |
| Vuhovi                 | 1                 | 1          | 100.0%       |                              |                          |                                 |                        |
| Mabalako               | 1                 | 0          | 0.0%         |                              |                          |                                 |                        |
| <b>South Kivu</b>      | <b>3</b>          | <b>1</b>   | <b>33.3%</b> |                              |                          |                                 | —                      |
| Miti-Murhesa           | 3                 | 1          | 33.3%        |                              |                          |                                 |                        |
| <b>Haut-Uélé</b>       | <b>16</b>         | <b>10</b>  | <b>62.5%</b> |                              |                          |                                 | —                      |
| Wamba                  | 6                 | 3          | 50.0%        |                              |                          |                                 |                        |
| Pawa                   | 3                 | 3          | 100.0%       |                              |                          |                                 |                        |

| Province / Health Zone | Cumulative number |            |              | Current situation (24 hours) |                          |                                 |                        |
|------------------------|-------------------|------------|--------------|------------------------------|--------------------------|---------------------------------|------------------------|
|                        | Case (n)          | Deaths (n) | Lethality    | New case                     | Community deaths (Swab+) | Confirmed deaths within the CTE | Total confirmed deaths |
| Boma Mangbetu          | 4                 | 2          | 50.0%        |                              |                          |                                 |                        |
| Isiro                  | 3                 | 2          | 66.7%        |                              |                          |                                 |                        |
| <b>Tshopo</b>          | <b>5</b>          | <b>4</b>   | <b>80.0%</b> | —                            |                          |                                 | —                      |
| Makiso-Kisangani       | 3                 | 3          | 100.0%       |                              |                          |                                 |                        |
| Mangobo                | 1                 | 1          | 100.0%       |                              |                          |                                 |                        |
| Lubunga                | 1                 | 0          | 0.0%         |                              |                          |                                 |                        |
| <b>Total</b>           | <b>2,473</b>      | <b>999</b> | <b>40.4%</b> | <b>50</b>                    | <b>16</b>                | <b>16</b>                       | <b>32</b>              |

## 2.3 Mapping of confirmed cases

The spatial distribution remains concentrated in the historical hotspots of Ituri and North Kivu, with no new geographical expansion in the last 24 hours.





FIGURE 2 — HEALTH ZONES THAT HAVE REPORTED CONFIRMED CASES (AS OF 20/07/2026)

Transmission remains primarily concentrated in Ituri and North Kivu. No new health zones have been affected in the last 24 hours, indicating a stabilization of the geographic spread despite continued high transmission rates.


## 2.4 Temporal analysis — epidemic curves

The epidemic curve shows sustained transmission during weeks S25 to S30, with a high level of notification despite fluctuations related to reporting delays.



Source : DHIS2 Tracker - Riposte MVE, juin 2026. Données incluses : cas confirmés avec statut vital et date de notification renseignés, n = 2 552.

FIGURE 3 — EPIDEMIC CURVE BY WEEK OF NOTIFICATION



Source : DHIS2 Tracker - Riposte MVE, juin 2026. Données incluses : cas confirmés avec statut vital et date de début de symptômes renseignés, n = 2 233.

FIGURE 4 EPIDEMIC CURVE BY DATE OF SYMPTOM ONSET (LINEAR LIST DHIS2)

The epidemic remains in a phase of sustained transmission, with a high level of virus circulation. Recent fluctuations should be interpreted with caution due to reporting delays and the gradual consolidation of data.

## 2.5 Demographic Characteristics

The age pyramid shows a predominance of **working-age adults** (18–50 years). Minors under 18 and people over 50 are proportionally less affected.



FIGURE 5 — CONFIRMED CASES BY SEX AND AGE GROUP





FIGURE 6 — DEATHS BY SEX AND AGE GROUP (AMONG THE CONFIRMED CASES)



The distribution of cases by sex remains balanced. The predominance of cases in working-age adults reflects more frequent community and occupational exposures, while the proportion of pediatric cases testifies to the persistence of intrafamilial transmission.

### 3 Monitoring, testing and reporting

#### 3.1 Alert Management and Sources

TABLE 3 — MANAGEMENT OF EPIDEMIOLOGICAL ALERTS AS OF 20/07/2026

| Indicator                           | Ituri North Kivu Haut-Uélé |       | Tshopo | South Kivu |       | Total |
|-------------------------------------|----------------------------|-------|--------|------------|-------|-------|
| Report (D-1)                        | 3                          | 67    | ND     | 1          | 0     | 71    |
| New alerts received                 | 490                        | 737   | ND     | 3          | 9     | 1239  |
| Total alerts for the day            | 493                        | 804   | ND     | 4          | 9     | 1310  |
| Alerts investigated                 | 359                        | 737   | ND     | 3          | 2     | 1101  |
| Investigation rate (24 h)           | 72.8%                      | 91.7% | ND     | 75.5%      | 22.2% | 84.1% |
| Alerts confirmed — live             | 132                        | 83    | ND     | 3          | 2     | 220   |
| Alerts confirmed — deceased (comm.) | 69                         | 33    | ND     | 0          | 0     | 102   |
| Total suspected cases for today     | 201                        | 116   | ND     | 3          | 2     | 322   |

In total, 1,310 alerts (including 1,239 new ones) were received, with 1,101 investigated within 24 hours (84.1%) and 322 confirmed (220 active cases and 102 community deaths). This improvement reflects a reduction in investigation delays and the consolidation of data from the affected provinces.

#### 3.2 Laboratory: tests and positivity

Ÿ **Ituri** : 113 samples documented in the collection network, including 42 positive (29 live and 13 dead), i.e. a apparent positivity of 37.2%.

Ÿ **North Kivu** : 126 samples received and analyzed, of which 8 were positive (5 living and 3 deceased), representing a positivity rate of 6.3%.

- Installation of the diagnostic laboratory in the Logo health zone in Ituri.




FIGURE 7 — TESTS AND POSITIVITY (COUSP SITUATION REPORT)

### 3.3 Contact tracking

TABLE 4 — CONTACT TRACKING OF CONFIRMED CASES

| Province                       | Contacts under follow-up | Contacts viewed | tracking rate |
|--------------------------------|--------------------------|-----------------|---------------|
| Ituri                          | 8111                     | 6638            | 81.8%         |
| North Kivu                     | 3553                     | 2910            | 81.9%         |
| Tshopo                         | 75                       | 75              | 100.0%        |
| Haut-Uélé                      | ND                       | ND              | ND            |
| South Kivu (end of monitoring) | 0                        | 0               | N / A         |
| <b>Total</b>                   | <b>11739</b>             | <b>9623</b>     | <b>82.0%</b>  |

Despite a slight improvement in national contact tracing performance (82.0%), this remains below the operational target of 95%, necessitating a strengthening of active search activities and daily follow-up. Ituri only managed to follow up with 6,638 out of 8,111 contacts (81.8%).

North Kivu-Uele achieved a performance of 2,910 out of 3,553 contacts.

(81.9%). Tshopo maintains a high performance with a 100.0% follow-up rate. Follow-up is closed in South Kivu.

## 3.4 Entry points and control points (PoE/PoC)

As part of capacity building for the response, the PoE/PoC pillar received an ambulance provided by the SGI; supervision of activated PoE/ PoCs; data encoding, compilation and analysis; awareness-raising around the Shari Bridge; 112,190 passengers reported.

### 3.4.1 — Crossing point alerts (24 h)

#### Ituri — 10 alerts notified

Ten (10) alerts were notified to the PoE/PoC in Ituri, including seven live alerts and two intercepted bodies. Of these, eight (8) live alerts were validated and all referred to the CTE/CT.

#### North Kivu — 2 alerts notified

Two (2) alerts were notified at the different points of entry (PoE) and one was validated and referred to the CTE/CT.

#### South Kivu — 4 alerts notified

Four (4) live alerts at Kazingo PoE/PoC, of which 1 was validated and transferred; visit of the governor to Ruzizi 1 PoE; supervision of Mumoshu; distribution of inputs to PoE/PoC.

### 3.4.2 Monitoring indicators for PoE/PoC

TABLE 5 — MONITORING OF INDICATORS AT POINTS OF ENTRY AND CHECKPOINTS (POE/POC), AS OF 20/07/2026

| Indicators                                                 | Ituri        | North Kivu   | Overall      |
|------------------------------------------------------------|--------------|--------------|--------------|
| Proportion of PoC enabled and PoE enhanced                 | 100% (60/60) | 100% (15/15) | 100% (75/75) |
| Number of people who have switched to PoE/PoC              | 112190       | 68,304       | 180,494      |
| % of travelers screened                                    | 95.0%        | 97.2%        | 95.8%        |
| % of travelers who washed their hands                      | 93.5%        | 97.3%        | 94.9%        |
| % of travelers made aware                                  | 93.4%        | 97.2%        | 94.8%        |
| Number of alerts notified                                  | 12           | 2            | 14           |
| Number of validated live alerts                            | 9            | 1            | 10           |
| Number of bodies recovered today                           | 2            | 0            | 2            |
| Number of problematic contacts intercepted today           | 0            | 0            | 0            |
| Percentage of validated live alerts referred to the CT/CTE | 100.0%       | 100%         | 100.0%       |
| % of the lifeless bodies swabed                            | N / A        | N / A        | 0%           |
| Number of positive results of referred suspected cases     | 0            | 0            | 0            |

## 4. Support

TABLE 6 — OCCUPANCY OF HEALTHCARE FACILITIES (CTE/CT/CI), AS OF 20/07/2026

| Indicator                           |                        | Ituri | North Kivu Haut-Uele Tshopo Ensemble |    |    |       |
|-------------------------------------|------------------------|-------|--------------------------------------|----|----|-------|
| Number of beds                      |                        | 709   | 141                                  | ND | ND | 850   |
| Patients in bed (Day -1)            |                        | 536   | 164                                  | ND | ND | 700   |
| Total admissions (24 hours)         |                        | 118   | 62                                   | ND | ND | 180   |
| Total admissions                    |                        | 654   | 226                                  | ND | ND | 880   |
| Exits                               | Deceased               | 25    | 2                                    | ND | ND | 27    |
|                                     | No case                | 54    | 42                                   | ND | ND | 96    |
|                                     | Healed                 | 13    | 0                                    | ND | ND | 13    |
|                                     | Escapees               | 6     | 1                                    | ND | ND | 7     |
|                                     | Transferred to the HGR | 0     | 0                                    | ND | ND | 0     |
| Total outflows (24 h)               |                        | 98    | 45                                   | ND | ND | 143   |
| Patients in isolation (end of day), |                        | 556   | 181                                  | ND | ND | 737   |
| including confirmed cases           |                        | 270   | 16                                   | ND | ND | 286   |
| including suspects                  |                        | 286   | 165                                  | ND | ND | 451   |
| Occupancy rate                      |                        | 78.4% | 128.4%                               | ND | ND | 86.7% |

In total, 737 patients were in isolation, including 286 confirmed cases and 451 suspected cases, for an overall occupancy rate of 86.7% (737 patients out of 850 beds), with 880 admissions and 143 discharges (13 recovered, 27 deceased, 96 non-cases, and 7 who escaped). Ituri accounts for the majority of the burden with 556 patients in isolation (270 confirmed, 286 suspected) out of 709 beds, representing an occupancy rate of 78.4%. In North Kivu, 181 patients are in isolation (16 confirmed, 165 suspected) for an occupancy rate of 128.4%. % (141 beds). The provinces of Tshopo and Haut-Uele did not make data available at the time of compilation.



## 5 Mental Health and Psychosocial Support (MHPSS)

TABLE 7 — KEY INDICATORS SMSPS, JULY 20, 2026

| SMSPS Key Indicators                                        | Ituri       | North Kivu |
|-------------------------------------------------------------|-------------|------------|
| New confirmed cases that benefited from SMSPS interventions | 17 (100.0%) | 0          |
| Confirmed cases are being monitored.                        | 143 (75.7%) | 3 (100%)   |
| New suspected cases                                         | 22 (27.5%)  | 15 (100%)  |
| Suspected cases are being monitored                         | 99 (63.9%)  | 6 (100%)   |
| Laboratory results announced (including positive ones)      | 67(17)      | 6(2)       |
| Children separated — nursery / community                    | 1/0         | 0/0        |
| CTE support staff                                           | 246         | 36         |
| Frontline Personnel (PPL)                                   | 28          | 34         |
| Members of households and communities                       | 68          | 0          |
| EDS supported (SMSPS)                                       | 7           | 0          |

## 6 Frontline Personnel (PPL) assigned

TABLE 8 — FRONTLINE STAFF (FLS) INFECTED WITH EVD (CUMULATIVE AS OF JULY 20, 2026, ITURI)

| Health Zone                             | Confirmed cases | Healed    | In hospitalization | Death     |
|-----------------------------------------|-----------------|-----------|--------------------|-----------|
| Bunia                                   | 35              | 18        | 3                  | 14        |
| Rwampara                                | 32              | 24        | 1                  | 7         |
| Mongbwalu                               | 16              | 6         | 2                  | 8         |
| Nyankunde                               | 14              | 11        | 1                  | 2         |
| Nia-Nia                                 | 10              | 3         | 7                  | 0         |
| Lita                                    | 4               | 1         | 2                  | 1         |
| Nizi                                    | 3               | 0         | 0                  | 3         |
| Mangala                                 | 3               | 1         | 1                  | 1         |
| Bamboo                                  | 2               | 2         | 0                  | 0         |
| Kilo                                    | 2               | 1         | 1                  | 0         |
| <b>Total — case fatality rate 29.8%</b> | <b>121</b>      | <b>67</b> | <b>18</b>          | <b>36</b> |

PPL = healthcare personnel and frontline providers.

## 7 Pillar-Based Response Activities

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>COORDINATION</b></p> <p>Ÿ <b>Ituri</b> : Holding coordination meetings; setting up the Logo laboratory; monitoring response activities; deploying CAP investigators; monitoring infrastructure.</p> <p>Ÿ <b>Tshopo</b> : Finalization/validation of the response plan; placement of the DPS alert centre; field recommendations for CTE sites.</p>                                                                                                                                                                                                                                                                                                                                                                                            | <p><b>PCI / WASH</b></p> <p>Ÿ <b>Ituri</b>: 34 rings opened; 42 ESS monitored/accompanied; 8 scorecard assessments; 5 ESS and 5 means of transport decontaminated; 40/93 households decontaminated within 48 hours; 108 PPL trained.</p> <p>Ÿ <b>North Kivu</b>: 13 ESS decontaminated, 16 ESS provided with incomplete PCI kits, 13 scorecards, 167 ESS monitored/accompanied, 641 service providers briefed, 50 EDS secured and 82 community deaths swabés.</p> <p>Ÿ <b>South Kivu</b> : Training of 50 PPLs on PCI/WASH toolkit in Katana; briefing of 31 PPLs in 9 ESSs; continuation of the development of 6 triage units; reactivation of the provincial decontamination team.</p>                                                                                                         |
| <p><b>Dignified and secure burials (DSM)</b></p> <p>Ÿ <b>Ituri</b>: Closure of the harmonization of EDS SOPs; provision of a printer by FHI360; resistance in Mandima and Aru; construction of the decontamination base; deployment of 4 additional teams in Lita and Nizi.</p> <p>Ÿ <b>North Kivu</b>: 39 death alerts, 39 bodies swabed and secured, 40 EDS carried out, 9 postponements; 67% of deaths reported in ESS, 28% community and 5% at CTE/CT.</p> <p>Ÿ <b>South Kivu</b>: EDS to be carried out in the Kadutu health zone; CREC/PCI support around alerts; preparation of families to accept interventions.</p> <p>Ÿ <b>Tshopo</b>: Coordination required for the management of community deaths and the safe transport of bodies.</p> | <p><b>HOLISTIC CARE (HCC)</b></p> <p>Ÿ <b>Ituri</b>: 3 new recoveries, 70 admissions, 553 patients in isolation, 17 deaths among discharged patients (12 confirmed), 1025 hot meals served to patients (128 to suspected cases, 159 to confirmed cases, 691 to PPL patients, and 47 to support staff), and capacity building for 31 psychologists. Backfilling completed and work to expand the CTE in the Lita health zone has begun.</p> <p>Ÿ <b>North Kivu</b>: 38 admissions, 34 discharges, 181 patients hospitalized, including 20 confirmed and 161 suspected; continued monitoring of care in CTE/CT.</p> <p>Ÿ <b>Tshopo</b>: Provision of PCI inputs to 3 ESSs; pillar meeting; supply of PK23 RN4 with 500 L of water; 2 ESSs decontaminated; 5 functional triage units out of 79.</p> |
| <p><b>COMMUNICATION (RCCE / CREC)</b></p> <p>Ÿ <b>Ituri</b>: 17,031 people reached in VAD; 2,849 in talks; 45 engaged via dialogue; 2,436 in mass awareness; 41 community alerts; briefing of 50 RECOs in Lita and 60 in Mambasa.</p> <p>Ÿ <b>North Kivu</b>: RECO/leader briefings in Kalunguta, Masereka and media in Butembo/Katwa/Kyondo; 27,787 people reached door-to-door, 3,472 in public places, 231 community alerts and 3 feedbacks resolved.</p> <p>Ÿ <b>South Kivu</b>: 35 humanitarian actors from Uvira and 60 Ibanda community actors briefed; 35 UNPC journalists briefed; 14,434 people reached by VAD, 14,121 by mass communications; 23 feedback/complaints of which 20 were resolved.</p>                                      | <p><b>CONTINUITY OF ESSENTIAL SERVICES (CSSE)</b></p> <p>Ÿ <b>Ituri</b>: Of the 8 ESS pre-selected with regard to free services, none had a zoned triage area at the entrance; a zoned triage area is under construction at the Bahwere CS by the partner MEDAIR.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>ÿ <b>Tshopo:</b> Engagement of journalists and young motorcycle taxi drivers</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <p><b>RESEARCH, INNOVATION &amp; VACCINATION</b></p> <p>ÿ <b>Ituri:</b> deployment of CAP investigators in Rwampara, Bunia, Bambumines, Kilo, Lita, Gethy and Komanda.</p> <p>ÿ <b>South Kivu:</b> Mini KAP survey recommended to guide community feedback</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <p><b>LOGISTICS</b></p> <p>ÿ <b>Ituri:</b> Delivery of 273 packages of EDS kits to Bunia (1,107 kg); 38 vehicles and 12 ambulances allocated; 396 liters of fuel; handover of motorcycles and ambulances; installation of tents in Nia-Nia.</p> <p>ÿ <b>North Kivu</b> Reception of two medicalized ambulances; reception of nutritional supplies; transport of PCI supplies to Kyondo and Musienene; delivery of the tank to the PoE/PoC pillar; motorcycles handed over to the pillars.</p> <p>ÿ <b>South Kivu:</b> Logistical needs for investigation mobility, sample transport, and support for PoE/PoC</p> <p>ÿ <b>Tshopo:</b> Receipt of 7 tablets; delivery of traveler cards to PoE Bangboka and PCI kits to ESS; 3 vehicles and 1 ambulance assigned; visit/geolocation of the large capacity CTE site.</p> |
| <p><b>PREVENTION OF SEXUAL EXPLOITATION AND ABUSE (PSEA / PRSEAH)</b></p> <p>ÿ <b>Ituri:</b> Continued awareness-raising and strengthening of mechanisms for the prevention of sexual exploitation and abuse. Evaluation of the training of focal points in the 18 health zones of the Bunia pool; community awareness campaigns in Bunia and Aru; inter-agency meeting for Tshopo/Haut-Uélé.</p> <p>ÿ <b>South Kivu:</b> 3,394 community health workers (CHWs) sensitized on EAS, 5,457 community members sensitized, 46 service providers briefed and signed the code of conduct, 19 technical and financial partners briefed and radio messages planned</p> <p>ÿ <b>Tshopo:</b> Provincial preparedness and complaint mechanisms, in connection with national PSEA activities</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## 8 Main challenges, impacts and actions required

| Challenge No. | Impact                                                                                                                                                                                                | Actions required                                                                                                                                                                                      |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1             | <p>Reluctance to participate in post-mortem sampling (EDS/swabs), community resistance, and insecurity targeting EDS teams (bridge attack)</p> <p>Muchanga, paralysis of activities in Nyankunde)</p> | <p>Confirmation delays, underestimation of cases, disruption of key activities</p> <p>Intensify CREC; involve religious and community leaders, secure the teams, increase the number of EDS teams</p> |
| 2             | <p>Non-payment of service providers (strike in the health zones of Bunia and Rwampara; resumption announced after the intervention of the military governor of Ituri)</p>                             | <p>Interruption of response activities, including dignified and safe burials</p> <p>Regularize payments to service providers; secure dedicated funding</p>                                            |
| 3             | <p>Insufficient capacity of CTE/CT: occupancy of 128.4% in North Kivu (bed capacity: 141) and 78.4% in Ituri (556 patients for 709 beds);</p>                                                         | <p>Admission delays, increased risk of nosocomial transmission</p> <p>Accelerate the construction and expansion of CTEs, deploy temporary structures, and systematically report bed capacity.</p>     |
| 4             | <p>Contact tracking performance low in Ituri 81.8%; North-Kivu 81.9%</p>                                                                                                                              | <p>Uninterrupted transmission chains</p> <p>Train, deploy and motivate community liaison officers (RECOs); strengthen supervision; investigate the observed drop in Ituri</p>                         |
| 5             | <p>Ambulance shortages and pre-positioning at points of control</p>                                                                                                                                   | <p>Delays in transfer and isolation</p> <p>Preposition ambulances (including those at PoE/PoC), deploy CTs per ZS</p>                                                                                 |

| Challenge No. |                                                                                                  | Impact                                                                | Actions required                                                                           |
|---------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| 6             | Insufficient supply of MEG and medical supplies                                                  | Weakening of overall care                                             | Advocacy and urgent supply of essential medicines                                          |
| 7             | Insufficient PCI inputs (PPE, chlorine) and limited functional triage units (175/1170, i.e. 15%) | Risk of nosocomial infections (121 cases of PPL, including 36 deaths) | Urgent supply, strengthening of IPC training                                               |
| 8             | Geographic extension (Haut-Uélé, Tshopo) and high mobility                                       | Risk of urban, riverine and cross-border spread                       | Activate the 23 priority PoE/PoC points in Haut-Uélé; strengthen cross-border coordination |
| 9             | Installation of local laboratories (Butembo, Mambasa and Logo)                                   | Long confirmation delays, transmission not detected                   | Accelerate the deployment of decentralized diagnostic capabilities                         |
| 10            | Financial shortcomings of the resources                                                          | Limitation of the misery implemented from pillars                     | Urgent mobilization of resources, advocacy with partners                                   |
| 11            | Insecurity and limited access (CODECO, ADF)                                                      | Restriction of operations                                             | Strengthening security coordination and humanitarian access                                |
| 12            | Continuity of essential services (CEHS) compromised                                              | Increase in indirect (non-Ebola) mortality                            | Implementation and effectiveness of free healthcare, strengthening of CEHS                 |

## 9 Photos of field activities



Commitment of motorcycle taxi driver associations to support the response by discouraging the transport of bodies by motorcycle and alerting any suspected cases of Ebola virus disease in the Tshopo province.



200 cryoboxes and 5,000 green-capped tubes, provided with US-CDC support, were delivered to Bunia for distribution to laboratories and relevant sites



**POUR TOUTE  
INFORMATION  
SUPPLÉMENTAIRE,  
VEUILLEZ CONTACTER**

**Pour l'Institut National de la Santé Publique (INSP) de la RDC**

**Le Directeur Général de l'INSP**

Dr MWAMBA KAZADI Dieudonné

E-mail: [dieudonne.mwamba@insp.cd](mailto:dieudonne.mwamba@insp.cd)

Tel. : +243 816 040 145

**Le Coordonnateur COUSP**

Prof NGANDU Christian

E-mail: [Christian.ngandu@insp.cd](mailto:Christian.ngandu@insp.cd)

Tél. : +243998091915

**L'Incident Manager**

Prof Pierre AKILIMALI

E-mail: [pierre.akilimali@insp.cd](mailto:pierre.akilimali@insp.cd)

Tél. : +243815800288

Avec l'appui technique de l'Organisation Mondiale de la Santé (OMS),  
US CDC, Africa CDC et Blue square