


TASK FORCE PRESIDENTIAL EBOLA 17



Ministry of Public Health, Hygiene and Social Welfare
National Institute of Public Health
 Public Health Emergency Operations Center
MVE17 Incident Management System



Situation Report of the 17th Ebola Virus Disease Outbreak / DRC

SitRep N°094/MVEBDB/16/08/2026

Reporting date: August 16, 2026

Publication date: August 17, 2026

**HIGHLIGHTS** (last 24 hours)

Over the past 24 hours, 76 new confirmed cases of Ebola Virus Disease (EVD), including 30 community deaths, have been recorded in the provinces of Ituri (63 cases), North Kivu (11 cases), Haut-Uélé (1), and Tshopo (1). No new health zones have been affected.

ACCUMULATIVE CAS 5 021	ACCUMULATIVE DEATH CONFIRMED 2 378	LETHALITY 47,4%	PATIENT IN ISOLATION/CTE 751	ACCUMULATIVE HEALED 1 061	TRACKING RATES CONTACTS (Of the Day) 82,2 %
---	---	----------------------------------	---	--	---



Affected Provinces and Affected Health Zones

**6 Provinces Affected**

Haut-Uele, Ituri, North Kivu,
 South Kivu, Tshopo & Lower Uele

**55 Health Zones****Affected Out of 151**

(36,4%)

Summary of key points from the last 24 hours

Over the past 24 hours, 76 new confirmed cases and 30 community deaths from Ebola Virus Disease (EVD) have been reported in the provinces of **Ituri (63 cases)**, **North Kivu (11 cases)**, **Haut Uélé (1)**, and **Tshopo**.

(1). Ituri accounts for more than three-quarters of the new cases.

At the end of the day on August 16, 2026, **21 patients** were declared recovered after receiving two negative Ebola virus (EV) test results (18 in Ituri, 2 in North Kivu, and 1 in Haut-Uélé). However, 23 confirmed deaths within Ebola treatment centers were recorded, including 18 in Ituri, 4 in North Kivu, and 1 in Haut-Uélé, bringing the total number of deaths in the last 24 hours to 53.

Thus, the Democratic Republic of Congo has reached a cumulative total of 5,021 confirmed cases, including 2,378 deaths, representing a case fatality rate of 47.4%. Ituri remains the epicenter of the epidemic, accounting for 84.8% of cumulative confirmed cases and 82.9% of new cases reported in the last 24 hours.

Overall, 55 of the 151 health zones in the six provinces have been affected since the start of the epidemic in the DRC. Ituri has 28 health zones affected out of 36, followed by North Kivu (12/34), Haut-Uélé (6/13), Tshopo (7/23), South Kivu (1/34) and Bas-Uélé (1/11).

Distribution of confirmed cases and deaths by affected province

(As of August 16, 2026)

Province	Confirmed cases	Deaths (confirmed)	Lethality	Affected health zones	New confirmed cases (24h)
Ituri	4257	1 878	44,1%	28/36 (77,8 %)	63
North Kivu	607	428	70,5%	12/34 (35,3 %)	11
Haut-Uélé	139	63	45,3%	6/13 (46,1 %)	1
Boss	14	7	50,0%	7/23 (30,4 %)	1
South Kivu	3	1	33,3%	1/34 (2,9 %)	0
Bas Uélé	1	1	100,0%	1/11(9,1%)	0
Total	5 021	2 378	47,4%	55/151 (36,4 %)	76

Confirmed cases and deaths by province and health zone (situation as of August 16, 2026)

Province / Health Zone	Cumulative number			Current situation (24 hours)			
	Cas (n)	Deaths (n)	Lethality	New Case	Community deaths (Swab+)	Confirmed deaths within the CTE	Total confirmed deaths
Ituri	4257	1878	44,1%	63	22	18	40
Give	11	1	9,1%				0
Unkempt	7	6	85,7%				0
Ariwara	7	2	28,6%				0
Aungba	11	5	45,5%				0
Bamboo	109	25	22,9%				0
have	1	1	100,0%				0
Bunia	1174	358	30,5%	17	6		6
Ladies	25	9	36,0%	2	0		0
Drodro	13	6	46,2%				0
Fireworks	69	30	43,5%	5	0		0
Gethy	4	1	25,0%				0
Flounder	2	0	0,0%				0
Kilo	31	12	38,7%				0
Team	48	32	66,7%				0
Liter	181	102	56,4%	8	4		4
Logo	11	5	45,5%				0
Fight	15	4	26,7%				0
distributed	4	1	25,0%				0
Washing	14	7	50,0%				0
Darkness	23	14	60,9%				0
Mangala	162	92	56,8%	6	4		4
Mongbwalu	590	282	47,8%	5	0		0

Nanny	170	100	58,8%	6	4		4
Nizi	539	240	44,5%	5	1		1
Legumes	121	35	28,9%	1	0		0
Jungle	9	4	44,4%				0
Rwampara	856	331	38,7%	7	3		3
Tchomia	50	25	50,0%	1	0		0
A valves	THAT	148	THAT	THAT	THAT	18	18
North Kivu	607	428	70,5%	11	7	4	11
Me	93	70	75,3%	2	2		2
Butembo	112	95	84,8%	1	1	2	3
Ten	1	0	0,0%				0
Kalunguta	13	6	46,2%	1	1		1
Cut	291	198	68,0%	6	3	2	5
Kyondo	15	12	80,0%				0
Lubero	1	1	100,0%				0
Be careful.	2	1	50,0%				0
Masereka	7	4	57,1%				0
The museums	62	35	56,5%				0
Oicha	5	4	80,0%				0
Vuh	5	2	40,0%	1	0		0
Haut-Uélé	139	63	45,3%	1	0	1	1
Kill Mangbetu	22	8	36,4%				0
Gombari	1	1	100,0%				0
Mathematics	42	20	47,6%			1	1
Lining	20	14	70,0%	1	0		0
Beans	1	0	0,0%				0
Ordinary	53	20	37,7%				0
Boss	14	7	50,0%	1	1	0	1
Bafwasende	1	0	0,0%				0
Kabondo	3	2	66,7%				0
Lubunga	1	0	0,0%				0
Makiso-Kisangani	5	4	80,0%	1	1		1
Mangobo	2	1	50,0%				0
Boss	1	0	0,0%				
Wanie-Rukula	1	0	0,0%				0
South Kivu	3	1	33,3%	0	0	0	0
Miti-Murhesa	3	1	33,3%				0
Bas Uélé	1	1	100,0%	0	0	0	0
Blind	1	1	100,0%				0
Total	5021	2378	47,4%	76	30	23	53

*These are the confirmed deaths that occurred in the various CTEs in the province and are being broken down to be classified by health zone.


NA : Not Applicable

Status of alerts notified by province, as of August 16, 2026


DPS	New Alerts Received		Total alerts	Alerts verified and validated (suspected case)		Alerts verified and invalidated (no suspected cases)		Number of suspects investigated	Number of suspects investigated and transferred to CT/CTE (of the day)
	Living	Deceased		Living	Deceased	Living	Deceased		
Haut-Uélé	10	2	12	8	2	2	0	10	7
Bas Uélé	8	0	8	5	0	0	0	5	2
Ituri	298	42	340	84	40	119	0	124	66
North Kivu	585	74	659	57	74	518	0	129	57
South Kivu	ND	ND	0	ND	ND	ND	ND	ND	ND
Boss	48	0	48	2	0	46	0	2	2
Grand Total 949		118	1 067	156	116	685	0	270	134

*Tshopo alert data is not available for the period considered.

Evolution of cases by date of symptom onset over the last 21 days



MAPPING OF CASES over the last 21 days



1. RESPONSE ACTIONS BY PILLAR

1.1.Coordination

1.1.1. Main Actions

- **North Kivu** : Participation in the official handover of an ambulance to the Kyondo Health Zone (Government support) by the delegation of the Provincial Minister of Health, visit to the Katwa and Kitatumba Ebola Treatment Centers, participation in the monitoring and coordination meeting of the Beni Health Zone and evaluation visit of the care provided at the Kitatumba Ebola Treatment Center (Butembo) with the Ugandan team.

- **Ituri/Tshopo:** Establishment of a team to review invalidated alerts, intelligence alert reporting and creation of a presentation analysis team.
- **Haut-Uélé:** Supervision of the evaluation activities of PoE activities with the facilitator.

1.2. Epidemiological surveillance

1.2.1. Main Actions

At the end of the day on August 16, 2026, 1,067 alerts were recorded, including 957 (89.7 % were verified in the five reporting provinces. Of these, 272 (28.4%) were validated as suspected cases and 270 (99.3%) were investigated, of which 134 (49.6%) were transferred to the CT/CTE. The province of South Kivu did not transmit any data.

The proportion of contacts monitored in the last 24 hours has risen to 82.2% (16 130 views out of 19,630 to follow), above the 85% threshold: Ituri 82.4% (8,855/10,746), Tshopo 100% (439/439) and North Kivu 80.5% (5,805/7,214). Haut-Uélé 83.8% (1,031/1,231) and Bas-Uélé 18.9% (35/185). Note that 11 health zones did not report in the Ituri Health District (DPS) and South Kivu no longer has any active contacts.

1.2.2. Challenges

Low reporting of alerts and listing and monitoring of contacts around confirmed cases.

1.3. Update on checkpoint and point of entry (PoC/PoE) activities

1.3.1. Main actions

- Seven (7) alerts were detected at the various PoE/PoC points in the last 24 hours: five in Ituri and two in North Kivu. Details of the actions taken at each checkpoint are presented below, by province.

Monitoring of indicators at PoE/PoC by province, as of August 16, 2026

	Ituri	North Kivu	Boss	Global
Proportion of activated PoCs and Enhanced PoE	100 % (60/60)	100 % (18/18)	35,0 % (7/20)	87,9 % (94/107)
Number of people who have switched to PoE/PoC	128 551	77 138	2 998	208 687
% of travelers screened % of	96,0 % 96,92 %	99,3 % 99,3 %	96,4 %	
travelers who washed their hands	97,0 % 96,92 %	99,1 % 97,0 %		
% of travelers made aware	99,5 % 96,92 %	100 %		98,6 %
Number of alerts notified	5	2	0	7
Number of live alerts will-ideas	3	2	0	5
Number of lifeless bodies intercepted today	1	0	0	1

	Ituri	North Kivu	Boss	Global
Number of problematic contacts intercepted today	0	0	0	0
Percentage of validated live alerts referred to the CT/CTE	33,3 % (1/3)	100 % (2/2)	0	60,0 % (3/5)
% of lifeless bodies swabed	100 % (1/1)	0	0	100 % (1/1)

1.3.2. Challenges

- Insufficient operationalization of PoE/PoC: functionality remains low in Tshopo (35% activated, 57.1% completeness), due to a lack of training, supervision and logistical and financial support; in Ituri, only one strategic site out of 11 is working without interruption.
- Constraints affecting the functionality of PoE/PoC: non-payment of service providers in Ituri, North Kivu and Haut-Uélé leading to a strike that deprived six PoCs in Haut-Uélé of reporting; 2,373 refusals of screening in North Kivu (3.07%) and low screening at the Pont-Shari PoC in Ituri due to lack of involvement of men in uniform; persistence of rumors about the origin of the disease among the reasons for refusal.

1.4. Laboratory

1.4.1. Main actions

Ituri recorded 63 new positive results (41 live and 22 deaths) out of 248
New samples received and analyzed (Positivity rate: 25.4%). In addition, 13 samples came back positive out of 78 analyzed. North Kivu confirmed 11 new cases including 7 deaths among 144 samples analyzed (Positivity rate: 7.6%), Haut-Uélé one confirmation in Pawa among the 8 samples (Positivity rate: 12.5%) and in Tshopo 1 confirmed case among the 4 samples received and analyzed (25%).

1.5. Infection Prevention and Control (IPC/EDS)

1.5.1. Main actions

- **In Ituri**, 97 decontamination rings were expected (80 postponed from the previous day and 17 confirmed cases retained), and 21 rings were actually opened; 48 sites were identified and decontaminated. The reasons for not completing the rings were insufficient teams and decontamination supplies (Mandima, Bambu-mine, Mangala), resistance from families (Kilo), addresses that could not be located, insecurity, and a strike by decontamination workers.
- **In North Kivu**, 44 death alerts were received, with 12 postponements. 43 bodies were recovered by swab and 41 death assessments (DAS) were carried out, with 14 postponements to the following day. One failure was reported, linked to community resistance in the Kalunguta health zone. The reported deaths were concentrated in Katwa (17, or 38.6%) and Beni (16, or 36.3%).
- **In Haut-Uélé**, one death alert was recorded with one postponement, for two bodies collected by swab and two EDS (100%), with no failures reported. Ten ISP supervisors from the Isiro Health Zone were briefed before the start of supervision, and 14 ESS (Emergency Situations) remain under ISP monitoring. In Tshopo, the ring for the 15th case has been opened, the Cinquantenaire General Referral Hospital (one ambulance and two rooms) and the ART Clinic have been decontaminated, and the Cinquantenaire General Referral Hospital's scorecard stands at 48%.

1.5.2. Challenges

- Weak implementation of IPC standards: limited ring opening in Ituri (21 out of 97) and incomplete decontamination (48 out of 97 sites) due to strike by decontamination workers, insecurity, refusals and addresses not found; completeness of IPC reporting limited to 9 out of 14 health zones in Ituri; insufficient PPE and trained personnel in Tshopo, where two incinerators are out of order at the Makiso-Kisangani General Referral Hospital.

1.6. Continuity of care

1.6.1. Main actions

- In Ituri**, 32 out of 34 ambulances are available (94%), with 16 in use (50%) for 28 successful missions out of 28 (100%), and a response capacity of 28 out of 39 (72%). The Ebola Treatment Centers (ETCs) recorded 127 new admissions, all suspected cases, including 7 in the advanced stage (3 in Mongbwalu, 1 in Bambu, and 3 in Mangala), and 98 discharges, including 18 recoveries. Thus, 577 patients are hospitalized (235 confirmed and 342 suspected), including 43 children under 5 years old, out of 991 beds, representing an overall occupancy rate of 58.2%. The ETCs in Bambu and Mangala (confirmed and suspected cases), Nizi (confirmed cases), and Fataki, Kilo, and Kigonze (suspected cases) are at capacity.
- **In North Kivu**, 48 new admissions were recorded (3 confirmed and 45 suspected), with 48 discharges, including 2 recoveries, at the Kitatumba Ebola Treatment Center. Thus, 170 patients are hospitalized (32 confirmed and 138 suspected), including 19 children under 5 years old, out of 206 beds, representing an overall occupancy rate of 82.5%.
 - **In Tshopo**, two new admissions were recorded at the Kisangani CTE HC (one confirmed case/PPL) and one suspected case, with four discharges resulting from non-cases and one confirmed death due to severe anemia. Five patients are in isolation at the Kisangani CTE HC, which has 12 beds, representing 41.7% occupancy.

1.6.2. Challenges

Insufficient availability of referral resources (2 ambulances out of service in Ituri: call center and Bambu; only 6 ambulances in North Kivu and need for 10 more ambulances in Haut-Uélé) and low capacity of some CTE/CT: CTE of Bambu and Mangala (confirmed and suspected), of Nizi (confirmed), of Fataki, Kilo and Kigonze (suspected) in Ituri, low capacity of the CTE of Tshopo and unavailability of safe blood and specialists.

1.7. Risk communication and community engagement

1.7.1. Main actions

- **In Ituri**, 330 new contacts were identified in connection with the day's cases. A community dialogue on Ebola prevention brought together 100 participants with Chief Bahema Irumu (Rwampara Health Zone). Advocacy efforts were conducted with the chief of the Babonde group in Nia-Nia (bordering Haut-Uélé), and 18 young leaders were briefed on Community-Based COVID-19 Response (CBCR) to support community-based surveillance (Lita Health Zone). Communication regarding 10 confirmed cases reached 49 household heads in Rwampara.
- **In North Kivu**, teams supported the listing of 44 contacts in Kanzulinzuli (Beni Health Zone), the search for a suspected case who had escaped in Luotu (Kyondo Health Zone), and overcoming reluctance related to contact tracing in Musienene. On the psychosocial front, 385 people (253 women and 132 men) benefited from psychoeducational sessions and 18 separated or orphaned children were accompanied.

- **In Haut-Uélé**, 345 people were reached through home visits in 69 households, 276 through educational talks (in the health zones of Wamba and Isiro), and 5,688 through mass awareness campaigns in churches and markets in Isiro, Boma-Mangbetu, and Pawa; 5 radio stations broadcast prevention messages, and 41 IEC (Information, Education, and Communication) materials were distributed (a total of 340). In Tshopo, 12,642 people were reached through religious denominations, and communication efforts were conducted regarding the confirmed cases in Mangobo and Makiso-Kisangani.

1.1.1. Challenges

- Persistent community challenges: 14 unresolved community incidents in the North Kivu, all in the Musienene health zone; resistance to EDS in Ituri (Tchomia, Mandima, Nyakunde) and refusals reported in Haut-Uélé; weak organization of home visits by community relays in Ituri (Nizi and Nyakunde health zones) due to non-payment; posters available only in French and Swahili in Haut-Uélé and shortage of educational materials in Tshopo.

1.8. Logistics

1.8.1. Main actions

In Ituri, 43 packages of IPC kits weighing 127 kg were delivered to the Fataki Health Zone, 10 ambulances were deployed, and 3 rental vehicles were put into service on the Adja, Mambasa, Kilo, and Damas roads; a new building at the Mongbwalu Ebola Treatment Center is operational with a capacity of 60 beds. The needs include 4 glove boxes (for the Fataki, Bambu-mine, Lita, and Rwampara Health Zones) as well as cryotubes and cryoboxes; four mobile laboratories are planned for these same health zones.

In North Kivu : Evaluation of the CTE site at ITAV, meetings with the sub-coordinations of the Kyondo and Katwa health zones and handover of an ambulance to the Kyondo health zone with support from the Government; six ambulances are available and in use.

In Haut-Uélé : Briefing of service providers and installation of kits (IOM support). In Tshopo: Reception of 23 Starlink kits (WHO), provision of 85 thermal flashers by the national PNHF, continuation of the construction of the two isolation units and the large-capacity CTE, and water supply to the PK 23 PoC.

1.8.2. Challenges

Persistent logistical needs to support the expansion of the response: completion of the extensions of the CTEs in Nizi, ISTM and Bambu in Ituri; stock shortages reported in Tshopo (zero surgical head coverings and masks, 309 kg of chlorine available for a need of 1,800 kg, hydroalcoholic gels and protective glasses almost exhausted); insufficient vehicles and motorcycles for the mobility of the pillars in Ituri and Tshopo (178 motorcycles missing) and need for communication units for the 56 members of the SGI in Tshopo.

1.9. Security

1.9.1. Main actions

- Securing response activities continued, notably through security service support for the transfer of reluctant suspected cases to Tshopo and the handover of the list of those lost to follow-up to security services and PoE/PoC teams. In Haut-Uélé, a joint CREC, SMSPS, PCI, and surveillance operation resulted in two positive test results in a household resistant to the EDS and secured its enrollment in the CTE.

- Persistent insecurity and community resistance limiting access for response teams: insecurity in ring opening villages in Ituri and resistance from the population to EDS in the health zones of Komanda, Mambasa, Nia-Nia, Aru and Mandima; growing insecurity in Baego (Bafwasende health zone, Tshopo); refusal of follow-up and dignified and safe burial notified and lifted in the health zones of Makiso-Kisangani and Kabondo.

1.10. PSEA (Prevention of Sexual Exploitation and Abuse)

1.10.1. Main actions

- Awareness-raising activities on Prevention of Sexual Exploitation and Abuse (PSEA) continued in the affected provinces. No daily data was submitted by the pillar for the period under review; activities reported in the previous cycle are continuing.

1.1.2. The challenges

Coverage of awareness-raising activities and strengthening of mechanisms for the prevention, reporting and management of cases of sexual exploitation and abuse remains insufficient across all areas covered by the response.

MESSAGES CLES

- Ebola transmission remains active, with 76 new cases including 30 community deaths and 23 intra-CTE recorded in the last 24 hours, bringing the national total to 5,021 confirmed cases and 2,378 deaths.
- Ituri remains the epicenter of the epidemic, concentrating 84.8% of cumulative confirmed cases and 82.9% of new cases reported in the last 24 hours and a greater expansion (28 of the 36 health zones affected).
- Surveillance shows 99% of suspected cases investigated while the follow-up rate (82.2%) reaches the threshold of 85.0%.
- Strengthening priority interventions (surveillance, care, IPC, logistics and community engagement) remains essential to quickly interrupt transmission chains.

TIMELINE OF KEY EVENTS

- From April 24 to May 15, 2026, the epidemic progressed from the detection of the first suspected cases to the biological confirmation of the Ebola Bundibugyo virus, leading to the official declaration of the 17th Ebola Virus Disease epidemic in the Democratic Republic of Congo.
- Between May 17 and 18, 2026, national authorities, with the support of partners, strengthened the response by declaring a public health emergency of national and then continental scope, accompanied by the mobilization of 64 support teams.



TASK FORCE PRESIDENTIAL EBOLA 17
Ministry of Public Health, Hygiene and Social Welfare
National Institute of Public Health
Public Health Emergency Operations Center
MVE17 Incident Management System

Director General of INSP

Dr. MWAMBA KAZADI Dieudonné

Email: dieudonne.mwamba@insp.cd **Incident**

Manager: Professor

Dr. AHUKA MUNDEKE Steve

Email: steve.ahuka@unikin.ac.cd

Operations Manager

Dr. Kombe NGWAMA John

Editorial Team

Professor Dr. Mulangu Katulumba Félix-Médard

Dr Katusi Biselenge Jules

Mrs. Wisdom Dies Marie

Dr. Diur Mananashi Floryan

Mr. Kamuina Kebela John

Contact :

www.insp.cd

contact@sgiebola17.org

Freephone number: 151. www.sante.gouv.cd